

**Approximately 42% of
conveyor-related
accidents occur during
maintenance activities.***

*US MSHA Office of Injury and Employment Information

*Flexco offers a safer approach to belt
conveyor maintenance. Used together,
Flexco tools and fasteners give your
belt the long-lasting splice you want
and the safety you expect.*

A complete system to
Work SAFER.
Work Smarter.



Flexco is committed to Safety and Quality.

Our hands-on industry experience gives us deep insight into your productivity demands, maintenance challenges, and safety requirements. And we won't settle for anything less than the best, most durable products around, with the services and support to match.



**High quality Flexco tools
provide a safer alternative
to Belt Conveyor
Maintenance for your
operation and your workers.**

Flexco (Aust.) Pty. Ltd • 10 Solent Circuit • Baulkham Hills NSW 2153 • Australia
Tel: 612-8818-2000 • Fax: 612-8824-6333 • E-mail: salesau@flexco.com
Visit www.flexco.com for other Flexco locations and products.

FLEXCO

©2016 Flexible Steel Lacing Company. 06-30-16. For reorder: X4258

FLEXCO

LIFT



A Safer Way to Lift a Belt

Eliminate pry bars and manual lifting to make a difficult and hazardous job easier and safer.

Flex-Lifter™ Belt Lifter safely lifts and holds tensioned conveyor belts.

- Highest safe lift rating available: 1810 kg (4000 lbs.)

CLAMP




A Safer Way to Secure a Belt

Avoid problems and potential dangers associated with homemade devices like c-clamps, lumber, and chains.

Far-Pul® HD® Belt Clamps are specially designed to properly secure a belt and clamp it for safe belt conveyor maintenance.

- Securely grips belts up to 25 mm (1 inch) thick.

CUT



A Safer Way to Cut a Belt

Utility knives simply can't provide the same level of safety, speed, and accuracy when cutting belts.

Flexco Belt Cutters minimise the danger of accidental injury during the belt cutting process.

- Operators are protected from cutting edge of blades during operation.

SKIVE



A Safer Way to Skive a Belt

Skiving a belt without the proper tools can lead to serious injuries.

FSK™ Belt Skiver safely removes top cover for installation of recessed splices.

- Blade is safely enclosed during skiving operations.

ORDER TODAY!

Flex-Lifter™ Conveyor Belt Lifter

Description	Belt Width mm	Ordering Number	Item Code
Medium Flex-Lifter	900-1500	FL-M	76979
Large Flex-Lifter	1200-1800	FL-L	76980
XL Flex-Lifter	1800-2400	FL-XL	76983

Note: XL V-return lift bar sold separately.

Far-Pul® HD® Belt Clamps

Description	Belt Width mm	Ordering Number	Item Code
Belt Clamp Complete includes:	Up to 750	LSHD30	30393
	Up to 900	LSHD36	30394
	Up to 1050	LSHD42	30395
4 Belt Clamp Bars and 4 Belt Clamp Scissors	Up to 1200	LSHD48	30396
	Up to 1350	LSHD54	30397
	Up to 1500	LSHD60	30398
	Up to 1800	LSHD72	30399

Electric Belt Cutter

Description	Belt Thickness mm	Ordering Number	Item Code
Corded Model	Up to 25	EBC1	30001
	Up to 50	EBC2	30002
Cordless Model	Up to 25	CEBC1	30018
	Up to 50	CEBC2	30019
Pneumatic Model	Up to 25	PBC-1	61356
	Up to 50	PBC-2	61357

900 Series™ Belt Cutter

Description	Belt Width mm	Ordering Number	Item Code
Cutter complete for belts up to 38 mm thick	600	900936	04143
	900	900948	04144
	1200	900960	04145
	1500	900972	04146
	1800	900984	04147
	2130	900996	04193

840 Series Aluminum Belt Cutter

Description	Belt Width mm	Ordering Number	Item Code
Cutter complete for belts 10-25 mm thick	900	840836	32267
	1200	840848	32268
	1500	840860	32269
	1800	840872	32270
	2130	840884	32271

FSK™ Belt Skiver

Description	Fence Material	Ordering Number	Item Code
Skiver Complete	Plastic	FSK2	32051
Skiver Complete	Metal	FSK2M	32068