




Product Guide

EFFECTIVE JULY 1, 2023

BCPPGAUS

Belt Conveyor Products



10 Solent Circuit
Norwest NSW 2153

Phone: +61 2-8818-2000 Fax: +61 2-8824-6333

Toll Free: 1300 098 435

E-mail: salesau@flexco.com

www.flexco.com

Patents: www.flexco.com/patents

INFORMATION

HEAD OFFICE ADDRESS: Flexco® (Aust.) Pty Ltd
10 Solent Circuit
Baulkham Hills, NSW 2153

OFFICE TELEPHONE: +61 2 8818-2000

WESTERN AUSTRALIA OFFICE ADDRESS: Unit 1/13 Ernest Clark Rd.
Canning Vale, WA 6155
Phone: 08 6253-8081
Fax: 08 9456-2571

BUNDABERG OFFICE ADDRESS: 49 Hanbury Street, Bundaberg, QLD
4670 Australia
Ph: 07 4151-0359
F: 07 4151-0568

POSTAL ADDRESS: P.O. Box 6365
Baulkham Hills B.C. NSW 2153

EMAIL: salesau@flexco.com
marketingau@flexco.com

OFFICE FACSIMILE: +61 2 8824-6333

TERMS AND CONDITIONS: Prices are in AUD exclusive of GST.

1. Stock items (non-shaded) please refer to asterisk (*) for specific lead time, if not specified, standard 2-3 days lead-time applies.
2. Some assembled items and larger quantities may take longer, please contact Flexco for specifics.
3. Non-stock items (shaded) please contact Flexco for dispatch options and lead times.
4. Minimum order size for free shipping is \$4,000 net, excluding GST. Free shipping is not applicable to orders delivered to third parties.
5. Strictly Net 30 days unless otherwise negotiated.
6. 3rd party deliveries may be refused—please contact customer service.
7. Flexco endeavours to hold adequate stock levels at all times, however fluctuations do occur; stock is subject to availability.
8. All product refunds are subject to quality approvals before processing and may incur a restocking fee.

LIMITED LIABILITY: Every effort is made to ensure the information contained in this price book is accurate and in accordance with all current specifications, however the company cannot be held responsible for any errors and reserves the right, without prior notice, to change specifications, quantities, and prices.

Visit our Website at: www.flexco.com

Table of Contents

Belt Cleaners

Belt Cleaner Information and Selection Guide 5

Primary Cleaners

EZP-LS Limited Space Primary Cleaner	10
EZP1 Primary Cleaner & ConShear™ Replacement Blades	14
EZP1T Twist Tensioner Primary Cleaner	19
Spring Covers and Tensioner Lock	21
MMP Medium-Duty Primary Cleaner & TuffShear™ Replacement Blades	22
MHP Heavy-Duty Primary Cleaner & MegaShear™ Replacement Blades	26
MHCP Heavy-Duty Cartridge Primary Cleaner & SuperShear™ Replacement Blades	28
H-Type® Primary Cleaners	31
Line Connections for Portable Air Tensioner	36
H-Type® ESAC Heavy-Duty Primary Cleaner	38
H-Type® ESAC with Extra Life -V-Tips Heavy-Duty Primary Cleaner	43

Secondary Cleaners

Y-Type® Secondary Cleaners	48
P-Type® Secondary Cleaners	58
R-Type® Reversing Secondary Cleaners	60
FMS Medium-Duty Secondary Cleaners	62
MHS Heavy-Duty Secondary Cleaners	65
H-Type®, P-Type® and R-Type® Lightweight Pole	73
Spring Covers and Tensioner Lock	74

Cartridge Cleaners:

P-Type Secondary Cleaners with Service Advantage Cartridge™	75
R-Type Secondary Cleaners with Service Advantage Cartridge	82
MHS Heavy-Duty Secondary Cleaners with Service Advantage Cartridge	89
Spring Covers and Tensioner Lock	102
U-Type® Secondary Cleaners	103
MDWS DryWipe Secondary Cleaner	109
Continuous Blade Secondary Cleaner	113
Motorised Brush Cleaner	116
Chevron Belt Cleaner	118
Wash Box	119

Belt Cleaner Accessories

Spray Pole Systems	120
Live Shaft Hold-Down Rollers	122
Belt Cleaner Accessories	123
Optional Mounting Kits	124

Safety

Elevate®	125
Universal Lightweight Pole	128
Inspection Doors	129
Mandrel Safety Removal System	132
Standard Pulley Lifter	133
Flex-Lifter™	134

Impact Beds

Flexco Slider and Impact Beds

EZSB-C and EZSB-I Slider Beds; EZIB-L and EZIB-M Impact Beds	135
--	-----

DRX® Impact Beds

DRX200 - DRX1500 Impact Beds	146
DRX3000 Dynamic Bed	150
Optional Parts and Tools	151

Continued on next page

Table of Contents

Belt Conveyor Products

Ploughs

V-Plough	152
Twin Pole V-Plough.....	154
HD® Floating V-Plough	156
V-Plough Blade Kits	158
Diagonal Plough.....	160
HD Spring-Tensioned Diagonal Plough.....	161

Belt Positioners and Trainers

Belt Positioner™	162
PTEZ™	164
PT Smart™ Belt Trainer	165
PT Max™ Belt Trainer	168

Skirting Systems

Skirt Clamps-RMC1, Flex-Lok™, and FlexSeal™	173
Dual Seal Polyurethane Skirting	174
Standard Urethane Skirting	175
Enclosed Skirt System	176

Index

by Ordering Number	180
by Item Code	195

Belt Cleaner Information and Selection Guide


Why Are Belt Cleaners Needed?

- **Reduces Maintenance Costs**
 - Minimises manual cleanup.
 - Protects against belt mistracking.
 - Reduces conveyor component replacement costs.
 - Reducing carryback means a reduction in maintenance costs.
- **Improves Safety**
 - Reduces housekeeping problems.
 - A majority of conveyor-related accidents happen while maintenance tasks are being done.
- **Keeps Conveyors Running Efficiently and Consistently**
 - Reduces unscheduled downtime.
 - Increases production uptime.
- **Saves Money**
 - Increases belt wear life.
 - Extends life of rollers, pulleys and splices.
 - High cost of accidents.



Types of Belt Cleaners


- **Primary Cleaners**
 - Mounted on the head pulley.
 - Mounted below the material flow.
 - Removes the big stuff. Typically cleans off up to 80% of the initial carryback.
- **Secondary Cleaners**
 - Located just past where the belt leaves the head pulley and anywhere down the beltline.
 - Special secondaries may allow for mounting under the head pulley.
 - Removes sticky fines – the final cleaning job.
 - May require a hold-down roller for maximum performance.
- **Specialty Cleaners**
 - Primary Cleaners or Secondaries designed especially for specific or extreme applications.



Definition of Terms

- **Carryback**—Material that sticks to the belt after it leaves the transfer point and continues falling off along the conveyor's return side.
- **Material Path**—The section of the belt where most of the material is conveyed. Typically the center 2/3 of the belt.
- **Hold-Down Roller**—A stabilising roller or pressure roller located on top of the return side of the belt to prevent belt flap or to provide a consistent flat surface for the blades on a lighter-tensioned belt.

Types of Cleaner Blades



F-Tip/Blade - for mechanically fastened belts **V-Tip/Blade** - for vulcanised belts only **C-Tip/Blade** - for both

Polyurethane Blades

Not all polyurethanes are the same. Flexco's polyurethane blades are specially formulated for abrasion resistance and long wear. Independent testing has shown that Flexco's polyurethane blades last as much as 30% longer than other OEM blades.

- Easy on the belt.
- Work well with mechanical splices.
- Economical.
- Specialty formulations for high heat, chemical resistance, or water removal.
- FRAS for underground applications.




Less advanced polyurethane formulations result in blades that experience quicker wear and provide less-efficient cleaning.


Tungsten Carbide

Excellent for superior cleaning efficiency and long wear. The quality and application of carbides can vary. Flexco has invested years of research and testing to develop tungsten carbide tips for both vulcanised and mechanically fastened belts; and a quality process ensures consistent results.

- Superior cleaning.
- Long wear.
- C-Tips/blades for mechanical splices and V-Tips/blades for vulcanised belts.



Blade Angle (Secondary cleaners)



1. Aggressive - excellent cleanability, high risk for belt damage.
2. 90° to belt - good cleaning efficiency; must have good blade relief for splices (Flexco recommended).
3. Wiping - a little less cleaning power; safer on belts in poor condition or with poor mechanical splices.

Belt Cleaning Systems


Keys to Good Belt Cleaning

- Proper cleaner selection for the application
- Correct installation
- Regular service maintenance

Specifying and Ordering Belt Cleaners

Information needed:

- A.** Belt Width
- B.** Conveyor frame (structure) width
- C.** Head pulley diameter
- D.** For Primary Cleaners - what is the belt's material path?
- E.** Material conveyed (dry, wet, sticky, etc.)
- F.** Type of belt splice:
 - Mechanical - skived or unskived
 - Vulcanised
- G.** Temperature or other extreme environmental factors
- H.** Does the belt reverse?



Primary Cleaner Selection Guide

Primary Cleaner Specification Chart

APPLICATION DESCRIPTION	EZP-LS	EZP1, HIGH TEMP EZP1	MMP	MHCP	H-TYPE® (HFX2, XF, XF8)	H-TYPE® (V)
Belt Width*	300 - 1500 mm	450 - 1800 mm	600 - 2100 mm	600 - 2100 mm	450 - 2400 mm	450 - 3000 mm
Head Pulley Diameter	150 - 550 mm	250 - 900 mm	400 - 1200 mm	500 - 1200 mm	250 - 1325 mm	250 - 1575 mm
Reversing Belts	Yes	Yes	Yes	Yes	Yes	Yes
Mechanical Fasteners	Yes	Yes	Yes	Yes	Yes	No

*Special sizes available upon request.

Contact Flexco for pulleys over 1700 mm diameter.

Primary Cleaner Blade Specifications

								
Blade Type	ConShear™ LS	ConShear™ LS High Temp	ConShear™ LS White (Chemical Resistant/Food Grade) ‡	ConShear™	ConShear™ High Temp	ConShear™ White (Chemical Resistant/Food Grade) ‡	ConShear Ultra High Temp	TuffShear™
Temperature Range	-30 to 180°F (-35 to 82°C)	up to 275°F (135°C) with spikes to 325°F (163°C)	-30 to 180°F (-35 to 82°C)	-30 to 180°F (-35 to 82°C)	up to 275°F (135°C) with spikes to 325°F (163°C)	-30 to 180°F (-35 to 82°C)	up to 200°C (400°F) with spikes to 232°C (450°F)	-30 to 180°F (-35 to 82°C)
Polyurethane	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Durometer	83	93	83	83	93	83	90	83
Tungsten Carbide	No	No	No	No	No	No	No	No
Work with Mechanical Fasteners	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FRAS	Contact Flexco							

Primary Cleaner Blade Specifications (cont.)

						
BLADE TYPE	SuperShear™	HXF	HXF2	H V-Tip	H Protected V-Tip	Extra Life V-Tips*
Temperature Range	-30 to 180°F (-35 to 82°C)	-35 to 82°C	-35 to 82°C	-35 to 205°C	-35 to 205°C	-35 to 205°C
Polyurethane	Yes	Yes	Yes	No	No	No
Durometer	90	84	83	N/A	N/A	N/A
Tungsten Carbide	No	No	No	Yes	Yes	Yes
Work with Mechanical Fasteners	Yes	Yes	Yes	No	No	No
FRAS	Yes	Yes	No	N/A	N/A	N/A

*Extra Life Tips available in tip lengths of 15, 20 and 25mm

For Belt Speed information please consult your Flexco representative

Secondary Cleaner Selection Guide

Secondary Cleaner Specification Chart

APPLICATION DESCRIPTION	MHS (C-Tip)	MHS (V-Tip)	P-TYPE® (C-Tip)	P-TYPE (V-Tip)	P-TYPE-LS (C-Tip)	Y-Type™ SD Polyurethane	Y-Type SD Carbide	Y-Type HD Polyurethane	Y-Type HD Carbide
Belt Width*	600-2400mm	600-2400mm	450-2400mm	450-2400mm	450-2400mm	450-1200mm	450-1200mm	900-1800mm	900-1800mm
Secondary Cleaner Blade Options	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes
Work with Mechanical Fasteners	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Yes

*Special sizes available upon request.
Contact Flexco for belt widths over 3000 mm.

Secondary Cleaner Specification Chart (cont.)

APPLICATION DESCRIPTION	FMS (V-Tip)	U-TYPE® (F-Blade)	U-TYPE (V-Blade)	R-TYPE® (C-Tip)	R-TYPE (V-Tip)	Chevron	Brush Cleaner	MDWS (DryWipe)	CBS
Belt Width*	600 to 2400mm	450 to 3000mm	450 to 2500mm	450 to 2400mm	450 to 2400mm	450 to 1500mm	450 to 2100mm	450 to 1800mm	450 to 2400mm
Secondary Cleaner Blade Options	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Work with Mechanical Fasteners	No	Yes	No	Yes	No	Yes	Yes	Yes	Yes


*Special sizes available upon request.
Contact Flexco for belt widths over 3000 mm.

Secondary Cleaner Blade Specifications

						
BLADE TYPE	C-Tip	P V-Tip*	U F-Blade	U V-Blade	R V-Tip*	DryWipe Blade
Temperature Range	-35 to 205°C	-35 to 205°C	-35 to 82°C	-35 to 82°C	-35 to 205°C	-35 to 82°C
Polyurethane	No	No	Yes	Rubber	No	Yes
Durometer	N/A	N/A	90	83	N/A	59
Tungsten Carbide	Yes	Yes	No	Yes	Yes	No
Work with Mechanical Fasteners	Yes	No	Yes	No	No	Yes

*Available in 10, 15, 20 and 25mm tip lengths

Secondary Cleaner Blade Specifications cont.

				
BLADE TYPE	Y-Type Polyurethane	Y-Type Carbide	Chevron	Brush Cleaner
Temperature Range	-35 to 82°C	-35 to 82°C	-35 to 82°C	-30 to 82°C
Polyurethane	Yes	No	Rubber	Polypropylene
Durometer	86A	N/A	N/A	N/A
Tungsten Carbide	No	Yes	No	No
Work with Mechanical Fasteners	Yes	Yes	Yes	Yes

For Belt Speed information please consult your Flexco representative

Product Ordering Information

EZP-LS Limited Space Primary Cleaner and Stainless Steel Limited Space Primary Cleaner



EZP-LS Primary Cleaner Belt Width Minus 50mm

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	EZP-LS212	77127	11.3
450	400	EZP-LS218	77128	12.8
600	550	EZP-LS224	77129	14.4
750	700	EZP-LS230	77130	16.0
900	850	EZP-LS236	77131	17.6
1050	1000	EZP-LS242	77132	19.1
1200	1150	EZP-LS248	77133	20.7
1350	1300	EZP-LS254	77134	22.2
1500	1450	EZP-LS260	77135	23.9

EZP-LS High-Temp Primary Cleaner Belt Width Minus 50mm (2")

BELT WIDTH		BLADE WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
in.	mm	in.	mm			
12	300	10	250	EZP-LS212HT	77746	24.8
18	450	16	400	EZP-LS218HT	77747	28.2
24	600	22	550	EZP-LS224HT	77748	31.7
30	750	28	700	EZP-LS230HT	77749	35.1
36	900	34	850	EZP-LS236HT	77750	38.6
42	1050	40	1000	EZP-LS242HT	77751	42.0
48	1200	46	1150	EZP-LS248HT	77752	45.5
54	1350	52	1300	EZP-LS254HT	77753	48.9
60	1500	58	1450	EZP-LS260HT	77754	52.5

 Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.



EZP-LS Stainless Steel Primary Cleaner Belt Width Minus 50mm (2")

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	EZP-LS212-S/S	62836	11.3
450	400	EZP-LS218-S/S	62837	12.8
600	550	EZP-LS224-S/S	62838	14.4
750	700	EZP-LS230-S/S	62839	16.0
900	850	EZP-LS236-S/S	62840	17.6
1050	1000	EZP-LS242-S/S	62841	19.1
1200	1150	EZP-LS248-S/S	62842	20.7
1350	1300	EZP-LS254-S/S	62843	22.2
1500	1450	EZP-LS260-S/S	62844	23.9

*Lead time: 4 weeks

EZP-LS Stainless Steel High-Temp Primary Cleaner Belt Width Minus 50mm (2")

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	EZP-LS212HT-S/S	62845	11.3
450	400	EZP-LS218HT-S/S	62846	12.8
600	550	EZP-LS224HT-S/S	62847	14.4
750	700	EZP-LS230HT-S/S	62848	16.0
900	850	EZP-LS236HT-S/S	62849	17.6
1050	1000	EZP-LS242HT-S/S	62850	19.1
1200	1150	EZP-LS248HT-S/S	62851	20.7
1350	1300	EZP-LS254HT-S/S	62852	22.2
1500	1450	EZP-LS260HT-S/S	62853	23.9

*Lead time: 4 weeks

EZP-LS Stainless Steel Primary Cleaner with White ConShear LS Blade Belt Width Minus 50mm (2")

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	CLSFG-212	77144	11.3
450	400	CLSFG-218	77145	12.8
600	550	CLSFG-224	77146	14.4
750	700	CLSFG-230	77147	16
900	850	CLSFG-236	77148	17.5
1050	1000	CLSFG-242	77149	19.1
1200	1150	CLSFG-248	77150	20.7
1350	1300	CLSFG-254	77151	22.2
1500	1450	CLSFG-260	77152	23.9


Specifications & Guidelines

EZP-LS Limited Space Primary Cleaner

Pole Length Specifications*


CLEANER SIZE mm	POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
300	1050	925
450	1200	1075
600	1350	1225
750	1500	1375
900	1650	1525
1050	1800	1675
1200	1950	1825
1350	2200	2075
1500	2350	2225
1800	2650	2525

Pole Diameter - 48 mm




Clearance Guidelines for Installation

HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
75	165




Pole Location Specs



Spring Length Chart with LST Spring Tensioner

BLADE WIDTH mm	PURPLE SPRING mm	SILVER SPRING mm	BLACK SPRING mm
254	51	N/A	N/A
406	41	54	N/A
559	N/A	51	N/A
711	N/A	48	N/A
864	N/A	44	N/A
1016	N/A	38	N/A
1168	N/A	35	51
1321	N/A	N/A	51
1473	N/A	N/A	48

Shading indicates preferred spring option



Pole Location Chart


A	X	Y	C
152	67	140	156
178	83	140	162
203	99	140	171
229	111	140	178
254	127	140	187
279	140	140	197
305	156	140	210
330	168	140	219
356	181	140	229
381	194	140	238
406	210	140	251
432	222	140	264
457	235	140	273
483	248	140	286
508	260	140	295
533	273	140	308
559	286	140	318

Specifications:

- Maximum Belt SpeedContact Flexco
- Temperature Rating-35°C to 82°C
- Minimum Pulley Diameter.....150 mm
- Blade Height.....115 mm
- Usable Blade Wear Length.....60 mm
- BladePolyurethane (proprietary blend for abrasion resistance and long wear)
- Available for Belt Widths300 to 1800 mm

Replacement Parts List

EZP-LS Limited Space Primary Cleaner



Replacement Parts

REF	DESCRIPTION	MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	300 mm Pole	LSP12	77070	6.0	LSP12-S/S	77079	6.0
	450 mm Pole	LSP18	77071	7.0	LSP18-S/S	77080	7.0
	600 mm Pole	LSP24	77072	8.0	LSP24-S/S	77081	8.0
	750 mm Pole	LSP30	77073	9.0	LSP30-S/S	77082	9.0
	900 mm Pole	LSP36	77074	10.0	LSP36-S/S	77083	10.0
	1050 mm Pole	LSP42	77075	11.0	LSP42-S/S	77084	11.0
	1200 mm Pole	LSP48	77076	12.0	LSP48-S/S	77085	12.0
	1350 mm Pole	LSP54	77077	13.0	LSP54-S/S	77086	13.0
	1500 mm Pole	LSP60	77078	14.1	LSP60-S/S	77087	14.1
2	Mounting Plate Kit* (incl. 1 tensioner mounting plate and 1 pole mounting plate)	LSTMPK	77366	1.6	LSTMPK-S/S	78933	1.6
2a	SS Mounting Plate Kit (52" +/- 1300mm+)* (incl. 2 tensioner mounting plates)				LSTMPK2-S/S	78462	3.3
3	Torque Arm Kit* (1 ea.)	LST-TAK	77120	0.6	LST-TAK	77120	0.6
4	Pivot Block/Rod Kit* (1 ea.)	LSTPB-RK	77367	0.4	LSTPB-RK	77367	0.4
5	Tension Spring - Purple (1 ea.) for blades 250-400 mm	LS-SP	77365	0.1	CTS-B-S/S	78387	0.1
5a	Tension Spring - White (1 ea.) for blades 550 - 1150 mm	LS-SW	77117	0.1	LS-SW-S/S	78850	0.15
5b	Tension Spring - Silver (1 ea.) for blades 1300 - 1450 mm	LS-SS	77118	0.1	LS-SS	77118	0.1
6	LS Blade Pin (1 ea.)	LS-BP	77114	0.05	LS-BP-S/S	77115	0.05
-	LST Spring Tensioner* - Purple incl. 1 tensioner mounting plate and 1 ea. items 3, 4 & 5 for blades 250-400 mm	LST-P	77121	3.4	LST-B-S/S	77124	3.4
-	LST Spring Tensioner* - White incl. 1 tensioner mounting plate and 1 ea. items 3, 4 & 5a for blades 550 - 1150 mm	LST-W	77122	3.5	LST-W-S/S	77125	3.5
-	LST Spring Tensioner* - Silver incl. 1 tensioner mounting plate and 1 ea. items 3, 4 & 5b for blades 1300 - 1450 mm	LST-S	77123	3.5	LST-W-S/S-2	77126	6.9

*Hardware Included

For best results use Flexco® Genuine Replacement Blades and Parts.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Spring Tensioner Selection Chart - Mild Steel

CLEANER BLADE WIDTH	77121 PURPLE	77122 WHITE	77123 SILVER
ConShear-LS 250 - 400 mm	X		
ConShear-LS 550 - 1150 mm		X	
ConShear-LS 1300 - 1450 mm			X

Spring Tensioner Selection Chart - Stainless Steel

CLEANER BLADE WIDTH	77124 BLACK	77125 WHITE	77126 WHITE (Dual)
ConShear-LS 250 - 700 mm	X		
ConShear-LS 850 - 1150 mm		X	
ConShear-LS 1300 - 1750 mm			X

Replacement Parts List

EZP-LS *Limited Space Primary Cleaner and Stainless Steel Limited Space Primary Cleaner*

Ordering Information ConShear™-LS Replacement Blades

BELT WIDTH mm	BLADE WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	CRB-LS10	77088	1.0
450	400	CRB-LS16	77089	1.5
600	550	CRB-LS22	77090	2.1
750	700	CRB-LS28	77091	2.6
900	850	CRB-LS34	77092	3.2
1050	1000	CRB-LS40	77093	3.8
1200	1150	CRB-LS46	77094	4.4
1350	1300	CRB-LS52	77095	4.9
1500	1450	CRB-LS58	77096	5.5

Other blade sizes available upon request.

Ordering Information ConShear™-LS High-Temp Replacement Blades

BLADE WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. LBS.
400	CRB-LS16HT	77552	1.5
550	CRB-LS22HT	77553	2.1
700	CRB-LS28HT	77554	2.6
850	CRB-LS34HT	77555	3.2
1000	CRB-LS40HT	77556	3.8
1150	CRB-LS46HT	77557	4.4
1300	CRB-LS52HT	77558	4.9
1450	CRB-LS58HT	77559	5.5

Other blade sizes available upon request.

Ordering Information White ConShear™-LS Replacement Blades (Chemical Resistant/Food Grade)‡

BLADE WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
250	CRB-LS10W	77097	1.0
400	CRB-LS16W	77098	1.5
550	CRB-LS22W	77099	2.1
700	CRB-LS28W	77100	2.6
850	CRB-LS34W	77101	3.2
1000	CRB-LS40W	77102	3.8
1150	CRB-LS46W	77103	4.4
1300	CRB-LS52W	77104	4.9
1450	CRB-LS58W	77105	5.5

‡All ingredients used in the urethane formulation of this blade comply with the relevant requirements of 21 CFR (FDA Code of Federal Regulations) for use in repeated bulk dry food applications

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

EZP1 Standard Duty Primary Cleaner and EZP1 Stainless Steel Primary Cleaner



Ordering Information EZP1 Primary Cleaner Belt Width Minus 50mm

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	400	EZP1-218	75611	25.1
600	550	EZP1-224	75612	27.8
750	700	EZP1-230	75613	30.5
900	850	EZP1-236	75614	33.2
1050	1000	EZP1-242	75615	35.9
1200	1150	EZP1-248	75616	38.6
1350	1300	EZP1-254	75617	41.2
1500	1450	EZP1-260	75618	43.9
1800	1750	EZP1-272	75771	46.6

Ordering Information EZP1 Primary Cleaner Stainless Steel

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	400	EZP1-218-S/S	61081	25.7
600	550	EZP1-224-S/S	61082	28.4
750	700	EZP1-230-S/S	61017	31.1
900	850	EZP1-236-S/S	61083	33.9
1050	1000	EZP1-242-S/S	61016	36.6
1200	1150	EZP1-248-S/S	61084	39.3
1350	1300	EZP1-254-S/S	61085	42
1500	1450	EZP1-260-S/S	61086	44.8
1800	1750	EZP1-272-S/S	61087	47.5

Other blade sizes available upon request.

Ordering Information EZP1 High Temp Primary Cleaner Belt Width Minus 50mm

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	HTF212	76658	22
450	400	HTF218	76659	25.1
600	550	HTF224	76660	27.8
750	700	HTF230	76661	30.5
900	850	HTF236	76662	33.2
1050	1000	HTF242	76663	35.9
1200	1150	HTF248	76664	38.6
1350	1300	HTF254	76665	41.2
1500	1450	HTF260	76666	43.9
1800	1750	HTF272	76667	46.6

Ordering Information EZP1 Primary Cleaner Stainless Steel High Temp Belt Width Minus 50mm

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	HTF212-S/S	62826	22.0
450	400	HTF218-S/S	62827	25.1
600	550	HTF224-S/S	62828	27.8
750	700	HTF230-S/S	62829	30.5
900	850	HTF236-S/S	62830	33.2
1050	1000	HTF242-S/S	62831	35.9
1200	1150	HTF248-S/S	62832	38.6
1350	1300	HTF254-S/S	62833	41.2
1500	1450	HTF260-S/S	62834	43.9
1800	1750	HTF272-S/S	62835	46.6

Ordering Information EZP1 Stainless Steel Primary Cleaner with White ConShear Blade Belt Width Minus 50mm

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	CFG-212	78838	22.5
450	400	CFG-218	78839	25.1
600	550	CFG-224	78840	27.8
750	700	CFG-230	78841	30.5
900	850	CFG-236	78842	33.2
1050	1000	CFG-242	78843	35.9
1200	1150	CFG-248	78844	38.5
1350	1300	CFG-254	78845	41.2
1500	1450	CFG-260	78846	43.9
1800	1750	CFG-272	78847	46.6

Ordering Information EZP1 Primary Stainless Steel Ultra High-Temp Belt Width Minus 50mm

BELT WIDTH		BLADE WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.	mm	in.			
450	18	400	16	EZP1-UHT2-450-S/S	66956	25.1
600	24	550	22	EZP1-UHT2-600-S/S	66957	27.8
750	30	700	28	EZP1-UHT2-750-S/S	66958	30.4
900	36	850	34	EZP1-UHT2-900-S/S	66959	33.1
1050	42	1000	40	EZP1-UHT2-1050-S/S	66960	35.8
1200	48	1150	46	EZP1-UHT2-1200-S/S	66961	38.5
1350	54	1300	52	EZP1-UHT2-1350-S/S	66962	41.1
1500	60	1450	58	EZP1-UHT2-1500-S/S	66963	43.8
1800	72	1750	70	EZP1-UHT2-1800-S/S	66964	46.5

Specifications & Guidelines

EZP1 Standard Duty Primary Cleaner

Pole Length Specifications*

CLEANER SIZE mm	POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
300	1050	925
450	1200	1075
600	1350	1225
750	1500	1375
900	1650	1525
1050	1800	1675
1200	1950	1825
1350	2200	2075
1500	2350	2225
1800	2650	2525

Pole Diameter - 60mm

Clearance Guidelines for Installation

HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
100	238

Spring Length Chart


with EST Spring Tensioner

BLADE WIDTH		PURPLE SPRING		SILVER SPRING		BLACK SPRING	
mm	in.	mm	in.	mm	in.	mm	in.
250	10	146	5 3/4	159	6 1/4	N/A	N/A
400	16	133	5 1/4	152	6	N/A	N/A
550	22	121	4 3/4	149	5 7/8	N/A	N/A
700	28	108	4 1/4	143	5 5/8	N/A	N/A
850	34	N/A	N/A	137	5 3/8	143	5 5/8
1000	40	N/A	N/A	130	5 1/8	140	5 1/2
1150	46	N/A	N/A	127	5	133	5 1/4
1300	52	N/A	N/A	121	4 3/4	130	5 1/8
1450	58	N/A	N/A	N/A	N/A	127	5
1600	64	N/A	N/A	N/A	N/A	121	4 3/4
1750	70	N/A	N/A	N/A	N/A	117	4 5/8




Shading indicates preferred spring option

Specifications:

- Maximum Belt SpeedContact Flexco
- Temperature Rating-35°C to 82°C
- Minimum Pulley Diameter.....250mm
- Usable Blade Wear Length.....100mm
- BladePolyurethane (proprietary blend for abrasion resistance and long wear)
- Available for Belt Widths300 to 1800 mm



Pole Location Specs




Pole Location Chart

A	X	Y	C
250	74	230	242
275	92	230	248
300	108	230	254
325	131	230	265
350	146	230	273
375	166	230	284
400	179	230	291
425	195	230	301
450	207	230	309
475	223	230	320
500	235	230	329
525	249	230	339
550	266	230	352
575	283	230	365
600	299	230	377
625	314	230	390
650	330	230	402
675	346	230	415
700	360	230	427
725	374	230	439
750	389	230	452
775	403	230	464
800	417	230	477
825	432	230	489
850	446	230	501
875	460	230	514
900	474	230	526

Replacement Parts List

EZP1 Standard Duty Primary Cleaner



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	300 mm Pole	EZP1P12	75619	7.9
	450 mm Pole	EZP1P18	75620	9.2
	600 mm Pole	EZP1P24	75621	10.3
	750 mm Pole	EZP1P30	75622	12.1
	900 mm Pole	EZP1P36	75623	13.8
	1050 mm Pole	EZP1P42	75624	14.9
	1200 mm Pole	EZP1P48	75625	16.1
	1350 mm Pole	EZP1P54	75626	17.8
	1500 mm Pole	EZP1P60	75627	19.7
	1800 mm Pole	EZP1P72	75772	21.9
2	Mounting Plate Kit* (2 ea.)	EZP1MPK	75637	3.5
3	Torque Arm Kit* (1 ea.)	ESTAK	76406	1.6
4	Pivot Shaft Bracket Kit* (1 ea.)	ESPSBK	76407	0.8
5	Pivot Block Kit*	ESPBK	76408	0.3
6	Pivot Rod Kit*	ESPRK	76409	0.6
7	Bushing Kit - Purple and Silver (includes 2 bushings)	ESBK-PS	76410	0.1
7a	Bushing Kit - Black (includes 2 bushings)	ESBK-B	76411	0.1
8	Tension Spring - Purple	QMTS-P	75845	0.5
8a	Tension Spring - Silver	ESS-S	76412	0.6
8b	Tension Spring - Black	ESS-B	76413	0.6
9	Pole Lock* (1 ea.)	EZP1PL	75641	0.5
—	EST Tensioner - Purple* for blade widths 300 - 700 mm (includes 1 each items 2, 3, 4, 5, 6, 7, 8 & 9)	EST-P	109467	3.5
—	EST Tensioner - Silver* for blade widths 850 - 1300 mm (includes 1 each items 2, 3, 4, 5, 6, 7, 8a & 9)	EST-S	109468	3.6
—	EST Tensioner - Black* for blade widths 1450 - 1750 mm (includes 1 each items 2, 3, 4, 5, 6, 7a, 8b & 9)	EST-B	109469	3.7
10	Blade Pin (1 ea.)	EZP1BP	75642	0.1

*Hardware Included

Spring Tensioner Selection Chart


CLEANER BLADE WIDTH	76403 EST-P	76404 EST-S	76405 EST-B
ConShear™ 300 - 700 mm	X		
ConShear 850 - 1300 mm		X	
ConShear 1450 - 1750 mm			X

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

EZP1 Stainless Steel Primary Cleaner



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	300 mm S/S Pole	EZP1P12-S/S	78812	7.9
	450 mm S/S Pole	EZP1P18-S/S	61182	9.2
	600 mm S/S Pole	EZP1P24-S/S	A2988	10.3
	750 mm S/S Pole	EZP1P30-S/S	A3041	12.0
	900 mm S/S Pole	EZP1P36-S/S	A3119	13.8
	1050 mm S/S Pole	EZP1P42-S/S	61183	14.9
	1200 mm S/S Pole	EZP1P48-S/S	61491	16.0
	1350 mm S/S Pole	EZP1P54-S/S	61184	17.8
	1500 mm S/S Pole	EZP1P60-S/S	61185	19.7
	1800 mm S/S Pole	EZP1P72-S/S	61186	21.9
2	SS Mounting Plate Kit* (2 ea.)	EZP1MPK-S/S	78923	3.5
3	SS Torque Arm Kit* (1 ea.)	ESTAK-EST-S/S	78849	1.6
4	SS Tension Spring - Purple	QMTS-P-S/S	77450	0.5
4a	SS Tension Spring - White	QMTS-W-S/S	77451	0.5
4b	SS Tension Spring - Gold	QMTS-G-S/S	77452	0.6
5	SS Pole Lock* (1 ea.)	EZP1PL-S/S	78848	0.5
6	Blade Pin (1 ea.)	MSPBPK-S/S	77583	0.05
7	Bushing Kit - Purple and Silver (includes 2 bushings)	ESBK-PS	76410	0.1
7a	Bushing Kit - Black (includes 2 bushings)	ESBK-B	76411	0.1
7b	EST Bushing Kit - UHT, Purple & White Spring (includes 2 bushings)	ESBK-ATEX	90264	0.05
7c	EST Bushing Kit - UHT, Gold Spring (includes 2 bushings)	ESBK-B EST	76411	0.05
-	SS EST Tensioner - Purple* for blade widths 300 - 700mm (12" - 28") (includes 1 each items 2, 3, 4 & 5)	EST-P-S/S	78808	3.5
-	SS EST Tensioner - White* for blade widths 850 - 1300mm (34" - 52") (includes 1 each items 2, 3, 4a & 5)	EST-W-S/S	78809	3.6
-	SS EST Tensioner - Gold* for blade widths 1450 - 1750mm (58" - 70") (includes 1 each items 2, 3, 4b & 5)	EST-G-S/S	78810	3.7
-	EST S/S UHT Tensioner - Purple* for blade widths 300 - 700mm (12" - 28") (includes items 2, 3, 4, 5 & 7b)	EST-P-S/S-UHT	66993	4.0
-	EST S/S UHT Tensioner - White* for blade widths 850 - 1300mm (34" - 52") (includes items 2, 3, 4a, 5 & 7b)	EST-W-S/S-UHT	66994	4.1
-	EST S/S UHT Tensioner - Gold* for blade widths 1450 - 1750mm (58" - 70") (includes items 2, 3, 4b, 5 & 7c)	EST-G-S/S-UHT	66995	4.2

*Hardware Included

Stainless Steel Spring Tensioner Selection Chart

CLEANER BLADE WIDTH	78808 EST-P-S/S	78809 EST-W-S/S	78810 EST-G-S/S
ConShear™ 300 - 700 mm	X		
ConShear 850 - 1300 mm		X	
ConShear 1450 - 1750 mm			X

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

EZP1 Standard Duty Primary Cleaner and EZP1 Stainless Steel Primary Cleaner

Ordering Information ConShear™ Replacement Blades

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	400	CRB16	75629	3.3
600	550	CRB22	75630	4.6
750	700	CRB28	75631	5.8
900	850	CRB34	75632	7.1
1050	1000	CRB40	75633	8.0
1200	1150	CRB46	75634	9.6
1350	1300	CRB52	75635	10.8
1500	1450	CRB58	75636	12.1
1650	1600	CRB64	75775	13.3
1800	1750	CRB70	75773	14.6

Other blade sizes available upon request.

Ordering Information ConShear™ High Temp Replacement Blades

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
300	250	CRB-HT10	76593	2.2
450	400	CRB-HT16	76594	3.5
600	550	CRB-HT22	76595	4.7
750	700	CRB-HT28	76596	6
900	850	CRB-HT34	76597	7.4
1050	1000	CRB-HT40	76598	8.7
1200	1150	CRB-HT46	76599	13
1350	1300	CRB-HT52	76600	11.3
1500	1450	CRB-HT58	76601	12.6
1650	1600	CRB-HT64	76602	13.9
1800	1750	CRB-HT70	76603	15.2

Ordering Information White ConShear™ Replacement Blades (Chemical Resistant/Food Grade) ‡

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	400	CRB-W16	78472	3.3
600	550	CRB-W22	78473	4.6
750	700	CRB-W28	78474	5.8
900	850	CRB-W34	78475	7.1
1050	1000	CRB-W40	78476	8.0
1200	1150	CRB-W46	78477	9.6
1350	1300	CRB-W52	78478	10.8
1500	1450	CRB-W58	78479	12.1
1650	1600	CRB-W64	78480	13.3
1800	1750	CRB-W70	78481	14.6

‡ All ingredients used in the urethane formulation of this blade comply with the relevant requirements of 21 CFR (FDA Code of Federal Regulations) for use in repeated bulk dry food applications

Ordering Information Ultra High-Temp ConShear™ Replacement Blades

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	400	CRB-UHT-400	91254	3.3
600	550	CRB-UHT-550	91255	4.6
750	700	CRB-UHT-700	91256	5.8
900	850	CRB-UHT-850	91257	7.0
1050	1000	CRB-UHT-1000	91258	8.3
1200	1150	CRB-UHT-1150	91259	9.5
1350	1300	CRB-UHT-1300	91260	10.8
1500	1450	CRB-UHT-1450	91261	12.0
1800	1750	CRB-UHT-1750	91263	14.5

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

EZP1T *Twist Tensioner Primary Cleaner*

EZP1T Primary Cleaner with Twist Tensioner Belt Width Minus 50mm (2")

BELT WIDTH		BLADE WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
in.	mm	in.	mm			
12	300	10	250	EZP1T-212	78488	38.5
18	450	16	400	EZP1T-218	78489	44.5
24	600	22	550	EZP1T-224	78490	50.5
30	750	28	700	EZP1T-230	78491	56.5
36	900	34	850	EZP1T-236	78492	62.5
42	1050	40	1000	EZP1T-242	78493	68.4
48	1200	46	1150	EZP1T-248	78494	74.4
54	1350	52	1300	EZP1T-254	78495	83.7
60	1500	58	1450	EZP1T-260	78496	92.0
72	1800	70	1750	EZP1T-272	78497	101.6



Product Notes:


- For optimal cleaning and reduced blade retensioning maintenance, the cleaner blade width should be sized to fit the material path of the belt. The material path is typically 2/3 of the belt width. In most cases a blade size of belt width minus 200mm may be the best selection.
- Each cleaner can be retrofitted with three replacement blade sizes (belt width minus 50mm, minus 200mm, or minus 350mm).
- Comes complete with universal mounting plates and tensioner.
- Visual tension check. No guesswork on blade tensioning. Simply measure the spring, check label on tensioner and turn adjusting nut to restore optimal tension.
- Works with mechanical splices. Polyurethane blade glides over splices.
- Compatible with reversing belts.
- For applications requiring longer pole lengths, go to the minus 200mm chart and select the cleaner one belt width size larger. This will provide a pole 150mm longer and a blade size of belt width minus 50mm.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☒ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

EZP1T Twist Tensioner Primary Cleaner



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	300mm Pole	EZP1P12	75619	17.4
	450mm Pole	EZP1P18	75620	20.3
	600mm Pole	EZP1P24	75621	22.7
	750mm Pole	EZP1P30	75622	26.5
	900mm Pole	EZP1P36	75623	30.4
	1050mm Pole	EZP1P42	75624	32.7
	1200mm Pole	EZP1P48	75625	35.3
	1350mm Pole	EZP1P54	75626	39.2
	1500mm Pole	EZP1P60	75627	43.3
	1800mm Pole	EZP1P72	75772	48.2
2	Torsion Mounting Plate Kit* (2 ea.)	EZPTMPK	78507	8.7
3	Torsion Cap Kit* (1 ea.) (includes 1 ea. Item 4)	EZPTCK	78508	3.2
3a	Torsion Cap Kit HD* (1 ea.) (includes 1 ea. Item 4)	EZPTCKHD	78509	3.2
4	Torsion Shield	EZPTSR	78510	.1
5	Torsion Spring Kit	EZPTSK	78511	6.0
5a	Torsion Spring Kit HD	EZPTSKHD	78512	8.5
6	Pole Lock* (1 ea.)	EZP1PL	75641	1.1
–	Torsion Bar Tensioner for blade widths 300 - 1200mm (includes 1 each items 3, 4, & 5)	EZPTBT	77384	17.4
–	Torsion Bar Tensioner HD for blade widths 1350 - 1800mm (includes 1 each items 3a, 4, & 5a)	EZPTBTHD	77385	20.0
7	Blade Pin (1 ea.)	EZP1BP	75642	0.1

*Hardware Included

Torsion Bar Tensioner Selection Chart

CLEANER BLADE WIDTH	77384 EZPTBT	77385 EZPTBTHD
ConShear 300 - 1200mm	X	
ConShear 1350 - 1800mm		X

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.



Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information


Spring Covers and Tensioner Lock

Spring Covers

ORDERING NUMBER	ITEM CODE	WT. KG
SPG-CVR-A	77387	0.14
SPG-CVR-B	77388	0.14
SPG-CVR-C	77389	0.14
SPG-CVR-D	77390	0.18
SPG-CVR-E	77391	0.18
SPG-CVR-F	77392	0.14
SPG-CVR-G	77393	0.14
SPG-CVR-H	77741	0.14



Spring cover on Primary Cleaner tensioner



Spring cover on Secondary cleaner tensioner

Tensioner Lock



Designed to prevent tampering or unauthorized retensioning of the cleaner.

ORDERING NUMBER	ITEM CODE	WT. KG
TEN-LOCK-KIT	77443	0.18

*For MSP, MMP, MHP, MHCP, H-Type® Primary Cleaner and MSS, MHS, MDWS Secondary Cleaners
Includes 1 tensioner lock

Spring Cover Selection Chart

TENSIONER	SPRING COVER REQ'D
EST-P	77387
EST-S	77387
EST-B	77388
QMT-P	77389
QMT-W	77390
QMT-G	77391
QMT-S	77391
PST-R	77391
PST-W	77390
PST-S	77390
SST-W	77392
SST-S	77392
SST-B	77393
SST-G	77392
UST-P	77387
UST-S	77387
UST-W	77390
CST-W	77741
CST-S	77741
CST-B	77741
CST-G	77741



 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

MMP Medium Mine-Duty Primary Cleaner

MMP Medium-Duty Primary Cleaner Belt Width Minus 150mm Blade

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	450	MMP-624	76450	72.4
750	600	MMP-630	76451	79.6
900	750	MMP-636	76452	86.6
1050	900	MMP-642	76453	93.7
1200	1050	MMP-648	76454	100.8
1350	1200	MMP-654	76455	107.9
1500	1350	MMP-660	76456	115.0
1800	1650	MMP-672	76457	132.3
2100	1950	MMP-684	76798	156.4



Product Notes:

- Recommended for medium-duty conveyor applications. For abusive applications see the MHP Heavy-Duty Primary Cleaner or the MHCP Heavy-Duty Cartridge Primary Cleaner.
- Pole Length: Belt width plus 1350 mm. For longer requirements see Installation Accessories - Pole Extender Kit.
- Visual Tension Check: No guesswork on blade tensioning. Measure the spring and adjust to specified length per blade width to restore optimal tensioning.

Stainless Steel MMP Medium-Duty Primary Cleaner Belt Width Minus 150mm Blade

BELT WIDTH mm	BLADE WIDTH mm	ORDERING NUMBER	ITEM CODE
600	450	MMP-624-S/S	77424
750	600	MMP-630-S/S	77425
900	750	MMP-636-S/S	77426
1050	900	MMP-642-S/S	77427
1200	1050	MMP-648-S/S	77428
1350	1200	MMP-654-S/S	77429
1500	1350	MMP-660-S/S	77430
1800	1650	MMP-672-S/S	77431
2100	1950	MMP-684-S/S	77432



Product Notes:

- Recommended for medium-duty conveyor applications, but in corrosive environments.
- Material Path Option: Fit the blade width to the belt's material path. The material path is typically the center 2/3 of the belt width. In most cases a blade size of belt width minus 150 mm may be the best solution.
- Each cleaner pole is retrofittable for three blade sizes (belt width minus 150 mm, minus 300 mm or minus 450 mm).
- Pole Length: Belt width plus 1372 mm. For longer requirements see Installation Accessories - Pole Extender Kit.
- Visual Tension Check: No guesswork on blade tensioning. Measure the spring and adjust to specified length per blade width to restore optimal tensioning.
- To make cleaner installation easier and quicker, see Optional Mounting Kits.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.


Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

MMP Medium Mine-Duty Primary Cleaner

Blade Width Selection

BELT WIDTH mm	ITEM CODE		
	BELT WIDTH MINUS 150 mm	BELT WIDTH MINUS 300 mm	BELT WIDTH MINUS 450 mm
600	76485	N/A	N/A
750	76486	76485	N/A
900	76487	76486	76485
1050	76488	76487	76486
1200	76489	76488	76487
1350	76490	76489	76488
1500	76491	76490	76489
1800	76493	76492	76491
2100	76697	76494	76493
2400	77048	77047	76697



Replacement Parts List

Replacement TuffShear™ Blades

REF	BLADE WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
10	450	TRB18	76485	9.6
	600	TRB24	76486	12.7
	750	TRB30	76487	16.0
	900	TRB36	76488	19.1
	1050	TRB42	76489	22.3
	1200	TRB48	76490	25.5
	1350	TRB54	76491	28.6
	1500	TRB60	76492	31.8
	1650	TRB66	76493	35.0
	1800	TRB72	76494	38.2
	1950	TRB78	76697	41.4
	2100	TRB84	77047	44.5
	2400	TRB90	77048	47.6


Order blade width for your belt width's material path:
Belt Width Minus 152 mm, Belt Width Minus 305 mm, or
Belt Width Minus 457 mm.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MMP Medium Mine-Duty Primary Cleaner



Replacement Parts - Mild Steel

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	600 mm Pole	MMPCP24	76458	15.6
	750 mm Pole	MMPCP30	76459	19.6
	900 mm Pole	MMPCP36	76460	23.5
	1050 mm Pole	MMPCP42	76461	27.3
	1200 mm Pole	MMPCP48	76462	31.2
	1350 mm Pole	MMPCP54	76463	35.1
	1500 mm Pole	MMPCP60	76464	39.1
	1800 mm Pole	MMPCP72	76465	46.9
	2100 mm Pole	MMPCP84	76808	54.7
2	Extender Pole Kit (2 ea.)	MHP-EP	76392	24.6
3	Mounting Plate Kit* (2 ea.)	MSPMPK	75811	3.8
4	Blade Pin Kit* (1 ea.)	MMPBPk	76466	0.4
5	Pivot Arm Kit* (1 ea.)	QMTPAK	76096	2.0
6	Tension Spring - Purple (1 ea.) for blades 600 mm	QMTS-P	75845	0.3
6a	Tension Spring - White (1 ea.) for blades 750 - 1200 mm	PSTS-W	75898	0.8
6b	Tension Spring - Gold (1 ea.) for blades 1350 - 1950 mm	QMTS-G	76484	1.1
7	Bushing Kit - Purple (2 ea.)	QMTBK-P	76097	0.1
7a	Bushing Kit - White (2 ea.)	QMTBK-W	76098	0.1
7b	Bushing Kit - Gold (2 ea.)	QMTBK-G	76540	0.1
8	Pivot Shaft Bracket Kit* (1 ea.)	QMTPSBK	76099	2.0
9	Torsion Arm Kit* (1 ea.)	PSTA	75896	5.2
-	QMT Spring Tensioner* - Purple (incl. 1 ea. Items 5, 6, 7, 8, & 9) for blades 450 - 600 mm	QMT-P	76074	9.3
-	QMT Spring Tensioner* - White (incl. 1 ea. Items 5, 6a, 7a, 8, & 9) for blades 750 - 1200 mm	QMT-W	76075	10.0
-	QMT Spring Tensioner* - Gold (incl. 1 ea. Items 5, 6b, 7b, 8, & 9) for blades 1350 - 1950 mm	QMT-G	76483	10.6

*Hardware Included

Replacement Parts - Stainless Steel

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE
1	600 mm SS Pole	MMPCP24-S/S	77590
	750 mm SS Pole	MMPCP30-S/S	77591
	900 mm SS Pole	MMPCP36-S/S	77592
	1050 mm SS Pole	MMPCP42-S/S	77593
	1200 mm SS Pole	MMPCP48-S/S	77594
	1350 mm SS Pole	MMPCP54-S/S	77595
	1500 mm SS Pole	MMPCP60-S/S	77596
	1800 mm SS Pole	MMPCP72-S/S	77597
	2100 mm SS Pole	MMPCP84-S/S	77598
2	SS Extender Pole Kit (2 ea.)	MHP-EP-S/S	77599
3	SS Mounting Plate Kit* (2 ea.)	MSPMPK-S/S	77582
4	SS Blade Pin Kit* (1 ea.)	MMPBPk-S/S	77600
5	SS Pivot Arm Kit* (1 ea.)	QMTPAK-S/S	77587
6	SS Tension Spring - Purple (1 ea.) for blades 600 mm	QMTS-P-S/S	77450
6a	SS Tension Spring - White (1 ea.) for blades 750 - 1200 mm	QSTS-W-S/S	77451
6b	SS Tension Spring - Gold (1 ea.) for blades 1350 - 1950 mm	QMTS-G-S/S	77452
7	Bushing Kit - Purple (2 ea.)	QMTBK-P	76097
7a	Bushing Kit - White (2 ea.)	QMTBK-W	76098
7b	Bushing Kit - Gold (2 ea.)	QMTBK-G	76540
8	SS Pivot Shaft Bracket Kit* (1 ea.)	QMTPSBK-S/S	77588
9	SS Torsion Arm Kit* (1 ea.)	PSTA-S/S	77442
-	SS QMT Spring Tensioner* - Purple (incl. 1 ea. Items 5, 6, 7, 8, & 9) for blades 450 - 600 mm	QMT-P-S/S	77584
-	SS QMT Spring Tensioner* - White (incl. 1 ea. Items 5, 6a, 7a, 8, & 9) for blades 750 - 1200 mm	QMT-W-S/S	77585
-	SS QMT Spring Tensioner* - Gold (incl. 1 ea. Items 5, 6b, 7b, 8, & 9) for blades 1350 - 1950 mm	QMT-G-S/S	77586

*Hardware Included

Spring Tensioner Selection Chart

CLEANER BLADE WIDTH	76403 EST-P	76404 EST-S	76405 EST-B
TuffShear 450 - 600 mm	X		
TuffShear 750 - 1200 mm		X	
TuffShear 1350 - 1950 mm			X

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Specifications & Guidelines

MMP Medium Mine-Duty Primary Cleaner

Pole Length Specifications*

BELT WIDTH mm	MAX OVERALL POLE LENGTH mm	CENTRE POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
600	1950	600	1650
750	2100	750	1800
900	2250	900	1950
1050	2400	1050	2100
1200	2550	1200	2250
1350	2700	1350	2400
1500	2850	1500	2550
1800	3150	1800	2850
2100	3450	2100	3150

*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750 mm of extended pole length.
Pole Diameter -73 mm

Clearance Guidelines for Installation

HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
100	325


Spring Length Chart with QMT Spring Tensioner

BLADE WIDTH mm	PURPLE SPRINGS mm	WHITE SPRINGS mm	GOLD SPRINGS mm
450	110	150	160
600	100	140	150
750	N/A	140	150
900	N/A	130	150
1050	N/A	130	140
1200	N/A	130	140
1350	N/A	120	140
1500	N/A	120	140
1650	N/A	N/A	130
1800	N/A	N/A	130
1950	N/A	N/A	130
2100	N/A	N/A	N/A
2250	N/A	N/A	N/A


Shading indicates preferred spring option

Specifications:

- Maximum Belt Speed Contact Flexco
- Temperature Rating -35°C to 82°C
- Minimum Pulley Diameter..... 400 mm
- Usable Blade Wear Length..... 150 mm
- Blade Polyurethane (proprietary blend for abrasion resistance and long wear)
- Available for Belt Widths 600 to 2100 mm
Other sizes available upon request





Pole Location Specs




Pole Location Chart

A	X	Y	C
406	207	305	368
432	222	305	378
457	235	305	384
483	248	305	394
508	264	305	403
533	279	305	413
559	292	305	422
584	305	305	432
610	321	305	441
635	334	305	451
660	346	305	461
686	359	305	470
711	372	305	480
737	387	305	492
762	397	305	502
787	410	305	511
813	425	305	524
838	438	305	533
864	451	305	543
889	464	305	556
914	476	305	565
940	492	305	578
965	502	305	588
991	518	305	600
1016	527	305	610
1041	543	305	622
1067	552	305	632
1092	568	305	645
1118	578	305	654
1143	594	305	667
1168	607	305	679
1194	619	305	689
1219	632	305	702



Product Ordering Information

MHP Mine Tough Heavy-Duty Primary Cleaner



Belt Width Minus 150mm

BELT WIDTH	BLADE WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
mm	mm			
600	450	MHP-624	77703	113.1
750	600	MHP-630	77704	121.4
900	750	MHP-636	77705	129.6
1050	900	MHP-642	77706	137.9
1200	1050	MHP-648	77707	146.1
1350	1200	MHP-654	77708	155.0
1500	1350	MHP-660	77709	163.2
1800	1650	MHP-672	77710	179.8
2100	1950	MHP-684	77711	196.4
2400	2250	MHP-696	77712	212.9
2700	2550	MHP-6108	90151	229.5
3050	2850	MHP-6120	90152	246.0

Product Notes:

- Recommended for heavy-duty conveyor applications.
- Material Path Option: Fit the blade width to the belt's material path. The material path is typically the center 2/3 of the belt width. In most cases a blade size of belt width minus 150mm may be the best solution.
- Each cleaner pole is retrofittable for blade sizes down to 450mm in 150mm increments.
- Pole Length: Belt width plus 1350mm.
- Visual Tension Check: No guesswork on blade tensioning. Measure the spring and adjust to specified length per blade width to restore optimal tensioning.

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☒ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information


MegaShear™
Replacement Blades



Ordering Information MegaShear™ Replacement Blades

BLADE WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
mm			
450	MRB18	77531	13.1
600	MRB24	77532	17.5
750	MRB30	77533	21.8
900	MRB36	77534	26.2
1050	MRB42	77535	30.6
1200	MRB48	77536	34.9
1350	MRB54	77537	39.3
1500	MRB60	77538	43.7
1650	MRB66	77539	48.0
1800	MRB72	77540	52.4
1950	MRB78	77541	56.7
2100	MRB84	77542	61.1
2250	MRB90	77543	65.5
2400	MRB96	77544	69.8
2550	MRB102	77545	74.2
2700	MRB108	77546	78.5
2850	MRB114	77547	82.9

Other blade sizes available upon request.



Product Notes:


- A molded-in wear line indicates when the blade is worn out and needs to be replaced.
- Faceted blade profile: Renews its cleaning edge as the blade wears.
- MegaShear™ blades are made of a special long-wearing polyurethane.
- Quick blade replacement: Pull one pin, remove the old blade and slide the new one in.

Product Ordering Information

MHCP Heavy-Duty Cartridge Primary Cleaner

MHCP HD Cartridge Primary Cleaner with Spring Tensioner (PST)

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	450	MHCP-24S	75929	87.3
750	600	MHCP-30S	75930	94.2
900	750	MHCP-36S	75931	101.1
1050	900	MHCP-42S	75932	107.9
1200	1050	MHCP-48S	75933	114.8
1350	1200	MHCP-54S	75934	121.6
1500	1350	MHCP-60S	75935	128.5
1800	1650	MHCP-72S	75936	142.2
2100	1950	MHCP-84S	76800	165.9



Mild Steel Model Pictured

MHCP HD Cartridge Primary Cleaner with Air/Water Tensioner (AWT)*

BELT WIDTH mm	BLADE COVERAGE mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	450	MHCP-24A	75937	87.4
750	600	MHCP-30A	75938	94.2
900	750	MHCP-36A	75939	101.1
1050	900	MHCP-42A	75940	107.9
1200	1050	MHCP-48A	75941	114.8
1350	1200	MHCP-54A	75942	121.6
1500	1350	MHCP-60A	75943	128.5
1800	1650	MHCP-72A	75944	142.2
2100	1950	MHCP-84A	76801	165.9



Mild Steel Model Pictured

Product Notes:

- Heavy-duty design with massive SuperShear™ blades for constant cleaning power on abusive beltlines.
- Blade width equals Belt Width minus 150 mm. Can be adjusted to belt's material path.
- Pole Length: Belt Width plus 1450 mm. For longer requirements see Minline® Installation Accessories - Pole Extender Kit.
- Tensioner Options: 1) PST Spring Tensioner for self-adjusting tensioning with easy retensioning adjustments; 2) AWT Air/Water Tensioner for automatic tensioning throughout the life of the blades.

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☒ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Specifications & Guidelines

MHCP Heavy-Duty Cartridge Primary Cleaner


Pole Length Specifications

CLEANER SIZE mm	MAX OVERALL POLE LENGTH ITEM CODE mm	CENTRE POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
600	2050	700	1650
750	2200	850	1800
900	2350	1000	1950
1050	2500	1150	2100
1200	2650	1300	2250
1350	2800	1450	2400
1500	2950	1600	2550
1800	3250	1900	2850
2100	3550	2200	3150

Pole Diameter - 73 mm

Clearance Guidelines for Installation


HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
175	475



Spring Length Chart with PST Spring Tensioner

BLADE WIDTH mm	NO. OF BLADES	WHITE SPRINGS mm	SILVER SPRINGS mm
450	3	146	162
600	4	137	159
750	5	130	156
900	6	121	156
1050	7	114	152
1200	8	N/A	149
1350	9	N/A	146
1500	10	N/A	146
1650	11	N/A	143
1800	12	N/A	140
1950	13	N/A	130


Shading indicates preferred spring option
Spring tension is based on the number of
blades on the cleaner, not the Belt Width.




Air/Water Chart

BLADE WIDTH mm	BLADES	PSI
450	3	8#
600	4	10#
750	5	13#
900	6	15#
1050	7	18#
1200	8	20#
1350	9	23#
1500	10	25#
1650	11	28#
1950	12	31#

PSI setting is based on the number
of blades on the cleaner, not the Belt
Width.



Pole Location Specs



Pole Location Chart

A	X	Y	C
508	254	365	445
533	267	365	451
559	279	365	461
584	292	365	467
610	305	365	476
635	318	365	483
660	330	365	492
686	343	365	502
711	356	365	511
737	368	365	518
762	381	365	527
787	394	365	537
813	406	365	546
838	419	365	556
864	432	365	565
889	445	365	575
914	457	365	584
940	470	365	594
965	483	365	607
991	495	365	616
1016	508	365	626
1041	521	365	635
1067	533	365	648
1092	546	365	657
1118	559	365	667
1143	572	365	679
1168	584	365	689
1194	591	365	699
1219	610	365	711

Specifications:


- Maximum Belt SpeedContact Flexco
- Temperature Rating-35°C to 82°C
- Minimum Pulley Diameter.....400 mm
- Usable Blade Wear Length.....200 mm
- BladesPolyurethane (proprietary blend for
abrasion resistance and long wear)
- Available for Belt Widths600 to 2100 mm
Other sizes available upon request.

Replacement Parts List

MHCP Heavy-Duty Cartridge Primary Cleaner

Replacement Parts List

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	600 mm Centre Pole*	MHP-CP600	75961	8.6
	750 mm Centre Pole*	MHP-CP750	75962	10.5
	900 mm Centre Pole*	MHP-CP900	75963	12.4
	1050 mm Centre Pole*	MHP-CP1050	75964	14.2
	1200 mm Centre Pole*	MHP-CP1200	75965	16.1
	1350 mm Centre Pole*	MHP-CP1400	75966	17.9
	1500 mm Centre Pole*	MHP-CP1500	75967	19.8
	1800 mm Centre Pole*	MHP-CP1800	75968	23.5
	2100 mm Centre Pole*	MHP-CP2100	76811	27.4
2	MHCP Extender Poles (2 ea.)	MHP-EP	76392	24.6
3	SuperShear™ Blade	SSRB	75978	3.0
3a	SuperShear™ FRAS Blade	SSFRB	78456	3.0
4	600 mm 2-Piece Blade Cartridge*	MHCP-2BC24	76638	6.0
	750 mm 2-Piece Blade Cartridge*	MHCP-2BC30	76639	8.0
	900 mm 2-Piece Blade Cartridge*	MHCP-2BC36	76640	10.0
	1050 mm 2-Piece Blade Cartridge*	MHCP-2BC42	76641	12.0
	1200 mm 2-Piece Blade Cartridge*	MHCP-2BC48	76642	14.0
	1350 mm 2-Piece Blade Cartridge*	MHCP-2BC54	76643	16.0
	1500 mm 2-Piece Blade Cartridge*	MHCP-2BC60	76644	18.0
	1800 mm 2-Piece Blade Cartridge*	MHCP-2BC72	76645	22.0
	2100 mm 2-Piece Blade Cartridge*	MHCP-2BC84	76812	25.7
5	MHCP Cartridge Handle*	MHCP-CH	76393	0.2
6	MHCP Cartridge Blade Stop*	MHCP-BS	76394	0.2




Blades Required per Belt Width

BELT WIDTH mm	BLADE COVERAGE mm	BLADES REQUIRED
600	450	3
750	600	4
900	750	5
1050	900	6
1200	1050	7
1350	1200	8
1500	1350	9
1800	1650	11
2100	1950	13

Blades and cartridges can be purchased separately (see chart at left) or preassembled as a Blade Cartridge Kit

PST Spring Tensioner Replacement Parts


REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
7	Mounting Base* (1 ea.)	PMB	77727	10.1
8	Torque Arm* (1 ea.)	PSTA	75896	5.1
9	Torque Pivot Kit (1 ea.) (no spring)	PTPK	75897	3.2
10	Tension Spring - White (1 ea.) for belts 600-1200 mm	PSTS-W	75898	0.8
10a	Tension Spring - Silver (1 ea.) for belts 1350-2100 mm	PSTS-S	75899	1.4
11	Bushing Kit (2 ea.) (for White & Silver Tensioners)	QMTBK-W	76098	0.1
	PST Spring Tensioner* - White (includes 2 each items 7, 8, 9, 10 & 11) for belts 600-1200 mm	PST2-W	77723	39.1
	PST Spring Tensioner* - Silver (includes 2 each items 7, 8, 9, 10a & 11) for belts 1350-2100 mm	PST2-S	77724	39.2



Air/Water Tensioner Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
12	Air/Water Bag (1 ea.)	AWTB	75905	1.7
13	Mounting Base (1 ea.)	AWTMB	75906	10.4
14	Torque Arm* (1 ea.)	AWTA	75907	5.3
15	Hose Kit (15 M of hose and 6 hose clamps)	AWTHK	75909	3.1
16	Control Box (Complete)	AWTCB	75908	0.5
—	AWT Air/Water Tensioner (includes 2 each items 12, 13, & 14 and 1 each items 15 & 16)	AWT	75904	39.2
—	AWT Air/Water Tensioner w/o Control Box (includes 2 each items 12, 13, 14 & 1 each item 15)	AWTNCB	76069	34.2
—	AWT Air/Water Tensioner w/o Control Box, 1 side (includes 1 each items 12, 13, 14 & 15)	AWT-1S	76375	17.1

*Hardware Included




Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Product Ordering Information

H-Type® with XF-Tips Segmented Blade Primary Cleaner



H-Type® with XF-Tips
Powder Coated

BELT WIDTH mm	HF-TIP SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
450	S	HXF450S	74659	35.0
450	M	HXF450M	74660	
600	S	HXF600S	74661	41.0
600	M	HXF600M	74662	
750	S	HXF750S	74663	42.0
750	M	HXF750M	74664	
900	S	HXF900S	74665	47.0
900	M	HXF900M	74666	
900	L	HXF900L	74667	
1050	S	HXF1050S	74668	60.0
1050	M	HXF1050M	74669	
1050	L	HXF1050L	74670	
1200	S	HXF1200S	74671	62.0
1200	M	HXF1200M	74672	
1200	L	HXF1200L	74673	
1500	M	HXF1500M	74677	75.0
1500	L	HXF1500L	74678	
1600	M	HXF1600M	73443	80.0
1600	L	HXF1600L	73444	
1800	M	HXFHD1800M	74681	105.0
1800	L	HXFHD1800L	74682	
2100	M	HXFHD2100M	74683	110.0
2100	L	HXFHD2100L	74684	
2400	M	HXFHD2400M	74685	120.0
2400	L	HXFHD2400L	74686	



H-Type® with XF-Tips
Stainless Steel

BELT WIDTH mm	XF2-TIP SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
450	S	HXF450S-S/S	75266	35.0
450	M	HXF450M-S/S	75267	
600	S	HXF600S-S/S	75268	42.0
600	M	HXF600M-S/S	75269	
750	S	HXF750S-S/S	75270	43.0
750	M	HXF750M-S/S	75271	
900	S	HXF900S-S/S	75272	49.0
900	M	HXF900M-S/S	75273	
900	L	HXF900L-S/S	75274	
1050	S	HXF1050S-S/S	75275	62.0
1050	M	HXF1050M-S/S	75276	
1050	L	HXF1050L-S/S	75277	
1200	S	HXF1200S-S/S	75278	63.0
1200	M	HXF1200M-S/S	75279	
1200	L	HXF1200L-S/S	75280	
1500	M	HXF1500M-S/S	75281	77.0
1500	L	HXF1500L-S/S	75282	
1600	M	HXF1600M-S/S	75283	82.0
1600	L	HXF1600L-S/S	75284	
1800	M	HXFHD1800M-S/S	A1588	107.0
1800	L	HXFHD1800L-S/S	A1589	
2100	M	HXFHD2100M-S/S	A1590	112.0
2100	L	HXFHD2100L-S/S	A1591	
2400	M	HXFHD2400M-S/S	A1592	122.0
2400	L	HXFHD2400L-S/S	A1593	

Product Notes:

- All cleaners supplied with dual tensioners.
- Also available with J-Bolt Side Assembly.
- Standard supply is non-FRAS.
- Specify when ordering FRAS.
- Specify arm size when ordering.
- For other replacement parts, please refer to page 38.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information




H-Type® with V-Tips*-Powder Coated

BELT WIDTH mm	SUSPENSION ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
450	SS	HV450SS	73026	30.0
450	S	HV450S	73028	
450	M	HV450M	73019	
600	SS	HV600SS	73045	35.0
600	S	HV600S	73030	
600	M	HV600M	73173	
750	SS	HV750SS	73053	37.0
750	S	HV750S	73032	
750	M	HV750M	73174	
900	SS	HV900SS	73055	42.0
900	S	HV900S	73034	
900	M	HV900M	73175	
900	L	HV900L	73178	
1050	SS	HV1050SS	73057	46.0
1050	S	HV1050S	73056	
1050	M	HV1050M	73036	
1050	L	HV1050L	73179	
1200	SS	HV1200SS	73059	50.0
1200	S	HV1200S	73058	
1200	M	HV1200M	73038	
1200	L	HV1200L	73180	
1500	M	HV1500M	73177	64.0
1500	L	HV1500L	73158	
1500	LL	HV1500LL	73215	68.0
1600	M	HV1600M	73637	
1600	L	HV1600L	73638	
1600	LL	HV1600LL	73639	
1800	M	HVHD1800M	74602	95.0
1800	L	HVHD1800L	74477	
1800	LL	HVHD1800LL	74478	
2100	M	HVHD2100M	74539	102.0
2100	L	HVHD2100L	74540	
2100	LL	HVHD2100LL	74541	
2400	M	HVHD2400M	74544	118.0
2400	L	HVHD2400L	74545	
2400	LL	HVHD2400LL	74546	
2600	M	HVHD2600M	A2396	125.0
2600	L	HVHD2600L	A2461	
2600	LL	HVHD2600LL	A2397	
3000	M	HVHD3000M	74591	133.0
3000	L	HVHD3000L	74592	
3000	LL	HVHD3000LL	74593	

Specify arm size when ordering.

H-Type® with V-Tips Segmented Blade Primary Cleaner



H-Type® with V-Tips*-Stainless Steel


BELT WIDTH mm	SUSPENSION ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
450	SS	HV450SS-S/S	75293	30.0
450	S	HV450S-S/S	75294	
450	M	HV450M-S/S	75295	
600	SS	HV600SS-S/S	75296	36.0
600	S	HV600S-S/S	75297	
600	M	HV600M-S/S	75298	
750	SS	HV750SS-S/S	75299	38.0
750	S	HV750S-S/S	75300	
750	M	HV750M-S/S	75301	
900	SS	HV900SS-S/S	75302	43.0
900	S	HV900S-S/S	75303	
900	M	HV900M-S/S	75304	
900	L	HV900L-S/S	75305	
1050	SS	HV1050SS-S/S	75306	47.0
1050	S	HV1050S-S/S	75307	
1050	M	HV1050M-S/S	75308	
1050	L	HV1050L-S/S	75309	
1200	SS	HV1200SS-S/S	75310	50.0
1200	S	HV1200S-S/S	75311	
1200	M	HV1200M-S/S	75312	
1200	L	HV1200L-S/S	75313	
1500	M	HV1500M-S/S	75314	64.0
1500	L	HV1500L-S/S	75315	
1500	LL	HV1500LL-S/S	75316	68.0
1600	M	HV1600M-S/S	75317	
1600	L	HV1600L-S/S	75318	
1600	LL	HV1600LL-S/S	75319	
1800	M	HVHD1800M-S/S	A1594	98.0
1800	L	HVHD1800L-S/S	A1595	
1800	LL	HVHD1800LL-S/S	A1596	
2100	M	HVHD2100M-S/S	A1597	104.0
2100	L	HVHD2100L-S/S	A1598	
2100	LL	HVHD2100LL-S/S	A1599	
2400	M	HVHD2400M-S/S	A1600	121.0
2400	L	HVHD2400L-S/S	A1601	
2400	LL	HVHD2400LL-S/S	A1602	
2600	M	HVHD2600M-S/S	A2462	125.0
2600	L	HVHD2600L-S/S	A2463	
2600	LL	HVHD2600LL-S/S	A2464	
3000	M	HVHD3000M-S/S	A2465	135.0
3000	L	HVHD3000L-S/S	A2466	
3000	LL	HVHD3000LL-S/S	A2467	

Specify arm size when ordering.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information




H-Type® with V-Tips*-Powder Coated

BELT WIDTH mm	SUSPENSION ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
450	SS	HV450SS-PCST	63936	36.8
450	S	HV450S-PCST	63937	36.8
450	M	HV450M-PCST	63938	36.8
600	SS	HV600SS-PCST	63939	41.8
600	S	HV600S-PCST	63940	41.8
600	M	HV600M-PCST	63941	41.8
750	SS	HV750SS-PCST	63942	43.8
750	S	HV750S-PCST	63943	43.8
750	M	HV750M-PCST	63944	43.8
900	SS	HV900SS-PCST	63945	48.8
900	S	HV900S-PCST	63946	48.8
900	M	HV900M-PCST	63947	48.8
900	L	HV900L-PCST	63948	48.8
1050	SS	HV1050SS-PCST	64045	52.8
1050	S	HV1050S-PCST	63950	52.8
1050	M	HV1050M-PCST	63951	52.8
1050	L	HV1050L-PCST	63952	52.8
1200	SS	HV1200SS-PCST	63953	56.8
1200	S	HV1200S-PCST	63954	56.8
1200	M	HV1200M-PCST	63955	56.8
1200	L	HV1200L-PCST	63956	56.8
1500	M	HV1500M-PCST	63957	70.8
1500	L	HV1500L-PCST	63958	70.8
1500	LL	HV1500LL-PCST	63959	70.8
1600	M	HV1600M-PCST	63960	74.8
1600	L	HV1600L-PCST	63961	74.8
1600	LL	HV1600LL-PCST	63962	74.8
1800	M	HV1800M-PCST	63963	101.8
1800	L	HV1800L-PCST	63964	101.8
1800	LL	HV1800LL-PCST	63965	101.8
2100	M	HV2100M-PCST	63966	108.8
2100	L	HV2100L-PCST	63967	108.8
2100	LL	HV2100LL-PCST	63968	108.8
2400	M	HV2400M-PCST	63969	125.0
2400	L	HV2400L-PCST	63970	125.0
2400	LL	HV2400LL-PCST	63971	125.0
2600	M	HV2600M-PCST	63972	132.0
2600	L	HV2600L-PCST	63973	132.0
2600	LL	HV2600LL-PCST	63974	132.0
3000	M	HV3000M-PCST	63975	140.0
3000	L	HV3000L-PCST	63976	140.0
3000	LL	HV3000LL-PCST	63977	140.0

Specify arm size when ordering.

H-Type® with V-Tips and PCST Tensioner Segmented Blade Primary Cleaner



H-Type® with V-Tips*-Stainless Steel

BELT WIDTH mm	SUSPENSION ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
450	SS	HV450SS-PCST-S/S	63978	37.3
450	S	HV450S-PCST-S/S	63979	
450	M	HV450M-PCST-S/S	63980	
600	SS	HV600SS-PCST-S/S	63981	43.3
600	S	HV600S-PCST-S/S	63982	
600	M	HV600M-PCST-S/S	63983	
750	SS	HV750SS-PCST-S/S	63984	45.3
750	S	HV750S-PCST-S/S	63985	
750	M	HV750M-PCST-S/S	63986	
900	SS	HV900SS-PCST-S/S	63987	50.3
900	S	HV900S-PCST-S/S	63988	
900	M	HV900M-PCST-S/S	63989	
900	L	HV900L-PCST-S/S	63990	54.3
1050	SS	HV1050SS-PCST-S/S	63991	
1050	S	HV1050S-PCST-S/S	63992	
1050	M	HV1050M-PCST-S/S	63993	57.3
1050	L	HV1050L-PCST-S/S	63994	
1200	SS	HV1200SS-PCST-S/S	63995	
1200	S	HV1200S-PCST-S/S	63996	71.3
1200	M	HV1200M-PCST-S/S	63997	
1200	L	HV1200L-PCST-S/S	63998	
1500	M	HV1500M-PCST-S/S	63999	75.3
1500	L	HV1500L-PCST-S/S	64000	
1500	LL	HV1500LL-PCST-S/S	64001	
1600	M	HV1600M-PCST-S/S	64002	105.3
1600	L	HV1600L-PCST-S/S	64003	
1600	LL	HV1600LL-PCST-S/S	64004	
1800	M	HVHD1800M-PCST-S/S	64005	111.3
1800	L	HVHD1800L-PCST-S/S	64006	
1800	LL	HVHD1800LL-PCST-S/S	64007	
2100	M	HVHD2100M-PCST-S/S	64008	128.4
2100	L	HVHD2100L-PCST-S/S	64009	
2100	LL	HVHD2100LL-PCST-S/S	64010	
2400	M	HVHD2400M-PCST-S/S	64011	132.4
2400	L	HVHD2400L-PCST-S/S	64012	
2400	LL	HVHD2400LL-PCST-S/S	64013	
2600	M	HVHD2600M-PCST-S/S	64014	142.4
2600	L	HVHD2600L-PCST-S/S	64015	
2600	LL	HVHD2600LL-PCST-S/S	64016	
3000	M	HVHD3000M-PCST-S/S	64017	
3000	L	HVHD3000L-PCST-S/S	64018	
3000	LL	HVHD3000LL-PCST-S/S	64019	

Specify arm size when ordering.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Tips and Suspension Arms

H-Type with XF8-FRAS, XF8 Non-FRAS and XF2-Non-FRAS Tips

Replacement XF8-Non-FRAS Tips

SIZE	ORDERING NUMBER	COLOUR	ITEM CODE	WT. KG
SS	HXF8SS	Purple	74307	1.5
S	HXF8S	Purple	74689	1.7
M	HXF8M	Purple	74690	1.8
L	HXF8L	Purple	74691	2.0



Tip Sizing

HEAD PULLEY DIAMETER + BELT & LAGGING mm	XF-TIP SIZE
up to 499	SS
500-799	S
800-999	M
1000-1200	L

Over 1200 mm- contact Flexco®.

Replacement XF8-FRAS Tips

SIZE	ORDERING NUMBER	COLOUR	ITEM CODE	WT. KG
SS	HXF8SS-Blue	Blue	77518	2.0
S	HXF8S-Blue	Blue	77519	2.0
M	HXF8M-Blue	Blue	77520	2.0
L	HXF8L-Blue	Blue	77521	2.5




Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	XF-TIPS REQUIRED
450	400	2
600	600	3
750	600	3
900	800	4
1050	1000	5
1200	1200	6
1500	1400	7
1600	1600	8
1800	1800	9
2100	2000	10
2400	2400	12

Replacement XF2-Non-FRAS Tips

SIZE	ORDERING NUMBER	COLOUR	ITEM CODE	WT. KG
SS	HXF2-SS	Purple	75979	1.5
S	HXF2-S	Purple	75980	1.5
M	HXF2-M	Purple	75981	1.5
L	HXF2-L	Purple	75982	2.0



Specially formulated, long-wearing polyurethane blade tip. Impact-resistant, reinforced nylon base for rigidity and minimal deflection.

H-Type with V-Tips

Replacement V-Tips

ORDERING NUMBER	ITEM CODE	WT. KG
HSA200	73489	0.5
HVT8-S/S	75419	0.5
HVPT-S/S	73631	1.2
HSA200_EL15 (15mm)	76027	0.7
HVPT-S/S_EL15 (15mm)	62254	1.4
HSA200_XL20 (20mm)	67775	0.9

Suspension Arm Size

HEAD PULLEY DIAMETER + BELT & LAGGING mm	SUSPENSION ARM SIZE
up to 499	SS
500-799	S
800-999	M
1000-1199	L
1200-1700	LL

Over 1700 mm—contact Flexco.

Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	V-TIPS REQUIRED
450	400	2
600	600	3
750	600	3
900	800	4
1050	1000	5
1200	1200	6
1500	1400	7
1600	1600	8
1800	1800	9
2100	2000	10
2400	2400	12
2600	2600	13
3000	3000	15

Stainless Steel Replacement Suspension Arms

SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
SSS	HSA8SSS-S/S	79655	0.7
SS	HSA8SS-S/S	73771	0.9
S	HSA8S-S/S	73772	1.1
M	HSA8M-S/S	73773	1.3
L	HSA8L-S/S	73774	1.5
LL	HSA8LL-S/S	74033	1.7

Replacement Suspension Arms

SIZE	ORDERING NUMBER	ITEM CODE	WT. KG.
SSS	HSA8SSS	75565	0.7
SS	HSA8SS	73047	0.9
S	HSA8S	73048	1.1
M	HSA8M	73049	1.3
L	HSA8L	73063	1.5
LL	HSA8LL	73064	1.7

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.


Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

H-Type with PCST Optional Tensioners


ATV Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Air Primary Mount Bracket Stainless Steel	AIR HDMRK S/S	62034	2.0
2a	Bearing Repair Kit 60mm	HBRK-S/S-60	75422	1.5
2b	Bearing Repair Kit 73mm	HBRK-S/S-73	76246	2.0
3a	Air Primary Adjust Arm 60mm	AIR HARK-S/S-60	62035	1.5
3b	Air Primary Adjust Arm 73mm	AIR HARK-S/S-73	64175	2.0
4	Air Bag Primary	AIR BAG P	62036	0.5
5	Hex Nut	HEX NUT	G1211	0.1
6	Air Line Adapter	ATV-NIP	62037	0.1
-	Primary Air Tension Kit 60mm (incl. 2 ea items 1, 2a, 3a, 4, 5 and 6)	HATDMK-S/S	63861	11.0
-	Primary Air Tension Kit 73mm (incl. 2 ea items 1, 2b, 3b, 4, 5 and 6)	HDATDMK-S/S	63862	14.0



P-CST Replacement Parts - Mild Steel PCST 60mm

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	H Bearing Bush 60mm	HCSBB-60	62513	0.1
2	Acme Pivot Rod Kit	ACME-PRK	62496	0.6
3	Acme Nut	ACME-N	62591	0.1
4a	Spring Black (To 1600 Belt Width Max)	STS-B	75844	0.5
4b	Spring Gold (To 2400 Belt Width Max)	STS-G	78142	0.5
5	Spring Bush Kit (Black/Gold)	HCSSB-B/G	62589	0.1
6	Torque Arm Kit 60mm	ESTAK-EST	76406	1.6
-	Black 60mm Compression Spring Side Assembly (to 1600 belt width max)	H60CSK-B	62747	11.0
-	Gold 60mm Compression Spring Side Assembly (to 2400 belt width max)	H60CSK-G	62741	11.0



P-CST Replacement Parts - Mild Steel PCST 73mm

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	H Bearing Bush 73mm	HCSBB-73	62514	2.0
2	Acme Pivot Rod Kit	ACME-PRK	62496	0.6
3	Acme Nut	ACME-N	62591	0.1
4a	Spring Black (To 1600 Belt Width Max)	STS-B	75844	0.5
4b	Spring Gold (To 2400 Belt Width Max)	STS-G	78142	0.5
4c	Spring Silver (Above 2400 Belt Width)	PSTS-S	75899	0.5
5a	Spring Bush (Black/Gold)	HCSSB-B/G	62589	0.1
5b	Spring Bush (Silver)	HCSSB-S	62590	0.2
6	Torque Arm Kit 73mm	HCSTAK	62494	1.6
-	Black 73mm Compression Spring Side Assembly (to 1600 belt width max)	H73CSK-B	62749	17.8
-	Gold 73mm Compression Spring Side Assembly (to 2400 belt width max)	H73CSK-G	62743	17.8
-	Silver 73mm Compression Spring Side Assembly (above 2400)	H73CSK-S	62745	18.0

P-CST Replacement Parts - Stainless Steel PCST 73mm

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	H Bearing Bush 73mm	HCSBB-73	62514	2.0
2	Acme Pivot Rod Kit	ACME-PRK	62496	0.6
3	Acme Nut	ACME-N	62591	0.1
4a	Spring Black (To 1600 Belt Width Max)	STS-B-S/S	77632	0.5
4b	Spring Gold (To 2400 Belt Width Max)	STS-G-S/S	79057	0.5
4c	Spring Silver (Above 2400 Belt Width)	PSTS-S-S/S	79056	0.5
5a	Spring Bush (Black/Gold)	HCSSB-B/G	62589	0.1
5b	Spring Bush (Silver)	HCSSB-S	62590	0.2
6	Torque Arm Kit 73mm	HCSTAK-S/S	62495	1.6
-	Black 73mm Compression Spring Side Assembly (to 1600 belt width max)	H73CSK-B-S/S	62750	18.3
-	Gold 73mm Compression Spring Side Assembly (to 2400 belt width max)	H73CSK-G-S/S	62744	18.3
-	Silver 73mm Compression Spring Side Assembly (above 2400 belt width max)	H73CSK-S-S/S	62746	18.4

P-CST Replacement Parts - Stainless Steel PCST 60mm

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	H Bearing Bush 60mm	HCSBB-60	62513	0.1
2	Acme Pivot Rod Kit	ACME-PRK	62496	0.6
3	Acme Nut	ACME-N	62591	0.1
4a	Spring Black (To 1600 Belt Width Max)	STS-B-S/S	77632	0.5
4b	Spring Gold (To 2400 Belt Width Max)	STS-G-S/S	79057	0.5
5	Spring Bush Kit (Black/Gold)	HCSSB-B/G	62589	0.1
6	Torque Arm Kit 60mm	ESTAK-EST-S/S	78849	1.6
-	Black 60mm Compression Spring Side Assembly (to 1600 belt width max)	H60CSK-B-S/S	62748	17.3
-	Gold 60mm Compression Spring Side Assembly (to 2400 belt width max)	H60CSK-G-S/S	62742	17.3

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

H-Type with Air/Water Optional Tensioners


ORDERING NUMBER	ITEM CODE	WT. KG
PAT1	65571	5.9
PAT2	66056	5.9



PAT1 (Single)



PAT2 (Dual)



REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Tank Label Kit	PATLK	78791	0.05
2	Tank Hose Kit (incl. 1 ea. 10' hose and 1' poly spiral wrap, 2 hose clamps)	PATHK	78794	0.9

H-Type Cleaner Air Tensioner Settings

Belt Width	SS	S	M	L	LL
450	45	55	60	65	80
600	65	80	90	95	120
750	65	80	90	95	120
900	85	105	115	125	155
1050	105	130	145	155	195
1200	125	155	175	185	235
1500	145	180	200	220	275
1600	170	205	230	250	310
1800	185	225	255	275	345
2100	205	250	285	305	385
2400	245	300	340	365	460
2600	265	325	370	395	500
3000	305	370	425	455	575


Product Notes:

- For use with PAT cleaner assemblies and PAT control box.
- Single for applications with one cleaner, double for applications with two cleaners.
- 150# pop-off valve for safe pressurizing/charging of Air Tank.
- ASME Construction.

Air/Water Tensioner Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Air/Water Bag (1 ea.)	AWTB	75905	1.7
2	Mounting Base (1 ea.)	AWTMB	75906	10.4
3	Torque Arm* (1 ea.)	AWTA	75907	5.3
4	Hose Kit (15 M of hose and 6 hose clamps)	AWTHK	75909	3.1
5	Control Box (Complete)	AWTCB	75908	0.5
—	AWT Air/Water Tensioner (includes 2 each items 12, 13, & 14 and 1 each items 15 & 16)	AWT	75904	39.2
—	AWT Air/Water Tensioner w/o Control Box (includes 2 each items 12, 13, 14 & 1 each item 15)	AWTNCB	76069	34.2
—	AWT Air/Water Tensioner w/o Control Box, 1 side (includes 1 each items 12, 13, 14 & 15)	AWT-1S	76375	17.1

*Hardware Included





Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

H-Type® Segmented Blade Primary Cleaners



Replacement Parts*

REF	DESCRIPTION	BELT WIDTH	POLE LENGTH (MM)	POWDER COATED			STAINLESS STEEL	
				ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE
1	H-Type® Pole Standard- 60 mm Pole Diameter	450	1250	HP450	73027	10.0	HP450-S/S	75373
		600	1350	HP600	73029	11.0	HP600-S/S	75374
		750	1500	HP750	73031	13.0	HP750-S/S	75375
		900	1650	HP900	73033	15.0	HP900-S/S	75376
		1050	1800	HP1050	73035	20.0	HP1050-S/S	75377
	H-Type Pole Standard- 73 mm Pole Diameter	1200	1950	HP1200	73037	22.0	HP1200-S/S	75378
		1500	2350	HP1500	73066	24.0	HP1500-S/S	75379
	H-Type Pole Heavy-Duty- 73 mm Pole Diameter Braced and Gusseted	1600	2450	HP1600	73739	27.0	HP1600-S/S	75380
		1800	2650	HPHD1800	74601	34.0	HPHD1800-S/S	A2063
		2000	2950	HPHD2000	74547	39.0	HPHD2000-S/S	A1783
		2400	3250	HPHD2400	74548	43.5	HPHD2400-S/S	A2590

2	Cushion	HSA	73486	2.0	HVC-S/S	73494
	Heavy-Duty Cushion	SHSD	73483	2.0	SHSD-S/S	76467
-	H Polyshield (Not shown)	HPS8	73050	1.0	HSTSS	61173
4	V-Tip	HSA200	73489	0.5	HVT8-S/S	75419
					HVPT-S/S	73631

SIDE MOUNTING ASSEMBLY COMPONENTS- TO SUIT 60 mm

5	H Mounting Bracket	HDMRK	74582	2.0	HDMRK-S/S	76245
6	H Bearing	HBRK	73068	1.5	HBRK-S/S	75422
6a	H Poly Bush 60mm	UNB60	61369	0.1		
6b	H Poly Bush 73mm	UNB73	A2671	0.1		
7	H Adjusting Arm	HARK	73069	1.5	HARK-S/S	75423
8	J-Bolt	STJK	74417	1.0		
9	Tension Spring	STTS	74419	1.0	STTS-S/S	75585
10	Spring Tensioner Collar	STCK	74506	1.0	STCK-S/S	75425
11	Spring Tensioner J-Bolt Mount	STJM	74775	1.0	STJM-S/S	75426
-	Spring Tension Kit-Dual (incl. STJK, STTS, STCK, STJM - 2 ea.)	STKD	74504	5.0	STKD-S/S	75427
-	H Mounting Kit- Dual (incl. HDMRK, HBRK, HARK - 2 ea.)	HMK	73054	11.0	HMK-S/S	75424
	Black Compression Spring Side Assembly 60mm	HCSTK-60-B	62747	11.0	HCSTK-60-B-S/S	62748
	Gold Compression Spring Side Assembly 60mm	HCSTK-60-G	62741	11.0	HCSTK-60-G-S/S	62742

SIDE MOUNTING ASSEMBLY COMPONENTS- TO SUIT 73 mm

5	H Mounting Bracket	HDMRK	74582	3.0	HDMRK-S/S	76245
6		HBRKX	74549	2.0	HBRKX-S/S	76246
7	H Adjusting Arm	HDARK	74550	2.0	HDARK-S/S	76247
8	J-Bolt	STJK	74417	1.0		
9	Tension Spring	UTS	74420	1.0		
10	Spring Tensioner Collar	HDCK	74490	1.0	HDSTCK-S/S	A2189
11	Spring Tensioner J-Bolt Mount	STJM	74775	1.0	STJM-S/S	75426
-	Spring Tension Kit-Dual (incl. 2 ea. 8, 9, 10 & 11)	HDSTKD	A2518	5.0	HDSTKD-S/S	A2519
-	H Mounting Kit- Dual (incl. 2 ea. 5, 6 & 7)	HDMK	74551	14.0	HDMK-S/S	76248
-	Black Compression Spring Side Assembly (to 1600 belt width max)	H73CSK-B	62749	17.8	H73CSK-B-S/S	62750
-	Gold Compression Spring Side Assembly (to 2400 belt width max)	H73CSK-G	62743	17.8	H73CSK-G-S/S	62744

*For P-CST replacement parts, please refer to page 43.

Product Ordering Information

Powder Coated H-Type® ESAC with V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	WT KG
Single Cartridge				
600	CS	HV-600-SAC-CS	62515	74.2
	CM	HV-600-SAC-CM	62516	74.9
	CL	HV-600-SAC-CL	62517	75.3
800	CS	HV-800-SAC-CS	62518	86.5
	CM	HV-800-SAC-CM	62519	87.5
	CL	HV-800-SAC-CL	62520	88.1
1000	CS	HV-1000-SAC-CS	62521	94.9
	CM	HV-1000-SAC-CM	62522	96.2
	CL	HV-1000-SAC-CL	62523	96.9
1200	CS	HV-1200-SAC-CS	62524	103.3
	CM	HV-1200-SAC-CM	62525	104.7
	CL	HV-1200-SAC-CL	62526	105.6
1400	CS	HV-1400-SAC-CS	62527	115.9
	CM	HV-1400-SAC-CM	62528	117.5
	CL	HV-1400-SAC-CL	62529	118.6
1600	CM	HV-1600-SAC-CM	62530	130.0
	CL	HV-1600-SAC-CL	62531	131.3
	CLL	HV-1600-SAC-CLL	62532	135.2
1800	CM	HV-1800-SAC-CM	62533	137.2
	CL	HV-1800-SAC-CL	62534	138.5
	CLL	HV-1800-SAC-CLL	62535	142.8
Dual Cartridge				
1200	CS	HV-1200-2SAC-CS	62557	128.7
	CM	HV-1200-2SAC-CM	62558	130.3
	CL	HV-1200-2SAC-CL	62559	131.2
	CLL	HV-1200-2SAC-CLL	62560	134.1
1400	CS	HV-1400-2SAC-CS	62561	137.4
	CM	HV-1400-2SAC-CM	62562	139.0
	CL	HV-1400-2SAC-CL	62563	140.1
	CLL	HV-1400-2SAC-CLL	62564	143.4
1600	CM	HV-1600-2SAC-CM	62565	147.9
	CL	HV-1600-2SAC-CL	62566	149.1
	CLL	HV-1600-2SAC-CLL	62567	152.9
	CM	HV-1800-2SAC-CM	62568	159.5
1800	CL	HV-1800-2SAC-CL	62569	160.9
	CLL	HV-1800-2SAC-CLL	62570	163.8
2000	CM	HV-2000-2SAC-CM	62571	169.2
	CL	HV-2000-2SAC-CL	62572	170.7
	CLL	HV-2000-2SAC-CLL	62573	174.0
2200	CM	HV-2200-2SAC-CM	62574	182.4
	CL	HV-2200-2SAC-CL	62575	184.1
	CLL	HV-2200-2SAC-CLL	62576	187.7
2400	CM	HV-2400-2SAC-CM	62577	187.5
	CL	HV-2400-2SAC-CL	62578	189.3
	CLL	HV-2400-2SAC-CLL	62579	193.3
2600	CM	HV-2600-2SAC-CM	62580	211.2
	CL	HV-2600-2SAC-CL	62581	213.2
	CLL	HV-2600-2SAC-CLL	62582	217.4
2800	CM	HV-2800-2SAC-CM	62583	220.9
	CL	HV-2800-2SAC-CL	62584	223.0
	CLL	HV-2800-2SAC-CLL	62585	227.7
3000	CM	HV-3000-2SAC-CM	62586	230.0
	CL	HV-3000-2SAC-CL	62587	232.3
	CLL	HV-3000-2SAC-CLL	62588	237.2

H-Type ESAC (Mild Steel) HD Primary Cleaner with Enhanced Service Advantage Cartridge™

H-Type ESAC Mild Steel Replacement Cartridge Kits with V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	Wght. KG
Single Cartridge Kits				
600	CS	H-CARK-600-CS	62536	23.2
	CM	H-CARK-600-CM	62537	24.0
	CL	H-CARK-600-CL	62538	24.5
800	CS	H-CARK-800-CS	62539	30.3
	CM	H-CARK-800-CM	62540	31.3
	CL	H-CARK-800-CL	62541	31.9
1000	CS	H-CARK-1000-CS	62542	36.1
	CM	H-CARK-1000-CM	62543	37.4
	CL	H-CARK-1000-CL	62544	38.2
1200	CS	H-CARK-1200-CS	62545	41.4
	CM	H-CARK-1200-CM	62546	43.3
	CL	H-CARK-1200-CL	62547	44.2
1400	CS	H-CARK-1400-CS	62548	49.0
	CM	H-CARK-1400-CM	62549	50.8
	CL	H-CARK-1400-CL	62550	51.9
1600	CM	H-CARK-1600-CS	62551	58.1
	CL	H-CARK-1600-CM	62552	59.3
	CLL	H-CARK-1600-CL	62553	63.1
1800	CM	H-CARK-1800-CS	62554	66.2
	CL	H-CARK-1800-CM	62555	67.6
	CLL	H-CARK-1800-CL	62556	71.9
Dual Cartridge Kits				
1200	CS	H-CARK2-1200-CS	62599	46.2
	CM	H-CARK2-1200-CM	62600	47.8
	CL	H-CARK2-1200-CL	62601	48.7
	CLL	H-CARK2-1200-CLL	62602	51.6
1400	CS	H-CARK2-1400-CS	62603	51.8
	CM	H-CARK2-1400-CM	62604	53.6
	CL	H-CARK2-1400-CL	62605	54.6
	CLL	H-CARK2-1400-CLL	62606	58.0
1600	CM	H-CARK2-1600-CM	62607	59.4
	CL	H-CARK2-1600-CL	62608	60.6
	CLL	H-CARK2-1600-CLL	62609	64.4
	CM	H-CARK2-1800-CM	62610	68.1
1800	CL	H-CARK2-1800-CL	62611	69.4
	CLL	H-CARK2-1800-CLL	62612	73.8
2000	CM	H-CARK2-2000-CM	62613	74.8
	CL	H-CARK2-2000-CL	62614	76.3
	CLL	H-CARK2-2000-CLL	62615	81.1
2200	CM	H-CARK2-2200-CM	62616	82.1
	CL	H-CARK2-2200-CL	62617	83.7
	CLL	H-CARK2-2200-CLL	62618	89.0
2400	CM	H-CARK2-2400-CM	62619	87.1
	CL	H-CARK2-2400-CL	62620	88.9
	CLL	H-CARK2-2400-CLL	62621	94.7
2600	CM	H-CARK2-2600-CM	62622	95.7
	CL	H-CARK2-2600-CL	62623	97.7
	CLL	H-CARK2-2600-CLL	62624	103.9
2800	CM	H-CARK2-2800-CM	62625	102.2
	CL	H-CARK2-2800-CL	62626	104.3
	CLL	H-CARK2-2800-CLL	62627	111.0
3000	CM	H-CARK2-3000-CM	62628	107.7
	CL	H-CARK2-3000-CL	62629	110.0
	CLL	H-CARK2-3000-CLL	62630	117.2

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

H-Type ESAC (Stainless Steel) HD Primary Cleaner with Enhanced Service Advantage Cartridge™

Stainless Steel H-Type® ESAC with V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	Wght. KG
Single Cartridge				
600	CS	HV-600-SAC-CS-S/S	62631	74.2
	CM	HV-600-SAC-CM-S/S	62632	74.9
	CL	HV-600-SAC-CL-S/S	62633	75.3
800	CS	HV-800-SAC-CS-S/S	62634	86.5
	CM	HV-800-SAC-CM-S/S	62635	87.5
	CL	HV-800-SAC-CL-S/S	62636	88.1
1000	CS	HV-1000-SAC-CS-S/S	62637	94.9
	CM	HV-1000-SAC-CM-S/S	62638	96.2
	CL	HV-1000-SAC-CL-S/S	62639	96.9
1200	CS	HV-1200-SAC-CS-S/S	62640	103.3
	CM	HV-1200-SAC-CM-S/S	62641	104.7
	CL	HV-1200-SAC-CL-S/S	62642	105.6
1400	CS	HV-1400-SAC-CS-S/S	62643	115.9
	CM	HV-1400-SAC-CM-S/S	62644	117.5
	CL	HV-1400-SAC-CL-S/S	62645	118.6
1600	CM	HV-1600-SAC-CM-S/S	62646	130.0
	CL	HV-1600-SAC-CL-S/S	62647	131.3
	CLL	HV-1600-SAC-CLL-S/S	62648	135.2
1800	CM	HV-1800-SAC-CM-S/S	62649	137.2
	CL	HV-1800-SAC-CL-S/S	62650	138.5
	CLL	HV-1800-SAC-CLL-S/S	62651	142.8
Dual Cartridge				
1200	CS	HV-1200-2SAC-CS-S/S	62673	128.7
	CM	HV-1200-2SAC-CM-S/S	62674	130.3
	CL	HV-1200-2SAC-CL-S/S	62675	131.2
	CLL	HV-1200-2SAC-CLL-S/S	62676	134.1
1400	CS	HV-1400-2SAC-CS-S/S	62677	137.4
	CM	HV-1400-2SAC-CM-S/S	62678	139.0
	CL	HV-1400-2SAC-CL-S/S	62679	140.1
	CLL	HV-1400-2SAC-CLL-S/S	62680	143.4
1600	CM	HV-1600-2SAC-CM-S/S	62681	147.9
	CL	HV-1600-2SAC-CL-S/S	62682	160.9
	CLL	HV-1600-2SAC-CLL-S/S	62683	152.9
1800	CM	HV-1800-2SAC-CM-S/S	62684	159.5
	CL	HV-1800-2SAC-CL-S/S	62685	160.9
	CLL	HV-1800-2SAC-CLL-S/S	62686	163.8
2000	CM	HV-2000-2SAC-CM-S/S	62687	169.2
	CL	HV-2000-2SAC-CL-S/S	62688	170.7
	CLL	HV-2000-2SAC-CLL-S/S	62689	174.0
2200	CM	HV-2200-2SAC-CM-S/S	62690	182.4
	CL	HV-2200-2SAC-CL-S/S	62691	184.1
	CLL	HV-2200-2SAC-CLL-S/S	62692	187.7
2400	CM	HV-2400-2SAC-CM-S/S	62693	187.5
	CL	HV-2400-2SAC-CL-S/S	62694	189.3
	CLL	HV-2400-2SAC-CLL-S/S	62695	193.3
2600	CM	HV-2600-2SAC-CM-S/S	62696	211.2
	CL	HV-2600-2SAC-CL-S/S	62697	213.2
	CLL	HV-2600-2SAC-CLL-S/S	62698	217.4
2800	CM	HV-2800-2SAC-CM-S/S	62699	220.9
	CL	HV-2800-2SAC-CL-S/S	62700	223.0
	CLL	HV-2800-2SAC-CLL-S/S	62701	227.7
3000	CM	HV-3000-2SAC-CM-S/S	62702	230.0
	CL	HV-3000-2SAC-CL-S/S	62703	232.3
	CLL	HV-3000-2SAC-CLL-S/S	62704	237.2

H-Type ESAC Stainless Steel Replacement Cartridge Kits with V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	Wght. KG
Single Cartridge Kits				
600	CS	H CARK-600-CS-S/S	62652	23.2
	CM	H CARK-600-CM-S/S	62653	24.0
	CL	H CARK-600-CL-S/S	62654	24.5
800	CS	H CARK-800-CS-S/S	62655	30.3
	CM	H CARK-800-CM-S/S	62656	31.3
	CL	H CARK-800-CL-S/S	62657	31.9
1000	CS	H CARK-1000-CS-S/S	62658	36.1
	CM	H CARK-1000-CM-S/S	62659	37.4
	CL	H CARK-1000-CL-S/S	62660	38.2
1200	CS	H CARK-1200-CS-S/S	62661	41.4
	CM	H CARK-1200-CM-S/S	62662	43.3
	CL	H CARK-1200-CL-S/S	62663	44.2
1400	CS	H CARK-1400-CS-S/S	62664	49.0
	CM	H CARK-1400-CM-S/S	62665	50.8
	CL	H CARK-1400-CL-S/S	62666	51.9
1600	CM	H CARK-1600-CS-S/S	62667	58.1
	CL	H CARK-1600-CM-S/S	62668	59.3
	CLL	H CARK-1600-CL-S/S	62669	63.1
1800	CM	H CARK-1800-CS-S/S	62670	66.2
	CL	H CARK-1800-CM-S/S	62671	67.6
	CLL	H CARK-1800-CL-S/S	62672	71.9
Dual Cartridge Kits				
1200	CS	H-CARK2-1200-CS-S/S	62705	46.2
	CM	H-CARK2-1200-CM-S/S	62706	47.8
	CL	H-CARK2-1200-CL-S/S	62707	48.7
	CLL	H-CARK2-1200-CLL-S/S	62708	51.6
1400	CS	H-CARK2-1400-CS-S/S	62709	51.8
	CM	H-CARK2-1400-CM-S/S	62710	53.6
	CL	H-CARK2-1400-CL-S/S	62711	54.6
	CLL	H-CARK2-1400-CLL-S/S	62712	58.0
1600	CM	H-CARK2-1600-CM-S/S	62713	59.4
	CL	H-CARK2-1600-CL-S/S	62714	60.6
	CLL	H-CARK2-1600-CLL-S/S	62715	64.4
	CM	H-CARK2-1800-CM-S/S	62716	68.1
1800	CL	H-CARK2-1800-CL-S/S	62717	69.4
	CLL	H-CARK2-1800-CLL-S/S	62718	73.8
2000	CM	H-CARK2-2000-CM-S/S	62719	74.8
	CL	H-CARK2-2000-CL-S/S	62720	76.3
	CLL	H-CARK2-2000-CLL-S/S	62721	81.1
2200	CM	H-CARK2-2200-CM-S/S	62722	82.1
	CL	H-CARK2-2200-CL-S/S	62723	83.7
	CLL	H-CARK2-2200-CLL-S/S	62724	89.0
2400	CM	H-CARK2-2400-CM-S/S	62725	87.1
	CL	H-CARK2-2400-CL-S/S	62726	88.9
	CLL	H-CARK2-2400-CLL-S/S	62727	94.7
2600	CM	H-CARK2-2600-CM-S/S	62728	95.7
	CL	H-CARK2-2600-CL-S/S	62729	97.7
	CLL	H-CARK2-2600-CLL-S/S	62730	103.9
2800	CM	H-CARK2-2800-CM-S/S	62731	102.2
	CL	H-CARK2-2800-CL-S/S	62732	104.3
	CLL	H-CARK2-2800-CLL-S/S	62733	111.0
3000	CM	H-CARK2-3000-CM-S/S	62734	107.7
	CL	H-CARK2-3000-CL-S/S	62735	110.0
	CLL	H-CARK2-3000-CLL-S/S	62736	117.2

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Tips and Suspension Arms

H-Type ESAC — Mild and Stainless Steel

Replacement V-Tips - Mild Steel

ORDERING NUMBER	ITEM CODE	WT. KG
HSA200	73489	0.5

Replacement Suspension Arms - Mild Steel

SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
CS	HSA8-CS	62505	0.5
CM	HSA8-CM	62506	0.5
CL	HSA8-CL	62507	0.5
CLL	HSA8-CLL	62508	0.5

Replacement V-Tips - Stainless Steel

ORDERING NUMBER	ITEM CODE	WT. KG
HVT8-S/S	75419	0.9
HVPT-S/S	73631	1.2

Replacement Suspension Arms - Stainless Steel

SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
CS	HSA8CS-S/S	62509	1.1
CM	HSA8CM-S/S	62510	1.3
CL	HSA8CL-S/S	62511	1.5
CLL	HSA8CLL-S/S	62512	1.7

Suspension Arm Size

HEAD PULLEY DIAMETER + BELT & LAGGING mm	SUSPENSION ARM SIZE
500-799	CS
800-999	CM
1000-1199	CL
1200-1700	CLL

Over 1700mm - contact Flexco

Tips required per cleaner size



BELT WIDTH mm	BELT COVERAGE mm	V-TIPS REQUIRED
600	600	3
800	800	4
1000	1000	5
1200	1200	6
1400	1400	7
1600	1600	8
1800	1800	9
2000	2000	10
2200	2200	11
2400	2400	12
2600	2600	13
2800	2800	14
3000	3000	15

 Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

H-Type ESAC Single HD Primary Cleaner with Enhanced Service Advantage Cartridge™



REPLACEMENT PARTS

REF	DESCRIPTION	MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	H-Type Single ESAC Cartridge Pole	HCP-600	62751	30.5	HCP-600-S/S	62757	31.4
		HCP-800	62752	35.6	HCP-800-S/S	62758	36.7
		HCP-1000	62753	38.1	HCP-1000-S/S	62759	39.3
		HCP-1200	62754	40.7	HCP-1200-S/S	62760	42
		HCP-1400	62755	45.9	HCP-1400-S/S	62761	47.3
		HCP-1800	62756	51.0	HCP-1800-S/S	62762	52.6
2	HD Cushion	HSKD	73483	2.0	HSKD-S/S	76467	2
3	Suspension Arm	HSA8CS	62505	0.9	HSA8CS-S/S	62509	1
		HSA8CM	62506	1.1	HSA8CM-S/S	62510	1.2
		HSA8CL	62507	1.3	HSA8CL-S/S	62511	1.3
		HSA8CLL	62508	1.8	HSA8CLL-S/S	62512	1.8
4	HV Tips	HSA200	73489	0.5	HVT8-S/S	75419	0.6
	HVPT Tips	-	-	-	HVPT-S/S	73631	0.6
5	Black Compression Spring Side Assembly (to 1600 belt width max)	H73CSK-B	62749	17.8	H73CSK-B-S/S	62750	18.3
	Gold Compression Spring Side Assembly (to 2400 belt width max)	H73CSK-G	62743	17.8	H73CSK-G-S/S	62744	18.3
6	Bolt Tension Side Assembly	H73BTK	63079	15.1	H73BTK-S/S	63080	15.6
7	SAC Removal Knuckle	SACRKN	77882	1.5			
8	SAC Removal Handle	SACRH	77883	1.4			
9	SAC Handle Lock Plate	SACRHL	77884	0.8			
10	Knuckle Retainer Pin	SACKRP	77885	0.1			

REF	DESCRIPTION	TIP WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
11	H-Type Cartridge Adapter Plate	600	H-SAC-AP-600	62452	3.5
		800	H-SAC-AP-800	62453	4.8
		1000	H-SAC-AP-1000	62454	6.0
		1200	H-SAC-AP-1200	62455	7.3
		1400	H-SAC-AP-1400	62456	8.5
		1600	H-SAC-AP-1600	62457	9.8
		1800	H-SAC-AP-1800	62458	11.0
12	SAC Replacement Single Cartridge	600	CART-24/600-S/S	78576	4.5
		800	CART-36/900-S/S	78578	6.7
		1000	CART-42/1050-S/S	78579	7.8
		1200	CART-48/1200-S/S	78580	8.9
		1400	CART-60/1500-S/S	78582	11.3
		1600	CART-72/1800-S/S	78583	13.5
		1800			

HV/HVP Single SAC Black Spring Length Chart (for optimal blade tensioning)

Belt Width	CS	CM	CL	CLL
600	111	110	109	107
800	109	107	107	104
1000	106	105	104	100
1200	104	102	101	97
1400	102	100	98	93
1600	100	97	96	90
1800	97	95	93	-

HV/HVP Single SAC Gold Spring Length Chart (for optimal blade tensioning)

Belt Width	CS	CM	CL	CLL
600	113	113	112	111
800	112	111	111	109
1000	111	110	109	107
1200	109	108	107	105
1400	108	106	106	102
1600	106	105	104	100
1800	105	103	102	98

HV/HVP Dual SAC Gold Spring Length Chart (for optimal blade tensioning)

Belt Width	CS	CM	CL	CLL
1200	109	108	108	105
1400	108	107	106	103
1600	107	105	104	101
1800	105	104	103	99
2000	104	102	101	96
2200	103	101	99	94

HV/HVP Dual SAC Silver Spring Length Chart (for optimal blade tensioning)



Belt Width	CS	CM	CL	CLL
2200	159	158	157	154
2400	158	157	156	153
2600	157	156	155	151
2800	157	155	154	150
3000	156	154	153	149

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

H-Type ESAC Dual HD Primary Cleaner with Enhanced Service Advantage Cartridge™



REPLACEMENT PARTS

REF	DESCRIPTION	MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	H-Type Dual ESAC Centre Pole	H2CP-1200	62763	39.7	H2CP-1200-S/S	62801	39.7
		H2CP-1400	62764	42.6	H2CP-1400-S/S	62802	42.6
		H2CP-1600	62765	45.7	H2CP-1600-S/S	62803	45.7
		H2CP-1800	62766	48.6	H2CP-1800-S/S	62804	48.6
		H2CP-2000	62767	51.6	H2CP-2000-S/S	62805	51.6
		H2CP-2400	62768	57.6	H2CP-2400-S/S	62806	57.6
		H2CP-2600	62769	71.0	H2CP-2600-S/S	62807	71.0
		H2CP-2800	62770	74.3	H2CP-2800-S/S	62808	74.3
		H2CP-3000	62771	77.8	H2CP-3000-S/S	62809	77.8
2	Extender Pole	MHP-EP	76392	24.5	MHP-EP-S/S	77599	24.5
3	HD Cushion	HSMD	73483	2.0	HSMD-S/S	76467	2.0
4	Suspension Arm	HSA8CS	62505	0.9	HSA8CS-S/S	62509	1.0
		HSA8CM	62506	1.1	HSA8CM-S/S	62510	1.2
		HSA8CL	62507	1.3	HSA8CL-S/S	62511	1.3
		HSA8CLL	62508	1.8	HSA8CLL-S/S	62512	1.8
5	HV Tips	HSA200	73489	0.5	HVT8-S/S	75419	0.6
	HVPT Tips	-	-	-	HVPT-S/S	73631	0.6
6	Black Compression Spring Side Assembly (to 1600 belt width max)	H73CSK-B	62749	17.8	H73CSK-B-S/S	62750	18.3
	Gold Compression Spring Side Assembly (to 2400 belt width max)	H73CSK-G	62743	17.8	H73CSK-G-S/S	62744	18.3
	Silver 6" Compression Spring Side Assembly (above 2400)	H73CSK-S	62745	18.0	H73CSK-S-S/S	62746	18.4
7	Bolt Tension Side Assembly	H73BTK	63079	15.1	H73BTK-S/S	63080	15.6

REF	DESCRIPTION	TIP WIDTH	ITEM 8 / LEFT HAND			ITEM 9 / RIGHT HAND		
			ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
8 & 9	H-Type Cartridge Adapter Plate	1200	H-SAC-AP-600	62452	3.5	H-SAC-AP-600	62452	3.5
		1400	H-SAC-AP-800	62453	4.8	H-SAC-AP-600	62452	3.5
		1600	H-SAC-AP-800	62453	4.8	H-SAC-AP-800	62453	4.8
		1800	H-SAC-AP-1000	62454	6.0	H-SAC-AP-800	62453	4.8
		2000	H-SAC-AP-1000	62454	6.0	H-SAC-AP-1000	62454	6.0
		2200	H-SAC-AP-1200	62455	7.3	H-SAC-AP-1000	62454	6.0
		2400	H-SAC-AP-1200	62455	7.3	H-SAC-AP-1200	62455	7.3
		2600	H-SAC-AP-1400	62456	8.5	H-SAC-AP-1200	62455	7.3
		2800	H-SAC-AP-1400	62456	8.5	H-SAC-AP-1400	62456	8.5
		3000	H-SAC-AP-1600	62457	9.8	H-SAC-AP-1400	62456	8.5
REF	DESCRIPTION	TIP WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG			
10	SAC Replacement Dual Cartridge	1200	CART2-60/1500-S/S	78584	11.2			
		1400	CART2-66/1650-S/S	78634	12.3			
		1600	CART2-72/1800-S/S	78585	13.4			
		1800	CART2-78/1950-S/S	78635	14.5			
		2000	CART2-84/2100-S/S	78586	15.6			
		2200	CART2-96/2400-S/S	78587	17.8			
		2400						
		2600	CART2-114/2850-S/S	78639	23.7			
		2800	CART2-120/3000-S/S	78588	22.6			
		3000	CART2-126/3150-S/S	78640	23.7			

Product Ordering Information

H-Type ESAC with Extra Life V-Tips (Mild Steel) HD Primary Cleaner with Enhanced Service Advantage Cartridge™

Powder Coated H-Type® ESAC with Extra Life V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
Single Cartridge				
600	CS	HV-600-SAC-CS-EL15	63206	74.2
	CM	HV-600-SAC-CM-EL15	63207	74.9
	CL	HV-600-SAC-CL-EL15	63208	75.3
800	CS	HV-800-SAC-CS-EL15	63209	86.5
	CM	HV-800-SAC-CM-EL15	63210	87.5
	CL	HV-800-SAC-CL-EL15	63211	88.1
1000	CS	HV-1000-SAC-CS-EL15	63212	94.9
	CM	HV-1000-SAC-CM-EL15	63213	96.2
	CL	HV-1000-SAC-CL-EL15	63214	96.9
1200	CS	HV-1200-SAC-CS-EL15	63215	103.3
	CM	HV-1200-SAC-CM-EL15	63216	104.7
	CL	HV-1200-SAC-CL-EL15	63217	105.6
1400	CS	HV-1400-SAC-CS-EL15	63218	115.9
	CM	HV-1400-SAC-CM-EL15	63219	117.5
	CL	HV-1400-SAC-CL-EL15	63220	118.6
1600	CM	HV-1600-SAC-CM-EL15	63221	130.0
	CL	HV-1600-SAC-CL-EL15	63222	131.3
	CLL	HV-1600-SAC-CLL-EL15	63223	135.2
1800	CM	HV-1800-SAC-CM-EL15	63224	137.2
	CL	HV-1800-SAC-CL-EL15	63225	138.5
	CLL	HV-1800-SAC-CLL-EL15	63226	142.8
Dual Cartridge				
1200	CS	HV-1200-2SAC-CS-EL15	63421	128.7
	CM	HV-1200-2SAC-CM-EL15	63422	130.3
	CL	HV-1200-2SAC-CL-EL15	63423	131.2
	CLL	HV-1200-2SAC-CLL-EL15	63424	134.1
1400	CS	HV-1400-2SAC-CS-EL15	63425	137.4
	CM	HV-1400-2SAC-CM-EL15	63426	139.0
	CL	HV-1400-2SAC-CL-EL15	63427	140.1
	CLL	HV-1400-2SAC-CLL-EL15	63428	143.4
1600	CM	HV-1600-2SAC-CM-EL15	63429	147.9
	CL	HV-1600-2SAC-CL-EL15	63430	149.1
	CLL	HV-1600-2SAC-CLL-EL15	63431	152.9
1800	CM	HV-1800-2SAC-CM-EL15	63432	159.5
	CL	HV-1800-2SAC-CL-EL15	63433	160.9
	CLL	HV-1800-2SAC-CLL-EL15	63434	163.8
2000	CM	HV-2000-2SAC-CM-EL15	63435	169.2
	CL	HV-2000-2SAC-CL-EL15	63436	170.7
	CLL	HV-2000-2SAC-CLL-EL15	63437	174.0
2200	CM	HV-2200-2SAC-CM-EL15	63438	182.4
	CL	HV-2200-2SAC-CL-EL15	63439	184.1
	CLL	HV-2200-2SAC-CLL-EL15	63440	187.7
2400	CM	HV-2400-2SAC-CM-EL15	63441	187.5
	CL	HV-2400-2SAC-CL-EL15	63442	189.3
	CLL	HV-2400-2SAC-CLL-EL15	63443	193.3
2600	CM	HV-2600-2SAC-CM-EL15	63444	211.2
	CL	HV-2600-2SAC-CL-EL15	63445	213.2
	CLL	HV-2600-2SAC-CLL-EL15	63446	217.4
2800	CM	HV-2800-2SAC-CM-EL15	63447	220.9
	CL	HV-2800-2SAC-CL-EL15	63448	223.0
	CLL	HV-2800-2SAC-CLL-EL15	63449	227.7
3000	CM	HV-3000-2SAC-CM-EL15	63450	230.0
	CL	HV-3000-2SAC-CL-EL15	63451	232.3
	CLL	HV-3000-2SAC-CLL-EL15	63452	237.2

H-Type ESAC Mild Steel Replacement Cartridge Kits with Extra Life V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
Single Cartridge Kits				
600	CS	H-CARK-600-CS-EL15	63631	23.2
	CM	H-CARK-600-CM-EL15	63632	24.0
	CL	H-CARK-600-CL-EL15	63633	24.5
800	CS	H-CARK-800-CS-EL15	63634	30.3
	CM	H-CARK-800-CM-EL15	63635	31.3
	CL	H-CARK-800-CL-EL15	63636	31.9
1000	CS	H-CARK-1000-CS-EL15	63637	36.1
	CM	H-CARK-1000-CM-EL15	63638	37.4
	CL	H-CARK-1000-CL-EL15	63639	38.2
1200	CS	H-CARK-1200-CS-EL15	63640	41.4
	CM	H-CARK-1200-CM-EL15	63641	43.3
	CL	H-CARK-1200-CL-EL15	63642	44.2
1400	CS	H-CARK-1400-CS-EL15	63643	49.0
	CM	H-CARK-1400-CM-EL15	63644	50.8
	CL	H-CARK-1400-CL-EL15	63645	51.9
1600	CM	H-CARK-1600-CS-EL15	63646	58.1
	CL	H-CARK-1600-CM-EL15	63647	59.3
	CLL	H-CARK-1600-CL-EL15	63648	63.1
1800	CM	H-CARK-1800-CS-EL15	63649	66.2
	CL	H-CARK-1800-CM-EL15	63650	67.6
	CLL	H-CARK-1800-CL-EL15	63651	71.9
Dual Cartridge Kits				
1200	CS	H-CARK2-1200-CS-EL15	63567	46.2
	CM	H-CARK2-1200-CM-EL15	63568	47.8
	CL	H-CARK2-1200-CL-EL15	63569	48.7
	CLL	H-CARK2-1200-CLL-EL15	63570	51.6
1400	CS	H-CARK2-1400-CS-EL15	63571	51.8
	CM	H-CARK2-1400-CM-EL15	63572	53.6
	CL	H-CARK2-1400-CL-EL15	63573	54.6
	CLL	H-CARK2-1400-CLL-EL15	63574	58.0
1600	CM	H-CARK2-1600-CM-EL15	63575	59.4
	CL	H-CARK2-1600-CL-EL15	63576	60.6
	CLL	H-CARK2-1600-CLL-EL15	63577	64.4
1800	CM	H-CARK2-1800-CM-EL15	63578	68.1
	CL	H-CARK2-1800-CL-EL15	63579	69.4
	CLL	H-CARK2-1800-CLL-EL15	63580	73.8
2000	CM	H-CARK2-2000-CM-EL15	63581	74.8
	CL	H-CARK2-2000-CL-EL15	63582	76.3
	CLL	H-CARK2-2000-CLL-EL15	63583	81.1
2200	CM	H-CARK2-2200-CM-EL15	63584	82.1
	CL	H-CARK2-2200-CL-EL15	63585	83.7
	CLL	H-CARK2-2200-CLL-EL15	63586	89.0
2400	CM	H-CARK2-2400-CM-EL15	63587	87.1
	CL	H-CARK2-2400-CL-EL15	63588	88.9
	CLL	H-CARK2-2400-CLL-EL15	63589	94.7
2600	CM	H-CARK2-2600-CM-EL15	63590	95.7
	CL	H-CARK2-2600-CL-EL15	63591	97.7
	CLL	H-CARK2-2600-CLL-EL15	63592	103.9
2800	CM	H-CARK2-2800-CM-EL15	63593	102.2
	CL	H-CARK2-2800-CL-EL15	63594	104.3
	CLL	H-CARK2-2800-CLL-EL15	63595	111.0
3000	CM	H-CARK2-3000-CM-EL15	63596	107.7
	CL	H-CARK2-3000-CL-EL15	63597	110.0
	CLL	H-CARK2-3000-CLL-EL15	63598	117.2

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

H-Type ESAC with Extra Life V-Tips (Stainless Steel) HD Primary Cleaner with Enhanced Service Advantage Cartridge™

Stainless Steel H-Type® ESAC with Extra Life V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
Single Cartridge				
600	CS	HV-600-SAC-CS-S/S-EL15	63227	74.2
	CM	HV-600-SAC-CM-S/S-EL15	63228	74.9
	CL	HV-600-SAC-CL-S/S-EL15	63229	75.3
800	CS	HV-800-SAC-CS-S/S-EL15	63230	86.5
	CM	HV-800-SAC-CM-S/S-EL15	63231	87.5
	CL	HV-800-SAC-CL-S/S-EL15	63232	88.1
1000	CS	HV-1000-SAC-CS-S/S-EL15	63233	94.9
	CM	HV-1000-SAC-CM-S/S-EL15	63234	96.2
	CL	HV-1000-SAC-CL-S/S-EL15	63235	96.9
1200	CS	HV-1200-SAC-CS-S/S-EL15	63236	103.3
	CM	HV-1200-SAC-CM-S/S-EL15	63237	104.7
	CL	HV-1200-SAC-CL-S/S-EL15	63238	105.6
1400	CS	HV-1400-SAC-CS-S/S-EL15	63239	115.9
	CM	HV-1400-SAC-CM-S/S-EL15	63240	117.5
	CL	HV-1400-SAC-CL-S/S-EL15	63241	118.6
1600	CM	HV-1600-SAC-CM-S/S-EL15	63242	130.0
	CL	HV-1600-SAC-CL-S/S-EL15	63243	131.3
	CLL	HV-1600-SAC-CLL-S/S-EL15	63244	135.2
1800	CM	HV-1800-SAC-CM-S/S-EL15	63245	137.2
	CL	HV-1800-SAC-CL-S/S-EL15	63246	138.5
	CLL	HV-1800-SAC-CLL-S/S-EL15	63247	142.8
Dual Cartridge				
1200	CS	HV-1200-2SAC-CS-S/S-EL15	63453	128.7
	CM	HV-1200-2SAC-CM-S/S-EL15	63454	130.3
	CL	HV-1200-2SAC-CL-S/S-EL15	63455	131.2
	CLL	HV-1200-2SAC-CLL-S/S-EL15	63456	134.1
1400	CS	HV-1400-2SAC-CS-S/S-EL15	63457	137.4
	CM	HV-1400-2SAC-CM-S/S-EL15	63458	139.0
	CL	HV-1400-2SAC-CL-S/S-EL15	63459	140.1
	CLL	HV-1400-2SAC-CLL-S/S-EL15	63460	143.4
1600	CM	HV-1600-2SAC-CM-S/S-EL15	63461	147.9
	CL	HV-1600-2SAC-CL-S/S-EL15	63462	149.1
	CLL	HV-1600-2SAC-CLL-S/S-EL15	63463	152.9
	CM	HV-1800-2SAC-CM-S/S-EL15	63464	159.5
1800	CL	HV-1800-2SAC-CL-S/S-EL15	63465	160.9
	CLL	HV-1800-2SAC-CLL-S/S-EL15	63466	163.8
	CM	HV-2000-2SAC-CM-S/S-EL15	63467	169.2
	CL	HV-2000-2SAC-CL-S/S-EL15	63468	170.7
2000	CLL	HV-2000-2SAC-CLL-S/S-EL15	63469	174.0
	CM	HV-2200-2SAC-CM-S/S-EL15	63470	182.4
	CL	HV-2200-2SAC-CL-S/S-EL15	63471	184.1
	CLL	HV-2200-2SAC-CLL-S/S-EL15	63472	187.7
2400	CM	HV-2400-2SAC-CM-S/S-EL15	63473	187.5
	CL	HV-2400-2SAC-CL-S/S-EL15	63474	189.3
	CLL	HV-2400-2SAC-CLL-S/S-EL15	63475	193.3
	CM	HV-2600-2SAC-CM-S/S-EL15	63476	211.2
2600	CL	HV-2600-2SAC-CL-S/S-EL15	63477	213.2
	CLL	HV-2600-2SAC-CLL-S/S-EL15	63478	217.4
	CM	HV-2800-2SAC-CM-S/S-EL15	63479	220.9
	CL	HV-2800-2SAC-CL-S/S-EL15	63480	223.0
2800	CLL	HV-2800-2SAC-CLL-S/S-EL15	63481	227.7
	CM	HV-3000-2SAC-CM-S/S-EL15	63482	230.0
	CL	HV-3000-2SAC-CL-S/S-EL15	63483	232.3
	CLL	HV-3000-2SAC-CLL-S/S-EL15	63484	237.2

H-Type ESAC Stainless Steel Replacement Cartridge Kits with Extra Life V-Tips

TIP WIDTH	ARM SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
Single Cartridge Kits				
600	CS	H CARK-600-CS-S/S-EL15	63652	23.2
	CM	H CARK-600-CM-S/S-EL15	63653	24.0
	CL	H CARK-600-CL-S/S-EL15	63654	24.5
800	CS	H CARK-800-CS-S/S-EL15	63655	30.3
	CM	H CARK-800-CM-S/S-EL15	63656	31.3
	CL	H CARK-800-CL-S/S-EL15	63657	31.9
1000	CS	H CARK-1000-CS-S/S-EL15	63658	36.1
	CM	H CARK-1000-CM-S/S-EL15	63659	37.4
	CL	H CARK-1000-CL-S/S-EL15	63660	38.2
1200	CS	H CARK-1200-CS-S/S-EL15	63661	41.4
	CM	H CARK-1200-CM-S/S-EL15	63662	43.3
	CL	H CARK-1200-CL-S/S-EL15	63663	44.2
1400	CS	H CARK-1400-CS-S/S-EL15	63664	49.0
	CM	H CARK-1400-CM-S/S-EL15	63665	50.8
	CL	H CARK-1400-CL-S/S-EL15	63666	51.9
1600	CM	H CARK-1600-CS-S/S-EL15	63667	58.1
	CL	H CARK-1600-CM-S/S-EL15	63668	59.3
	CLL	H CARK-1600-CL-S/S-EL15	63669	63.1
1800	CM	H CARK-1800-CS-S/S-EL15	63670	66.2
	CL	H CARK-1800-CM-S/S-EL15	63671	67.6
	CLL	H CARK-1800-CL-S/S-EL15	63672	71.9
Dual Cartridge Kits				
1200	CS	H-CARK2-1200-CS-S/S-EL15	63599	46.2
	CM	H-CARK2-1200-CM-S/S-EL15	63600	47.8
	CL	H-CARK2-1200-CL-S/S-EL15	63601	48.7
	CLL	H-CARK2-1200-CLL-S/S-EL15	63602	51.6
1400	CS	H-CARK2-1400-CS-S/S-EL15	63603	51.8
	CM	H-CARK2-1400-CM-S/S-EL15	63604	53.6
	CL	H-CARK2-1400-CL-S/S-EL15	63605	54.6
	CLL	H-CARK2-1400-CLL-S/S-EL15	63606	58.0
1600	CM	H-CARK2-1600-CM-S/S-EL15	63607	59.4
	CL	H-CARK2-1600-CL-S/S-EL15	63608	60.6
	CLL	H-CARK2-1600-CLL-S/S-EL15	63609	64.4
	CM	H-CARK2-1800-CM-S/S-EL15	63610	68.1
1800	CL	H-CARK2-1800-CL-S/S-EL15	63611	69.4
	CLL	H-CARK2-1800-CLL-S/S-EL15	63612	73.8
	CM	H-CARK2-2000-CM-S/S-EL15	63613	74.8
	CL	H-CARK2-2000-CL-S/S-EL15	63614	76.3
2000	CLL	H-CARK2-2000-CLL-S/S-EL15	63615	81.1
	CM	H-CARK2-2200-CM-S/S-EL15	63616	82.1
	CL	H-CARK2-2200-CL-S/S-EL15	63617	83.7
	CLL	H-CARK2-2200-CLL-S/S-EL15	63618	89.0
2400	CM	H-CARK2-2400-CM-S/S-EL15	63619	87.1
	CL	H-CARK2-2400-CL-S/S-EL15	63620	88.9
	CLL	H-CARK2-2400-CLL-S/S-EL15	63621	94.7
	CM	H-CARK2-2600-CM-S/S-EL15	63622	95.7
2600	CL	H-CARK2-2600-CL-S/S-EL15	63623	97.7
	CLL	H-CARK2-2600-CLL-S/S-EL15	63624	103.9
	CM	H-CARK2-2800-CM-S/S-EL15	63625	102.2
	CL	H-CARK2-2800-CL-S/S-EL15	63626	104.3
2800	CLL	H-CARK2-2800-CLL-S/S-EL15	63627	111.0
	CM	H-CARK2-3000-CM-S/S-EL15	63628	107.7
	CL	H-CARK2-3000-CL-S/S-EL15	63629	110.0
	CLL	H-CARK2-3000-CLL-S/S-EL15	63630	117.2

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Tips and Suspension Arms

H-Type ESAC with Extra Life V-Tips — Mild and Stainless Steel

Replacement V-Tips - Mild Steel

ORDERING NUMBER	ITEM CODE	WT. KG
HSA200	73489	0.5
HSA200-EL15	76027	0.6

Replacement Suspension Arms - Mild Steel

SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
CS	HSA8CS	62505	1.1
CM	HSA8CM	62506	1.3
CL	HSA8CL	62507	1.5
CLL	HSA8CLL	62508	1.7

Replacement V-Tips - Stainless Steel

ORDERING NUMBER	ITEM CODE	WT. KG
HVT8-S/S	75419	0.9
HVPT-S/S	73631	1.2

Replacement Suspension Arms - Stainless Steel

SIZE	ORDERING NUMBER	ITEM CODE	WT. KG
CS	HSA8CS-S/S	62509	1.1
CM	HSA8CM-S/S	62510	1.3
CL	HSA8CL-S/S	62511	1.5
CLL	HSA8CLL-S/S	62512	1.7

Suspension Arm Size

HEAD PULLEY DIAMETER + BELT & LAGGING mm	SUSPENSION ARM SIZE
500-799	CS
800-999	CM
1000-1199	CL
1200-1700	CLL

Over 1700mm - contact Flexco

Tips required per cleaner size



BELT WIDTH mm	BELT COVERAGE mm	V-TIPS REQUIRED
600	600	3
800	800	4
1000	1000	5
1200	1200	6
1400	1400	7
1600	1600	8
1800	1800	9
2000	2000	10
2200	2200	11
2400	2400	12
2600	2600	13
2800	2800	14
3000	3000	15

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

H-Type ESAC with Extra Life V-Tips Single HD Primary Cleaner with Enhanced Service Advantage Cartridge™



REPLACEMENT PARTS

REF	DESCRIPTION	MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	H-Type Single ESAC Cartridge Pole	HCP-600	62751	30.5	HCP-600-S/S	62757	31.4
		HCP-800	62752	35.6	HCP-800-S/S	62758	36.7
		HCP-1000	62753	38.1	HCP-1000-S/S	62759	39.3
		HCP-1200	62754	40.7	HCP-1200-S/S	62760	42
		HCP-1400	62755	45.9	HCP-1400-S/S	62761	47.3
		HCP-1800	62756	51.0	HCP-1800-S/S	62762	52.6
2	HD Cushion	HSKD	73483	2.0	HSKD-S/S	76467	2.0
3	Suspension Arm	HSA8CS	62505	0.9	HSA8CS-S/S	62509	1.0
		HSA8CM	62506	1.1	HSA8CM-S/S	62510	1.2
		HSA8CL	62507	1.3	HSA8CL-S/S	62511	1.3
		HSA8CLL	62508	1.8	HSA8CLL-S/S	62512	1.8
4	HV Tips	HSA200	73489	0.5	HVT8-S/S	75419	0.6
	HV EL15 Tips	HSA200-EL15	76027	0.5	HVT8-EL15-S/S	62254	0.6
	-	-	-	-	HVPT-S/S	73631	0.6
5	Black Compression Spring Side Assembly (to 1600 belt width max)	H73CSK-B	62749	17.8	H73CSK-B-S/S	62750	18.3
	Gold Compression Spring Side Assembly (to 2400 belt width max)	H73CSK-G	62743	17.8	H73CSK-G-S/S	62744	18.3
6	Bolt Tension Side Assembly	H73BTK	63079	15.1	H73BTK-S/S	63080	15.6

REF	DESCRIPTION	TIP WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
7	H-Type Cartridge Adapter Plate	600	H-SAC-AP-600	62452	3.5
		800	H-SAC-AP-800	62453	4.8
		1000	H-SAC-AP-1000	62454	6.0
		1200	H-SAC-AP-1200	62455	7.3
		1400	H-SAC-AP-1400	62456	8.5
		1600	H-SAC-AP-1600	62457	9.8
		1800	H-SAC-AP-1800	62458	11.0
8	SAC Replacement Single Cartridge	600	CART-24/600-S/S	78576	4.5
		800	CART-36/900-S/S	78578	6.7
		1000	CART-42/1050-S/S	78579	7.8
		1200	CART-48/1200-S/S	78580	8.9
		1400	CART-60/1500-S/S	78582	11.3
		1600	CART-72/1800-S/S	78583	13.5
		1800			

HV/HVP Single SAC Black Spring Length Chart (for optimal blade tensioning)

Belt Width	CS	CM	CL	CLL
600	111	110	109	107
800	109	107	107	104
1000	106	105	104	100
1200	104	102	101	97
1400	102	100	98	93
1600	100	97	96	90
1800	97	95	93	-

HV/HVP Single SAC Gold Spring Length Chart (for optimal blade tensioning)

Belt Width	CS	CM	CL	CLL
600	113	113	112	111
800	112	111	111	109
1000	111	110	109	107
1200	109	108	107	105
1400	108	106	106	102
1600	106	105	104	100
1800	105	103	102	98

HV/HVP Dual SAC Gold Spring Length Chart (for optimal blade tensioning)

Belt Width	CS	CM	CL	CLL
1200	109	108	108	105
1400	108	107	106	103
1600	107	105	104	101
1800	105	104	103	99
2000	104	102	101	96
2200	103	101	99	94

HV/HVP Dual SAC Silver Spring Length Chart (for optimal blade tensioning)



Belt Width	CS	CM	CL	CLL
2200	159	158	157	154
2400	158	157	156	153
2600	157	156	155	151
2800	157	155	154	150
3000	156	154	153	149

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

H-Type ESAC with Extra Life V-Tips Dual HD Primary Cleaner with Enhanced Service Advantage Cartridge™



REPLACEMENT PARTS

REF	DESCRIPTION	MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	H-Type Dual ESAC Centre Pole	H2CP-1200	62763	39.7	H2CP-1200-S/S	62801	39.7
		H2CP-1400	62764	42.6	H2CP-1400-S/S	62802	42.6
		H2CP-1600	62765	45.7	H2CP-1600-S/S	62803	45.7
		H2CP-1800	62766	48.6	H2CP-1800-S/S	62804	48.6
		H2CP-2000	62767	51.6	H2CP-2000-S/S	62805	51.6
		H2CP-2400	62768	57.6	H2CP-2400-S/S	62806	57.6
		H2CP-2600	62769	71.0	H2CP-2600-S/S	62807	71.0
		H2CP-2800	62770	74.3	H2CP-2800-S/S	62808	74.3
		H2CP-3000	62771	77.8	H2CP-3000-S/S	62809	77.8
2	Extender Pole	MHP-EP	76392	24.5	MHP-EP-S/S	77599	24.5
3	HD Cushion	HSKD	73483	2.0	HSKD-S/S	76467	2.0
4	Suspension Arm	HSA8CS	62505	0.9	HSA8CS-S/S	62509	1.0
		HSA8CM	62506	1.1	HSA8CM-S/S	62510	1.2
		HSA8CL	62507	1.3	HSA8CL-S/S	62511	1.3
		HSA8CLL	62508	1.8	HSA8CLL-S/S	62512	1.8
5	HV Tips	HSA200	73489	0.5	HVT8-S/S	75419	0.6
	HV EL15 Tips	HSA200-EL15	76027	0.5	HVT8-EL15-S/S	62254	0.6
	-	-	-	-	HVPT-S/S	73631	0.6
6	Black Compression Spring Side Assembly (to 1600 belt width max)	H73CSK-B	62749	17.8	H73CSK-B-S/S	62750	18.3
	Gold Compression Spring Side Assembly (to 2400 belt width max)	H73CSK-G	62743	17.8	H73CSK-G-S/S	62744	18.3
	Silver 6" Compression Spring Side Assembly (above 2400)	H73CSK-S	62745	18.0	H73CSK-S-S/S	62746	18.4
7	Bolt Tension Side Assembly	H73BTK	63079	15.1	H73BTK-S/S	63080	15.6

REF	DESCRIPTION	TIP WIDTH	ITEM 8/LEFT HAND			ITEM 9/RIGHT HAND		
			ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
8 & 9	H-Type Cartridge Adapter Plate	1200	H-SAC-AP-600	62452	3.5	H-SAC-AP-600	62452	3.5
		1400	H-SAC-AP-800	62453	4.8	H-SAC-AP-600	62452	3.5
		1600	H-SAC-AP-800	62453	4.8	H-SAC-AP-800	62453	4.8
		1800	H-SAC-AP-1000	62454	6.0	H-SAC-AP-800	62453	4.8
		2000	H-SAC-AP-1000	62454	6.0	H-SAC-AP-1000	62454	6.0
		2200	H-SAC-AP-1200	62455	7.3	H-SAC-AP-1000	62454	6.0
		2400	H-SAC-AP-1200	62455	7.3	H-SAC-AP-1200	62455	7.3
		2600	H-SAC-AP-1400	62456	8.5	H-SAC-AP-1200	62455	7.3
		2800	H-SAC-AP-1400	62456	8.5	H-SAC-AP-1400	62456	8.5
		3000	H-SAC-AP-1600	62457	9.8	H-SAC-AP-1400	62456	8.5
REF	DESCRIPTION	TIP WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG			
10	SAC Replacement Dual Cartridge	1200	CART2-60/1500-S/S	78584	11.2			
		1400	CART2-66/1650-S/S	78634	12.3			
		1600	CART2-72/1800-S/S	78585	13.4			
		1800	CART2-78/1950-S/S	78635	14.5			
		2000	CART2-84/2100-S/S	78586	15.6			
		2200	CART2-96/2400-S/S	78587	17.8			
		2400						
		2600	CART2-114/2850-S/S	78639	23.7			
		2800	CART2-120/3000-S/S	78588	22.6			
		3000	CART2-126/3150-S/S	78640	23.7			

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Y-Type™ Standard Duty Secondary Cleaner with Carbide or Polyurethane Blades

Y-Type™ Standard Duty with Purple Polyurethane Blades and YST Tension

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KGS.
450	YT-450S	83229	26.8
600	YT-600S	83230	29.5
750	YT-750S	83231	32.3
900	YT-900S	83232	35.0
1050	YT-1050S	83233	37.7
1200	YT-1200S	83234	40.5

Lead time: 2 weeks

Y-Type™ Standard Duty with Red UHT Polyurethane Blades and YST Tension

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
mm			
450	YTR-18S	91798	26.8
600	YTR-24S	91799	29.5
750	YTR-30S	91800	32.2
900	YTR-36S	91801	34.9
1050	YTR-42S	91802	37.6
1200	YTR-48S	91803	40.4

Lead time: 2 weeks

Y-Type™ Standard Duty with Carbide Blades and Bolt Tension

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG.
450	YTC-450	83223	30.6
600	YTC-600	83224	33.3
750	YTC-750	83225	36.1
900	YTC-900	83226	38.8
1050	YTC-1050	83227	41.5
1200	YTC-1200	83228	44.3

Lead time: 2 weeks





Y-Type™ Standard Duty with Carbide Blades and YST Tension

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG.
450	YT-TC-450S	83241	25.0
600	YT-TC-600S	83242	27.3
750	YT-TC-750S	83243	29.5
900	YT-TC-900S	83244	31.8
1050	YT-TC-1050S	83245	34.5
1200	YT-TC-1200S	83246	37.3

Lead time: 2 weeks

Product Notes:

- Works on reversing belts, vulcanized belts, and belts with mechanical fasteners.
- Visual Blade Tension Check: Measure the tension spring and refer to Spring Length Chart on mounting base for the correct length for best cleaning performance.
- Tensioner: Standard Duty YST Spring Tensioner for self-adjusting tensioning with easy retensioning adjustments. The tensioner can be mounted in pull-up or push-up position.
- Simple design makes changing the blades fast and easy. Blades can be removed and replaced individually, or all at once by replacing the cartridge.




Product Ordering Information

Y-Type™ Standard Duty Replacement Blades/Cartridges

Replacement Blades/Cartridges - Standard Duty Carbide

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
-	YT-C*	79574	0.5
450	YCART-18/450-TC	79811	5.7
600	YCART-24/600-TC	79812	7.5
750	YCART-30/750-TC	79813	9.3
900	YCART-36/900-TC	79814	11.0
1050	YCART-42/1050-TC	79815	12.8
1200	YCART-48/1200-TC	79816	14.5

*Single 75mm (3") blade segment
Lead time: 2 weeks




Y-Type™ Standard Duty Carbide Blade Cartridge

Replacement Blades/Cartridges - Standard Duty Purple Polyurethane

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
-	YT-P*	79573	0.5
450	YCART-18/450-P	79617	6.0
600	YCART-24/600-P	79618	7.8
750	YCART-30/750-P	79619	9.6
900	YCART-36/900-P	79620	11.4
1050	YCART-42/1050-P	79621	13.2
1200	YCART-48/1200-P	79622	15.0

*Single 75mm (3") blade segment
Lead time: 2 weeks




Y-Type™ Standard Duty Purple Polyurethane Blade Cartridge

Replacement Blades/Cartridges Standard Duty Red UHT Polyurethane

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
mm			
-	YT-R*	91804	0.5
450	YCART-18/450-R	91805	5.9
600	YCART-24/600-R	91806	7.7
750	YCART-30/750-R	91807	9.5
900	YCART-36/900-R	91808	11.3
1050	YCART-42/1050-R	91809	13.2
1200	YCART-48/1200-R	91810	15.0

*Single 75mm (3") blade segment
Lead time: 2 weeks



Y-Type™ Standard Duty Red UHT Polyurethane Blade Cartridge

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Specifications & Guidelines

Y-Type™ Standard Duty Secondary Cleaner with Carbide or Polyurethane Blades

Pole Length Specifications


Cleaner Size		Pole Length		Maximum Conveyor Span	
mm	in.	mm	in.	mm	in.
450	18	1200	48	1025	40
600	24	1350	54	1175	46
750	30	1500	60	1325	52
900	36	1650	66	1475	58
1050	42	1800	72	1625	64
1200	48	1950	78	1775	70

Pole Length - Belt +750mm (30")
Pole Diameter - 60mm (2-3/8")




Clearance Guidelines for Installation

Cleaner Type	Belt Width/ Cleaner Size		Horizontal Clearance Required		Vertical Clearance Required	
	mm	in.	mm	in.	mm	in.
Y-Type® Polyurethane	450 - 1200	18 - 48	110	4-1/4	210	8-1/4
Y-Type Carbide	450 - 1200	18 - 48	110	4-1/4	184	7-3/4




Y-Type Blade Specifications

Cushion	Durometer	Temperature Range
Purple (Standard)	86A	-35° to 82° C
Red (Ultra High-Temp)	90A	Up to 200° C Spikes to 232° C
Carbide	86A	-35° to 82° C



Pull-Up Tensioner Configuration (SD)



Push-Up Tensioner Configuration (SD)

YST SD Tensioner Spring Length Chart

Blade Width		Carbide Tip		Purple or White Polyurethane Tip				Red UHT Polyurethane Tip			
		Silver Springs		Yellow Springs		Purple Springs		Yellow Springs		Purple Springs	
mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.
450	18	105	4 1/8	83	3 1/4	92	3 5/8	79	3 1/8	92	3 5/8
600	24	102	4	73	2 7/8	86	3 3/8	70	2 3/4	86	3 3/8
750	30	98	3 7/8	67	2 5/8	79	3 1/8	64	2 1/2	79	3 1/8
900	36	95	3 3/4	57	2 1/4	73	2 7/8	57	2 1/4	73	2 7/8
1050	42	92	3 5/8	NA	NA	67	2 5/8	NA	NA	67	2 5/8
1200	48	89	3 1/2	NA	NA	60	2 3/8	NA	NA	60	2 3/8



Shading indicates preferred spring option.

Specifications:

- Maximum Belt Speed..... 3 m/s (600 FPM)
- Usable Blade Wear Length..... 50mm (Polyurethane)
6mm (Carbide)
- Blade Materials **Purple:** Polyurethane (proprietary blend for abrasion resistance and long wear)
Red: Polyurethane (ultra high-temp)
Carbide: Tungsten Carbide
- Available for Belt Widths 450 to 1200mm. Other sizes available upon request.
- CEMA Cleaner Rating Class 2 (Standard-duty with polyurethane blades)
Class 3 (Standard-duty with Carbide blades)

Replacement Parts List

Y-Type™ Standard Duty Secondary Cleaner with Carbide or Polyurethane Blades



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	450mm (18") Y-Type™ Pole	YTP-18/450	82932	9.2
	600mm (24") Y-Type Pole	YTP-24/600	82933	10.3
	750mm (30") Y-Type Pole	YTP-30/750	82934	11.5
	900mm (36") Y-Type Pole	YTP-36/900	82935	12.6
	1050mm (42") Y-Type Pole	YTP-42/1050	82936	13.7
	1200mm (48") Y-Type Pole	YTP-48/1200	82937	14.9
2	450mm (18") Y-Type Cushion Angle	YTA-18/450	82949	2.6
	600mm (24") Y-Type Cushion Angle	YTA-24/600	82950	3.3
	750mm (30") Y-Type Cushion Angle	YTA-30/750	82951	4.0
	900mm (36") Y-Type Cushion Angle	YTA-36/900	82952	4.7
	1050mm (42") Y-Type Cushion Angle	YTA-42/1050	82953	5
	1200mm (48") Y-Type Cushion Angle	YTA-48/1200	82954	6.2
3	Y-Type Angle Clamp* (2 Clamps)	YTAC	79623	1.0
4	YST Drop Bracket Kit (Optional Brackets)	YSTDBK	79844	9.0
5	YST Spring Yellow	YSTS-Y	79795	0.1
5a	YST Spring Purple	YSTS-P	79796	0.2
5b	YST Spring Silver (Y-Type Carbide Cleaners)	CTS-S	77743	0.2
6	YST Mounting Bracket (incl. Angle Bracket)	YSTMB	79843	1.5
7	YST Guide Block Kit (Pair)	YSTGBK	79845	0.2
8	YST Lower Bushing Kit (Pair)	YSTLBK	79846	0.0
9	YST Top Bushing Kit White (Pair)	YSTTBK-W	79847	0.0
9a	YST Top Bushing Kit Black (Pair)	YSTTBK-B	79855	0.0
10	YST Pole Mount Kit*	YSTPMK	79848	2.0
11	YST Adjusting Rod Nut Kit	YSTANK	79857	0.1

*Hardware included
Lead time: 2 weeks

Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
-	YST Tensioner w/Yellow Spring (Pair) (incl. 2 ea. item 5, 6, 10, 11; 1 ea. items 7, 8, 9)	YST-Y	79836	8.3
-	YST Tensioner w/Purple Spring (Pair) (incl. 2 ea. item 5a, 6, 10, 11; 1 ea. items 7, 8, 9)	YST-P	79837	8.4
-	YST Tensioner w/Silver Spring (Pair) (incl. 2 ea. item 5b, 6, 10, 11; 1 ea. items 7, 8, 9a)	YST-S	79838	8.5
-	P Adjusting Bracket	PAB	75513	1.0
-	P Pole Clamp	PCB	75507	3.0
-	P Mounting Bracket Repair Kit (includes left or right mounting bracket)	PMBL (left)	75516	3.8
-		PMBR (right)	75519	3.8
-	P/R/I Mounting Kit (includes 2 each items PMB, PAB, PCB)	CCMK	78919	12.0

Lead time: 2 weeks

Blades Required per Cleaner Size

mm	450	600	750	900	1050	1200
in.	18	24	30	36	42	48
Blades Required	6	8	10	12	14	16

Spring Tensioner Selection Chart

Cleaner Blade Width	79838 YST-S	79836 YST-Y	79837 YST-P
Carbide 450 - 1200mm (18" - 48")	X		
Polyurethane 450 - 750mm (18" - 30")		X	
Polyurethane 900 - 1200mm (36" - 48")			X

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

U.S. Patent No. 9,586,765

www.flexco.com • toll-free phone: +1300-098-435



Product Ordering Information

Y-Type™ Heavy Duty Secondary Cleaner with HD Carbide or Urethane Blades

Y-Type™ HD with Purple Polyurethane Blades and YST Tension

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
900	YTHD-900S	83120	59.4
1050	YTHD-1050S	83121	63.5
1200	YTHD-1200S	83122	68.0
1350	YTHD-1350S	83123	71.7
1500	YTHD-1500S	83124	76.2
1800	YTHD-1800S	83126	84.4

Lead time: 2 weeks



Y-Type™ HD with Red UHT Polyurethane Blades and YST Tension

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
900	YTHDR-36S	91816	59.4
1050	YTHDR-42S	91817	63.5
1200	YTHDR-48S	91818	68.0
1350	YTHDR-54S	91819	71.7
1500	YTHDR-60S	91820	76.2
1800	YTHDR-72S	91821	84.4

Lead time: 2 weeks



Y-Type™ HD with Carbide Blades and Bolt Tension

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
900	YTCHD-900	83099	59.4
1050	YTCHD-1050	83100	63.5
1200	YTCHD-1200	83101	68.0
1350	YTCHD-1350	83102	71.7
1500	YTCHD-1500	83103	76.2
1800	YTCHD-1800	83105	84.4

Lead time: 2 weeks



Y-Type™ HD with Carbide Blades and YST Tension

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
900	YTHD-TC-900S	83134	59.4
1050	YTHD-TC-1050S	83135	63.5
1200	YTHD-TC-1200S	83136	68.0
1350	YTHD-TC-1350S	83137	71.7
1500	YTHD-TC-1500S	83138	76.2
1800	YTHD-TC-1800S	83140	84.4

Lead time: 2 weeks



Product Notes:

- Works on reversing belts, vulcanized belts, and belts with mechanical fasteners.
- Visual Blade Tension Check: Measure the tension spring and refer to Spring Length Chart on mounting base for the correct length for best cleaning performance.
- Tensioner: Standard Duty YST Spring Tensioner for self-adjusting tensioning with easy retensioning adjustments. The tensioner can be mounted in pull-up or push-up position.
- Simple design makes changing the blades fast and easy. Blades can be removed and replaced individually, or all at once by replacing the cartridge.


Product Ordering Information

Y-Type™ Heavy Duty Replacement Blades/Cartridges

Replacement Blades/Cartridges - Heavy-Duty Carbide

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
-	YT-HDC*	79728	0.8
900	YCART-36/900-HDTC	79829	17.5
1050	YCART-42/1050-HDTC	79830	20.2
1200	YCART-48/1200-HDTC	79831	23.0
1350	YCART-54/1350-HDTC	79832	25.8
1500	YCART-60/1500-HDTC	79833	28.6
1800	YCART-72/1800-HDTC	79834	34.2

*Single 75mm (3") blade segment
Lead time: 2 weeks




Y-Type™ HD Carbide Blade Cartridge

Replacement Blades/Cartridges - Heavy-Duty Purple Polyurethane

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
-	YT-HDP*	79677	0.8
900	YCART-36/900-HDP	79817	16.6
1050	YCART-42/1050-HDP	79818	19.2
1200	YCART-48/1200-HDP	79819	21.9
1350	YCART-54/1350-HDP	79820	24.5
1500	YCART-60/1500-HDP	79821	27.2
1800	YCART-72/1800-HDP	79822	32.5

*Single 75mm (3") blade segment
Lead time: 2 weeks




Y-Type™ HD Purple Polyurethane Blade Cartridge

Replacement Blades/Cartridges HD Red UHT Polyurethane

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KG
mm			
-	YT-HDR*	91822	1.7
900	YCART-36/900-HDR	91823	36.5
1050	YCART-42/1050-HDR	91824	42.3
1200	YCART-48/1200-HDR	91825	48.1
1350	YCART-54/1350-HDR	91826	53.9
1500	YCART-60/1500-HDR	91827	59.8
1800	YCART-72/1800-HDR	91828	71.4

*Single 75mm (3") blade segment
Lead time: 2 weeks



Y-Type™ HD UHT Red Polyurethane Blade Cartridge

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Specifications & Guidelines

Y-Type™ Heavy Duty Secondary Cleaner with HD Carbide or Urethane Blades

Pole Length Specifications


Cleaner Size		Pole Length		Maximum Conveyor Span	
mm	in.	mm	in.	mm	in.
900	36	2286	90	2083	82
1050	42	2438	96	2235	88
1200	48	2590	102	2388	94
1350	54	2743	108	2540	100
1500	60	2895	114	2692	106
1800	72	3200	126	2997	118

Pole Length - Belt +1350mm (54")
Pole Diameter - 73mm (2-7/8")




Clearance Guidelines for Installation

Cleaner Type	Belt Width/ Cleaner Size		Horizontal Clearance Required		Vertical Clearance Required	
	mm	in.	mm	in.	mm	in.
Y-Type® HD Polyurethane	900 - 1800	36 - 72	133	5-1/4	241	9-1/2
Y-Type HD Carbide	900 - 1800	36 - 72	133	5-1/4	248	9-3/4




Y-Type Blade Specifications

Cushion	Durometer	Temperature Range
Purple (Standard)	86A	-35° to 82° C
Red (Ultra High-Temp)	90A	Up to 200° C Spikes to 232° C
Carbide	N/A	-35° to 82° C



Pull-Up Tensioner Configuration (HD)



Push-Up Tensioner Configuration (HD)

YST HD Tensioner Spring Length Chart

Blade Width		Carbide Tip				Polyurethane Tip			
		Silver Springs		Black Springs		Green Springs		Blue Springs	
mm	in.	mm	in.	mm	in.	mm	in.	mm	in.
900	36	98	3 7/8	102	4	76	3	86	3 3/8
1050	42	95	3 3/4	98	3 7/8	73	2 7/8	83	3 1/4
1200	48	92	3 5/8	95	3 3/4	67	2 5/8	79	3 1/8
1350	54	89	3 1/2	95	3 3/4	64	2 1/2	76	3
1500	60	86	3 3/8	92	3 5/8	NA	NA	73	2 7/8
1800	72	83	3 1/4	89	3 1/2	NA	NA	64	2 1/2


Shading indicates preferred spring option.

Specifications:

- Maximum Belt Speed..... 3.8 m/s (750 FPM)
- Usable Blade Wear Length..... 76mm (Polyurethane)
10mm (Carbide)
- Blade Materials **Purple:** Polyurethane (proprietary blend for abrasion resistance and long wear)
Red: Polyurethane (ultra high-temp)
Carbide: Tungsten Carbide
- Available for Belt Widths 900 to 1800mm. Other sizes available upon request.
- CEMA Cleaner Rating Class 3 (Heavy-duty with polyurethane or carbide blades)

Replacement Parts List

Y-Type™ Heavy Duty Secondary Cleaner with HD Carbide or Urethane Blades



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	900mm (36") Y-Type™ HD Pole	YTPHD-36/900	83106	27.3
	1050mm (42") Y-Type HD Pole	YTPHD-42/1050	83107	28.8
	1200mm (48") Y-Type HD Pole	YTPHD-48/1200	83108	30.4
	1350mm (54") Y-Type HD Pole	YTPHD-54/1350	83109	31.9
	1500mm (60") Y-Type HD Pole	YTPHD-60/1500	83110	33.5
	1800mm (72") Y-Type HD Pole	YTPHD-72/1800	83112	35.0
2	900mm (36") Y-Type HD Cushion Angle	YTAHD-36/900	79805	7.5
	1050mm (42") Y-Type HD Cushion Angle	YTAHD-42/1050	79806	8.6
	1200mm (48") Y-Type HD Cushion Angle	YTAHD-48/1200	79807	9.7
	1350mm (54") Y-Type HD Cushion Angle	YTAHD-54/1350	79808	10.9
	1500mm (60") Y-Type HD Cushion Angle	YTAHD-60/1500	79809	12.0
	1800mm (72") Y-Type HD Cushion Angle	YTAHD-72/1800	79810	14.2
3	Y-Type HD Angle Clamp* (2 Clamps)	YTACHD	79835	2.2
4	YST HD Drop Bracket Kit (2 Brackets)	YSTDDBK	79850	14.6
5	YST HD Spring, Green	YSTDHS-GR	79797	0.2
5a	SST Spring, Silver	STS-S	75843	0.4
5b	YST HD Spring, Blue (for Y-Type HD Carbide Cleaners)	YSTDHS-BL	79798	0.3
5c	SST Spring, Black (for Y-Type HD Carbide Cleaners)	STS-B	75844	0.5
6	YST HD Mounting Bracket (incl. Angle Bracket)	YSTDHMB	79849	3.0
7	YST HD Guide Block Kit (Pair)	YSTDHGBK	79851	0.5
8	YST HD Lower Bushing Kit (Pair)	YSTDHLBK	79852	0.05
9	YST HD Top Bushing Kit White (Pair)	YSTDHBK-W	79853	0.05
9a	YST HD Top Bushing Kit Black (Pair)	YSTDHBK-B	79856	0.05
10	YST HD Pole Mount Kit*	YSTPHDMK	79854	3.5
11	YST Adjusting Rod Nut Kit	YSTANKHD	79858	0.1

*Hardware included

Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
-	YST Tensioner w/Silver Spring (Pair) (for belts 36" - 54" w/carbide tips) (incl. 2 ea. item 5a, 6, 10, 11; 1 ea. items 7, 8, 9)	YSTHD-S	79840	15.2
-	YST Tensioner w/Black Spring (Pair) (for belts 60" - 72" w/carbide tips) (incl. 2 ea. item 5c, 6, 10, 11; 1 ea. items 7, 8, 9a)	YSTHD-BK	79842	15.5
-	YST Tensioner w/Green Spring (Pair) (for belts 36" - 48" w/Polyurethane tips) (incl. 2 ea. item 5, 6, 10, 11; 1 ea. items 7, 8, 9)	YSTHD-GR	79839	14.9
-	YST Tensioner w/Blue Spring (Pair) (for belts 54" - 72" w/Polyurethane tips) (incl. 2 ea. item 5b, 6, 10, 11; 1 ea. items 7, 8, 9a)	YSTHD-BL	79841	15.0
-	P Adjusting Bracket	PAB	75513	1.0
-	P Pole Clamp	PHDCB	75510	4.0
-	P Mounting Bracket Repair Kit (includes left or right mounting bracket)	PMBL (left)	75516	3.8
-		PMBR (right)	75519	3.8
-	P/R/I Mounting Kit (includes 2 each items PMB, PAB, PHDCB)	CCMKHD	78920	16.7

Blades Required per Cleaner Size

mm	900	1050	1200	1350	1500	1800
in.	36	42	48	54	60	72
Blades Required	12	14	16	18	20	24

Spring Tensioner Selection Chart

Cleaner Blade Width	Silver YSTHD-S	Black YSTHD-BK	Green YSTHD-GR	Blue YSTHD-BL
Carbide 900 - 1350mm (36" - 54")	X			
Carbide 1500 - 1800mm (60" - 72")		X		
Polyurethane 900 - 1200mm (36" - 48")			X	
Polyurethane 1350 - 1800mm (54" - 72")				X

U.S. Patent No. 9,586,765

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.


Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Stainless Steel Y-Type™ Secondary Cleaners


Stainless Steel Y-Type™ SD with Carbide Blades and Bolt Tensioner

BELT WIDTH	ORDERING NUMBER	ITEM CODE
600	YTC600-BT-S/S SECONDARY	67285
750	YTC750-BT-S/S SECONDARY	67286
900	YTC900-BT-S/S SECONDARY	67287
1050	YTC1050-BT-S/S SECONDARY	67288
1200	YTC1200-BT-S/S SECONDARY	67289




Stainless Steel Y-Type™ HD with Carbide Blades and Bolt Tensioner

BELT WIDTH	ORDERING NUMBER	ITEM CODE
900	YTCHD900-BT-S/S SECONDARY	67290
1050	YTCHD1050-BT-S/S SECONDARY	67291
1200	YTCHD1200-BT-S/S SECONDARY	67292
1350	YTCHD1350-BT-S/S SECONDARY	67293
1500	YTCHD1500-BT-S/S SECONDARY	67294
1800	YTCHD1800-BT-S/S SECONDARY	67295



Stainless Steel Y-Type™ HD with Carbide Blades and MST Tensioner

BELT WIDTH	ORDERING NUMBER	ITEM CODE
900	YTCHD900-MST-S/S SECONDARY	67308
1050	YTCHD1050-MST-S/S SECONDARY	67309
1200	YTCHD1200-MST-S/S SECONDARY	67310
1350	YTCHD1350-MST-S/S SECONDARY	67311
1500	YTCHD1500-MST-S/S SECONDARY	67312
1800	YTCHD1800-MST-S/S SECONDARY	67313



Stainless Steel Y-Type™ HD with Polyurethane Blades and MST Tensioner

BELT WIDTH	ORDERING NUMBER	ITEM CODE
900	YTFHD900-MST-S/S SECONDARY	67314
1050	YTFHD1050-MST-S/S SECONDARY	67315
1200	YTFHD1200-MST-S/S SECONDARY	67316
1350	YTFHD1350-MST-S/S SECONDARY	67317
1500	YTFHD1500-MST-S/S SECONDARY	67318
1800	YTFHD1800-MST-S/S SECONDARY	67319



Replacement Parts List

Stainless Steel Y-Type™ Secondary Cleaners

Replacement Poles

BELT WIDTH	ORDERING NUMBER	ITEM CODE
mm		
600	YPHD600-S/S POLE	67322
750	YPHD750-S/S POLE	67323
900	YPHD900-S/S POLE	64198
1050	YPHD1050-S/S POLE	64199
1200	YPHD1200-S/S POLE	64200
1350	YPHD1350-S/S POLE	64201
1500	YPHD1500-S/S POLE	64202
1800	YPHD1800-S/S POLE	64204

Other

ORDERING NUMBER	ITEM CODE
MSTHD-S-S/S	90182
MSTHD-B-S/S	90183
MSTHD-G-S/S	90184

Replacement Blades/Cartridges - Standard-Duty Carbide

BELT WIDTH	ORDERING NUMBER	ITEM CODE
mm		
600	YCART-S/S-24/600-SDTC	66749
750	YCART-S/S-30/750-SDTC	67750
900	YCART-S/S-36/900-SDTC	67751
1050	YCART-S/S-42/1050-SDTC	67752
1200	YCART-S/S-48/1200-SDTC	67753

Cushion Angle

BELT WIDTH	ITEM CODE
600	67324
750	67325
900	91090
1050	91091
1200	91092

HD Cushion Angle

BELT WIDTH	ITEM CODE
900	64205
1050	64206
1200	64207
1350	64208
1500	64209
1800	64211

Replacement Blades/Cartridges - Heavy-Duty Carbide

BELT WIDTH	ORDERING NUMBER	ITEM CODE
mm		
900	YCART-S/S-36/900-HDTC	67411
1050	YCART-S/S-42/1050-HDTC	67412
1200	YCART-S/S-48/1200-HDTC	67413
1350	YCART-S/S-54/1350-HDTC	67414
1500	YCART-S/S-60/1500-HDTC	67415
1800	YCART-S/S-72/1800-HDTC	67416

Cushion Angle Clamp

	ITEM CODE
SD	GR298
HD	B0536

Replacement Blades/Cartridges - Heavy-Duty Purple Polyurethane

BELT WIDTH	ORDERING NUMBER	ITEM CODE
mm		
900	YCART-S/S-36/900-HDP	67417
1050	YCART-S/S-42/1050-HDP	67418
1200	YCART-S/S-48/1200-HDP	67419
1350	YCART-S/S-54/1350-HDP	67420
1500	YCART-S/S-60/1500-HDP	67421
1800	YCART-S/S-72/1800-HDP	67422

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

P-Type®
Secondary Cleaner

P-Type® Secondary with V-Tips* Powder Coated

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	PV450	73435	36.0
600	PV600	73004	37.0
750	PV750	73006	38.0
900	PV900	73008	41.0
1050	PV1050	73010	47.0
1200	PV1200	73012	51.0
1400	PV1400	73436	55.0
1500	PV1500	73437	58.0
1800	PVHD1800	74598	92.0
2000	PVHD2000	75452	96.0
2100	PVHD2100	74553	100.0
2400	PVHD2400	74555	110.0

*NOTE: V-Tips can be used ONLY on vulcanised belts.
P-Type cleaners come standard with bolt tensioners.
Shaded items are made to order-contact Flexco customer service.



P-Type® Secondary with V-Tips* Stainless Steel

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	PV450-S/S	75323	37.0
600	PV600-S/S	75324	38.0
750	PV750-S/S	75325	39.0
900	PV900-S/S	75326	42.0
1050	PV1050-S/S	75327	48.0
1200	PV1200-S/S	75328	52.0
1400	PV1400-S/S	75329	56.0
1500	PV1500-S/S	75330	60.0
1800	PVHD1800-S/S	A1603	95.0
2000	PVHD2000-S/S	A2046	99.0
2100	PVHD2100-S/S	A1604	103.0
2400	PVHD2400-S/S	A1605	114.0

*NOTE: V-Tips can be used ONLY on vulcanised belts.
P-Type cleaners come standard with bolt tensioners.
Shaded items are made to order-contact Flexco customer service.

Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	V-TIPS REQUIRED
450	450	3
600	600	4
750	750	5
900	900	6
1050	1050	7
1200	1200	8
1400	1350	9
1500	1500	10
1800	1800	12
2000	1950	13
2100	2100	14
2400	2400	16

Tips Required Per Cleaner Size

mm	450	600	750	900	1050	1200	1350	1500	1800
in.	18	24	30	36	42	48	54	60	72
C-Tips or V-Tips Required	3	4	5	6	7	8	9	10	12

Product Notes:


- C-Tip: specially formulated tungsten carbide blades to work with mechanical fasteners.
- V-Tip: for use on vulcanised belts only.
- Compact design: fits in small transfer areas and tight chutes.

 Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

P-Type®
Secondary Cleaner



Replacement Parts

				POWDER COATED			STAINLESS STEEL		
REF	DESCRIPTION	BELT WIDTH	POLE LENGTH (MM)	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	P-Type® Pole 60 mm Pole Diameter	450	1250	PP450	73003	10.0	PP450-S/S	75382	10.0
		600	1350	PP600	73005	11.0	PP600-S/S	75383	11.0
		750	1500	PP750	73007	13.0	PP750-S/S	75384	13.0
		900	1650	PP900	73009	15.0	PP900-S/S	75385	15.0
		1050	1800	PP1050	73011	20.0	PP1050-S/S	75386	21.0
		1200	1950	PP1200	73013	20.0	PP1200-S/S	75387	23.0
	P-Type Pole 73 mm Pole Diameter	1400	2200	PP1400	73015	24.0	PP1400-S/S	75388	25.0
		1500	2350	PP1500	73016	25.0	PP1500-S/S	75389	26.0
		1800	2650	PPHD1800	74597	27.0	PPHD1800-S/S	A1781	28.0
		2000	2850	PPHD2000	74556	31.0	PPHD2000 -S/S	A2120	29.0
		2100	2950	PPHD2100	A2803	38.0	PPHD2100 -S/S	A1613	39.0
		2400	3250	PPHD2400	74557	44.0	PPHD2400 -S/S	A1775	45.0
2	P Cushion			PHA	73626	1.0	PHSC-S/S	73433	1.0
2a	P-Type Powerflex Cushion						PFC-P-S/S	79289	1.9
2b	HD P-Type Cushion			HDPHC	61003	1.7	HDPHSC-S/S	61001	1.9
3	P Polyshield			PPS6	73024	1.0	PSSS	74773	1.0
-	PU150 P-Type Poly Tip FRAS			FRPU150	61742	1.0			
4	C-Tip (for mechanically spliced and vulcanised belts)			CT6	74535	0.4			
5	P V-Tip* (for vulcanised belts only)			PSA150	73156	0.4	PVT6-S/S	75420	0.4
-	Extra Life P V-Tip - 15mm			PSA150-EL15	62094	0.6			
-	Extra Life P V-Tip - 20mm			PSA150-XL	67776	0.8			
-	Extra Life Q V-Tip - 15mm			Q150-EL15	68240	0.7			
-	Extra Life Q V-Tip - 20mm			Q150-XL	68241	0.8			
6	Adjusting Bracket Kit* (1ea.)			PAB	75513	0.7	PAB-S/S	75515	0.7
7	Pole Clamp Kit Left* (1ea.) (incl. item 9) (for sizes 450-1200mm)			CCKL	79224	3.1	CCKL-S/S	79226	3.1
8	Pole Clamp Kit Right* (1ea.) (incl. item 9) (for sizes 450-1200mm)			CCKR	79228	3.1	CCKR-S/S	79230	3.1
9	Cradle Clamp Top Strap (1ea.) (for use on L or R Pole Clamp Kit)			CCKTS	79232	0.5	CCKTS-S/S	79234	0.5
10	Mounting Bracket Kit Left			PMBL (left)	75516	3.8	PMBL-S/S (left)	75518	3.8
11	Mounting Bracket Kit Right			PMBL (right)	75519	3.8	PMBL-S/S (right)	75521	3.8
-	Cradle Clamp Mounting Kit* (for sizes 450-1200mm) (incl. 2 ea. item 6, and 1 ea. items 7a, 8, 10 & 11)			CCMK	78919	15.0	CCMK-S/S	78921	15.0
HEAVY-DUTY COMPONENTS									
7a	HD Pole Clamp Kit Left* (1ea.) (incl. item 9a) (for sizes 1400-2400mm)			CCKHDL	79225	4.0	CCKHDL-S/S	79227	4.0
8a	HD Pole Clamp Kit Right* (1ea.) (incl. item 9a) (for sizes 1400-2400mm)			CCKHDR	79229	4.0	CCKHDR-S/S	79231	4.0
9a	HD Cradle Clamp Top Strap (1ea.) (for use on L or R HD Pole Clamp Kit)			CCKHDTS	79233	0.8	CCKHDTS-S/S	73235	0.8
-	HD Cradle Clamp Mounting Kit* (for sizes 1400-2400mm) (incl. 2 ea. item 6, and 1 ea. items 7a, 8a, 10 & 11)			CCMKHD	78920	16.7	CCMKHD-S/S	78922	16.7

*Hardware included

Product Ordering Information

R-Type® Reversing Secondary Cleaner

R-Type® Reversing with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	RV450	74633	36.0
600	RV600	74634	37.0
750	RV750	74635	38.0
900	RV900	74636	41.0
1050	RV1050	74637	47.0
1200	RV1200	74638	51.0
1400	RV1400	74639	55.0
1500	RV1500	74640	28.0
1800	RVHD1800	74642	92.0
2000	RVHD2000	75463	94.0
2100	RVHD2100	74643	100.0
2400	RVHD2400	74644	110.0

*NOTE: V-Tips can be used ONLY on vulcanised belts.
Shaded items are made to order-contact Flexco customer service.



Stainless Steel R-Type® Reversing with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	RV450-S/S	75341	37.0
600	RV600-S/S	75342	38.0
750	RV750-S/S	75343	39.0
900	RV900-S/S	75344	42.0
1050	RV1050-S/S	75345	48.0
1200	RV1200-S/S	75346	57.0
1400	RV1400-S/S	75347	56.0
1500	RV1500-S/S	75348	60.0
1800	RVHD1800-S/S	A1626	95.0
2100	RVHD2100-S/S	A1628	103.0
2400	RVHD2400-S/S	A1610	114.0

*NOTE: V-Tips can be used ONLY on vulcanised belts.
Shaded items are made to order-contact Flexco customer service.

Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	C-TIPS OR V-TIPS REQUIRED
450	450	3
600	600	4
750	750	5
900	900	6
1050	1050	7
1200	1200	8
1500	1500	10
1800	1800	12
2000	1950	13
2100	2000	14
2400	2400	16

Tips Required Per Cleaner Size

mm	450	600	750	900	1050	1200	1350	1500	1800
in.	18	24	30	36	42	48	54	60	72
C-Tips or V-Tips Required	3	4	5	6	7	8	9	10	12

Product Notes:



- Two-way cushions allow cleaning in both directions.
- Tungsten carbide tips for long wear and superior cleaning.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

R-Type®
Reversing Secondary Cleaner



Replacement Parts


				POWDER COATED			STAINLESS STEEL		
REF	DESCRIPTION	BELT WIDTH	POLE LENGTH (MM)	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	R-Type® Pole 60 mm Pole Diameter	450	1250	RP450	74604	10.0	RP450-S/S	75400	10.0
		600	1350	RP600	74605	11.0	RP600-S/S	75401	11.0
		750	1500	RP750	74606	13.0	RP750-S/S	75402	13.0
		900	1650	RP900	74607	15.0	RP900-S/S	75403	15.0
		1050	1800	RP1050	74608	20.0	RP1050-S/S	75404	21.0
		1200	1950	RP1200	74609	22.0	RP1200-S/S	75405	23.0
	R-Type Pole 73 mm Pole Diameter	1400	2200	RP1400	74610	24.0	RP1400-S/S	75406	25.0
		1500	2350	RP1500	74611	25.0	RP1500-S/S	75407	26.0
		1800	2650	RPHD1800	74613	27.0	RPHD1800-S/S	A1575	28.0
		2000	2850	RPHD2000	74614	31.0	RPHD2000-S/S	61270	29.0
		2100	2950	RPHD2100	A2527	38.0	RPHD2100-S/S	A1629	39.0
		2400	3250	RPHD2400	74615	44.0	RPHD2400-S/S	61271	45.0
2	R Cushion			RSA	76249	1.0	RC-S/S	76250	1.0
2a	HD R Cushion			RSA-HD	69520	1.3			
2b	HD R Cushion - Stainless Steel						RC-HD-S/S	69521	1.5
3	R - V-Tip (for vulcanised belts only)			RSA150	73628	0.4	RVT6-S/S	76205	0.4
3a	Extra Life R - V-Tip (15mm) (for vulcanised belts only)			RSA150-EL15	61141	0.6			
3b	Extra Life R - V-Tip (20mm) (for vulcanised belts only)			RSA150-XL	67777	0.7			
-	C-Tip (for mechanically spliced and vulcanised belts)			CT6	74535	0.4			
4	Adjusting Bracket Kit* (1ea.)			PAB	75513	0.7	PAB-S/S	75515	0.7
5	Pole Clamp Kit Left* (1ea.) (incl. item 7) (for sizes 450-1200mm)			CCKL	79224	3.1	CCKL-S/S	79226	3.1
6	Pole Clamp Kit Right* (1ea.) (incl. item 7) (for sizes 450-1200mm)			CCKR	79228	3.1	CCKR-S/S	79230	3.1
7	Cradle Clamp Top Strap (1ea.) (for use on L or R Pole Clamp Kit)			CCKTS	79232	0.5	CCKTS-S/S	79234	0.5
8	Mounting Bracket Kit Left			PMBL (left)	75516	3.8	PMBL-S/S (left)	75518	3.8
9	Mounting Bracket Kit Right			PMBL (right)	75519	3.8	PMBL-S/S (right)	75521	3.8
-	Cradle Clamp Mounting Kit* (for sizes 450-1200mm) (incl. 2 ea. item 6, and 1 ea. Items 7, 8, 10 & 11)			CCMK	78919	15.0	CCMK-S/S	78921	15.0
Heavy-Duty Components									
-	HD Pole Clamp Kit Left* (1ea.) (incl. item 8) (for sizes 1200-2400mm)			CCKHDL	79225	4.0	CCKHDL-S/S	79227	4.0
-	HD Pole Clamp Kit Right* (1ea.) (incl. item 9) (for sizes 1200-2400mm)			CCKHDR	79229	4.0	CCKHDR-S/S	79231	4.0
-	HD Cradle Clamp Top Strap (1ea.) (for use on L or R HD Pole Clamp Kit)			CCKHDTS	79233	0.8	CCKHDTS-S/S	73235	0.8
-	HD Cradle Clamp Mounting Kit* (for sizes 1200-2400mm) (incl. 2 ea. item 6, and 1 ea. items 7, 8, 10 & 11)			CCMKHD	78920	16.7	CCMKHD-S/S	78922	16.7

*Hardware included
For additional sizes contact Flexco

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
☒ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

FMS Heavy-Duty Secondary Cleaner (MST Tensioners)



FMS Secondary with V-Tips (MST)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
600	24	FMS-600V	79647	44.4
750	30	FMS-750V	79648	49.3
900	36	FMS-900V	79649	54.3
1050	42	FMS-1050V	79650	59.2
1200	48	FMS-1200V	79651	64.1
1350	54	FMS-1350V	79652	69.0
1500	60	FMS-1500V	79653	73.9
1800	72	FMS-1800V	79654	83.6

FMS Secondary with V-Tips (MST) Stainless Steel

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
600	24	FMS-600V-S/S	66106	44.9
750	30	FMS-750V-S/S	66107	49.8
900	36	FMS-900V-S/S	66108	54.8
1050	42	FMS-1050V-S/S	66109	59.7
1200	48	FMS-1200V-S/S	66110	64.6
1350	54	FMS-1350V-S/S	66111	69.5
1500	60	FMS-1500V-S/S	66112	74.4
1800	72	FMS-1800V-S/S	66113	84.1

For 2100mm and 2400mm options, please contact Flexco for pricing and availability
Lead time 3 weeks

FMS Secondary with EL V-Tips (MST)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
600	24	FMS-600-EL15	65660	44.4
750	30	FMS-750-EL15	65661	49.3
900	36	FMS-900-EL15	65662	54.3
1050	42	FMS-1050-EL15	65663	59.2
1200	48	FMS-1200-EL15	65664	64.1
1350	54	FMS-1350-EL15	65665	69.0
1500	60	FMS-1500-EL15	65666	73.9
1800	72	FMS-1800-EL15	65667	83.6

FMS Secondary with EL V-Tips (MST) Stainless Steel

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
600	24	FMS-600-EL15-S/S	65670	44.9
750	30	FMS-750-EL15-S/S	65671	49.8
900	36	FMS-900-EL15-S/S	65672	54.8
1050	42	FMS-1050-EL15-S/S	65673	59.7
1200	48	FMS-1200-EL15-S/S	65674	64.6
1350	54	FMS-1350-EL15-S/S	65675	69.5
1500	60	FMS-1500-EL15-S/S	65676	74.4
1800	72	FMS-1800-EL15-S/S	65677	84.1

For 2100mm and 2400mm options, please contact Flexco for pricing and availability
Lead time 3 weeks

Replacement Tips

ORDERING NUMBER	ITEM CODE	WT. KG
RSA150	73628	0.4
RVT6-S/S	76205	0.4
RSA150-EL	61141	0.4
RSA150-XL	67777	0.7
CT6	74535	0.4

Tips Required Per Cleaner Size

mm	450	600	750	900	1050	1200	1350	1500	1800
in.	18	24	30	36	42	48	54	60	72
C-Tips or V-Tips Required	3	4	5	6	7	8	9	10	12

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Specifications & Guidelines


FMS Heavy-Duty Secondary Cleaner

Pole Length Specifications*

CLEANER SIZE		BLADE WIDTH		POLE LENGTH		MAXIMUM CONVEYOR SPAN	
mm	in.	mm	in.	mm	in.	mm	in.
600	24	600	24	1350	54	1100	44
750	30	750	30	1500	60	1250	50
900	36	900	36	1650	66	1400	56
1050	42	1050	42	1800	72	1550	62
1200	48	1200	48	1950	78	1700	68
1350	54	1350	54	2100	84	1850	74
1500	60	1500	60	2350	96	2100	86
1800	72	1800	72	2650	108	2400	98


*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750mm (30") of extended pole length. (page 131).

Pole Diameter - 73mm (2-7/8")



Clearance Guidelines for Installation


HORIZONTAL CLEARANCE REQUIRED		VERTICAL CLEARANCE REQUIRED	
mm	in.	mm	in.
89	3-1/2	245	10



MST Tensioner Spring Length Chart

Blade Width		2 White Springs		2 Silver Springs		2 Black Springs	
mm	in.	mm	in.	mm	in.	mm	in.
600	24	67	2 5/8	86	3 3/8	89	3 1/2
750	30	60	2 3/8	83	3 1/4	86	3 3/8
900	36	54	2 1/8	79	3 1/8	83	3 1/4
1050	42	N/A	N/A	76	3	79	3 1/8
1200	48	N/A	N/A	73	2 7/8	79	3 1/8
1350	54	N/A	N/A	70	2 3/4	76	3
1500	60	N/A	N/A	70	2 3/4	73	2 7/8
1800	72	N/A	N/A	N/A	N/A	70	2 3/4

Shading indicates preferred spring option. Measure spring as shown.




Specifications

- Maximum Belt Speed 5 m/s (1000 FPM)
- Temperature Rating -35°C to 82°C (-30°F to 180°F)
- Usable Blade Wear Length..... 9mm (3/8")
- Blade Materials C-Tip: Impact Resistant Tungsten Carbide (works with mechanical fasteners)
..... V-Tip: Long Life Tungsten Carbide (for vulcanized belts only)
- Available for Belt Widths 600 to 2400mm (24" to 96"). Other sizes available upon request
- CEMA Cleaner Rating Class 4

Replacement Parts List

FMS
Heavy-Duty Secondary Cleaner



Replacement Parts

REF	DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
	Belt Width	Pole Length						
1	600	1350	MHS-P600*	77499	21.0	MHS-P600S/S*	77508	21.5
	750	1500	MHS-P750*	77500	23.5	MHS-P750S/S*	77509	24.0
	900	1650	MHS-P900*	77501	26.0	MHS-P900S/S*	77510	26.5
	1050	1800	MHS-P1050*	77502	28.5	MHS-P1050S/S*	77511	29.0
	1200	1950	MHS-P1200*	77527	31.0	MHS-P1200S/S*	77528	31.8
	1350	2100	MHS-P1350*	77503	33.5	MHS-P1350S/S*	77512	34.3
	1500	2350	MHS-P1500*	77504	36.0	MHS-P1500S/S*	77513	36.8
	1800	2650	MHS-P1800*	77505	38.5	MHS-P1800S/S*	77514	39.3
2	R - V-Tip (for vulcanised belts only)		RSA150	73628	0.4	RVT6-S/S	76205	0.4
	Extra Life R - V-Tip (15mm) (for vulcanised belts only)		RSA150-EL	61141	0.4			
	Extra Life R - V-Tip (20mm) (for vulcanised belts only)		RSA150-XL	67777	0.7			
	C-Tip (for mechanically spliced and vulcanised belts)		CT6	74535	0.4			
3	FMS Cushion Kit		FMSC2	91444	1.9	FMSC2	91444	1.9
4	Tension Spring - White (1 ea.) for belts 450-750mm		STS-W	75846	0.2	STS-W-S/S	77630	0.2
4a	Tension Spring - Silver (1 ea.) for belts 900-1350mm		STS-S	75843	0.4	STS-S-S/S	77631	0.4
4b	Tension Spring - Black (1 ea.) for belts 1500-1800mm		STS-B	75844	0.5	STS-B-S/S	77632	0.5
4c	Tension Spring - Gold (1 ea.) for belts over 2100mm		STS-G	78142	0.5	STS-G-S/S	79057	0.5
5	MST Bushing Kit (incl. 4 bushings)		MSTBBK	63067	0.1	MSTBBK	63067	0.1
6	MST Lock Pin		MSTLP	64930	0.1	MSTLP	64930	0.1
7	MST Adjusting Mechanism		MSTAM	79435	0.5	MSTAM-S/S	64931	0.5
-	MST HD Tensioner w/White Spring		MSTHD-W	79431	16.7	MSTHD-W-S/S	90181	16.7
-	MST HD Tensioner w/Silver Spring		MSTHD-S	79432	17.0	MSTHD-S-S/S	90182	17.0
-	MST HD Tensioner w/Black Spring		MSTHD-B	79433	17.3	MSTHD-B-S/S	90183	17.3
-	MST HD Tensioner w/Gold Spring		MSTHD-G	63020	17.3	MSTHD-G-S/S	90184	17.3

For 2100mm and 2400mm options, please contact Flexco for pricing and availability

*Lead time 3 weeks

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☒ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

MHS - MST Heavy Duty Secondary Cleaner

MHS HD with MST Tensioner - Mild Steel

BELT WIDTH	ORDERING NUMBER	ITEM CODE	TIP WIDTH	POLE LENGTH	WT. KG
mm			mm	mm	
600	MHS-600-MST	64020	600	1350	44.4
750	MHS-750-MST	64021	750	1500	49.3
900	MHS-900-MST	64022	900	1650	54.3
1050	MHS-1050-MST	64023	1050	1800	59.2
1200	MHS-1200-MST	64024	1200	1950	64.1
1350	MHS-1350-MST	64025	1350	2100	69.0
1500	MHS-1500-MST	64026	1500	2350	73.9
1800	MHS-1800-MST	64027	1800	2650	83.6
2100	MHS-2100-MST	64028	2100	3200	95.7
2400	MHS-2400-MST	64029	2400	3250	103.2

Lead time 3 weeks



MHS HD with MST Tensioner - Stainless Steel

BELT WIDTH	ORDERING NUMBER	ITEM CODE	TIP WIDTH	POLE LENGTH	WT. KG
mm			mm	mm	
600	MHS-600-MST-S/S	64030	600	1350	44.9
750	MHS-750-MST-S/S	64031	750	1500	49.8
900	MHS-900-MST-S/S	64032	900	1650	54.8
1050	MHS-1050-MST-S/S	64033	1050	1800	59.7
1200	MHS-1200-MST-S/S	64034	1200	1950	64.6
1350	MHS-1350-MST-S/S	64035	1350	2100	69.5
1500	MHS-1500-MST-S/S	64036	1500	2350	74.4
1800	MHS-1800-MST-S/S	64037	1800	2650	84.1
2100	MHS-2100-MST-S/S	64038	2100	3200	96.2
2400	MHS-2400-MST-S/S	64039	2400	3250	103.7

Lead time 3 weeks

Tips Required Per Cleaner Size

mm	450	600	750	900	1050	1200	1350	1500	1800
in.	18	24	30	36	42	48	54	60	72
C-Tips or V-Tips Required	3	4	5	6	7	8	9	10	12

Product Notes:


- Heavy-duty design to deliver maximum cleaning efficiency on the most demanding, abusive beltlines.
- Pole Length: Belt width plus 1350mm (54"). For longer requirements, see accessories - Pole Extender Kit (page 124).
- Patented PowerFlex™ cushion design to maintain continuous blade-to-belt contact and quick relief from passing mechanical splices.
- V-Tips are for vulcanized belts only.
- Visual Blade Tension Check: Measure the tension spring and refer to Spring Length Chart on mounting base for the correct length for best cleaning performance.
- Tensioner: MST Spring Tensioner for self-adjusting tensioning with easy retensioning adjustments.
- To make cleaner installation easier and quicker, see Optional Mounting Kits (page 124).

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS - MST Heavy Duty Secondary Cleaner



Replacement Parts

REF	DESCRIPTION		MILD STEEL			STAINLESS STEEL		
	BELT WIDTH mm	POLE LENGTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	600	1350	MHS-P600	77499	23.5	MHS-P600S/S	77508	24.0
	750	1500	MHS-P750	77500	26.0	MHS-P750S/S	77509	26.5
	900	1650	MHS-P900	77501	28.5	MHS-P900S/S	77510	29.0
	1050	1800	MHS-P1050	77502	31.0	MHS-P1050S/S	77511	31.7
	1200	1950	MHS-P1200	77527	33.5	MHS-P1200S/S	77528	34.3
	1350	2100	MHS-P1350	77503	36.0	MHS-P1350S/S	77512	36.8
	1500	2350	MHS-P1500	77504	38.5	MHS-P1500S/S	77513	39.3
	1800	2650	MHS-P1800	77505	43.5	MHS-P1800S/S	77514	44.4
	2100	3200	MHS-P2100	77506	51.0	MHS-P2100S/S	77515	52.0
	2400	3250	MHS-P2400	77507	58.0	MHS-P2400S/S	77516	59.3
2	V-Tip (suits vulcanised belt)		RSA150	73628	0.4	N/A	N/A	—
	Extra Life R - V-Tip (15mm) (for vulcanised belts only)		RSA150-EL	61141	0.4	RVT6-S/S	76205	0.4
	Extra Life R - V-Tip (20mm) (for vulcanised belts only)		RSA150-XL	67777	0.7	N/A	N/A	—
	C-Tip (suits mechanical fastened belt)		CT6	74535	0.4	N/A	N/A	—
—	Poly Tip Kit		PTK	65746	0.5	PTK	65746	0.5
3	PowerFlex™ Cushion		SPFC	79200	2.0	SPFC-S/S	79201	2.0
4	Tension Spring - White (1 ea.) for belts 450-750mm		STS-W	75846	0.2	STS-W-S/S	77630	0.2
4a	Tension Spring - Silver (1 ea.) for belts 900-1350mm		STS-S	75843	0.4	STS-S-S/S	77631	0.4
4b	Tension Spring - Black (1 ea.) for belts 1500-1800mm		STS-B	75844	0.5	STS-B-S/S	77632	0.5
4c	Tension Spring - Gold (1 ea.) for belts over 2100mm		STS-G	78142	0.5	STS-G-S/S	79057	0.5
5	MST Bushing Kit (incl. 4 bushings)		MSTBBK	63067	0.1	MSTBBK	63067	0.1
6	MST Lock Pin		MSTLP	64930	0.1	MSTLP	64930	0.1
7	MST Adjustment Mechanism		MSTAM	79435	0.5	MSTAM-S/S	64931	0.5
—	MST HD Tensioner w/White Spring		MSTHD-W	79431	16.7	MSTHD-SS-W	90181	16.7
—	MST HD Tensioner w/Silver Spring		MSTHD-S	79432	17.0	MSTHD-SS-S	90182	17.0
—	MST HD Tensioner w/Black Spring		MSTHD-B	79433	17.3	MSTHD-SS-B	90183	17.3
—	MST HD Tensioner w/Gold Spring		MSTHD-G	63020	17.3	MSTHD-SS-G	90184	17.3

MST Spring Tensioner Selection Chart

CLEANER SIZE	White Spring	Silver Spring	Black Spring	Gold Spring
MHS 450 - 750mm	X			
MHS 900 - 1350mm		X		
MHS 1500 - 1800mm			X	
MHS 1800 - 2400mm				X

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

MHS - BT Heavy Duty Secondary Cleaner



MHS HD with Bolt Tensioner (MHS-BT) Mild Steel

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	TIP WIDTH mm	POLE LENGTH mm	WT. KG
600	MHS-600BTV	77481	600	1350	44.4
750	MHS-750BTV	77482	750	1500	49.3
900	MHS-900BTV	77483	900	1650	54.3
1050	MHS-1050BTV	77484	1050	1800	59.2
1200	MHS-1200BTV	77525	1200	1950	64.1
1350	MHS-1350BTV	77485	1350	2100	69.0
1500	MHS-1500BTV	77486	1500	2350	73.9
1800	MHS-1800BTV	77487	1800	2650	83.6
2100	MHS-2100BTV	77488	2100	3200	95.7
2400	MHS-2400BTV	77489	2400	3250	103.2

Lead time: 3 weeks

MHS HD with Bolt Tensioner (MHS-BT) Stainless Steel

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	TIP WIDTH mm	POLE LENGTH mm	WT. KG
600	MHS-600BTV-S/S	77490	600	1350	45.3
750	MHS-750BTV-S/S	77491	750	1500	50.3
900	MHS-900BTV-S/S	77492	900	1650	55.3
1050	MHS-1050BTV-S/S	77493	1050	1800	60.4
1200	MHS-1200BTV-S/S	77526	1200	1950	65.4
1350	MHS-1350BTV-S/S	77494	1350	2100	70.4
1500	MHS-1500BTV-S/S	77495	1500	2350	75.4
1800	MHS-1800BTV-S/S	77496	1800	2650	85.3
2100	MHS-2100BTV-S/S	77497	2100	3200	97.6
2400	MHS-2400BTV-S/S	77498	2400	3250	105.3

Lead time: 3 weeks

Tips Required Per Cleaner Size


mm	450	600	750	900	1050	1200	1350	1500	1800
in.	18	24	30	36	42	48	54	60	72
C-Tips or V-Tips Required	3	4	5	6	7	8	9	10	12

 Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS - BT Heavy Duty Secondary Cleaner



Replacement Parts

REF	DESCRIPTION		MILD STEEL			STAINLESS STEEL		
	BELT WIDTH mm	POLE LENGTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	600	1350	MHS-P600*	77499	21.0	MHS-P600S/S*	77508	21.5
	750	1500	MHS-P750*	77500	23.5	MHS-P750S/S*	77509	24.0
	900	1650	MHS-P900*	77501	26.0	MHS-P900S/S*	77510	26.5
	1050	1800	MHS-P1050*	77502	28.5	MHS-P1050S/S*	77511	29.0
	1200	1950	MHS-P1200*	77527	31.0	MHS-P1200S/S*	77528	31.8
	1350	2100	MHS-P1350*	77503	33.5	MHS-P1350S/S*	77512	34.3
	1500	2350	MHS-P1500*	77504	36.0	MHS-P1500S/S*	77513	36.8
	1800	2650	MHS-P1800*	77505	38.5	MHS-P1800S/S*	77514	39.3
	2100	3200	MHS-P2100*	77506	43.5	MHS-P2100S/S*	77515	44.5
	2400	3250	MHS-P2400*	77507	51.0	MHS-P2400S/S*	77516	52.0
2	R - V-Tip (for vulcanised belts only)		RSA150	73628	0.4	RVT6-S/S	76205	0.4
	Extra Life R - V-Tip (15mm) (for vulcanised belts only)		RSA150-EL	61141	0.4			
	Extra Life R - V-Tip (20mm) (for vulcanised belts only)		RSA150-XL	67777	0.7			
	C-Tip (for mechanically spliced and vulcanised belts)		CT6	74535	0.4			
-	Poly Tip Kit		PTK	65746	0.5	PTK	65746	0.5
3	PowerFlex™ Cushion		SPFC	79200	2.0	SPFC-S/S	79201	2.0
4	Adjusting Bracket Kit* (1ea.)		PAB	75513	0.7	PAB-S/S	75515	0.7
5	HD Pole Clamp Kit Left* (1ea.) (incl. item 9a) (for sizes 1200-2400mm)		CCKHDL	79225	4.0	CCKHDL-S/S	79227	4.0
6	HD Pole Clamp Kit Right* (1ea.) (incl. item 9a) (for sizes 1200-2400mm)		CCKHDR	79229	4.0	CCKHDR-S/S	79231	4.0
7	HD Cradle Clamp Top Strap (1ea.) (for use on L or R HD Pole Clamp Kit)		CCKHDTS	79233	0.8	CCKHDTS-S/S	73235	0.8
8	Mounting Bracket Kit Left		PMBL (left)	75516	3.8	PMBL-S/S (left)	75518	3.8
9	Mounting Bracket Kit Right		PMBL (right)	75519	3.8	PMBL-S/S (right)	75521	3.8
-	HD Cradle Clamp Mounting Kit* (for sizes 1200-2400mm) (incl. 2 ea. item 4, and 1 ea. items 5, 6, 8 & 9)		CCMKHD	78920	16.7	CCMKHD-S/S	78922	16.7

*Lead time: 3 weeks

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

MHS - SST Heavy Duty Secondary Cleaner



MHS HD with SST Spring Tensioner (Complete MHS-FP Cleaner-V Tips)

BELT WIDTH mm	TIP WIDTH mm	POLE LENGTH mm	MILD STEEL			STAINLESS STEEL		
			ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
600	600	1350	MHS-600FPV	77789	56.8	MHS-600FPV-S/S	77799	58.0
750	750	1500	MHS-750FPV	77790	61.8	MHS-750FPV-S/S	77800	63.0
900	900	1650	MHS-900FPV	77791	67.0	MHS-900FPV-S/S	77801	68.3
1050	1050	1800	MHS-1050FPV	77792	71.8	MHS-1050FPV-S/S	77802	73.3
1200	1200	1950	MHS-1200FPV	77793	76.8	MHS-1200FPV-S/S	77803	78.3
1350	1350	2100	MHS-1350FPV	77794	81.5	MHS-1350FPV-S/S	77804	83.3
1500	1500	2350	MHS-1500FPV	77795	86.5	MHS-1500FPV-S/S	77805	88.3
1800	1800	2650	MHS-1800FPV	77796	96.5	MHS-1800FPV-S/S	77806	98.5
2100	2100	3200	MHS-2100FPV	77797	108.5	MHS-2100FPV-S/S	77807	110.8
2400	2400	3250	MHS-2400FPV	77798	125.0	MHS-2400FPV-S/S	77808	127.0

Lead time: 3 weeks

Tips Required Per Cleaner Size


mm	450	600	750	900	1050	1200	1350	1500	1800
in.	18	24	30	36	42	48	54	60	72
C-Tips or V-Tips Required	3	4	5	6	7	8	9	10	12

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS - SST Heavy Duty Secondary Cleaner



Replacement Parts

REF	DESCRIPTION		MILD STEEL			STAINLESS STEEL		
			ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
	BELT WIDTH mm	POLE LENGTH mm						
1	600	1350	MHS-P600*	77499	23.5	MHS-P600S/S*	77508	24.0
	750	1500	MHS-P750*	77500	26.0	MHS-P750S/S*	77509	26.5
	900	1650	MHS-P900*	77501	28.5	MHS-P900S/S*	77510	29.0
	1050	1800	MHS-P1050*	77502	31.0	MHS-P1050S/S*	77511	31.7
	1200	1950	MHS-P1200*	77527	33.5	MHS-P1200S/S*	77528	34.3
	1350	2100	MHS-P1350*	77503	36.0	MHS-P1350S/S*	77512	36.8
	1500	2350	MHS-P1500*	77504	38.5	MHS-P1500S/S*	77513	39.3
	1800	2650	MHS-P1800*	77505	43.5	MHS-P1800S/S*	77514	44.4
	2100	3200	MHS-P2100*	77506	51.0	MHS-P2100S/S*	77515	52.0
	2400	3250	MHS-P2400*	77507	58.0	MHS-P2400S/S*	77516	59.3
2	R - V-Tip (for vulcanised belts only)		RSA150	73628	0.4	RVT6-S/S	76205	0.4
	Extra Life R - V-Tip (15mm) (for vulcanised belts only)		RSA150-EL	61141	0.4			
	Extra Life R - V-Tip (20mm) (for vulcanised belts only)		RSA150-XL	67777	0.7			
	C-Tip (for mechanically spliced and vulcanised belts)		CT6	74535	0.4			
-	Poly Tip Kit		PTK	65746	0.5	PTK	65746	0.5
3	PowerFlex™ Cushion		SPFC	79200	2.0	SPFC-S/S	79201	2.0
4	SST HD® Mounting Base Kit* (includes 1 mounting base and 2 slide guides)		SSTHDMK	77870	4.6	STHDMK2-S/S	77634	4.6
5	SST Spring - White (1 ea.) for belts 450-750mm		STS-W	75846	0.2	STS-W-S/S	77630	0.2
6	SST Spring - Silver (1 ea.) for belts 900-1500mm		STS-S	75843	0.4	STS-S-S/S	77631	0.4
7	SST Spring - Black (1 ea.) for belts 1800-2100mm		STS-B	75844	0.5	STS-B-S/S	77632	0.5
8	SST Spring - Gold (1 ea.) for belts over 2100mm		STS-G	78142	0.7	STS-G-S/S	79057	0.5
9	SST Adj Rod Kit* (incl. 1 rod, 2 nuts, 2 bushings, 1 washer) for belts 450-1500 mm		STAK	75847	1.3	STAK	75847	1.3
10	SST HD Adj Rod Kit* (incl. 1 rod, 2 nuts, 2 HD bushings, 1 washer) for belts 1800-2100mm		STAKHD	75892	1.4	STAKHD	75892	1.4
11	SST HD Torsion Pole Mount* (1 ea.)		SSTHDPM	77868	6.8	STHDPM2-S/S	77633	6.8
12	SST Bushing Kit - White/Silver		SSTBK-W	76636	0.1	SSTBK-W	76636	0.1
13	SST Bushing Kit - Black/Gold		SSTBK-B	76637	0.1	SSTBK-B	76637	0.1
14	ST Slide Guide Kit		STGK2	77635	0.5	STGK2	77635	0.5
-	SST HD Cartridge Tensioner - White (includes 1 ea. item 5, 9, 12, 14) for belts 450-750 mm		SST1HDM-W	78517	13.7	SST1HDM-W-S/S	78394	13.7
-	SST HD Cartridge Tensioner - Silver (includes 1 ea. item 6, 9, 12, 14) for belts 900-1500 mm		SST1HDM-S	78518	13.9	SST1HDM-S-S/S	78395	13.9
-	SST HD Cartridge Tensioner - Black (includes 1 ea. item 7, 10, 13, 14) for belts 1800-2100 mm		SST1HDM-B	78519	14.1	SST1HDM-B-S/S	78396	14.1
-	SST HD Cartridge Tensioner - Gold (includes 1 ea. item 8, 10, 13, 14) for belts over 2100 mm		SST1HDM-G	79069	14.3	SST1HDM-G-S/S	79454	14.3
15	SST Hat Channel Kit		SSTHK	79582	0.7	SSTHK-S/S	78586	0.7

*Lead time: 3 weeks

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS - MST Heavy Duty Secondary Cleaner

Primary Replacement Parts

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Primary Air Tension 60mm Complete Kit*	ATVKP-60	63861	15.2
Primary Air Tension 73mm Complete Kit*	ATVKP-73	63862	16.6
Air Tank Kit with PAT & Control Box 100psi**	ATV73-SS	66192	35.0

*includes one each: Mounting brackets, air bag, adjusting arm and hardware


**includes one each of 63862, 65803, 65571 & 66068

Secondary Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Mounting Bracket LH	PMBL-S/S	75518	3.8
2	Mounting Bracket RH	PMBR-S/S	75521	3.8
3	Air Tensioner Slider	ATV-SLIDE	62425	0.2
4	Air Tension Cradle Blocks 60mm Kit	ATV-MOUNT	62424	2.4
5	Air Tension Cradle Blocks 73mm Kit	ATV-MOUNT	63073	2.4
6	Air Tension Adjusting Angle	ATV-ANGLE	62426	1.0
-	Secondary Air Tension 60mm Complete Kit*	ATVK-60	62409	13.0
-	Secondary Air Tension 73mm Complete Kit*	ATVK-73	63072	15.0
-	Air Tank Kit with PAT & Control Box 100psi**	ATVK73-SEC-SS	64743	33.0


*includes one each: mounting brackets, air tension slider, cradle kit, adjusting angle, air bag and hardware

**includes one each of 63072, 65803, 65571 & 66068



Common Replacement Parts


REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
-	PAT 10MM Black Nylon Tube 20M	ATV-TUBE	66068	0.1
7	Air Bag	ATV-BAG	62079	0.2
8	Hex Nut S/S	HEX NUT	G1211	0.1
9	Air Line Adaptor	ATV-NIP	62037	0.1
10	PAT Control Box 60psi	PACB60	66055	5.0
11	PAT Control Box 100psi	PACB100	65803	5.0
-	PAT1 Tank	PAT1	65571	10.0
-	PAT2 Tank	PAT2	66056	12.0



MST Tensioner Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG	STAINLESS STEEL		
					ORDERING NUMBER	ITEM CODE	WT. KG
18	MST Mounting Bracket LH (incl. bushings)	MST-MBL	79436	2.6			
19	MST Mounting Bracket RH (incl. bushings)	MST-MBR	79437	2.6			
-	MST Retrofit Kit c/w PMBL/PMBR	MST-PMBLR	64564	2.0	MST-PMBLR-SS	64565	2.0
20	MST Drop Brackets (2)	MSTDB	79434	12.6			
-	MST HD Tensioner w/White Spring	MSTHD-W	79431	16.7	MSTHD-SS-W	90181	16.7
-	MST HD Tensioner w/Silver Spring	MSTHD-S	79432	17.0	MSTHD-SS-S	90182	17.0
-	MST HD Tensioner w/Black Spring	MSTHD-B	79433	17.3	MSTHD-SS-B	90183	17.3
-	MST HD Tensioner w/Gold Spring	MSTHD-G	63020	17.3	MSTHD-SS-G	90184	17.3

Shaded items are made to order. Lead time 3 weeks.



Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.


Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Specifications & Guidelines

MHS - SST *Heavy Duty Secondary Cleaner*

Clearance Guidelines for Installation


HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
100	238



Spring Length Chart for SST Spring Tensioner

BLADE WIDTH mm	WHITE SPRINGS mm	SILVER SPRINGS mm	BLACK SPRINGS mm
450	80	100	N/A
600	70	90	N/A
750	70	90	N/A
900	N/A	90	90
1050	N/A	90	90
1200	N/A	80	90
1350	N/A	80	90
1500	N/A	80	80
1800	N/A	N/A	80
2100	N/A	N/A	70

Shading indicates preferred spring option.



Specifications:

- Maximum Belt SpeedContact Flexco
- Temperature Rating-35°C to 82°C
- Usable Blade Wear Length.....9 mm
- Blade MaterialsC-Tip: Impact Resistant Tungsten Carbide (works with mechanical fasteners)
V-Tip: Long Life Tungsten Carbide (for vulcanised belts only)

Product Ordering Information

H-Type®, P-Type®, R-Type® Lightweight Pole



H-Type Lightweight Pole



P-Type Lightweight Pole

H-Type®, P-Type® & R-Type® Lightweight Poles

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
H-Type			
HPA1200 LIGHTWEIGHT POLE	HPA1200	69469	12.5
HPA1350 LIGHTWEIGHT POLE	HPA1350	69470	13.4
HPA1500 LIGHTWEIGHT POLE	HPA1500	69471	14.7
HPA1600 LIGHTWEIGHT POLE	HPA1600	69472	16.1
HPA1800 LIGHTWEIGHT POLE	HPA1800	69473	17.4
HPA2000 LIGHTWEIGHT POLE	HPA2000	69474	19.0
HPA2200 LIGHTWEIGHT POLE	HPA2200	69475	20.5
HPA2400 LIGHTWEIGHT POLE	HPA2400	69476	22.0
HPA2600 LIGHTWEIGHT POLE	HPA2600	69477	23.8
HPA2800 LIGHTWEIGHT POLE	HPA2800	69478	25.3
HPA3000 LIGHTWEIGHT POLE	HPA3000	69479	26.8
P-Type			
PPA1200 LIGHTWEIGHT POLE	PPA1200	69480	12.5
PPA1350 LIGHTWEIGHT POLE	PPA1350	69481	14.0
PPA1500 LIGHTWEIGHT POLE	PPA1500	69482	15.1
PPA1650 LIGHTWEIGHT POLE	PPA1650	69483	16.3
PPA1800 LIGHTWEIGHT POLE	PPA1800	69484	17.4
PPA1950 LIGHTWEIGHT POLE	PPA1950	69485	18.8
PPA2100 LIGHTWEIGHT POLE	PPA2100	69486	20.1
PPA2250 LIGHTWEIGHT POLE	PPA2250	69487	21.4
PPA2400 LIGHTWEIGHT POLE	PPA2400	69488	22.0
R-Type			
RPA1200 LIGHTWEIGHT POLE	RPA1200	103602	12.5
RPA1350 LIGHTWEIGHT POLE	RPA1350	103603	14.1
RPA1500 LIGHTWEIGHT POLE	RPA1500	103604	15.3
RPA1800 LIGHTWEIGHT POLE	RPA1800	103605	17.6
RPA1950 LIGHTWEIGHT POLE	RPA1950	103606	19.0
RPA2100 LIGHTWEIGHT POLE	RPA2100	103607	20.6
RPA2400 LIGHTWEIGHT POLE	RPA2400	103608	22.3

*Lead time 3 weeks.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☒ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.



Product Ordering Information

Spring Covers and Tensioner Lock


Spring Covers

ORDERING NUMBER	ITEM CODE	WT. KG
SPG-CVR-A	77387	0.14
SPG-CVR-B	77388	0.14
SPG-CVR-C	77389	0.14
SPG-CVR-D	77390	0.18
SPG-CVR-E	77391	0.18
SPG-CVR-F	77392	0.14
SPG-CVR-G	77393	0.14
SPG-CVR-H	77741	0.14

Includes 1 spring cover



Spring cover on
Primary Cleaner
tensioner





Spring cover on
Secondary cleaner
tensioner

Tensioner Lock

Designed to prevent tampering or unauthorized retensioning of the cleaner.

ORDERING NUMBER	ITEM CODE	WT. KG
TEN-LOCK-KIT	77443	0.18

*For MSP, MMP, MHP, MHCP, H-Type®
Primary Cleaner and MSS, MHS, MDWS
Secondary Cleaners
Includes 1 tensioner lock



 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.


Product Ordering Information

P-Type® SAC Secondary Cleaner with Service Advantage Cartridge™


P-Type® SAC Secondary with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	PV600-SAC	78020	62.3
750	PV750-SAC	78021	68.4
900	PV900-SAC	78022	74.4
1050	PV1050-SAC	78023	80.4
1200	PV1200-SAC	78024	86.4
1350	PV1350-SAC	78025	92.5
1500	PV1500-SAC	78026	98.5
1800	PV1800-SAC	78027	110.6
1500	PV1500-2SAC	78028	137.8
1800	PV1800-2SAC	78029	150.0
2100	PV2100-2SAC	78030	162.5
2400	PV2400-2SAC	78031	174.7
3000	PV3000-2SAC	78032	201.3

*NOTE: V-Tips can be used ONLY on vulcanised belts.



P-Type SAC Single Cartridge



P-Type 2SAC Dual Cartridge

P-Type SAC Stainless Steel Secondary with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	PV600-SAC-S/S	78329	62.3
750	PV750-SAC-S/S	78330	68.4
900	PV900-SAC-S/S	78331	74.4
1050	PV1050-SAC-S/S	78332	80.4
1200	PV1200-SAC-S/S	78333	86.4
1350	PV1350-SAC-S/S	78334	92.5
1500	PV1500-SAC-S/S	78335	98.5
1800	PV1800-SAC-S/S	78336	110.6
1500	PV1500-2SAC-S/S	78337	137.8
1800	PV1800-2SAC-S/S	78338	150.0
1950	PV1950-2SAC-S/S	78656	156.2
2100	PV2100-2SAC-S/S	78339	162.5
2400	PV2400-2SAC-S/S	78340	174.7
3000	PV3000-2SAC-S/S	78341	201.3

*NOTE: V-Tips can be used ONLY on vulcanised belts.

Replacement Tips

ORDERING NUMBER	ITEM CODE	WT. KG
CT6 (C-Tip)	74535	0.4
PSA150 (V-Tip)	73156	0.4

Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	V-TIPS REQUIRED
600	600	4
750	750	5
900	900	6
1050	1050	7
1200	1200	8
1350	1350	9
1500	1500	10
1800	1800	12
2100	2100	14
2400	2400	16
3000	3000	20

Product Notes:

- Patented Service Advantage Cartridge™ allows for easy removal in even the dirtiest conditions.
- Pole Length: Belt width plus 1350 mm (single cartridge cleaners); Belt width plus 1500 mm (dual cartridge cleaners).
- Tips are set at a non-aggressive 70° angle to give quick relief for passing mechanical splices.
- Tensioner mounting brackets included for fast and easy installation.
- Cartridge Removal Kit included for easy removal of the cartridge.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.


Product Ordering Information

P-Type® SAC
Secondary Cleaner
with Service Advantage Cartridge™


P-Type® SAC Cartridge Kits with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	P-CARK-V24/600	78080	11.4
750	P-CARK-V30/750	78081	13.6
900	P-CARK-V36/900	78082	15.7
1050	P-CARK-V42/1050	78083	17.9
1200	P-CARK-V48/1200	78084	20.0
1350	P-CARK-V54/1350	78085	22.2
1500	P-CARK-V60/1500	78086	24.4
1800	P-CARK-V72/1800	78087	28.7
1500	P-CARK2-V60/1500	78093	39.7
1800	P-CARK2-V72/1800	78094	46.4
2100	P-CARK2-V84/2100	78095	53.2
2400	P-CARK2-V96/2400	78096	59.9
3000	P-CARK2-V120/3000	78097	73.6

*NOTE: V-Tips can be used ONLY on vulcanised belts.



P-Type SAC Single Cartridge Kit



P-Type 2SAC Dual Cartridge Kit

P-Type SAC Stainless Steel Cartridge Kits with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	P-CARK-V24/600-S/S PVECKS/S	82815	11.4
750	P-CARK-V30/750-S/S PVECKS/S	82816	13.6
900	P-CARK-V36/900-S/S PVECKS/S	82817	15.7
1050	P-CARK-V42/1050-S/S PVECKS/S	82818	17.9
1200	P-CARK-V48/1200-S/S PVECKS/S	82819	20.0
1350	P-CARK-V54/1350-S/S PVECKS/S	82820	22.2
1500	P-CARK-V60/1500-S/S PVECKS/S	82821	24.4
1800	P-CARK-V72/1800-S/S PVECKS/S	82822	28.7
1500	P-CARK2-V60/1500-S/S PV2ECKSS	82823	39.7
1800	P-CARK2-V72/1800-S/S PV2ECKSS	82824	46.4
2000	P-CARK2-V78/1950-S/S PV2ECKSS	82876	49.2
2100	P-CARK2-V84/2100-S/S PV2ECKSS	82825	53.2
2400	P-CARK2-V96/2400-S/S PV2ECKSS	82826	59.9
3000	P-CARK2-V120/3000-S/S PV2ECKSS	82827	73.6


*NOTE: V-Tips can be used ONLY on vulcanised belts.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

P-Type® SAC (Mild Steel) **Secondary Cleaner** with Service Advantage Cartridge™



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC Cartridge Pole 600 mm	SACPL-24/600	77887	29.7
	SAC Cartridge Pole 750 mm	SACPL-30/750	77888	32.3
	SAC Cartridge Pole 900 mm	SACPL-36/900	77889	35.0
	SAC Cartridge Pole 1050 mm	SACPL-42/1050	77890	37.6
	SAC Cartridge Pole 1200 mm	SACPL-48/1200	77891	40.3
	SAC Cartridge Pole 1350 mm	SACPL-54/1350	77892	42.9
	SAC Cartridge Pole 1500 mm	SACPL-60/1500	77893	45.6
	SAC Cartridge Pole 1800 mm	SACPL-72/1800	77894	50.9
	SAC Cartridge Center Pole 1500 mm (Dual)	SACPL2-60/1500	77895	35.1
	SAC Cartridge Center Pole 1800 mm (Dual)	SACPL2-72/1800	77896	40.6
	SAC Cartridge Center Pole 2100 mm (Dual)	SACPL2-84/2100	77897	46.2
	SAC Cartridge Center Pole 2400 mm (Dual)	SACPL2-96/2400	77898	51.8
	SAC Cartridge Center Pole 3000 mm (Dual)	SACPL2-120/3000	77899	64.5
1a	Extender Pole (for use with Dual Cartridge Center Pole)	MHP-EP	76392	24.5
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5
	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6




Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

P-Type® SAC (Mild Steel) Secondary Cleaner with Service Advantage Cartridge™



Replacement Parts (Continued)

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
3	SAC Cartridge P-Type® Adapter Plate 600 mm	PCAP-24/600	77913	2.1
	SAC Cartridge P-Type Adapter Plate 750 mm §	PCAP-30/750	77914	2.8
	SAC Cartridge P-Type Adapter Plate 900 mm §	PCAP-36/900	77915	3.3
	SAC Cartridge P-Type Adapter Plate 1050 mm §	PCAP-42/1050	77916	3.9
	SAC Cartridge P-Type Adapter Plate 1200 mm §	PCAP-48/1200	77917	4.4
	SAC Cartridge P-Type Adapter Plate 1350 mm	PCAP-54/1350	77918	5.0
	SAC Cartridge P-Type Adapter Plate 1500 mm §	PCAP-60/1500	77919	5.6
	SAC Cartridge P-Type Adapter Plate 1800 mm	PCAP-72/1800	77920	6.7
4	P V-Tip* (for vulcanised belts only)	PSA150	73156	0.4
	Extra Life P - V-Tip (15mm) (for vulcanised belts only)	PSA150-EL	61141	0.4
	Extra Life P - V-Tip (20mm) (for vulcanised belts only)	PSA150-XL	67777	0.7
	C-Tip*	CT6	74535	0.4
5	Cushion*	PHA	73626	1.6
5a	HD P-Type Cushion	HDPHC	61003	1.0
6	P/R Adjusting Bracket	PAB	75513	0.4
7a	Cradle Clamp Block RH	SMR-CCB-R73	A2843	1.2
7b	Cradle Clamp Block LH	SMR-CCB-L73	A2842	1.2
8a	Mounting Bracket Kit, RH	PMBR	75519	3.8
8b	Mounting Bracket Kit, LH	PMBL	75516	3.8
9	SAC Removal Knuckle	SACRKN	77882	1.5
10	SAC Removal Handle	SACRH	77883	1.4
11	SAC Handle Lock Plate	SACRHL	77884	0.8
12	Knuckle Retainer Pin	SACKRP	77885	0.1
-	SAC Removal Kit (includes 1 ea. items 9,10,11,12)	SACRKT	77886	4.1
13	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1
-	Cradle Clamp Heavy-Duty Mounting Kit (incl. 2 ea. item 6; incl. 1 ea. items 7a, 7b, 8a, 8b)	CRHMK	62400	10.8




§ If using a dual cartridge, please take the cleaner size and divide by two. That dimension is the size of the brackets needed for conversion to a P-Type cleaner.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

P-Type® SAC (Stainless Steel) Secondary Cleaner with Service Advantage Cartridge™



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC S/S Cartridge Pole 600 mm	SACPL-24/600-S/S	78371	29.7
	SAC S/S Cartridge Pole 750 mm	SACPL-30/750-S/S	78372	32.3
	SAC S/S Cartridge Pole 900 mm	SACPL-36/900-S/S	78373	35.0
	SAC S/S Cartridge Pole 1050 mm	SACPL-42/1050-S/S	78374	37.6
	SAC S/S Cartridge Pole 1200 mm	SACPL-48/1200-S/S	78375	40.3
	SAC S/S Cartridge Pole 1350 mm	SACPL-54/1350-S/S	78376	42.9
	SAC S/S Cartridge Pole 1500 mm	SACPL-60/1500-S/S	78377	45.6
	SAC S/S Cartridge Pole 1800 mm	SACPL-72/1800-S/S	78378	50.9
	SAC S/S Cartridge Center Pole 1500 mm (Dual)	SACPL2-60/1500-S/S	78379	35.1
	SAC S/S Cartridge Center Pole 1800 mm (Dual)	SACPL2-72/1800-S/S	78380	40.6
	SAC S/S Cartridge Center Pole 1950 mm (Dual)	SACPL2-78/1950-S/S	78642	43.9
	SAC S/S Cartridge Center Pole 2100 mm (Dual)	SACPL2-84/2100-S/S	78381	46.2
	SAC S/S Cartridge Center Pole 2400 mm (Dual)	SACPL2-96/2400-S/S	78382	51.8
	SAC S/S Cartridge Center Pole 3000 mm (Dual)	SACPL2-120/3000-S/S	78383	64.5
1a	S/S Extender Pole (for use with S/S Dual Cartridge Center Pole)	MHP-EP-S/S	77599	24.5
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5
	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6




Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List


P-Type® SAC (Stainless Steel) Secondary Cleaner with Service Advantage Cartridge™



Replacement Parts (Continued)

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
3	SAC Cartridge P-Type® S/S Adapter Plate 600 mm	PCAP-24/600-S/S	78355	2.1
	SAC Cartridge P-Type S/S Adapter Plate 750 mm §	PCAP-30/750-S/S	78356	2.8
	SAC Cartridge P-Type S/S Adapter Plate 900 mm §	PCAP-36/900-S/S	78357	3.3
	SAC Cartridge P-Type S/S Adapter Plate 1050 mm §	PCAP-42/1050-S/S	78358	3.9
	SAC Cartridge P-Type S/S Adapter Plate 1200 mm §	PCAP-48/1200-S/S	78359	4.4
	SAC Cartridge P-Type S/S Adapter Plate 1350 mm	PCAP-54/1350-S/S	78360	5.0
	SAC Cartridge P-Type S/S Adapter Plate 1500 mm §	PCAP-60/1500-S/S	78361	5.6
	SAC Cartridge P-Type S/S Adapter Plate 1800 mm	PCAP-72/1800-S/S	78362	6.7
4	C-Tip	CT6	74535	0.4
4a	S/S P V-Tip	PVT6-S/S	75420	0.4
5	S/S P Cushion*	PHSC-S/S	73433	1.6
5a	HD P-Type Cushion S/S	HDPHSC-S/S	61001	1.0
6	P/R Adjusting Bracket S/S	PAB-S/S	75515	0.4
7a	Cradle Clamp LH S/S CRDLBLK-LH	CRDLBLK-RH-S/S	A2825	1.2
7b	Cradle Clamp RH S/S CRDLBLK-RH	CRDLBLK-LH-S/S	A2826	1.2
8a	Mounting Bracket Kit RH S/S	PMBR-S/S	75521	3.8
8b	Mounting Bracket Kit LH S/S	PMBL-S/S	75518	3.8
9	SAC Removal Knuckle	SACRKN	77882	1.5
10	SAC Removal Handle S/S	SACRH-S/S	78397	1.4
11	SAC Handle Lock Plate S/S	SACRHL-S/S	78398	0.8
12	Knuckle Retainer Pin S/S	SACKRP-S/S	78399	0.1
-	SAC Removal Kit S/S (includes 1 ea. items 9,10,11,12)	SACRKT-S/S	78401	4.1
13	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1
-	Cradle Clamp Stainless Steel Heavy-Duty Mounting Kit (incl. 2 ea. item 6; incl. 1 ea. items 7a, 7b, 8a, 8b)	CRHMK-S/S	62095	10.8

§ If using a dual cartridge, please take the cleaner size and divide by two. That dimension is the size of the brackets needed for conversion to a P-Type cleaner.



 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.


Specifications & Guidelines

P-Type® SAC
Secondary Cleaner
with Service Advantage Cartridge™

Pole Length Specifications*


VERSION	CLEANER SIZE mm	BLADE WIDTH mm	POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
Single	600	600	1950	1650
	750	750	2100	1800
	900	900	2250	1950
	1050	1050	2400	2100
	1200	1200	2550	2250
	1350	1350	2700	2400
	1500	1500	2850	2550
Dual	1800	1800	3150	2850
	1500	1500	3000	2700
	1800	1800	3300	3000
	2100	2100	3600	3300
	2400	2400	3900	3600
	3000	3000	4500	4200

*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750 mm of extended pole length.
Pole Diameter - 73 mm



Clearance Guidelines for Installation

VERSION	HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
Single	114	267
Dual	114	311



Specifications:

- Maximum Belt Speed5 m/s
- Temperature Rating-35°C to 82°C
- Usable Blade Wear Length.....9 mm
- Blade MaterialsC-Tip: Impact Resistant Tungsten Carbide (works with mechanical fasteners)
V-Tip: Long Life Tungsten Carbide (for vulcanised belts only)
- Available for Belt Widths600 to 3000 mm. Other sizes available upon request.


Product Ordering Information

R-Type® SAC Secondary Cleaner with Service Advantage Cartridge™

R-Type® SAC Secondary with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	RV600-SAC	78033	58.3
750	RV750-SAC	78034	63.3
900	RV900-SAC	78035	68.3
1050	RV1050-SAC	78036	73.3
1200	RV1200-SAC	78037	78.3
1350	RV1350-SAC	78038	83.3
1500	RV1500-SAC	78039	88.4
1800	RV1800-SAC	78040	98.3
1500	RV1500-2SAC	78041	107.5
1800	RV1800-2SAC	78042	117.7
2100	RV2100-2SAC	78043	127.8
2400	RV2400-2SAC	78044	138.0
3000	RV3000-2SAC	78045	160.6

*NOTE: V-Tips can be used ONLY on vulcanised belts.



R-Type ESAC Single Cartridge

R-Type 2ESAC Dual Cartridge

R-Type SAC Stainless Steel Secondary with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	RV600-SAC-S/S	78342	58.3
750	RV750-SAC-S/S	78343	63.3
900	RV900-SAC-S/S	78344	68.3
1050	RV1050-SAC-S/S	78345	73.3
1200	RV1200-SAC-S/S	78346	78.3
1350	RV1350-SAC-S/S	78347	83.3
1500	RV1500-SAC-S/S	78348	88.4
1800	RV1800-SAC-S/S	78349	98.3
1500	RV1500-2SAC-S/S	78350	107.5
1800	RV1800-2SAC-S/S	78351	117.7
1950	RV1950-2SAC-S/S	78663	122.7
2100	RV2100-2SAC-S/S	78352	127.8
2400	RV2400-2SAC-S/S	78353	138.0
3000	RV3000-2SAC-S/S	78354	160.6

*NOTE: V-Tips can be used ONLY on vulcanised belts.

Replacement Tips

ORDERING NUMBER	ITEM CODE	WT. KG
CT6 (C-Tip)	74535	0.4
RSA150 (V-Tip)	73628	0.4

Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	V-TIPS REQUIRED
600	600	4
750	750	5
900	900	6
1050	1050	7
1200	1200	8
1350	1350	9
1500	1500	10
1800	1800	12
2100	2100	14
2400	2400	16
3000	3000	20

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Notes:

- Patented Service Advantage Cartridge™ allows for easy removal in even the dirtiest conditions.
- Pole Length: Belt width plus 1350mm (single cartridge cleaners); Belt width plus 1500mm (dual cartridge cleaners).
- Two-way cushions allow cleaning in both directions.
- C-Tips are for mechanically fastened or vulcanised belts. V-Tips are for vulcanised belts only.
- Tensioner mounting brackets included for fast and easy installation.
- Cartridge Removal Kit included for easy removal of the cartridge.


Product Ordering Information

R-Type® SAC
Secondary Cleaner
with Service Advantage Cartridge™


R-Type® SAC Cartridge Kits with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	R-CARK-V24/600	78106	12.3
750	R-CARK-V30/750	78107	14.7
900	R-CARK-V36/900	78108	16.5
1050	R-CARK-V42/1050	78109	19.3
1200	R-CARK-V48/1200	78110	21.6
1350	R-CARK-V54/1350	78111	24.0
1500	R-CARK-V60/1500	78112	26.4
1800	R-CARK-V72/1800	78113	31.1
1500	R-CARK2-V60/1500	78119	31.6
1800	R-CARK2-V72/1800	78120	33.9
2100	R-CARK2-V84/2100	78121	38.6
2400	R-CARK2-V96/2400	78122	43.3
3000	R-CARK2-V120/3000	78123	52.8

*NOTE: V-Tips can be used ONLY on vulcanised belts.



R-Type SAC Single Cartridge Kit



R-Type 2SAC Dual Cartridge Kit

R-Type SAC Stainless Steel Cartridge Kits with V-Tips*


BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	R-CARK-V24/600-S/S RVECKS/S	82828	12.3
750	R-CARK-V30/750-S/S RVECKS/S	82829	14.7
900	R-CARK-V36/900-S/S RVECKS/S	82830	16.5
1050	R-CARK-V42/1050-S/S RVECKS/S	82831	19.3
1200	R-CARK-V48/1200-S/S RVECKS/S	82832	21.6
1350	R-CARK-V54/1350-S/S RVECKS/S	82833	24.0
1500	R-CARK-V60/1500-S/S RVECKS/S	82834	26.4
1800	R-CARK-V72/1800-S/S RVECKS/S	82835	31.1
1500	R-CARK2-V60/1500-S/S RV2ECKSS	82836	31.6
1800	R-CARK2-V72/1800-S/S RV2ECKSS	82837	33.9
2100	R-CARK2-V84/2100-S/S RV2ECKSS	82838	38.6
2400	R-CARK2-V96/2400-S/S RV2ECKSS	82839	43.3
3000	R-CARK2-V120/3000-S/S RV2ECKSS	82840	52.8

*NOTE: V-Tips can be used ONLY on vulcanised belts.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.



Replacement Parts List

R-Type® SAC (Mild Steel) Secondary Cleaner with Service Advantage Cartridge™



Replacement Parts


REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC Cartridge Pole 600 mm	SACPL-24/600	77887	29.7
	SAC Cartridge Pole 750 mm	SACPL-30/750	77888	32.3
	SAC Cartridge Pole 900 mm	SACPL-36/900	77889	35.0
	SAC Cartridge Pole 1050 mm	SACPL-42/1050	77890	37.6
	SAC Cartridge Pole 1200 mm	SACPL-48/1200	77891	40.3
	SAC Cartridge Pole 1350 mm	SACPL-54/1350	77892	42.9
	SAC Cartridge Pole 1500 mm	SACPL-60/1500	77893	45.6
	SAC Cartridge Pole 1800 mm	SACPL-72/1800	77894	50.9
	SAC Cartridge Center Pole 1500 mm (Dual)	SACPL2-60/1500	77895	35.1
	SAC Cartridge Center Pole 1800 mm (Dual)	SACPL2-72/1800	77896	40.6
	SAC Cartridge Center Pole 2100 mm (Dual)	SACPL2-84/2100	77897	46.2
	SAC Cartridge Center Pole 2400 mm (Dual)	SACPL2-96/2400	77898	51.8
	SAC Cartridge Center Pole 3000 mm (Dual)	SACPL2-120/3000	77899	64.5
1a	Extender Pole (for use with Dual Cartridge Center Pole)	MHP-EP	76392	24.5
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5
	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6



Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.



R-Type® SAC (Mild Steel)
Secondary Cleaner
with Service Advantage Cartridge™



Replacement Parts (continued)

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
3	SAC Cartridge R-Type® Adapter Plate 600 mm	RCAP-24/600	77921	2.9
	SAC Cartridge R-Type Adapter Plate 750 mm \$	RCAP-30/750	77922	3.6
	SAC Cartridge R-Type Adapter Plate 900 mm \$	RCAP-36/900	77923	4.3
	SAC Cartridge R-Type Adapter Plate 1050 mm \$	RCAP-42/1050	77924	5.0
	SAC Cartridge R-Type Adapter Plate 1200 mm \$	RCAP-48/1200	77925	5.7
	SAC Cartridge R-Type Adapter Plate 1350 mm	RCAP-54/1350	77926	6.4
	SAC Cartridge R-Type Adapter Plate 1500 mm \$	RCAP-60/1500	77927	7.2
	SAC Cartridge R-Type Adapter Plate 1800 mm	RCAP-72/1800	77928	8.6
4	R V-Tip* (for vulcanised belts only)	RSA150	73628	0.4
	Extra Life R - V-Tip (15mm) (for vulcanised belts only)	RSA150-EL15	61141	0.4
	Extra Life R - V-Tip (20mm) (for vulcanised belts only)	RSA150-XL	67777	0.7
	C-Tip*	CT6	74535	0.4
5	Cushion*	RSA	76249	0.4
-	HD R Cushion	RSA-HD	69520	1.3
-	HD R Cushion - Stainless Steel	RC-HD-S/S	69521	1.5
6	P/R Adjusting Bracket	PAB	75513	0.4
7a	Cradle Clamp Block RH	SMR-CCB-R73	A2843	1.2
7b	Cradle Clamp Block LH	SMR-CCB-L73	A2842	1.2
8a	Mounting Bracket Kit, RH	PMBR	75519	3.8
8b	Mounting Bracket Kit, LH	PMBL	75516	3.8
9	SAC Removal Knuckle	SACRKN	77882	1.5
10	SAC Removal Handle	SACRHH	77883	1.4
11	SAC Handle Lock Plate	SACRHL	77884	0.8
12	Knuckle Retainer Pin	SACKRP	77885	0.1
-	SAC Removal Kit (includes 1 ea. items 9,10,11,12)	SACRKT	77886	4.1
13	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1
-	Cradle Clamp Heavy-Duty Mounting Kit (inc. 2 ea. item 6: 1 ea. items 7a, 7b, 8a, 8b)	CRHMK	62400	10.8

§ If using a dual cartridge, please take the cleaner size and divide by two.
That dimension is the size of the brackets needed for conversion to an R-Type cleaner.




Tip Alignment Tool for Dual Cartridge Cleaners

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.



Replacement Parts List

R-Type® SAC (Stainless Steel) Secondary Cleaner with Service Advantage Cartridge™



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC S/S Cartridge Pole 600 mm	SACPL-24/600-S/S	78371	29.7
	SAC S/S Cartridge Pole 750 mm	SACPL-30/750-S/S	78372	32.3
	SAC S/S Cartridge Pole 900 mm	SACPL-36/900-S/S	78373	35.0
	SAC S/S Cartridge Pole 1050 mm	SACPL-42/1050-S/S	78374	37.6
	SAC S/S Cartridge Pole 1200 mm	SACPL-48/1200-S/S	78375	40.3
	SAC S/S Cartridge Pole 1350 mm	SACPL-54/1350-S/S	78376	42.9
	SAC S/S Cartridge Pole 1500 mm	SACPL-60/1500-S/S	78377	45.6
	SAC S/S Cartridge Pole 1800 mm	SACPL-72/1800-S/S	78378	50.9
	SAC S/S Cartridge Center Pole 1500 mm (Dual)	SACPL2-60/1500-S/S	78379	35.1
	SAC S/S Cartridge Center Pole 1800 mm (Dual)	SACPL2-72/1800-S/S	78380	40.6
	SAC S/S Cartridge Center Pole 1950 mm (Dual)	SACPL2-78/1950-S/S	78642	43.9
	SAC S/S Cartridge Center Pole 2100 mm (Dual)	SACPL2-84/2100-S/S	78381	46.2
	SAC S/S Cartridge Center Pole 2400 mm (Dual)	SACPL2-96/2400-S/S	78382	51.8
	SAC S/S Cartridge Center Pole 3000 mm (Dual)	SACPL2-120/3000-S/S	78383	64.5
1a	S/S Extender Pole (for use with S/S Dual Cartridge Center Pole)	MHP-EP-S/S	77599	24.5
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5
	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6




Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List



R-Type® SAC (Stainless Steel) Secondary Cleaner with Service Advantage Cartridge™



Replacement Parts (continued)

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
3	SAC Cartridge R-Type® S/S Adapter Plate 600 mm	RCAP-24/600-S/S	78363	2.9
	SAC Cartridge R-Type S/S Adapter Plate 750 mm §	RCAP-30/750-S/S	78364	3.6
	SAC Cartridge R-Type S/S Adapter Plate 900 mm §	RCAP-36/900-S/S	78365	4.3
	SAC Cartridge R-Type S/S Adapter Plate 1050 mm §	RCAP-42/1050-S/S	78366	5.0
	SAC Cartridge R-Type S/S Adapter Plate 1200 mm §	RCAP-48/1200-S/S	78367	5.7
	SAC Cartridge R-Type S/S Adapter Plate 1350 mm	RCAP-54/1350-S/S	78368	6.4
	SAC Cartridge R-Type S/S Adapter Plate 1500 mm §	RCAP-60/1500-S/S	78369	7.2
	SAC Cartridge R-Type S/S Adapter Plate 1800 mm	RCAP-72/1800-S/S	78370	8.6
4	C-Tip	CT6	74535	0.4
4a	S/S V-Tip* (for vulcanised belts only)	RVT6-S/S	76205	0.4
5	S/S R Cushion*	RC-S/S	76250	1.4
-	HD R Cushion	RSA-HD	69520	1.3
-	HD R Cushion - Stainless Steel	RC-HD-S/S	69521	1.5
6	P/R Adjusting Bracket S/S	PAB-S/S	75515	0.4
7a	Cradle Clamp LH S/S CRDLBLK-LH	CRDLBLK-RH-S/S	A2825	1.2
7b	Cradle Clamp RH S/S CRDLBLK-RH	CRDLBLK-LH-S/S	A2826	1.2
8a	Mounting Bracket Kit RH S/S	PMBR-S/S	75521	3.8
8b	Mounting Bracket Kit LH S/S	PMBL-S/S	75518	3.8
9	SAC Removal Knuckle	SACRKN	77882	1.5
10	SAC Removal Handle S/S	SACRH-S/S	78397	1.4
11	SAC Handle Lock Plate S/S	SACRHL-S/S	78398	0.8
12	Knuckle Retainer Pin S/S	SACKRP-S/S	78399	0.1
-	SAC Removal Kit S/S (includes 1 ea. items 9,10,11,12)	SACRKT-S/S	78401	4.1
13	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1
-	Cradle Clamp Stainless Steel Heavy-Duty Mounting Kit (incl. 2 ea. item 6; incl. 1 ea. items 7a, 7b, 8a, 8b)	CRHMK-S/S	62095	10.8

§ If using a dual cartridge, please take the cleaner size and divide by two. That dimension is the size of the brackets needed for conversion to an R-Type cleaner.



 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.


Specifications & Guidelines

R-Type® SAC
Secondary Cleaner
with Service Advantage Cartridge™

Pole Length Specifications*


VERSION	CLEANER SIZE mm	BLADE WIDTH mm	POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
Single	600	600	1950	1650
	750	750	2100	1800
	900	900	2250	1950
	1050	1050	2400	2100
	1200	1200	2550	2250
	1350	1350	2700	2400
	1500	1500	2850	2550
	1800	1800	3150	2850
Dual	1500	1500	3000	2700
	1800	1800	3300	3000
	2100	2100	3600	3300
	2400	2400	3900	3600
	3000	3000	4500	4200

*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750 mm of extended pole length. Pole Diameter - 73 mm



Clearance Guidelines for Installation

VERSION	HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
Single	114	254
Dual	114	298



Specifications:

- Maximum Belt Speed5 m/s
- Temperature Rating-35°C to 82°C
- Usable Blade Wear Length.....9 mm
- Blade MaterialsC-Tip: Impact Resistant Tungsten Carbide (works with mechanical fasteners)
V-Tip: Long Life Tungsten Carbide (for vulcanised belts only)
- Available for Belt Widths600 to 3000 mm. Other sizes available upon request.

Product Ordering Information

MHS SAC
HD Secondary Cleaner
with Service Advantage Cartridge™

MHS SAC Secondary with V-Tips*


BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-600V-SAC	78162	88.5
750	MHS-750V-SAC	78163	93.7
900	MHS-900V-SAC	78164	99.1
1050	MHS-1050V-SAC	78165	104.4
1200	MHS-1200V-SAC	78166	109.6
1350	MHS-1350V-SAC	78167	114.8
1500	MHS-1500V-SAC	78168	120.2
1800	MHS-1800V-SAC	78169	130.8
1500	MHS-1500V-2SAC	78170	140.2
1800	MHS-1800V-2SAC	78171	151.0
2100	MHS-2100V-2SAC	78172	161.8
2400	MHS-2400V-2SAC	78173	172.9
3000	MHS-3000V-2SAC	78174	196.2

*NOTE: V-Tips can be used ONLY on vulcanised belts.

MHS SAC Stainless Steel Secondary with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-600V-SAC-S/S	78537	88.5
750	MHS-750V-SAC-S/S	78538	93.7
900	MHS-900V-SAC-S/S	78539	99.1
1050	MHS-1050V-SAC-S/S	78540	104.4
1200	MHS-1200V-SAC-S/S	78541	109.6
1350	MHS-1350V-SAC-S/S	78542	114.8
1500	MHS-1500V-SAC-S/S	78543	120.2
1800	MHS-1800V-SAC-S/S	78544	130.8
1500	MHS-1500V-2SAC-S/S	78545	140.2
1800	MHS-1800V-2SAC-S/S	78546	151.0
1950	MHS-1950V-2SAC-S/S	78649	156.0
2100	MHS-2100V-2SAC-S/S	78547	161.8
2400	MHS-2400V-2SAC-S/S	78548	172.9
3000	MHS-3000V-2SAC-S/S	78549	196.2

*NOTE: V-Tips can be used ONLY on vulcanised belts.



Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	V-TIPS REQUIRED
600	600	4
750	750	5
900	900	6
1050	1050	7
1200	1200	8
1350	1350	9
1500	1500	10
1800	1800	12
2100	2100	14
2400	2400	16
3000	3000	20

Product Notes:

- Patented Service Advantage Cartridge™ allows for easy removal in even the dirtiest conditions.
- Heavy-duty design to deliver maximum cleaning efficiency on the most demanding, abusive beltlines.
- Pole Length: Belt width plus 1350 mm (single cartridge cleaners); Belt width plus 1500 mm (dual cartridge cleaners).
- Patented PowerFlex™ cushion design to maintain continuous blade-to-belt contact and quick relief from passing mechanical splices.
- C-Tips are for mechanically fastened or vulcanised belts. V-Tips are for vulcanised belts only.
- Visual Blade Tension Check: Measure the tension spring and refer to Spring Length Chart on mounting base for the correct length for best cleaning performance.
- Tensioner mounting brackets included for fast and easy installation.
- Cartridge Removal Kit included for easy removal of the cartridge.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Product Ordering Information

MHS SAC
HD Secondary Cleaner
 with Service Advantage Cartridge™


MHS SAC Cartridge Kits with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-CARK-V24/600	77937	13.3
750	MHS-CARK-V30/750	77938	15.9
900	MHS-CARK-V36/900	77939	18.5
1050	MHS-CARK-V42/1050	77940	21.1
1200	MHS-CARK-V48/1200	77941	23.7
1350	MHS-CARK-V54/1350	77942	26.3
1500	MHS-CARK-V60/1500	77943	28.9
1800	MHS-CARK-V72/1800	77944	34.2
1500	MHS-CARK2-V60/1500	77950	31.8
1800	MHS-CARK2-V72/1800	77951	37.0
2100	MHS-CARK2-V84/2100	77952	42.2
2400	MHS-CARK2-V96/2400	77953	47.4
3000	MHS-CARK2-V120/3000	77954	57.9

*NOTE: V-Tips can be used ONLY on vulcanised belts.



MHS SAC Single Cartridge Kit



MHS 2SAC Dual Cartridge Kit

MHS SAC Stainless Steel Cartridge Kits with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-CARK-V24/600-S/S MVECKS/S	82841	13.3
750	MHS-CARK-V30/750-S/S MVECKS/S	82842	15.9
900	MHS-CARK-V36/900-S/S MVECKS/S	82843	18.5
1050	MHS-CARK-V42/1050-S/S MVECKS/S	82844	21.1
1200	MHS-CARK-V48/1200-S/S MVECKS/S	82845	23.7
1350	MHS-CARK-V54/1350-S/S MVECKS/S	82846	26.3
1500	MHS-CARK-V60/1500-S/S MVECKS/S	82847	28.9
1800	MHS-CARK-V72/1800-S/S MVECKS/S	82848	34.2
1500	MHS-CARK2-V60/1500-S/S MV2CKSS	82849	31.8
1800	MHS-CARK2-V72/1800-S/S MV2CKSS	82850	37.0
2100	MHS-CARK2-V84/2100-S/S MV2CKSS	82851	42.2
2400	MHS-CARK2-V96/2400-S/S MV2CKSS	82852	47.4
3000	MHS-CARK2-V120/3000-S/S MV2CKS	82853	57.9


*NOTE: V-Tips can be used ONLY on vulcanised belts.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

MHS SAC (Mild Steel) HD Secondary Cleaner with Service Advantage Cartridge™




Replacement Parts


REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC Cartridge Pole 600mm	SACPL-24/600	77887	29.7
	SAC Cartridge Pole 750mm	SACPL-30/750	77888	32.3
	SAC Cartridge Pole 900mm	SACPL-36/900	77889	35.0
	SAC Cartridge Pole 1050mm	SACPL-42/1050	77890	37.6
	SAC Cartridge Pole 1200mm	SACPL-48/1200	77891	40.3
	SAC Cartridge Pole 1350mm	SACPL-54/1350	77892	42.9
	SAC Cartridge Pole 1500mm	SACPL-60/1500	77893	45.6
	SAC Cartridge Pole 1800mm	SACPL-72/1800	77894	50.9
	SAC Cartridge Center Pole 1500mm (Dual)	SACPL2-60/1500	77895	35.1
	SAC Cartridge Center Pole 1800mm (Dual)	SACPL2-72/1800	77896	40.6
	SAC Cartridge Center Pole 2100mm (Dual)	SACPL2-84/2100	77897	46.2
	SAC Cartridge Center Pole 2400mm (Dual)	SACPL2-96/2400	77898	51.8
	SAC Cartridge Center Pole 3000mm (Dual)	SACPL2-120/3000	77899	64.5
1a	Extender Pole (for use with Dual Cartridge Center Pole)	MHP-EP	76392	24.5
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5
	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6
3	V-Tip* (for vulcanised belts only)	RSA150	73628	0.4
	Extra Life R - V-Tip (15mm) (for vulcanised belts only)	RSA150-EL15	61141	0.4
	Extra Life R - V-Tip (20mm) (for vulcanised belts only)	RSA150-XL	67777	0.7
	C-Tip*	CT6	74535	0.4
4	PowerFlex™ Cushion*	SPFC	79200	0.9
5	SST HD® Mounting Base Kit* (includes 1 mounting base and 2 slide guides)	SSTHDMK	77870	4.6



Dual cartridge model only



Optional Chute Seal Kit



Tip Alignment Tool for Dual Cartridge Cleaners

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS SAC (Mild Steel) HD® Secondary Cleaner with Service Advantage Cartridge™

Replacement Parts (continued)

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
6a	SST Spring - White (1 ea.) for belts 450-750mm	STS-W	75846	0.2
6b	SST Spring - Silver (1 ea.) for belts 900-1500mm	STS-S	75843	0.4
6c	SST Spring - Black (1 ea.) for belts 1800-2100mm	STS-B	75844	0.5
6d	SST Spring - Gold (1 ea.) for belts over 2100mm	STS-G	78142	0.7
7	SST Adj Rod Kit*(incl. 1 rod, 2 nuts, 2 bushings, 1 washer) for belts 450-1500 mm	STAK	75847	1.3
7a	SST HD® Adj Rod Kit*(incl. 1 rod, 2 nuts, 2 HD bushings, 1 washer) for belts 1800-2100mm	STAKHD	75892	1.4
8	SST HD Torsion Pole Mount* (1 ea.)	SSTHDP	77868	6.8
9	SST Bushing Kit - White/Silver	SSTBK-W	76636	0.1
9a	SST Bushing Kit - Black	SSTBK-B	76637	0.1
10	ST Slide Guide Kit	STGK2	77635	0.5
-	SST HD Cartridge Tensioner - White (includes 1 ea. item 5, 6a, 7, 8) for belts 450-750 mm	SST1HDM-W	78517	13.7
-	SST HD Cartridge Tensioner - Silver (includes 1 ea. item 5, 6b, 7, 8) for belts 900-1500 mm	SST1HDM-S	78518	13.9
-	SST HD Cartridge Tensioner - Black (includes 1 ea. item 5, 6c, 7a, 8) for belts 1800-2100 mm	SST1HDM-B	78519	14.1
-	SST HD Cartridge Tensioner - Gold (includes 1 ea. item 5, 6d, 7a, 8) for belts over 2100 mm	SST1HDM-G	79069	14.3
11	CST HD Mounting Base Kit*	CSTHDMK	77871	3.9
12a	CST Spring - White (1 ea.) for belts 450-750 mm	CTS-W	77742	0.2
12b	CST Spring - Silver (1 ea.) for belts 900-1500 mm	CTS-S	77743	0.2

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
12c	CST Spring - Black (1 ea.) for belts 1800-2100 mm	CTS-B	77744	0.3
12d	CST Spring - Gold (1 ea.) for belts 2400-3000 mm	CTS-G	77745	0.4
13	CST Adj Rod Kit (incl. 2 rods, 4 nuts, 4 bushings, 2 washers)	CSTAK	77031	1.5
14	CST HD Torsion Pole Mount* (1 ea.)	CSTHDP	77869	7.4
15	CST Bushing Kit (includes 4 bushings)	CSTBK	77037	0.1
-	CST HD Cartridge Tensioner - White (incl. 1 ea. item 11, 13, 14 and 2 ea. item 12) for belts 450-750 mm	CST1HDM-W	78513	13.7
-	CST HD Cartridge Tensioner - Silver (incl. 1 ea. item 11, 13, 14 and 2 ea. item 12a) for belts 900-1500 mm	CST1HDM-S	78514	13.7
-	CST HD Cartridge Tensioner - Black (includes 1 ea. item 11, 13, 14 and 2 ea. item 12b) for belts 1800-2100 mm	CST1HDM-B	78515	13.7
-	CST HD Cartridge Tensioner - Gold (includes 1 ea. item 11, 13, 14 and 2 ea. item 12c) for belts 2400-3000 mm	CST1HDM-G	78516	13.9
16	SAC Removal Knuckle	SACRKN	77882	1.5
17	SAC Removal Handle	SACRH	77883	1.4
18	SAC Handle Lock Plate	SACRHL	77884	0.8
19	Knuckle Retainer Pin	SACKRP	77885	0.1
-	SAC Removal Kit (includes 1 ea. items 16, 17, 18, 19)	SACRKT	77886	4.1
20	SAC Chute Seal Kit	SACSK	77052	1.8
21	SAC Chute Seal Replacement Cover	SACSRC	77065	0.2
22	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1

Primary Replacement Parts

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Primary Air Tension 60mm Complete Kit*	ATVKP-60	63861	15.2
Primary Air Tension 73mm Complete Kit*	ATVKP-73	63862	16.6
Air Tank Kit with PAT & Control Box 100psi**	ATV73-SS	66192	35.0

*includes one each: Mounting brackets, air bag, adjusting arm and hardware
**includes one each of 63862, 65803, 65571 & 66068


Secondary Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Mounting Bracket LH	PMBL-S/S	75518	3.8
2	Mounting Bracket RH	PMBR-S/S	75521	3.8
3	Air Tensioner Slider	ATV-SLIDE	62425	0.2
4	Air Tension Cradle Blocks 60mm Kit	ATV-MOUNT	62424	2.4
5	Air Tension Cradle Blocks 73mm Kit	ATV-MOUNT	63073	2.4
6	Air Tension Adjusting Angle	ATV-ANGLE	62426	1.0
-	Secondary Air Tension 60mm Complete Kit*	ATVK-60	62409	13.0
-	Secondary Air Tension 73mm Complete Kit*	ATVK-73	63072	15.0
-	Air Tank Kit with PAT & Control Box 100psi**	ATVK73-SEC-SS	64743	33.0

*includes one each: mounting brackets, air tension slider, cradle kit, adjusting angle, air bag and hardware
**includes one each of 63072, 65803, 65571 & 66068


Common Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
-	PAT 10MM Black Nylon Tube 20M	ATV-TUBE	66068	0.1
7	Air Bag	ATV-BAG	62079	0.2
8	Hex Nut S/S	HEX NUT	G1211	0.1
9	Air Line Adaptor	ATV-NIP	62037	0.1
10	PAT Control Box 60psi	PACB60	66055	5.0
11	PAT Control Box 100psi	PACB100	65803	5.0
-	PAT1 Tank	PAT1	65571	10.0
-	PAT2 Tank	PAT2	66056	12.0





Replacement Parts List

MHS SAC (Stainless Steel) HD® Secondary Cleaner with Service Advantage Cartridge™




Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC S/S Cartridge Pole 600mm	SACPL-24/600-S/S	78371	29.7
	SAC S/S Cartridge Pole 750mm	SACPL-30/750-S/S	78372	32.3
	SAC S/S Cartridge Pole 900mm	SACPL-36/900-S/S	78373	35.0
	SAC S/S Cartridge Pole 1050mm	SACPL-42/1050-S/S	78374	37.6
	SAC S/S Cartridge Pole 1200mm	SACPL-48/1200-S/S	78375	40.3
	SAC S/S Cartridge Pole 1350mm	SACPL-54/1350-S/S	78376	42.9
	SAC S/S Cartridge Pole 1500mm	SACPL-60/1500-S/S	78377	45.6
	SAC S/S Cartridge Pole 1800mm	SACPL-72/1800-S/S	78378	50.9
	SAC S/S Cartridge Center Pole 1500mm (Dual)	SACPL2-60/1500-S/S	78379	35.1
	SAC S/S Cartridge Center Pole 1800mm (Dual)	SACPL2-72/1800-S/S	78380	40.6
	SAC S/S Cartridge Center Pole 1950mm (Dual)	SACPL2-78/1950-S/S	78642	43.9
	SAC S/S Cartridge Center Pole 2100mm (Dual)	SACPL2-84/2100-S/S	78381	46.2
	SAC S/S Cartridge Center Pole 2400mm (Dual)	SACPL2-96/2400-S/S	78382	51.8
	SAC S/S Cartridge Center Pole 3000mm (Dual)	SACPL2-120/3000-S/S	78383	64.5
1a	S/S Extender Pole (for use with S/S Dual Cartridge Center Pole)	MHP-EP-S/S	77599	24.5



REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5
	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6



Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS SAC (Stainless Steel)
HD® Secondary Cleaner
 with Service Advantage Cartridge™

Replacement Parts (continued)

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
3	C-Tip	CT6	74535	0.4
3a	S/S V-Tip* (for vulcanised belts only)	RVT6-S/S	76205	0.4
4	PowerFlex™ Cushion, S/S*	SPFC-S/S	79201	0.9
5	SST HD® Mounting Base Kit, S/S*	STHDMK2-S/S	77634	4.6
6a	SST Spring - White S/S (1 ea.)	STS-W-S/S	77630	0.2
6b	SST Spring - Silver S/S (1 ea.)	STS-S-S/S	77631	0.4
6c	SST Spring - Black S/S (1 ea.)	STS-B-S/S	77632	0.5
7	SST Adj Rod Kit*(incl. 1 rod, 2 nuts, 2 bushings, 1 washer) for belts 450-1500 mm	STAK	75847	1.3
7a	SST HD Adj Rod Kit*(incl. 1 rod, 2 nuts, 2 HD bushings, 1 washer) for belts 1800-2100mm	STAKHD	75892	1.4
8	SST HD Torsion Pole Mount S/S* (1 ea.)	STHDPM2-S/S	77633	6.8
9	SST Bushing Kit - White/Silver	SSTBK-W	76636	0.1
9a	SST Bushing Kit - Black	SSTBK-B	76637	0.1
10	ST Slide Guide Kit	STGK2	77635	0.5
-	SST HD Cartridge Tensioner S/S - White (includes 1 ea. item 5, 6a, 7, 9) for belts 450-750 mm	SST1HDM-W-S/S	78394	13.7
-	SST HD Cartridge Tensioner S/S - Silver (includes 1 ea. item 5, 6b, 7, 9) for belts 900-1500 mm	SST1HDM-S-S/S	78395	13.9
-	SST HD Cartridge Tensioner S/S - Black (includes 1 ea. item 5, 6c, 7a, 9a) for belts 1800-2100 mm	SST1HDM-B-S/S	78396	14.1
-	SST HD Cartridge Tensioner - Gold (includes 1 ea. item 8, 10, 13, 14) for belts over 2100 mm	SST1HDM-G	79069	14.3
11	CST HD Mounting Base Kit S/S*	CSTHDMK-S/S	78384	3.9
12a	CST Spring - White S/S (1 ea.) for belts 450-750 mm	CTS-W-S/S	78385	0.2
12b	CST Spring - Silver S/S (1 ea.) for belts 900-1500 mm	CTS-S-S/S	78386	0.2
12c	CST Spring - Black S/S (1 ea.) for belts 1800-2100 mm	CTS-B-S/S	78387	0.3
12d	CST Spring - Gold S/S (1 ea.) for belts 2400-3000 mm	CTS-G-S/S	78388	0.4
13	CST Adj Rod Kit (incl. 2 rods, 4 nuts, 4 bushings, 2 washers)	CSTAK	77031	1.5
14	CST HD Torsion Pole Mount S/S* (1 ea.)	CSTHDPM-S/S	78389	7.4
15	CST Bushing Kit (includes 4 bushings)	CSTBK	77037	0.1
-	CST HD Cartridge Tensioner S/S - White (incl. 1 ea. item 11,13,14, 15 and 2 ea. item 12a) for belts 450-750 mm	CST1HDM-W-S/S	78390	13.7
-	CST HD Cartridge Tensioner S/S - Silver (incl. 1 ea. item 11,13,14, 15 and 2 ea. item 12b) for belts 900-1500 mm	CST1HDM-S-S/S	78391	13.7
-	CST HD Cartridge Tensioner S/S - Black (includes 1 ea. item 11,13,14, 15 and 2 ea. item 12c) for belts 1800-2100 mm	CST1HDM-B-S/S	78392	13.7
-	CST HD Cartridge Tensioner S/S - Gold (includes 1 ea. item 11,13,14, 15 and 2 ea. item 12d) for belts 2400-3000 mm	CST1HDM-G-S/S	78393	13.9
16	SAC Removal Knuckle	SACRKN	77882	1.5
17	SAC Removal Handle S/S	SACRH-S/S	78397	1.4
18	SAC Handle Lock Plate S/S	SACRHL-S/S	78398	0.8
19	Knuckle Retainer Pin S/S	SACKRP-S/S	78399	0.1
-	SAC Removal Kit S/S (includes 1 ea. items 16,17,18,19)	SACRKT-S/S	78401	4.1
20	SAC Chute Seal Kit	SACSK	77052	1.8
21	SAC Chute Seal Replacement Cover	SACSRC	77065	0.2
22	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Specifications & Guidelines

MHS SAC
HD® Secondary Cleaner
with Service Advantage Cartridge™

Pole Length Specifications*


VERSION	CLEANER SIZE mm	BLADE WIDTH mm	POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
Single	600	600	1950	1650
	750	750	2100	1800
	900	900	2250	1950
	1050	1050	2400	2100
	1200	1200	2550	2250
	1350	1350	2700	2400
	1500	1500	2850	2550
Dual	1800	1800	3150	2850
	1500	1500	3000	2700
	1800	1800	3300	3000
	2100	2100	3600	3300
	2400	2400	3900	3600
	3000	3000	4500	4200

*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750 mm of extended pole length. Pole Diameter - 73 mm



Clearance Guidelines for Installation

VERSION	HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
Single	114	279
Dual	114	318



Aluminum Content

ALUMINUM ALLOY TYPE	PERCENT	
	MG MAGNESIUM	TI TITANIUM
6061	1.0%	0.0%


Specifications:

- Maximum Belt Speed 6 m/s
- Temperature Rating..... -35°C to 82°C
- Usable Blade Wear Length..... 9mm
- Blade Materials..... C-Tip: Impact Resistant Tungsten Carbide (works with mechanical fasteners)
V-Tip: Long Life Tungsten Carbide (for vulcanised belts only)
- Available for Belt Widths..... 600 to 3000 mm. Other sizes available upon request.

Spring Length Chart for SST Spring Tensioner (mm)

BLADE WIDTH	WHITE SPRING	SILVER SPRING	BLACK SPRING
600	78	99	N/A
750	72	97	N/A
900	N/A	94	98
1050	N/A	91	95
1200	N/A	88	93
1350	N/A	86	91
1500	N/A	83	89
1800	N/A	N/A	84


Shading indicates preferred spring option



Spring Length Chart for CST Spring Tensioner (mm)

BLADE WIDTH	WHITE SPRING	SILVER SPRING	BLACK SPRING	GOLD SPRING
600	78	99	N/A	N/A
750	72	97	N/A	N/A
900	N/A	94	98	N/A
1050	N/A	91	95	N/A
1200	N/A	88	93	N/A
1350	N/A	86	91	N/A
1500	N/A	83	89	103
1800	N/A	N/A	84	101
2100	N/A	N/A	80	99
2400	N/A	N/A	N/A	97
3000	N/A	N/A	N/A	93

Shading indicates preferred spring option




Product Ordering Information

MHS SAC BT HD® Secondary Cleaner with Service Advantage Cartridge™ & Bolt Tensioner

MHS SAC Secondary with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-600BTV-SAC	78007	61.4
750	MHS-750BTV-SAC	78008	66.4
900	MHS-900BTV-SAC	78009	71.6
1050	MHS-1050BTV-SAC	78010	77.2
1200	MHS-1200BTV-SAC	78011	82.0
1350	MHS-1350BTV-SAC	78012	87.1
1500	MHS-1500BTV-SAC	78013	92.4
1800	MHS-1800BTV-SAC	78014	102.7
1500	MHS-1500BTV-2SAC	78015	105.2
1800	MHS-1800BTV-2SAC	78016	120.7
2100	MHS-2100BTV-2SAC	78017	131.4
2400	MHS-2400BTV-2SAC	78018	142.0
3000	MHS-3000BTV-2SAC	78019	165.0

*NOTE: V-Tips can be used ONLY on vulcanised belts.



MHS SAC Stainless Steel Secondary with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-600BTV-SAC-S/S	78316	61.4
750	MHS-750BTV-SAC-S/S	78317	66.4
900	MHS-900BTV-SAC-S/S	78318	71.6
1050	MHS-1050BTV-SAC-S/S	78319	77.2
1200	MHS-1200BTV-SAC-S/S	78320	82.0
1350	MHS-1350BTV-SAC-S/S	78321	87.1
1500	MHS-1500BTV-SAC-S/S	78322	92.4
1800	MHS-1800BTV-SAC-S/S	78323	102.7
1500	MHS-1500BTV-2SAC-S/S	78324	105.2
1800	MHS-1800BTV-2SAC-S/S	78325	120.7
1950	MHS-1950BTV-2SAC-S/S	66255	126.0
2100	MHS-2100BTV-2SAC-S/S	78326	131.4
2400	MHS-2400BTV-2SAC-S/S	78327	142.0
3000	MHS-3000BTV-2SAC-S/S	78328	165.0

*NOTE: V-Tips can be used ONLY on vulcanised belts.

Replacement Tips

ORDERING NUMBER	ITEM CODE	WT. KG
RSA150 (V-Tip)	73628	0.4

Tips Required Per Cleaner Size

BELT WIDTH mm	BLADE COVERAGE mm	V-TIPS REQUIRED
600	600	4
750	750	5
900	900	6
1050	1050	7
1200	1200	8
1350	1350	9
1500	1500	10
1800	1800	12
2100	2100	14
2400	2400	16
3000	3000	20

Product Notes:

- Patented Service Advantage Cartridge™ allows for easy removal in even the dirtiest conditions.
- Heavy-duty design to deliver maximum cleaning efficiency on the most demanding, abusive beltlines.
- Pole Length: Belt width plus 1350mm (single cartridge cleaners); Belt width plus 1500 mm (dual cartridge cleaners).
- Patented PowerFlex™ cushion design to maintain continuous blade-to-belt contact and quick relief from passing mechanical splices.
- C-Tips are for mechanically fastened or vulcanised belts. V-Tips are for vulcanised belts only.
- Visual Blade Tension Check: Measure the tension spring and refer to Spring Length Chart on mounting base for the correct length for best cleaning performance.
- Tensioner mounting brackets included for fast and easy installation.
- Cartridge Removal Kit included for easy removal of the cartridge.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Product Ordering Information

MHS SAC BT
HD® Secondary Cleaner
 with Service Advantage Cartridge™ & Bolt Tensioner


MHS SAC Cartridge Kits with V-Tips*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-CARK-V24/600	77937	13.3
750	MHS-CARK-V30/750	77938	15.9
900	MHS-CARK-V36/900	77939	18.5
1050	MHS-CARK-V42/1050	77940	21.1
1200	MHS-CARK-V48/1200	77941	23.7
1350	MHS-CARK-V54/1350	77942	26.3
1500	MHS-CARK-V60/1500	77943	28.9
1800	MHS-CARK-V72/1800	77944	34.2
1500	MHS-CARK2-V60/1500	77950	31.8
1800	MHS-CARK2-V72/1800	77951	37.0
2100	MHS-CARK2-V84/2100	77952	42.2
2400	MHS-CARK2-V96/2400	77953	47.4
3000	MHS-CARK2-V120/3000	77954	57.9

*NOTE: V-Tips can be used ONLY on vulcanised belts.



MHS SAC Single Cartridge Kit



MHS 2SAC Dual Cartridge Kit

MHS SAC Stainless Steel Cartridge Kits with V-Tips*


BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	MHS-CARK-V24/600-S/S MVECKS/S	82841	13.3
750	MHS-CARK-V30/750-S/S MVECKS/S	82842	15.9
900	MHS-CARK-V36/900-S/S MVECKS/S	82843	18.5
1050	MHS-CARK-V42/1050-S/S MVECKS/S	82844	21.1
1200	MHS-CARK-V48/1200-S/S MVECKS/S	82845	23.7
1350	MHS-CARK-V54/1350-S/S MVECKS/S	82846	26.3
1500	MHS-CARK-V60/1500-S/S MVECKS/S	82847	28.9
1800	MHS-CARK-V72/1800-S/S MVECKS/S	82848	34.2
1500	MHS-CARK2-V60/1500-S/S MV2CKSS	82849	31.8
1800	MHS-CARK2-V72/1800-S/S MV2CKSS	82850	37.0
2100	MHS-CARK2-V84/2100-S/S MV2CKSS	82851	42.2
2400	MHS-CARK2-V96/2400-S/S MV2CKSS	82852	47.4
3000	MHS-CARK2-V120/3000-S/S MV2CKS	82853	57.9

*NOTE: V-Tips can be used ONLY on vulcanised belts.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS SAC BT (Mild Steel) HD® Secondary Cleaner with Service Advantage Cartridge™ & Bolt Tensioner



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC Cartridge Pole 600 mm	SACPL-24/600	77887	29.7
	SAC Cartridge Pole 750 mm	SACPL-30/750	77888	32.3
	SAC Cartridge Pole 900 mm	SACPL-36/900	77889	35.0
	SAC Cartridge Pole 1050 mm	SACPL-42/1050	77890	37.6
	SAC Cartridge Pole 1200 mm	SACPL-48/1200	77891	40.3
	SAC Cartridge Pole 1350 mm	SACPL-54/1350	77892	42.9
	SAC Cartridge Pole 1500 mm	SACPL-60/1500	77893	45.6
	SAC Cartridge Pole 1800 mm	SACPL-72/1800	77894	50.9
	SAC Cartridge Center Pole 1500 mm (Dual)	SACPL2-60/1500	77895	35.1
	SAC Cartridge Center Pole 1800 mm (Dual)	SACPL2-72/1800	77896	40.6
	SAC Cartridge Center Pole 2100 mm (Dual)	SACPL2-84/2100	77897	46.2
	SAC Cartridge Center Pole 2400 mm (Dual)	SACPL2-96/2400	77898	51.8
1a	SAC Cartridge Center Pole 3000 mm (Dual)	SACPL2-120/3000	77899	64.5
	Extender Pole (for use with Dual Cartridge Center Pole)	MHP-EP	76392	24.5
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5
	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6


REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
3	V-Tip* (for vulcanised belts only)	RSA150	73628	0.4
	Extra Life R - V-Tip (15mm) (for vulcanised belts only)	RSA150-EL15	61141	0.4
	Extra Life R - V-Tip (20mm) (for vulcanised belts only)	RSA150-XL	67777	0.7
4	PowerFlex™ Cushion*	SPFC	79200	0.9
5	P/R Adjusting Bracket	PAB	75513	0.4
6	Cradle Clamp Block RH	SMR-CCB-R73	A2843	1.2
6a	Cradle Clamp Block LH	SMR-CCB-L73	A2842	1.2
7	Mounting Bracket Kit RH	PMBR	75519	3.8
7a	Mounting Bracket Kit LH	PMBL	75516	3.8
8	SAC Removal Knuckle	SACRKN	77882	1.5
9	SAC Removal Handle	SACRH	77883	1.4
10	SAC Handle Lock Plate	SACRHL	77884	0.8
11	Knuckle Retainer Pin	SACKRP	77885	0.1
-	SAC Removal Kit (incl. 1 ea. items 8,9,10,11)	SACRKT	77886	4.1
12	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1
-	Cradle Clamp Heavy-Duty Mounting Kit (incl. 2 ea. items 5, 7; 1 ea. items 6, 6a, 7, 7a)	CRHMK	62400	10.8

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

MHS SAC BT (Stainless Steel) HD® Secondary Cleaner with Service Advantage Cartridge™ & Bolt Tensioner



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	SAC S/S Cartridge Pole 600 mm	SACPL-24/600-S/S	78371	29.7
	SAC S/S Cartridge Pole 750 mm	SACPL-30/750-S/S	78372	32.3
	SAC S/S Cartridge Pole 900 mm	SACPL-36/900-S/S	78373	35.0
	SAC S/S Cartridge Pole 1050 mm	SACPL-42/1050-S/S	78374	37.6
	SAC S/S Cartridge Pole 1200 mm	SACPL-48/1200-S/S	78375	40.3
	SAC S/S Cartridge Pole 1350 mm	SACPL-54/1350-S/S	78376	42.9
	SAC S/S Cartridge Pole 1500 mm	SACPL-60/1500-S/S	78377	45.6
	SAC S/S Cartridge Pole 1800 mm	SACPL-72/1800-S/S	78378	50.9
	SAC S/S Cartridge Center Pole 1500 mm (Dual)	SACPL2-60/1500-S/S	78379	35.1
	SAC S/S Cartridge Center Pole 1800 mm (Dual)	SACPL2-72/1800-S/S	78380	40.6
	SAC S/S Cartridge Center Pole 1950 mm (Dual)	SACPL2-78/1950-S/S	78642	43.9
	SAC S/S Cartridge Center Pole 2100 mm (Dual)	SACPL2-84/2100-S/S	78381	46.2
	SAC S/S Cartridge Center Pole 2400 mm (Dual)	SACPL2-96/2400-S/S	78382	51.8
	SAC S/S Cartridge Center Pole 3000 mm (Dual)	SACPL2-120/3000-S/S	78383	64.5
1a	S/S Extender Pole (for use with S/S Dual Cartridge Center Pole)	MHP-EP-S/S	77599	24.5
2	SAC Repl Cartridge S/S 600 mm	CART-24/600-S/S	78576	4.5
	SAC Repl Cartridge S/S 750 mm	CART-30/750-S/S	78577	5.6
	SAC Repl Cartridge S/S 900 mm	CART-36/900-S/S	78578	6.7
	SAC Repl Cartridge S/S 1050 mm	CART-42/1050-S/S	78579	7.8
	SAC Repl Cartridge S/S 1200 mm	CART-48/1200-S/S	78580	8.9
	SAC Repl Cartridge S/S 1350 mm	CART-54/1350-S/S	78581	10.0
	SAC Repl Cartridge S/S 1500 mm	CART-60/1500-S/S	78582	11.3
	SAC Repl Cartridge S/S 1800 mm	CART-72/1800-S/S	78583	13.5




Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MHS SAC BT (Stainless Steel) ***HD® Secondary Cleaner*** *with Service Advantage Cartridge™ & Bolt Tensioner*



Replacement Parts (Continued)

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
2	SAC Repl Cartridge S/S 1500 mm (Dual)	CART2-60/1500-S/S	78584	11.2
	SAC Repl Cartridge S/S 1800 mm (Dual)	CART2-72/1800-S/S	78585	13.4
	SAC Repl Cartridge S/S 1950 mm (Dual)	CART2-78/1950-S/S	78635	14.5
	SAC Repl Cartridge S/S 2100 mm (Dual)	CART2-84/2100-S/S	78586	15.6
	SAC Repl Cartridge S/S 2400 mm (Dual)	CART2-96/2400-S/S	78587	17.8
	SAC Repl Cartridge S/S 3000 mm (Dual)	CART2-120/3000-S/S	78588	22.6
3	S/S V-Tip* (for vulcanised belts only)	RVT6-S/S	76205	0.4
4	PowerFlex™ Cushion S/S*	SPFC-S/S	79201	0.9
5	P/R Adjusting Bracket S/S	PAB-S/S	75515	0.4
6	Cradle Clamp LH S/S CRDLBLK-LH	CRDLBLK-RH-S/S	A2825	1.2
6a	Cradle Clamp RH S/S CRDLBLK-RH	CRDLBLK-LH-S/S	A2826	1.2
7	Mounting Bracket Kit RH S/S	PMBR-S/S	75521	3.8
7a	Mounting Bracket Kit LH S/S	PMBL-S/S	75518	3.8
8	SAC Removal Knuckle	SACRKN	77882	1.5
9	SAC Removal Handle S/S	SACRH-S/S	78397	1.4
10	SAC Handle Lock Plate S/S	SACRHL-S/S	78398	0.8
11	Knuckle Retainer Pin S/S	SACKRP-S/S	78399	0.1
-	SAC Removal Kit S/S (includes 1 ea. items 8,9,10,11)	SACRKT-S/S	78401	4.1
12	SAC Cartridge Tip Alignment Tool (Dual)	SAC2-TIP-TL	77866	1.1
-	Cradle Clamp Stainless Steel Heavy-Duty Mounting Kit (incl. 2 ea. item 5; incl. 1 ea. items 6, 6a, 7, 7a)	CRHMK-S/S	62095	10.8

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.


Specifications & Guidelines

MHS SAC BT
HD® Secondary Cleaner
with Service Advantage Cartridge™ & Bolt Tensioner

Pole Length Specifications*


VERSION	CLEANER SIZE mm	BLADE WIDTH mm	POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
Single	600	600	1950	1650
	750	750	2100	1800
	900	900	2250	1950
	1050	1050	2400	2100
	1200	1200	2550	2250
	1350	1350	2700	2400
	1500	1500	2850	2550
Dual	1800	1800	3150	2850
	1500	1500	3000	2700
	1800	1800	3300	3000
	2100	2100	3600	3300
	2400	2400	3900	3600
	3000	3000	4500	4200

*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750 mm of extended pole length.
Pole Diameter - 73 mm



Clearance Guidelines for Installation

VERSION	HORIZONTAL CLEARANCE REQUIRED mm	VERTICAL CLEARANCE REQUIRED mm
Single	114	279
Dual	114	318



Specifications:

- Maximum Belt Speed5 m/s
- Temperature Rating-35°C to 82°C
- Usable Blade Wear Length.....9 mm
- Blade MaterialsC-Tip: Impact Resistant Tungsten Carbide (works with mechanical fasteners)
V-Tip: Long Life Tungsten Carbide (for vulcanised belts only)
- Available for Belt Widths600 to 3000 mm. Other sizes available upon request.



Product Ordering Information

Spring Covers and Tensioner Lock


Spring Covers

ORDERING NUMBER	ITEM CODE	WT. KG
SPG-CVR-A	77387	0.14
SPG-CVR-B	77388	0.14
SPG-CVR-C	77389	0.14
SPG-CVR-D	77390	0.18
SPG-CVR-E	77391	0.18
SPG-CVR-F	77392	0.14
SPG-CVR-G	77393	0.14
SPG-CVR-H	77741	0.14

Includes 1 spring cover



Spring cover on
Primary Cleaner
tensioner



Spring cover on
Secondary cleaner
tensioner



Tensioner Lock

Designed to prevent tampering or unauthorized retensioning of the cleaner.

ORDERING NUMBER	ITEM CODE	WT. KG
TEN-LOCK-KIT	77443	0.18

*For MSP, MMP, MHP, MHCP, H-Type® Primary Cleaners and MSS, MHS, MDWS Secondary Cleaners

Includes 1 tensioner lock



Tensioner Lock
(Primary Cleaner
tensioner shown)

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

U-Type® Secondary Cleaner with USTensioner



U-Type® with V-Blade (Tungsten Carbide)* and USTensioner, Mild Steel

CLEANER COMPLETE				REPLACEMENT V-BLADE		
BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
450	UTV450	77297	38.4	URVB18/450	76736	2.3
600	UTV600	77298	41.3	URVB24/600	76737	3.1
750	UTV750	77299	43.9	URVB30/750	76738	3.8
900	UTV900	77300	46.6	URVB36/900	76739	4.6
1050	UTV1050	77301	49.1	URVB42/1050	76740	5.3
1200	UTV1200	77302	51.9	URVB48/1200	76741	5.7
1350	UTV1350	77303	54.3	URVB54/1350	76742	6.8
1400	UTV1400	77304	55.1	URVB56/1400	77314	7.1
1500	UTV1500	77305	57.0	URVB60/1500	76743	7.6
1600	UTV1600	77306	59.0	URVB64/1600	77315	8.1
1800	UTV1800	77307	71.6	URVB72/1800	76744	9.2
2000	UTV2000	77308	75.3	URVB80/2000	77320	10.2
2100	UTV2100	77309	78.4	URVB84/2100	76745	10.7
2200	UTV2200	77310	81.7	URVB88/2200	77316	11.2
2400	UTV2400	77411	84.6	URVB94/2400	77421	12.0
2500	UTV2500	77412	87.1	URVB98/2500	77422	12.5

*NOTE: V-Blades (Tungsten Carbide) can be used on vulcanised belts and mechanically spliced belts ONLY IF the splice is skived (recessed into the belt's cover) (on solid plate splices the bolts must be ground).

CAUTION: The V-Blade CANNOT be used on belts with mechanical rip repair fasteners.

U-Type® with V-Blade (Tungsten Carbide)* and USTensioner, Stainless Steel

CLEANER COMPLETE				REPLACEMENT V-BLADE		
BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
450	UTV450-S/S	82707	17.0	URVB18/450	76736	2.3
600	UTV600-S/S	82708	18.2	URVB24/600	76737	3.1
750	UTV750-S/S	82709	19.6	URVB30/750	76738	3.8
900	UTV900-S/S	82710	21.7	URVB36/900	76739	4.6
1050	UTV1050-S/S	82711	23.1	URVB42/1050	76740	5.3
1200	UTV1200-S/S	82712	26.0	URVB48/1200	76741	5.7
1350	UTV1350-S/S	82713	27.7	URVB54/1350	76742	6.8
1400	UTV1400-S/S	82714	28.7	URVB56/1400	77314	7.1
1500	UTV1500-S/S	82715	31.0	URVB60/1500	76743	7.6
1600	UTV1600-S/S	82716	32.9	URVB64/1600	77315	8.1
1800	UTV1800-S/S	82717	36.4	URVB72/1800	76744	9.2
2000	UTV2000-S/S	82718	39.0	URVB80/2000	77320	10.2
2100	UTV2100-S/S	82719	41.7	URVB84/2100	76745	10.7
2200	UTV2200-S/S	82720	44.4	URVB88/2200	77316	11.2
2400	UTV2400-S/S	82721	47.1	URVB94/2400	77421	12.0
2500	UTV2500-S/S	82722	49.8	URVB98/2500	77422	12.5

*NOTE: V-Blades (Tungsten Carbide) can be used on vulcanised belts and mechanically spliced belts ONLY IF the splice is skived (recessed into the belt's cover) (on solid plate splices the bolts must be ground).


CAUTION: The V-Blade CANNOT be used on belts with mechanical rip repair fasteners.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

U-Type® Secondary Cleaner with J-Bolt Tensioner



U-Type® with V-Blade (Tungsten Carbide)* and J-Bolt Tensioner, Mild Steel

CLEANER COMPLETE				REPLACEMENT V-BLADE		
BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
450	UTV450-J	77283	37.3	URVB18/450	76736	2.3
600	UTV600-J	77284	40.0	URVB24/600	76737	3.1
750	UTV750-J	77285	43.2	URVB30/750	76738	3.8
900	UTV900-J	77286	47.7	URVB36/900	76739	4.6
1050	UTV1050-J	77287	50.9	URVB42/1050	76740	5.3
1200	UTV1200-J	77288	57.3	URVB48/1200	76741	5.7
1350	UTV1350-J	77289	60.9	URVB54/1350	76742	6.8
1400	UTV1400-J	77290	63.2	URVB56/1400	77314	7.1
1500	UTV1500-J	77291	68.2	URVB60/1500	76743	7.6
1600	UTV1600-J	77292	72.3	URVB64/1600	77315	8.1
1800	UTV1800-J	77293	80.0	URVB72/1800	76744	9.2
2000	UTV2000-J	77294	85.9	URVB80/2000	77320	10.2
2100	UTV2100-J	77295	91.8	URVB84/2100	76745	10.7
2200	UTV2200-J	77296	97.7	URVB88/2200	77316	11.2
2400	UTV2400-J	77413	103.6	URVB94/2400	77421	12.0
2500	UTV2500-J	77414	109.6	URVB98/2500	77422	12.5

*NOTE: V-Blades (Tungsten Carbide) can be used on vulcanised belts and mechanically spliced belts ONLY IF the splice is skived (recessed into the belt's cover) (on solid plate splices the bolts must be ground).

CAUTION: The V-Blade CANNOT be used on belts with mechanical rip repair fasteners.

U-Type® with V-Blade (Tungsten Carbide)* and J-Bolt Tensioner, Stainless Steel

CLEANER COMPLETE				REPLACEMENT V-BLADE		
BELT WIDTH MM	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
450	UTV450J-S/S	77259	37.3	URVB18/450	76736	2.3
600	UTV600J-S/S	77260	40.0	URVB24/600	76737	3.1
750	UTV750J-S/S	77261	43.2	URVB30/750	76738	3.8
900	UTV900J-S/S	77262	47.7	URVB36/900	76739	4.6
1050	UTV1050J-S/S	77263	50.9	URVB42/1050	76740	5.3
1200	UTV1200J-S/S	77264	57.3	URVB48/1200	76741	5.7
1350	UTV1350J-S/S	77265	60.9	URVB54/1350	76742	6.8
1400	UTV1400J-S/S	77266	63.2	URVB56/1400	77314	7.1
1500	UTV1500J-S/S	77267	68.2	URVB60/1500	76743	7.6
1600	UTV1600J-S/S	77268	72.3	URVB64/1600	77315	8.1
1800	UTV1800J-S/S	77269	80.0	URVB72/1800	76744	9.2
2000	UTV2000J-S/S	77270	85.9	URVB80/2000	77320	10.2
2100	UTV2100J-S/S	77271	91.8	URVB84/2100	76745	10.7
2200	UTV2200J-S/S	77272	97.7	URVB88/2200	77316	11.2
2400	UTV2400J-S/S	77417	103.6	URVB94/2400	77421	12.0
2500	UTV2500J-S/S	77418	109.6	URVB98/2500	77422	12.5

*NOTE: V-Blades (Tungsten Carbide) can be used on vulcanised belts and mechanically spliced belts ONLY IF the splice is skived (recessed into the belt's cover) (on solid plate splices the bolts must be ground).

CAUTION: The V-Blade CANNOT be used on belts with mechanical rip repair fasteners.


**Stainless Steel U-Type with C or F blade
available by special order**

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

U-Type® Secondary Cleaner with UST Tensioner or J-Bolt Tensioner



Replacement Parts - Poles

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	450mm Pole	USP18/450	82689	18.6
	600mm Pole	USP24/600	82690	20.1
	750mm Pole	USP30/750	82691	21.6
	900mm Pole	USP36/900	82692	23.2
	1050mm Pole	USP42/1050	82693	24.8
	1200mm Pole	USP48/1200	82694	26.3
	1350mm Pole	USP54/1350	82695	27.9
	1400mm Pole	USP56/1400	82696	28.4
	1500mm Pole	USP60/1500	82697	29.5
	1600mm Pole	USP64/1600	82698	30.5
	1800mm Pole	USP72/1800	82699	32.6
	2000mm Pole	USP80/2000	82700	34.6
	2100mm Pole	USP84/2100	82701	35.7
	2200mm Pole	USP88/2200	82702	36.7
	2400mm Pole	USP94/2400	82703	38.3
	2500mm Pole	USP98/2500	82704	39.4




For use in changing UST Spring Tensioner to a J-Bolt Tensioner

Replacement Parts - J-bolt Tensioner

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
2	J-Bolt Kit* (incl. locknut and washer)	STJK-S/S	74417	0.3
3	J-Bolt Mount (1 ea.)	STJM	74775	1.4
4	450-1500mm Tension Spring (1 ea.)	STTS	74419	0.5
4a	1600 mm+ Tension Spring (1 ea.)	HDTs	74502	0.7
5	Adjusting Bolt Kit (incl. locknut)	ABU	76788	0.5
6	450-1500 mm UHMW Bearing (1 ea.)	USPB	79206	0.5
6a	1600 mm+ UHMW Bearing (1 ea.)	UHPB	79207	0.5
7	450-1500 mm Stop Collar* (1 ea.)	SCU60	82812	0.9
7a	1600 mm+ Stop Collar* (1 ea.)	SCUHD	82813	0.9
8	450-1500 mm Adjusting Arm* (1 ea.)	HARK	73069	0.9
8a	1600mm+ Adjusting Arm* (1 ea.)	HDARK	77329	0.9
-	450-1500 mm Mounting Kit* (incl. 2 of items 2, 3, 4, 5, 6, 7, 8, 9 & incl. 1 of item 5)	MMKU	77324	18.2
-	1600 mm+ Mounting Kit* (incl. 2 of items 2, 3, 4a, 6, 7a, 8a, 9a & incl 1 of item 5)	MMKUHD	77327	19.6

*Hardware included



Replacement Parts - UST Tensioner

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
2	Torque Arm Kit (1 ea.)	ESTAK	76406	1.6
2a	Torque Arm Kit HD (1 ea.)	C-PSTA	81045	5.2
3	Pivot Shaft Bracket Kit (1 ea.)	MUPSBK	82896	0.8
3a	Pivot Shaft Bracket Kit HD (1 ea.)	QMTPSBK-CN	82182	2.0
4	Pivot Block Kit (1 ea.)	MESPLB	87895	0.5
5	Pivot Rod Kit (1 ea.)	MESPKR	81896	0.5
5a	Pivot Rod Kit HD (1 ea.)	PTPK-MT	82343	2.0
6	EST Bush Kit P&S MET	MESBK-PS	82364	0.05
6a	QMT Bush Kit W&S MET	QMTBK-WS-MT	82175	0.05
6b	QMT Bush Kit G MET	QMTBK-GCN	82174	0.05
7	Standard Pole Bearing (1 ea.)	USPB2	79206	0.05
7a	HD Pole Bearing (1 ea.)	UST	GN812	0.1
8	Adjusting Bolt Kit (1 ea. incl. lock nut)	ABU	76788	0.1
9	Mounting Bracket Kit (1 ea. incl. L & R)	UMBK-M	82890	4.4
10	Slide Plate Kit (1 ea.)	USPK	76790	2.1
10a	HD Slide Plate Kit (1 ea.)	UHSPK-M	82887	2.4
11	Tension Spring Purple (1 ea.)	QMTS-P	75845	0.3
11a	Tension Spring Silver (1 ea.)	ESS-S	76412	0.5
11b	Tension Spring White (1 ea.)	PSTS-W	75898	0.8
11c	Tension Spring Gold (1 ea.)	QMTS-G	76484	0.8
-	UST Spring Tensioner Mounting Kit* - Purple (Incl. 1 ea. Items 2, 3, 4, 5, 6, 8, 9, 10 & 11)	UST-P-MT	82897	9.5
-	UST Spring Tensioner Mounting Kit* - Silver (Incl. 1 ea. Items 2a, 4, 5a, 6a, 8, 9, 10a & 11a)	UST-S-MT	82898	13.1
-	Heavy-Duty UST Spring Tensioner* - White (Incl. 1 ea. Items 2a, 4, 5a, 6a, 8, 9, 10a & 11b)	UST-W-MT	82899	16.7
-	Heavy-Duty UST Spring Tensioner* - Gold (Incl. 1 ea. Items 2a, 4, 5a, 6a, 8, 9, 10a & 11c)	UST-G-MT	82900	16.7

*Hardware included


Note: For belt widths equal to and larger than 1600mm use heavy-duty components.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

Stainless Steel U-Type® Secondary Cleaner with USTensioner or J-Bolt Tensioner



Replacement Parts - Poles S/S

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	450mm Pole	USP18/450-S/S	77339	18.6
	600mm Pole	USP24/600-S/S	77340	20.1
	750mm Pole	USP30/750-S/S	77341	21.6
	900mm Pole	USP36/900-S/S	77342	23.2
	1050mm Pole	USP42/1050-S/S	77343	24.8
	1200mm Pole	USP48/1200-S/S	77344	26.3
	1350mm Pole	USP54/1350-S/S	77345	27.9
	1400mm Pole	USP56/1400-S/S	77346	28.4
	1500mm Pole	USP60/1500-S/S	77347	29.5
	1600mm Pole	USP64/1600-S/S	77348	30.5
	1800mm Pole	USP72/1800-S/S	77349	32.6
	2000mm Pole	USP80/2000-S/S	77350	34.6
	2100mm Pole	USP84/2100-S/S	77351	35.7
	2200mm Pole	USP88/2200-S/S	77352	36.7
	2400mm Pole	USP94/2400-S/S	77419	38.3
	2500mm Pole	USP98/2500-S/S	77420	39.4




UST Spring Tensioner

Replacement Parts - UST Tensioner S/S

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
2	Torque Arm Kit (1 ea.)	ESTAK-SS	78849	1.6
2a	Torque Arm Kit HD (1 ea.)	MPSTA-S/S	82289	5.2
3	Pivot Shaft Bracket Kit (1 ea.)	MUPSBK-SS	82893	0.8
3a	Pivot Shaft Bracket Kit HD (1 ea.)	MQMTSBK-SS	82895	2.0
4	Pivot Block Kit (1 ea.)	MESPBL-SS	82892	0.5
5	Pivot Rod Kit (1 ea.)	MESPKR-SS	82894	0.5
5a	Pivot Rod Kit HD (1 ea.)	PTPKR-MT-S/S	82342	2.0
6	EST Bush Kit P&S MET	MESBK-PS	82364	0.05
6a	QMT Bush Kit W&S MET	QMTBK-WS-MT	82175	0.05
6b	QMT Bush Kit G MET	QMTBK-GCN	82174	0.05
7	Standard Pole Bearing (1 ea.)	USPB2	79206	0.05
7a	HD Pole Bearing (1 ea.)	UST	GN812	0.1
8	Adjusting Bolt Kit (1 ea. incl. lock nut)	ABU	76788	0.1
9	Mounting Bracket Kit (1 ea. incl. L & R)	UMBK-SS-M	82891	4.4
10	Slide Plate Kit (1 ea.)	USPK-SS-M	82888	2.1
10a	HD Slide Plate Kit (1 ea.)	UHSPK-SS-M	82889	2.4
11	Tension Spring Purple (1 ea.)	QMTS-P-SS	77450	0.3
11a	Tension Spring Silver (1 ea.)	ESS-S-S/S	79288	0.5
11b	Tension Spring White (1 ea.)	QMTS-W-SS	77451	0.8
11c	Tension Spring Gold (1 ea.)	QMTS-G-SS	77452	0.8
-	UST Spring Tensioner Mounting Kit* - Purple (Incl. 1 ea. Items 2, 3, 4, 5, 6, 8, 9, 10 & 11) (for belt widths 450-1050mm)	UST-P-MT-SS	82901	9.5
-	UST Spring Tensioner Mounting Kit* - Silver (Incl. 1 ea. Items 2a, 4, 5a, 6a, 8, 9, 10a & 11a) (for belt widths 1200- 1500mm)	UST-S-MT-SS	82902	13.1
-	Heavy-Duty UST Spring Tensioner* - White (Incl. 1 ea. Items 2a, 4, 5a, 6a, 8, 9, 10a & 11b) (for belt widths 1800-2400mm)	UST-W-MT-SS	82903	16.7
-	Heavy-Duty UST Spring Tensioner* - Gold (Incl. 1 ea. Items 2a, 4, 5a, 6a, 8, 9, 10a & 11c) (for belt widths over 2400mm)	UST-G-MT-SS	82904	16.7

*Hardware included

Note: For belt widths equal to and larger than 1600mm use heavy-duty components.



For use in changing UST Spring
Tensioner to a J-Bolt Tensioner

Replacement Parts - J-bolt Tensioner S/S

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
2	J-Bolt Kit* (incl. locknut and washer)	STJK-S/S	74417	0.3
3	J-Bolt Mount (1 ea.)	STJ-S/S	75426	1.4
4	450-1500mm Tension Spring (1 ea.)	STTS-S/S	75585	0.5
4a	1600 mm+ Tension Spring (1 ea.)	HDTS-S/S	75586	0.7
5	Adjusting Bolt Kit (incl. locknut)	ABU	76788	0.5
6	450-1500 mm UHMW Bearing (1 ea.)	USPB	79206	0.5
6a	1600 mm+ UHMW Bearing (1 ea.)	UHPB	79207	0.5
7	450-1500 mm Stop Collar* (1 ea.)	SCU60-S/S	82810	0.9
7a	1600 mm+ Stop Collar* (1 ea.)	SCUHD-S/S	82811	0.9
8	450-1500 mm Adjusting Arm* (1 ea.)	HARK-S/S	77364	0.9
8a	1600mm+ Adjusting Arm* (1 ea.)	HDARK-S/S	77331	0.9
-	450-1500 mm Mounting Kit* (incl. 2 of items 2, 3, 4, 5, 6, 7, 8, 9 & incl. 1 of item 5)	MMKU-SS	77357	18.2
-	1600 mm+ Mounting Kit* (incl. 2 of items 2, 3, 4a, 6, 7a, 8a, 9a & incl. 1 of item 5)	MMKUHD-SS	77358	19.6

*Hardware included

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Replacement Parts List

U-Type® Secondary Cleaner with USTensioner


U-Type® V-Blades (Tungsten Carbide)*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	URVB18/450	76736	2.3
600	URVB24/600	76737	3.1
750	URVB30/750	76738	3.8
900	URVB36/900	76739	4.6
1050	URVB42/1050	76740	5.3
1200	URVB48/1200	76741	6.1
1350	URVB54/1350	76742	6.8
1400	URVB56/1400	77314	7.1
1500	URVB60/1500	76743	7.6
1600	URVB64/1600	77315	8.1
1800	URVB72/1800	76744	9.2
2000	URVB80/2000	77320	10.2
2100	URVB84/2100	76745	10.7
2200	URVB88/2200	77316	11.2
2400	URVB94/2400	77421	12.0
2500	URVB98/2500	77422	12.5

*NOTE: V-Blades (Tungsten Carbide) can be used on vulcanised belts. CAUTION: The V-Blade CANNOT be used on belts with mechanical rip repair fasteners. Use the F-Blade. Replacement blades also available in FRAS. Contact Flexco® for more information.



V-BLADE



F-BLADE

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

U-Type® F-Blades (Purple Polyurethane)*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	UFB18	74448	1.4
600	UFB24	74449	1.8
750	UFB30	74450	2.3
900	UFB36	74451	2.7
1050	UFB42	74452	3.2
1200	UFB48	74453	3.6
1350	UFB54	74454	4.1
1500	UFB60	74455	4.6
1800	UFB72	74456	5.5
2100	UFB84	74460	6.4

*NOTE: F-Blades (Polyurethane) can be used on mechanically fastened belts and vulcanised belts.

U-Type® F-Blades FRAS (Blue Polyurethane)*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	UFB18-B	67327	1.4
600	UFB24-B	67328	1.8
750	UFB30-B	67329	2.3
900	UFB36-B	67330	2.7
1050	UFB42-B	67331	3.2
1200	UFB48-B	67332	3.6
1350	UFB54-B	67333	4.1
1500	UFB60-B	67334	4.6
1800	UFB72-B	67335	5.5
2100	UFB84-B	67336	6.4

*NOTE: F-Blades (Polyurethane) can be used on mechanically fastened belts and vulcanised belts.

Specifications & Guidelines


U-Type® Secondary Cleaner

Pole Length Specifications

CLEANER SIZE mm	POLE LENGTH mm	MAXIMUM CONVEYOR SPAN mm
450	1375	1125
600	1575	1325
750	1825	1575
900	1975	1925
1050	2125	1875
1200	2375	2125
1350	2525	2275
1500	2650	2400
1800	2950	2700

Pole Diameter - 450-1500 mm cleaners: 60 mm

Pole Diameter - 1600 mm+ cleaners: 75 mm





Clearance Guidelines For Installation

BELT WIDTH/ CLEANER SIZE mm	CLEARANCE REQUIRED mm
450	140
600	166
750	191
900	171
1050	217
1200	242
1350	242
1500	242
1800	261
2100	261

Spring Length Chart

(For Cleaners with UST Tensioners)


Blade Width mm	Purple Spring mm	Silver Spring mm	White Spring mm
450	154	160	162
600	148	148	160
750	140	156	158
900	136	152	156
1050	128	150	154
1200	N/A	146	152
1350	N/A	142	150
1500	N/A	140	150
1800	N/A	N/A	140
2100	N/A	N/A	136
2400	N/A	N/A	132



Spring Tensioner Guidelines

(For Cleaners with J-Bolt Tensioners)

- Spring gap = .7 mm minimum
- Gauge provided



Specifications:

- Maximum Belt SpeedContact Flexco
- Temperature Rating-35°C to 82°C
- Usable Blade Wear Length.....V-Blade and C-Blade - 9 mm; F-Blade - 44 mm
- Available for Belt Widths450 to 2500 mm.

Other sizes available upon request

Product Ordering Information

MDWS Secondary Cleaner DryWipe for Removing Water



MDWS Mild Steel Secondary Belt Cleaner with SST Tensioner

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG	PRICE AUD
mm	in				
600	24	MDWS-24	75868	52.2	\$ 2,451.09
750	30	MDWS-30	75869	55.7	2,583.65
900	36	MDWS-36	75870	58.0	2,738.13
1050	42	MDWS-42	75871	62.7	2,870.68
1200	48	MDWS-48	75872	66.6	3,027.16
1350	54	MDWS-54	75873	70.1	3,163.73
1500	60	MDWS-60	75874	73.6	3,315.22
1800	72	MDWS-72	75875	80.6	3,607.28
2100	84	MDWS-84	76806	87.6	4,028.72
2400	96	MDWS-96	79063	94.7	4,589.58



MDWS Mild Steel Secondary Belt Cleaner with MST Tensioner

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG	PRICE AUD
mm	in				
600	24	MDWS-MST-600	67559	52.2	\$ 2,226.09
750	30	MDWS-MST-750	67560	55.7	2,358.65
900	36	MDWS-MST-900	67561	58.0	2,513.13
1050	42	MDWS-MST-1050	67562	62.7	2,645.68
1200	48	MDWS-MST-1200	67563	66.6	2,802.16
1350	54	MDWS-MST-1350	67564	70.1	2,938.73
1500	60	MDWS-MST-1500	67565	73.6	3,090.22
1800	72	MDWS-MST-1800	67566	80.6	3,382.28
2100	84	MDWS-MST-2100	67567	87.6	3,803.72
2400	96	MDWS-MST-2400	67568	94.7	4,364.58

MDWS Stainless Steel Secondary Belt Cleaner with SST Tensioner

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG	PRICE AUD
mm	in				
600	24	MDWS-600-S/S	67466	52.5	\$ 4,091.40
750	30	MDWS-750-S/S	67467	56.0	4,259.01
900	36	MDWS-900-S/S	67468	58.3	4,448.55
1050	42	MDWS-1050-S/S	67469	63.0	4,616.15
1200	48	MDWS-1200-S/S	67470	67.0	4,807.67
1350	54	MDWS-1350-S/S	67471	70.5	4,979.31
1500	60	MDWS-1500-S/S	67472	74.0	5,165.87
1800	72	MDWS-1800-S/S	67473	81.1	5,497.30
2100	84	MDWS-2100-S/S	67474	88.1	6,307.77
2400	96	MDWS-2400-S/S	67475	95.3	6,984.18

MDWS Stainless Steel Secondary Belt Cleaner with MST Tensioner

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG	PRICE AUD
mm	in				
600	24	MDWS-MST-600-S/S	67476	42.5	\$ 3,056.40
750	30	MDWS-MST-750-S/S	67477	46.0	3,224.01
900	36	MDWS-MST-900-S/S	67478	48.3	3,413.55
1050	42	MDWS-MST-1050-S/S	67479	53.0	3,581.15
1200	48	MDWS-MST-1200-S/S	67480	57.0	3,772.67
1350	54	MDWS-MST-1350-S/S	67481	60.5	3,944.31
1500	60	MDWS-MST-1500-S/S	67482	64.0	4,130.87
1800	72	MDWS-MST-1800-S/S	67483	71.1	4,462.30
2100	84	MDWS-MST-2100-S/S	67484	78.1	5,272.77
2400	96	MDWS-MST-2400-S/S	67485	85.3	5,949.18

Product Notes:

- The ConShear™ "DryWipe" (DW) Blade is excellent for removing water from the belt. Use as the final cleaner in a cleaning system.
- Actual blade width is belt width plus 100mm (4"). The extra length ensures the water is removed from the belt.
- Pole Length: Belt width plus 1500mm (60") for cleaners up to 1500mm (60"), belt width plus 1350mm (54") for cleaners over 1500mm (60").
- Visual Blade Tension Check: Measure the tension spring and refer to the Spring Length Chart on mounting base for the correct length for best cleaning performance.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

MDWS
Secondary Cleaner
DryWipe for Removing Water

Replacement Poles

BELT WIDTH		MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
600	24	MSPP30	75804	46.0	MSPP30-S/S	77473	46.3
750	30	MSPP36	75805	50.5	MSPP36-S/S	77474	50.8
900	36	MSPP42	75806	55.5	MSPP42-S/S	77475	55.9
1050	42	MSPP48	75807	60.0	MSPP48-S/S	77476	60.4
1200	48	MSPP54	75808	64.0	MSPP54-S/S	77477	64.4
1350	54	MSPP60	75809	67.0	MSPP60-S/S	77478	67.4
1500	60	MSPP66	76695	76.0	MSPP66-S/S	77479	76.5
1800	72	DWP72	75883	90.0	DWP72-S/S	67409	90.6
2100	84	DWP84	76815	100.0	DWP84-S/S	67486	100.6
2400	96	DWP96	79060	116.0	DWP96-S/S	67487	110.7

MST Replacement Parts

DESCRIPTION		MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
Belt Width	Pole Length						
Tension Spring - White (1 ea.) for belts 450-750mm		STS-W	75846	0.2	STS-W-S/S	77630	0.2
Tension Spring - Silver (1 ea.) for belts 900-1350mm		STS-S	75843	0.4	STS-S-S/S	77631	0.4
Tension Spring - Black (1 ea.) for belts 1500-1800mm		STS-B	75844	0.5	STS-B-S/S	77632	0.5
Tension Spring - Gold (1 ea.) for belts over 2100mm		STS-G	78142	0.5	STS-G-S/S	79057	0.5
MST Bushing Kit (incl. 4 bushings)		MSTBBK	63067	0.1	MSTBBK	63067	0.1
MST Lock Pin		MSTLP	64930	0.1	MSTLP	64930	0.1
MST Adjusting Mechanism		MSTAM	79435	0.5	MSTAM-S/S	64931	0.5
MST HD Tensioner w/White Spring		MSTHD-W	79431	16.7	MSTHD-W-S/S	90181	16.7
MST HD Tensioner w/Silver Spring		MSTHD-S	79432	17.0	MSTHD-S-S/S	90182	17.0
MST HD Tensioner w/Black Spring		MSTHD-B	79433	17.3	MSTHD-B-S/S	90183	17.3
MST HD Tensioner w/Gold Spring		MSTHD-G	63020	17.3	MSTHD-G-S/S	90184	17.3

Refer to page 67 for reference image of spare parts. For 2100mm and 2400mm options, please contact Flexco for pricing and availability.

SST Replacement Parts

DESCRIPTION		MILD STEEL			STAINLESS STEEL		
		ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
SST HD® Mounting Base Kit* (includes 1 mounting base and 2 slide guides)		SSTHDMK	77870	4.6	STHDMK2-S/S	77634	4.6
SST Spring - White (1 ea.) for belts 450-750mm		STS-W	75846	0.2	STS-W-S/S	77630	0.2
SST Spring - Silver (1 ea.) for belts 900-1500mm		STS-S	75843	0.4	STS-S-S/S	77631	0.4
SST Spring - Black (1 ea.) for belts 1800-2100mm		STS-B	75844	0.5	STS-B-S/S	77632	0.5
SST Spring - Gold (1 ea.) for belts over 2100mm		STS-G	78142	0.7	SST-G-S/S	79057	0.5
SST Adj Rod Kit* (incl. 1 rod, 2 nuts, 2 bushings, 1 washer) for belts 450-1500 mm		STAK	75847	1.3	STAK	75847	1.3
SST HD Adj Rod Kit* (incl. 1 rod, 2 nuts, 2 HD bushings, 1 washer) for belts 1800-2100mm		STAKHD	75892	1.4	STAKHD	75892	1.4
SST HD Torsion Pole Mount* (1 ea.)		SSTHDPM	77868	6.8	STHDPM2-S/S	77633	6.8
SST Bushing Kit - White/Silver		SSTBK-W	76636	0.1	SSTBK-W	76636	0.1
SST Bushing Kit - Black/Gold		SSTBK-B	76637	0.1	SSTBK-B	76637	0.1
ST Slide Guide Kit		STGK2	77635	0.5	STGK2	77635	0.5
SST HD Cartridge Tensioner - White (includes 1 ea. item 5, 9, 12, 14) for belts 450-750 mm		SST1HDM-W	78517	13.7	SST1HDM-W-S/S	78394	13.7
SST HD Cartridge Tensioner - Silver (includes 1 ea. item 6, 9, 12, 14) for belts 900-1500 mm		SST1HDM-S	78518	13.9	SST1HDM-S-S/S	78395	13.9
SST HD Cartridge Tensioner - Black (includes 1 ea. item 7, 10, 13, 14) for belts 1800-2100 mm		SST1HDM-B	78519	14.1	SST1HDM-B-S/S	78396	14.1
SST HD Cartridge Tensioner - Gold (includes 1 ea. item 8, 10, 13, 14) for belts over 2100 mm		SST1HDM-G	79069	14.3			
SST Hat Channel Kit		SSTHK	79582	0.7	SSTHK-S/S	79586	0.7

Refer to page 73 for reference image of spare parts.

Replacement Parts List

MDWS
Secondary Cleaner
DryWipe for Removing Water

ConShear™ DW Replacement Blades

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in			
600	24	CDWB24	75884	5.8
750	30	CDWB30	75885	7.0
900	36	CDWB36	75886	8.3
1050	42	CDWB42	75887	9.5
1200	48	CDWB48	75888	10.8
1350	54	CDWB54	75889	12.0
1500	60	CDWB60	75890	13.2
1800	72	CDWB72	75891	15.7
2100	84	CDWB84	76942	18.4
2400	96	CDWB96	79062	21.0

Optional Mounting Kits

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Blade Pins	MST LOCK PIN SS	G2309	0.1
Spring Mounting kit	SST1HDM-S Cartridge Tensioner	78518	13.5
Replacement Spring SST	STS-S Tension Spring	75843	0.4
Replacement Bush SST Kit	SSTBK-W Bushing Kit (Pair)	76636	9.1

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.


 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Specifications & Guidelines

MDWS Secondary Cleaner DryWipe for Removing Water


CLEANER SIZE	BLADE WIDTH	POLE LENGTH	MAXIMUM CONVEYOR SPAN
mm	mm	mm	mm
600	700	2100	1700
750	850	2250	1850
900	1000	2400	2000
1050	1150	2550	2150
1200	1300	2700	2300
1350	1450	2850	2450
1500	1600	3000	2600
1800	1900	3150	2900
2100	2200	3450	3200
2400	2500	3750	3500

*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750mm (30") of extended pole length.
Pole Diameter – 73mm (2-7/8")



Clearance Guidelines for Installation

HORIZONTAL CLEARANCE REQUIRED		VERTICAL CLEARANCE REQUIRED	
mm	in.	mm	in.
100	4	250	10




Spring Length Chart

with SST Spring Tensioner

Blade Width		White Spring		Silver Spring		Black Spring		Gold Spring	
mm	in.	mm	in.	mm	in.	mm	in.	mm	in.
450	18	86	3 3/8	102	4	N/A	N/A	N/A	N/A
600	24	79	3 1/8	98	3 7/8	N/A	N/A	N/A	N/A
750	30	73	2 7/8	95	3 3/4	N/A	N/A	N/A	N/A
900	36	N/A	N/A	92	3 5/8	95	3 7/8	N/A	N/A
1050	42	N/A	N/A	92	3 5/8	95	3 3/4	N/A	N/A
1200	48	N/A	N/A	89	3 1/2	92	3 5/8	N/A	N/A
1350	54	N/A	N/A	86	3 3/8	92	3 5/8	95	3 3/4
1500	60	N/A	N/A	83	3 1/4	89	3 1/2	95	3 3/4
1800	72	N/A	N/A	N/A	N/A	86	3 3/8	92	3 5/8
2100	84	N/A	N/A	N/A	N/A	79	3 1/8	89	3 1/2
2400	96	N/A	N/A	N/A	N/A	N/A	N/A	86	3 3/8
2700	108	N/A	N/A	N/A	N/A	N/A	N/A	89	3 1/2
3000	120	N/A	N/A	N/A	N/A	N/A	N/A	86	3 3/8

Shading indicates preferred spring option



Shading indicates preferred spring option

PAT Pressure Chart

Blade Width		Blades	Psi
mm	in.		
600	24"	4	19#
750	30"	5	23#
900	36"	6	27#
1050	42"	7	31#
1200	48"	8	35#
1350	54"	9	39#
1500	60"	10	43#
1800	72"	12	51#
2100	84"	14	59#
2400	96"	15	67#

Specifications:

- Maximum Belt Speed5m/s (1000 FPM)
- Temperature Rating-35°C to 82°C (-30°F to 180°F)
- Usable Blade Wear Length113mm (4-1/2")
- Blade Height.....185 mm (7-1/4")
- BladePolyurethane with UHMW additive (softer durometer to squeegee water off and additive to enhance blade life)
- Available for Belt Widths600 to 2400 mm (24" to 96")
Other sizes available upon request.
- CEMA Cleaner RatingClass 4

Product Ordering Information

Continuous Blade Secondary Cleaner

Complete CBS w/ Bolt Tension - Standard Duty

	BELT WIDTH mm	FLAT BLADE		CURVED BLADE	
		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
Standard Duty	450	CBS-450-BT	103244	CBSC-450-BT	108456
	600	CBS-600-BT	103245	CBSC-600-BT	108457
	750	CBS-750-BT	103246	CBSC-750-BT	108458
	900	CBS-900-BT	103247	CBSC-900-BT	108459
	1050	CBS-1050-BT	103248	CBSC-1050-BT	108460
	1200	CBS-1200-BT	103249	CBSC-1200-BT	108461
	1350	CBS-1350-BT	103250	CBSC-1350-BT	108462
Heavy Duty	1500	CBSHD-1500-BT	103255	CBSCHD-1500-BT	108463
	1800	CBSHD-1800-BT	103256	CBSCHD-1800-BT	108464
	2100	CBSHD-2100-BT	103257	CBSCHD-2100-BT	108465
	2400	CBSHD-2400-BT	103258	CBSCHD-2400-BT	108466

Lead time: 3 weeks; for stocked items

Complete CBS w/ SST XD Tension - Standard Duty

	BELT WIDTH mm	FLAT BLADE		CURVED BLADE	
		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
Standard Duty	450	CBS18SF	79936	CBS18SC	91495
	600	CBS24SF	79937	CBS24SC	91496
	750	CBS30SF	79938	CBS30SC	91497
	900	CBS36SF	79939	CBS36SC	91498
	1050	CBS42SF	79940	CBS42SC	91499
	1200	CBS48SF	79941	CBS48SC	91500
	1350	CBS54SF	79942	CBS54SC	91501
Heavy Duty	1500	CBS60SF	79943	CBS60SC	108467
	1800	CBS72SF	79944	CBS72SC	108468
	2100	CBS84SF	79945	CBS84SC	108469
	2400	CBS96SF	79946	CBS96SC	108470

Lead time: 3 weeks; for stocked items





Replacement Blades for Continuous Blade Secondary Cleaners

BELT WIDTH mm	FLAT BLADE		CURVED BLADE		WT. KG.
	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	
450	CBSBLD18F	79947	CBSBLD18C	91527	7.3
600	CBSBLD24F	79948	CBSBLD24C	91528	10.0
750	CBSBLD30F	79949	CBSBLD30C	91529	12.3
900	CBSBLD36F	79950	CBSBLD36C	91530	15.0
1050	CBSBLD42F	79951	CBSBLD42C	91531	17.7
1200	CBSBLD48F	79952	CBSBLD48C	91532	20.4
1350	CBSBLD54F	79953	CBSBLD54C	91533	22.7
1500	CBSBLD60F	79954	CBSBLD60C	91534	25.4
1800	CBSBLD72F	79955	CBSBLD72C	91535	30.4
2100	CBSBLD84F	79956	CBSBLD84C	91536	35.8
2400	CBSBLD96F	79957	CBSBLD96C	91537	40.8

Lead time: 2 weeks; shaded items 12-14 weeks

Product Notes:

- Heavy-duty design to deliver maximum cleaning efficiency on the most demanding, abusive beltlines.
- It is recommended that mechanical fasteners on the belt be skived.



Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.



Specifications and Guidelines

Continuous Blade Secondary Cleaner

Pole Length Specifications*

CLEANER SIZE	BLADE WIDTH	POLE LENGTH	MAXIMUM CONVEYOR SPAN
mm	mm	mm	mm
450	450	1800	1550
600	600	1950	1700
750	750	2100	1850
900	900	2250	2000
1050	1050	2400	2150
1200	1200	2550	2300
1350	1350	2700	2450
1500	1500	2850	2600
1800	1800	3150	2900
2100	2100	3450	3200
2400	2400	3750	3500

*For special extra long pole length requirements a Pole Extender Kit (#76024) is available that provides 750mm (30") of extended pole length. See Page 131.
Pole Diameter - 73mm (2-7/8")



Clearance Guidelines for Installation



HORIZONTAL CLEARANCE REQUIRED	VERTICAL CLEARANCE REQUIRED
mm	mm
115	229

Specifications:

- Maximum Belt Speed 4M/sec (800 FPM)
- Temperature Rating -35°C to 82°C (-30°F to 180°F)
- Available for Belt Widths 450 to 2400mm (18" to 96"). Other sizes available upon request.


Replacement Parts

Continuous Blade Secondary Cleaner



Replacement Parts

REF	DESCRIPTION	BELT WIDTH mm	FLAT BLADE		CURVED BLADE	
			ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
1	CBS Pole (Ø73mm Diameter)	450	CBSP18	91432		
		600	CBSP24	91433		
		750	CBSP30	91434		
		900	CBSP36	91435		
		1050	CBSP42	91436		
		1200	CBSP48	91437		
		1350	CBSP54	91438		
	CBS HD Pole (Ø73mm Diameter Extra Heavy)	1500	CBSHD-1500P	84086		
		1800	CBSHD-1800P	84087		
		2100	CBSHD-2100P	84088		
		2400	CBSHD-2400P	84089		
2	CBS Blade	450	CBSBLD18F	79947	CBSBLD18C	91527
		600	CBSBLD24F	79948	CBSBLD24C	91528
		750	CBSBLD30F	79949	CBSBLD30C	91529
		900	CBSBLD36F	79950	CBSBLD36C	91530
		1050	CBSBLD42F	79951	CBSBLD42C	91531
		1200	CBSBLD48F	79952	CBSBLD48C	91532
		1350	CBSBLD54F	79953	CBSBLD54C	91533
		1500	CBSBLD60F	79954	CBSBLD60C	91534
		1800	CBSBLD72F	79955	CBSBLD72C	91535
		2100	CBSBLD84F	79956	CBSBLD84C	91536
		2400	CBSBLD96F	79957	CBSBLD96C	91537



SST XD SPRING TENSIONER				
REF	DESCRIPTION	BELT WIDTH mm	ORDERING NUMBER	ITEM CODE
3	SST XD Spring Tensioner - White	450	SST1HDM-W	78517
		600		
		750		
	SST XD Spring Tensioner - Silver	900	SST1HDM-S	78518
		1050		
		1200		
	SST XD Spring Tensioner - Black	1350	SST1HDM-B	78519
		1500		
		1800		
	SST XD Spring Tensioner - Gold	2100	SST1HDM-G	79069
		2400		
3a	Tension Spring - White		STS-W	75846
3b	Tension Spring - Silver		STS-S	75843
3c	Tension Spring - Black		STS-B	75844
3d	Tension Spring - Gold		STS-G	78142
BOLT TENSIONER				
4	Bolt Tensioner Kits		CCMKHD	78920
4a	Adjusting Bracket Kits		PAB	75513
4b	Cradle Clamp Top Strap		CCKHDTs	79232
4c	Pole Clamp Kit Left		CCKHDL	79225
4d	Pole Clamp Kit Right		CCKHDR	79229
4e	Mounting Bracket - Left Hand		PMBL	75516
4f	Mounting Bracket - Right Hand		PMBR	75519

Spring Tensioner Selection Chart

CLEANER SIZE	91408 SSTXD-W	91409 SSTXD-S	91410 SSTXD-B	91411 SSTXD-G
CBS 450-750mm	X			
CBS 900-1200mm		X		
CBS 1350-2100mm			X	
CBS 2400mm				X

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Motorised Brush Cleaner

Motorized Brush Cleaner


BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
450	18	MBC-18	79494	62.1
600	24	MBC-24	79495	66.6
750	30	MBC-30	79496	68.3
900	36	MBC-36	79497	71.1
1050	42	MBC-42	79498	73.9
1200	48	MBC-48	79499	81.4
1350	54	MBC-54	79500	84.5
1500	60	MBC-60	79501	87.3
1800	72	MBC-72	79502	93.2
2100	84	MBC-84	79503	98.9



Motorised Brush Cleaner

Optional Mounting Brackets (Pair)

ORDERING NUMBER	ITEM CODE	WT. LBS.
MBCDBK	79536	28.9



Replacement Brushes


BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
450	18	MBRD-18	79514	4.35
600	24	MBRD-24	79515	6.12
750	30	MBRD-30	79516	7.76
900	36	MBRD-36	79517	9.30
1050	42	MBRD-42	79518	10.75
1200	48	MBRD-48	79519	12.15
1350	54	MBRD-54	79520	13.92
1500	60	MBRD-60	79521	15.37
1800	72	MBRD-72	79522	18.59
2100	84	MBRD-84	79523	21.54

Product Notes:

- Spins opposite the belt direction for optimal cleaning.
- Uniquely patterned bristles aid in reducing material buildup and clogging.
- Adjustable tensioners allow easy brush-to-belt adjustment as the bristles wear.
- Works on mechanically spliced or vulcanised belts.
- Comes standard with IP55 but IP66 ingress protection option is available on request.

Specifications & Guidelines

Belt Speed	3.5 m/s (Up to 700 fpm)
Vertical and Horizontal Clearance	305mm (12")
Temperature Range	-30°C to 82°C (-20°F to 180°F)
Maximum Chevron or Cleat Height	13mm (1/2")
Bristle Length	83mm (3-1/4")
Overall Diameter	305mm (12")
Shaft Length	Belt Width plus 915mm (36")
Shaft Diameter	38mm (1-1/2")
Motor HP	1 HP cleaners 450-1050mm (1050mm)
	2 HP cleaners 1200-2100mm (48-84")
Motor voltage	230/400V




Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

Motorised Brush Cleaner






Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	18" (450mm) Brush Drum Shaft	MBDS-18	79504	11.2
	24" (600mm) Brush Drum Shaft	MBDS-24	79505	12.5
	30" (750mm) Brush Drum Shaft	MBDS-30	79506	13.9
	36" (900mm) Brush Drum Shaft	MBDS-36	79507	15.3
	42" (1050mm) Brush Drum Shaft	MBDS-42	79508	16.6
	48" (1200mm) Brush Drum Shaft	MBDS-48	79509	18.0
	54" (1350mm) Brush Drum Shaft	MBDS-54	79510	19.3
	60" (1500mm) Brush Drum Shaft	MBDS-60	79511	20.7
	72" (1800mm) Brush Drum Shaft	MBDS-72	79512	23.4
2	84" (2100mm) Brush Drum Shaft	MBDS-84	79513	26.1
	18" (450mm) Replacement Brush Drum	MBRD-18	79514	4.4
	24" (600mm) Replacement Brush Drum	MBRD-24	79515	6.1
	30" (750mm) Replacement Brush Drum	MBRD-30	79516	7.8
	36" (900mm) Replacement Brush Drum	MBRD-36	79517	9.3
	42" (1050mm) Replacement Brush Drum	MBRD-42	79518	10.8
	48" (1200mm) Replacement Brush Drum	MBRD-48	79519	12.2
	54" (1350mm) Replacement Brush Drum	MBRD-54	79520	14.0
	60" (1500mm) Replacement Brush Drum	MBRD-60	79521	15.4
3	72" (1800mm) Replacement Brush Drum	MBRD-72	79522	18.6
	84" (2100mm) Replacement Brush Drum	MBRD-84	79523	21.6
3	Brush Mounting Base* (1)	MBCMK	79524	2.1
4	Brush Bearing Clamp* (1)	MBCBC	79525	0.9
5	Brush Cleaner Bearings (2)	MBCB	79526	3.3
6	Brush Bearing Mount* (1)	MBCBM	79528	4.4
7a	Gearmotor Assy, 1 HP for belts up to 42" (1050mm)	MBCM-1	79529	25.0
7b	Gearmotor Assy, 2 HP for belts 48" (1200mm) and up	MBCM-2	79530	29.5
8	Brush Cleaner Torque Arm* (1)	MBCTA	79531	1.1
9	Brush Locks* (2)	MBCBL	79532	4.3
10	Brush Motor Key Kit (1)	MBCMCK	79533	0.1
11	MBC Shaft End Cap* (1)	MBCEC	79534	0.0
12	Tensioner Lock Pins (2)	STLP	79535	0.1
13	Brush Cleaner Drop Brackets* (2)	MBCDBK	79536	13.1
-	Brush Cleaner Adjusting Bracket (1) (incl. bearing and 1 ea. items 3,4,6,&12)	MBADB	79527	8.2

*Hardware Included

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.




Product Ordering Information

Chevron
Belt Cleaner

Chevron Belt Cleaner


BELT WIDTH		DRUM WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.	mm	in.			
450	18	450	18	CBC18	76668	34.9
600	24	600	24	CBC24	76669	40.0
750	30	750	30	CBC30	76670	45.0
900	36	900	36	CBC36	76671	50.1
1050	42	1050	42	CBC42	76672	55.1
1200	48	1200	48	CBC48	76673	60.2
1350	54	1350	54	CBC54	76674	65.2
1500	60	1500	60	CBC60	76675	70.3



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	450 mm Drum Shaft	CBCS18	90537	6.9
	600 mm Drum Shaft	CBCS24	90538	7.7
	750 mm Drum Shaft	CBCS30	90539	8.6
	900 mm Drum Shaft	CBCS36	90540	9.5
	1050 mm Drum Shaft	CBCS42	90541	10.3
	1200 mm Drum Shaft	CBCS48	90542	11.2
	1350 mm Drum Shaft	CBCS54	90543	12.0
3	1500 mm Drum Shaft	CBCS60	90544	12.9
	Chevron Pillow Block*	CPB	76692	0.6
	450 mm Replacement Drum w/Fingers*	CRDF18	90631	12.6
	600 mm Replacement Drum w/Fingers*	CRDF24	90632	16.8
	750 mm Replacement Drum w/Fingers*	CRDF30	90633	21.0
	900 mm Replacement Drum w/Fingers*	CRDF36	90634	25.2
	1050 mm Replacement Drum w/Fingers*	CRDF42	90635	29.4
4	1200 mm Replacement Drum w/Fingers*	CRDF48	90636	33.6
	1350 mm Replacement Drum w/Fingers*	CRDF54	90637	37.8
	1500 mm Replacement Drum w/Fingers*	CRDF60	90638	42.0
	75mm Replacement Finger Ring	CBC3R	90641	1.1
5	Mounting Bracket, Right	PMBR	75519	3.8
	Mounting Bracket, Left	PMBL	75516	3.8
6	Adjusting Bracket Kit* (1 ea.)	PAB	75513	0.9

*Hardware Included



Specifications

Belt Speed	Up to 2.5m/s (500 fpm)
Vertical and Horizontal Clearance	250mm (10")
Temperature Range	-35°C to 82°C (-30°F to 180°F)
Maximum Chevron or Cleat Height	25mm (1")
Finger Length	50mm (2")
Rubber Durometer	45A
Overall Diameter	238mm (9-1/2")
Shaft Length	Belt Width plus 750mm (30")
Shaft	25mm (1") Hex
CEMA Cleaner Rating	Class 3

Product Notes:


- Free-rotating. Works only when the belt is running.
- Self-cleaning. Finger length, spacing and the rotary action allows carryback to fall free instead of clogging.
- Easy to install. Few parts and step-by-step instructions make the job simple.
- Long-wearing SBR rubber. Drum life ranges from 1 to 3 years depending upon the application conditions and the material being conveyed.
- Works on reversing belts.
- Finger rings can be replaced individually or all at once by replacing the drum.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Wash Box



Wash Box

Wash Box

Belt Width	"A" Outside Conveyor Stringers (mm)	"B" Mounting Hole Centres (mm)	"C" Overall Width (mm)	"D" Height to Outlet Flange (mm)	MASS Excludes Cleaners & Rollers (kg)	VOLUME Enclosed in Wash Box (m³)
600	910	850	1,085	940	295	0.7
750	1,060	1,000	1,235	955	310	0.8
900	1,210	1,150	1,385	995	330	1.0
1,050	1,360	1,300	1,535	1,015	345	1.1
1,200	1,510	1,450	1,685	1,060	365	1.3
1,350	1,710	1,650	1,885	1,110	390	1.5
1,400	1,760	1,700	1,935	1,125	395	1.6
1,500	1,860	1,800	2,035	1,150	410	1.7
1,600	2,060	2,000	2,235	1,210	435	1.9
1,800	2,260	2,200	2,435	1,265	465	2.2
2,000	2,460	2,400	2,635	1,325	505	2.4

Product Notes:

- Please contact Flexco for pricing and lead time.
- The dimensions, mass and volumes shown here are nominal for a standard Flexco Wash Box and will be confirmed to suit each specific application.
- Each Stainless Steel Wash Box comes equipped with a combination of pressure rollers, spray bars and recovery system.
- The Wash Box is designed to accommodate any two secondary cleaners from the Flexco range, the belt cleaners are sold separately.
- Non-standard sizes available, please contact Flexco.

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Water Spray Pole Systems Belt Cleaner Accessories

Stand-Alone Spraybar Assemblies 38 mm dia.

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	SB600A	A0887	4.0
750	SB750A	A0407	5.0
900	SB900A	A0912	5.5
1050	SB1050A	A0435	6.0
1200	SB1200A	A0316	7.0
1400	SB1400A	A1620	8.0
1500	SB1500A	A1838	9.0
1800	SB1800A	A1357	10.0

Spray Assembly includes spraybar, brass plug, y strainer, nozzles, and brackets to mount independently to structure.



Secondary Spraybar Assemblies

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	SB600-SEC	61063	4.0
750	SB750-SEC	61064	5.0
900	SB900-SEC	61065	5.5
1050	SB1050-SEC	61066	6.0
1200	SB1200-SEC	61067	7.0
1400	SB1400-SEC	61068	8.0
1500	SB1500-SEC	61069	9.0
1800	SB1800-SEC	61070	10.0

Secondary Cleaner Spraybar Assemblies are designed to be clamped to secondary cleaners. Each assembly includes spraybar, nozzles, brass plug, y strainer, and clamping brackets to mount to secondary cleaner.

Lead time: 3 weeks



Water Control Manifold

ORDERING NUMBER	ITEM CODE	WT. KG
WCB	A0012	10.0

Water Control Manifolds come complete with the following:

- 13 mm BSP connections
- Solenoid valve (24V DC Standard)
- Pressure regulator
- Filter strainer
- Lockable ball valves
- Manual bypass line
- Stainless steel backing plate



Spray Nozzles Per Cleaner Size

mm	450	600	750	900	1050	1200	1350	1500	1800	2100	2400	3000
Spray Nozzles	1	2	2	3	3	4	4	5	6	7	8	10

 Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.



Product Ordering Information

Water Spray Pole Systems Belt Cleaner Accessories

PS Spraywash with V-Tips

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	PS600	73014	27.0
750	PS750	73541	31.0
900	PS900	73542	33.0
1050	PS1050	73543	37.0
1200	PS1200	73544	40.0
1400	PS1400	73546	42.0
1500	PS1500	73545	47.0
1800	PS1800	73537	62.0
2000	PS2000	73539	68.0

All Stainless Steel construction. Spraywash cleaners supplied standard with nozzles, deflector shields, Brass plug, and brass Y strainer.
Lead time: 3 weeks



Replacement Tips and Nozzles

BELT WIDTH mm	600	750	900	1050	1200	1400	1500	1800	2000
Tips/Cushions Required	4	5	6	7	8	9	10	12	13
Nozzles Required	2	3	3	3	4	5	5	6	7

Replacement Parts

DESCRIPTION	POLE DIAMETER	BELT WIDTH	POLE LENGTH	ORDERING NUMBER	ITEM CODE	WT. KG
PS Spray Poles	60	600	1350	PS600PL	73582	15.0
		750	1500	PS750PL	73583	16.0
		900	1650	PS900PL	73584	19.0
		1050	1800	PS1050PL	73585	22.0
		1200	1950	PS1200PL	73586	26.0
	73	1400	2200	PS1400PL	73587	29.0
		1500	2350	PS1500PL	73588	33.0
		1800	2650	PS1800PL	74049	36.0
		2000	2850	PS2000 PL	74050	40.0
P-V Tip				PVT6-S/S	75420	0.4
PH High Speed Cushion - Stainless				PHSC-S/S	73433	1.0
Spray Nozzle				PSN11010	74053	1.0
Valve Assembly				PSVA	73434	1.0
Water Control Board - 24 Volt DC				WCB	A0012	10.0
Stainless Shield - Notch				PSSS-N	73221	0.5
Stainless Shield - Hole				PSSS-H	73222	0.5
Spraybar 'U' Clamp				SB-UC38-S/S	A1536	0.1
Spraybar Mounting Bracket				SB-MB-S/S	A1535	0.7
Compact Spray Bar Clamp				FCSBC-S/S	68867	0.8
Malex1" BSP				Reduce Adap F 3/4	61058	0.1
BSP Brass				HEX Plug 3/4	61057	0.1
600 mm Spraybar				SB600	A0886	2.1
750 mm Spraybar				SB750	A0408	2.3
900 mm Spraybar				SB900	A0696	2.6
1050 mm Spraybar				SB1050	A0334	2.8
1200 mm Spraybar				SB1200	A0863	3.0
1400 mm Spraybar				SB1400	A0827	3.4
1500 mm Spraybar				SB1500	A2033	3.7
1800 mm Spraybar				SB1800	A0317	4.1
2100 mm Spraybar				SB2100	61287	4.6
2400 mm Spraybar				SB2400	A1776	5.0

Specifications

- Stainless steel pole with stainless steel clamping brackets.
- Spray nozzles are spaced on 300 mm centers.
- Spray nozzles delivers 3.9 litres per minute, per nozzle at 300 kPa.
- Maximum inlet pressure is 1000 kPa.
- Typical pressure setting is 200-600 kPa.


Product Ordering Information

Live-Shaft Hold-Down Roll Belt Cleaner Accessories

Live-Shaft Hold-Down Roll

BELT WIDTH		ROLL DIAMETER		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.	mm	in.			
600	24	114	4 1/2	HDR24	79010	72.3
750	30	114	4 1/2	HDR30	79011	76.8
900	36	114	4 1/2	HDR36	79012	81.8
1050	42	114	4 1/2	HDR42	79013	86.4
1200	48	114	4 1/2	HDR48	79014	113.2
1350	54	114	4 1/2	HDR54	79015	115.9
1500	60	114	4 1/2	HDR60	79016	120.5
1800	72	127	5	HDRS72*	79017	256.8
2100	84	127	5	HDRS84*	79018	279.5

*1800mm and 2100mm (72" and 84") feature solid roll



Replacement Roll

BELT WIDTH		ROLL DIAMETER		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.	mm	in.			
600	24	114	4 1/2	HDRR24	79019	51.8
750	30	114	4 1/2	HDRR30	79020	56.4
900	36	114	4 1/2	HDRR36	79021	61.4
1050	42	114	4 1/2	HDRR42	79022	65.9
1200	48	114	4 1/2	HDRR48	79023	92.7
1350	54	114	4 1/2	HDRR54	79024	95.5
1500	60	114	4 1/2	HDRR60	79025	100.0
1800	72	127	5	HDRRS72*	79026	236.4
2100	84	127	5	HDRRS84*	79027	259.1

*1800mm and 2100mm (72" and 84") feature solid roll

Roller Bracket Kit*

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Hold Down Roll Bracket Kit - 600mm to 1500mm	HDRBK	79009	20.5
HD Hold Down Roll Bracket Kit - 1800mm to 2100mm	HDRBK-HD	79072	20.5

*Includes Left and Right Bracket

Add-On Grease Hose Extension Kit

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Grease Hose Extension Kit (incl. 2 ea. 400mm (16") hose w/fittings and tie-downs)	HDRGEK	79236	0.5

Specifications:

- Overall Roll Length.....Belt Width 150mm (+6")
- Overall Shaft LengthBelt Width 750mm (+30")
- Shaft Diameter.....600-1050mm (24" - 42") - 49.2mm (1-15/16") diameter
1200-1500mm (48" - 60") - 61.9mm (2-7/16") diameter
1800-2100mm (72" - 84") - 74.6 (2-15/16") diameter
- Shaft Construction600-1500mm (24" - 60") - 1045 CD
1800-2100mm (72" - 84") - turned from solid 4140 round stock

Product Notes:

- For use in applications with belt cup or belt flap.
- By preventing these issues secondary cleaner performance and blade/tip life is enhanced.

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.


Product Ordering Information

Belt Cleaner Accessories

Stabilising Roller Bracket Kit*

Provides universal brackets to mount the user's return roller as a hold-down (stabilising) roller on top of the return side belt. Holds the belt flat so the belt cleaner can maximize its cleaning performance.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Stabilising Roller Bracket Kit	SRBK	74941	15.5




Hold Down Roll Assembly Kits

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Hold Down Roll Assembly Kit S/S 15mm*	HDRP15	64140	1.9
Hold Down Roll Assembly Kit S/S 17mm*	HDRP17	63679	1.9
Hold Down Roll Assembly Kit S/S 22mm*	HDRP22	63678	1.9

Kit includes:


- Stainless Steel Hold Down Roller Pole Kit to suit 17mm or 22mm A/F Roller
- S/S Mounting Kit



Tip Tension Scale

For easy checking of blade tension on all H-Type® Primary Cleaners.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
H Tip Tension Scale	HTTS	74141	0.1



Spring Tension Chart (recommended tensions)


CLEANER	HXF	H V-TIP	H PROTECTED V-TIP	HI-TEMP V-TIP
Kg	12.7	8.2	8.2	8.2

For installation and for retensioning blades during maintenance.

Belt Cleaner Handy Wrench

A ratcheting wrench with 2 common socket sizes (11/16" & 3/4", 17mm & 19mm) for belt cleaner installation and maintenance.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Belt Cleaner Handy Wrench	HW-BC	74100	0.6



Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.


Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Optional Mounting Kits

OPTIONAL MOUNTING KITS FOR BELT CLEANERS


Versatile, adjustable brackets and plates that can be mounted on the conveyor structure so Primary Cleaners and secondary cleaners can be easily and quickly bolted into place.



76071

Standard Mounting Bracket Kit


- For most secondary cleaner installs.



76072

Long Mounting Bracket Kit

- For installations that require extra length legs.



76073

Optional Top Angle Kit

- Used with both standard and long mounting bracket kits for additional mounting options.

Optional Mounting Kits

(includes 2 brackets/bars)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Standard Mounting Bracket Kit*	SSTSMB	76071	15.6
Long Mounting Bracket Kit*	SSTLMB	76072	19.7

Hardware Included

Specifications


- Standard brackets are 330 mm W x 394 mm L.
- Long brackets are 330 mm W x 546 mm L.
- Mounting bars are 38 mm W x 406 mm L with (4) 16-279 mm tapped holes.
- Mounting plates are 406 mm W x 813 mm L with (4) 16 mm holes.

Pole Extender Kit

(includes 2 pole extenders)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Pole Extender Kit	MAPEK	76024	9.9

Provides 750 mm of extended pole length.



 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

What is a Flexco Smart Belt Cleaner?

Flexco Smart Belt Cleaners harness the power of Flexco Elevate® to allow real-time, remote monitoring of belt cleaners to increase operational efficiency and transparency. The Flexco Elevate® IoT System combines the i3 Device, i3 Mobile App, and i3 Dashboard with just a few easy steps and within minutes you can transform your belt cleaners into Smart Belt Cleaners. Once the i3 device is installed on any Flexco belt cleaner pole, insights are immediately transferred to Elevate dashboard. That information combines with maintenance information that is logged via the mobile app to provide predictive data-driven insights direct to your dashboard so you can monitor belt cleaner productivity and measure internal efficiencies remotely.

What are the Benefits of a Smart Belt Cleaner?*

- **Asset management:** Digital mapping of all installed cleaners at your location and across your operations provides visibility of assets and allows for more efficient resource planning.
- **Increased Productivity:** Elevate® makes it easy to manage your belt cleaner service, you know exactly when and where to deploy maintenance support
- **Improved Safety:** Elevate® reduces, and in most cases eliminates, the need for dangerous physical inspection along the beltlines.
- **No Guesswork:** Your team will know exactly when and where service is needed on Flexco cleaners from the convenience of the dashboard.
- **ROI from Day One:** Data insights are immediately transferred to your Elevate Dashboard so you can realise an increase in operational efficiency from day one.
- **Leverages Existing Assets:** The Elevate® Platform works with your existing Flexco belt cleaners – no additional investment in cleaners is required.
- **Remarkably Easy:** From installation and activation, to app and dashboard, everything about Flexco Elevate® is user-friendly and designed to make your job easier.

* Specific benefits vary between solutions

The Power of Insights

- **Data build insights:** Data are the foundation of insights, and more data collected on your site equates to more insights.
- **Ground truth:** Ground truth collection is the process of matching real-world situations to the data collected, and all insights are created based on ground truth validation.
- **Technology partners:** Flexco teams up with world-class partners to provide various development and data science features to turn data into insights as well as storing, securing and managing data for Flexco's digital solutions.

Evolving Tools

- **Unlike physically manufactured products, digital solutions are remotely upgraded over time to enable more features.** This continuous upgrade strategy allows users to have the most up-to-date security, insights and enhancements available (select feature enhancements will be fee-based).

Product Ordering Information

Flexco Elevate®
i3 Device, i3 Dashboard, i3 App

Smart Cleaner Package

Upgrade any new cleaner to a Flexco Smart Cleaner by adding the item code below to your order. Smart Cleaner Packaging includes the i3 device, and platform subscription for the life of the device. **Note:** Does not include replacement batteries.

DESCRIPTION	INCLUSIONS	ORDERING NUMBER	ITEM CODE
"Smart Cleaner" Package (Outright Purchase)	Device and lifetime subscription for new cleaners only	DVC-CLR1-AU	91602

Contact Flexco for bulk quantity pricing.



Subscriptions

Upgrade any new cleaner to a Flexco Smart Cleaner by adding the item code below to your order. Minimum subscription period is 2 years. Subscription fee includes the device.

DESCRIPTION	INCLUSIONS	ORDERING NUMBER	ITEM CODE
New Cleaner Subscription	Device and minimum 2 year subscription	DVC-SUB-N-AU	109370
Existing Cleaner Subscription	Device and minimum 2 year subscription	DVC-SUB-U-AU	103971


Product Notes:

- i3 device is approved for all Flexco precleaner and secondary applications using Flexco blades or blade segments.
- Device accommodates 73mm pole; 60mm pole requires pole adapter.
- Subscription will not activate (start date) until the cleaner profile information is submitted.

Replacement Parts




REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE
1	i3 Device Back Cover Kit, Australia** (1 ea.)	DVCR-CLR-BC1AU	91603
2	i3 Device Back Cover Screw Pack (4 screws)	DVCR-CLR-BC2	91604
3	i3 Device Battery (1 ea.)	DVCR-CLR-BTR1	91605
4	i3 Device Top Cover** (1 ea. incl. screw & washer)	DVCR-CLR-TC2	91606
5	i3 Device Top Cap Screw Pack (4 screws, 4 washers)	DVCR-CLR-TC3	91607
6	i3 Device Top Cap Kit** (incl. top cap & 1 ea. items 4 & 5)	DVCR-CLR-TC1	91608
7	i3 Device 60mm Pole Adapter (1 ea.)	DVCR-CLR-ADT	91597
8a	i3 Device 73mm Pole Extender** (1 ea.)	DVCR-CLR-EX73	91595
8b	i3 Device 60mm Pole Extender** (1 ea.)	DVCR-CLR-EX60	91596

**Hardware included



Note:

- Back cover kits must be ordered according to the original installation country.



Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Specifications & Guidelines

Flexco Elevate®
i3 Device, i3 Dashboard, i3 App


Clearance Guidelines for Installation

POLE LENGTH OUTSIDE THE TENSIONER	CLEARANCE RADIUS AROUND POLE*
mm	mm
90	200


*i3 device requires clearance to rotate (precleaner application) or compress (secondary cleaner application) as the blade/tip wears.



Pole length requirement
outside tensioner



Precleaner 200mm clearance
radius around pole



Secondary cleaner
travel clearance

Regulatory, Certifications, Standards, Explosive Environments

AUSTRALIA
RCM, IP66, RoHS, IECEx**

**Contact Flexco regarding specific standards

i3 Dashboard System Requirements

BROWSER	DEVICE
Any (optimized for Google Chrome)	Desktop, tablet, or smartphone (optimization for all types is continuous process)

i3 Mobile Application Requirements

OPERATING SYSTEM	BLUETOOTH® WIRELESS COMMUNICATION	INTERNET CONNECTION (Cell Service)
Android, iOS	Required	Not required


Specifications:

- Temperature Rating: -30°C to +65°C (-20°C to +40°C in explosive environments)
- Battery type: Non-rechargeable, lithium metal thionyl chloride (Li/SOCl₂)
- i3 Dashboard and i3 Mobile App languages: English, Spanish, German, French
- i3 Dashboard and i3 Mobile App units: Imperial/Metric

U.S. Patent #: 10,836,585

Product Ordering Information

Universal Lightweight Pole For use with H-Type, FMS, MHS and P-Type Cleaners



Universal Lightweight Pole

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	ULP450	66122	5.8
600	ULP600	66123	6.6
750	ULP750	66124	7.5
900	ULP900	66125	8.5
1050	ULP1050	66126	12.2
1200	ULP1200	66127	13.6
1350	ULP1350	66128	15.3
1500	ULP1500	66129	16.6
1650	ULP1650	66130	18.0
1800	ULP1800	67057	19.4
2000	ULP2000	67084	21.6
2200	ULP2200	67085	22.9
2400	ULP2400	67058	24.6
2600	ULP2600	67086	26.6
2800	ULP2800	67087	28.4
3000	ULP3000	67088	30.1

*Lead time 3 weeks.

Note: The Universal Lightweight Pole is not supplied with a tensioner.

Product Notes:

- **Safety Driven Engineering.** The lightest cleaner pole on the market, engineered with safe lifting in mind.
- **Versatile.** Compatible with Flexco H-Type®, FMS, MHS & P-Type® Cleaners.
- **Made for Australian Mining Conditions.** Although lightweight, the universal pole has been tested to withstand the harshest mining conditions in Australia.


 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Inspection Doors

Flexco can create inspection doors and cleaner mount inspection doors to suit your system. Please contact customer service for more details.



Product Notes:


- Please contact Flexco for pricing and lead times.
- Inspection doors are available in a range of sizes, please contact your Flexco representative or customer service for more information.
- Inspection doors can also be designed to your specifications.
- Constructed from heavy-duty grade 316 Stainless Steel.
- The solid outer door can be safely opened by hand without the need for any tools during normal operation of the equipment.
- The inner door features 3mm mesh at 50mm spacing and requires tools to remove ensuring workers remain safe behind the mesh.
- Cleaner tensions sit outside the mesh, allowing for staff to safely and effectively tension cleaners.

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Inspection Doors

Description	ITEM CODE
Small H-Type Cleaner Box Kit	67586
Large H-Type Cleaner Box Kit	67587



The image contains two mechanical drawings of connector modules. The left drawing is labeled 'Single' and shows a rectangular module with a width of 306 and a height of 372. It features a central vertical slot and two side slots. The right drawing is labeled 'Dual' and shows a wider rectangular module with a width of 543 and a height of 456. It features two central vertical slots and two side slots. Both drawings include detailed views of the side profile, showing the thickness of the module and the positions of various components like pins and mounting holes.

Description	ITEM CODE
ID300x300 S/S Inspection Door	62445
ID400x400 S/S Inspection Door	62446
ID500x500 S/S Inspection Door	62447
ID600x600 S/S Inspection Door	62448


 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

SAMPLE SPECIFICATIONS AND GUIDELINES


Inspection Door 300 mm x 300 mm

Chute Opening:	300 mm x 300 mm
Outer Door:	Solid c/w Lockable Handle
Inner Mesh Door:	3 mm mesh @ 50 mm spacing
Material:	Grade 316 Stainless Steel
Overall Weight:	8 kg




Inspection Door 400 mm x 400 mm

Chute Opening:	400 mm x 400 mm
Outer Door:	Solid c/w Lockable Handle
Inner Mesh Door:	3 mm mesh @ 50 mm spacing
Material:	Grade 316 Stainless Steel
Overall Weight:	13 kg




Inspection Door 500 mm x 500 mm

Chute Opening:	500 mm x 500 mm
Outer Door:	Solid c/w Lockable Handle
Inner Mesh Door:	3 mm mesh @ 50 mm spacing
Material:	Grade 316 Stainless Steel
Overall Weight:	18 kg




Inspection Door 600 mm x 600 mm

Chute Opening:	600 mm x 600 mm
Outer Door:	Solid c/w Lockable Handle
Inner Mesh Door:	3 mm mesh @ 50 mm spacing
Material:	Grade 316 Stainless Steel
Overall Weight:	32 kg




Product Ordering Information

Mandrel Safety Removal Systems Belt Cleaner Accessories



H-Type® primary cleaner shown (cleaner not included)



P-Type® Secondary Cleaner shown (cleaner not included)

Mandrel Poles

BELT WIDTH mm	CLEANER POLE DIA.	GALVANISED MANDREL POLE		
		ORDERING NUMBER	ITEM CODE	WT. KG
450	60	MR-450PG	A2836	5.0
600	60	MR-600PG	A2837	6.0
750	60	MR-750PG	A2838	6.5
900	60	MR-900PG	A2839	7.5
1050	60	MR-1050PG	A2840	8.5
1200	60	MR-1200PG	A2841	9.0
1500	73	MR-1500PG	A2829	10.0
1600	73	MR-1600PG	A2830	11.0
1800	73	MR-1800PG	A2831	12.0
2100	73	MR-2100PG	A2832	13.5
2400	73	MR-2400PG	A2833	15.0
2600	73	MR-2600PG	A2834	16.5
3000	73	MR-3000PG	A2835	19.0

A Mandrel Kit requires 1 pole, 1 left hand block and 1 right hand block.
Lead time: 3 weeks

Cradle H Bearings Primary Cleaners

POWDER COATED			
ORDERING NUMBER	ITEM CODE	POLE DIA.	WT. KG
PMR-CHB-L73	61075	73	1.5
PMR-CHB-R73	61076	73	1.5
PMR-CHB-L60	61073	60	1.3
PMR-CHB-R60	61074	60	1.3

Cradle Clamp Blocks Secondary Cleaners



POWDER COATED		
ORDERING NUMBER	ITEM CODE	POLE DIA.
SMR-CCB-L73	A2842	73
SMR-CCB-R73	A2843	73
SMR-CCB-L60	A2844	60
SMR-CCB-R60	A2845	60

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☒ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Standard Pulley Lifters



Pulley Face Widths

	800-1200	1200-1600	1600-2000	2000-2400
3 TONNE CAPACITY	1-PL-800-1200-3	1-PL-1200-1600-3	1-PL-1600-2000-3	1-PL-2000-2400-3
6 TONNE CAPACITY	1-PL-800-1200-6	1-PL-1200-1600-6	1-PL-1600-2000-6	1-PL-2000-2400-6
12 TONNE CAPACITY	1-PL-800-1200-12	1-PL-1200-1600-12	1-PL-1600-2000-12	1-PL-2000-2400-12

Product Notes:

- Please contact Flexco for pricing and lead times.
- Made from high strength steel to Australian Standards.
- Each pulley lifter proof load tested after manufacture and supplied with certificate of compliance and a safety operations and maintenance manual.
- Supplied in safety yellow as standard (other colours available on request).

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Flexco Belt Maintenance Tools Belt Lifters & Clamps

Flex-Lifter™ Conveyor Belt Lifter

Easy and safe way to lift tensioned belts so mechanical splicing or other maintenance work can be done.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Medium Flex-Lifter 900 - 1500 mm	FLM	76979	27.3
Large Flex-Lifter 1200 - 1800 mm	FLL	76980	33.6
XL Flex-Lifter 1800 - 2400 mm	FLXL	76983	68.5
REPLACEMENT PARTS			
Extension Leg - Medium	FLEL-M	76472	1.4
Extension Leg - Large	FLEL-L	76473	1.7
Extension Leg - XL (includes 2 ext. legs)	FLELK-XL	76986	5.9
Extension Leg Pin (with lanyard)	FLELP	76474	0.1
Trough Wing - Medium (with brace)	FLTW-M	76476	0.6
Trough Wing - Large (with brace)	FLTW-L	76477	0.7
Trough Wing - XL (with brace)	FLTW-XL	76985	2.0
Retainer Pin Pack (includes 4 pins)	FLRP	76478	0.5
Retainer Clip Pack (includes 4 clips)	FLCP	76479	0.1
M-L Shear Pin Kit	FL-PKIT-ML	77250	0.1
XL Shear Pin Kit	FL-PKIT-XL	77251	0.2
Return Lift Bar - Medium	FLRLB-M	76482	8.4
Return Lift Bar - Large	FLRLB-L	76481	18.2
V-Return Lift Bar - XL	FLVRL-XL	76984	28.6
Flex-Trolley	FLCK	77729	N/A


Return lift bars included with medium and large models. Sold separately with XL models.

Belt Cutter with Case


DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
ELECTRIC			
Electric Cutter Complete - 25 mm	EBC-1	30001	9.0
Electric Cutter Complete - 50 mm	EBC-2	30002	10.0
Cordless Electric Cutter Complete - 25 mm	CEBC-1	30018	9.0
Cordless Electric Cutter Complete - 50 mm	CEBC-2	30019	10.0
PNEUMATIC			
Pneumatic Cutter Complete - 25 mm	PBC-1	61356	12.5
Pneumatic Cutter Complete - 50 mm	PBC-2	61357	13.5
REPLACEMENT PARTS			
Filter Set (PBC Only)	PBC-FR	61358	2.0
EBC1 Case	EBC1 Case	30009	8.0
EBC2 Case	EBC2 Case	30010	8.0
CEBC1 Case	CEBC1 Case	30020	8.0
CEBC2 Case	CEBC2 Case	30023	8.0
PBC1 Case	PBC1 Case	U8393	8.0
PBC2 Case	PBC2 Case	U8394	8.0

Belt Cutter without Case

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
ELECTRIC			
Electric Cutter Complete - 25 mm	EBC-1-NC	108846	10.0
Electric Cutter Complete - 50 mm	EBC-2-NC	108847	10.5
Cordless Electric Cutter Complete - 25 mm	CEBC-1-NC	108848	9.0
Cordless Electric Cutter Complete - 50 mm	CEBC-2-NC	108849	9.5
PNEUMATIC			
Pneumatic Cutter Complete - 25 mm	PBC-1-NC	108850	10.0
Pneumatic Cutter Complete - 50 mm	PBC-2-NC	108851	10.5




Flex-Lifter



Flex-Trolley

Aluminum Content Flex-Lifter

ALUMINUM ALLOY TYPE	PERCENT	
	MG-MAGNESIUM	TI-TITANIUM
4043	0.05%	0.2%
5356	5.5%	0.2%
6005	0.6%	0.1%
6061	1.0%	0.0%
6063	0.7%	0.0%
7075	2.5%	0.0%



Electric Belt Cutter

Cutting Capacity

BELT TYPE	EBC-1	EBC-2
Rubber	Up to 25 mm	Up to 50 mm
PVC	Up to 630 EP	Up to 2000 EP

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Specifications & Guidelines

Flexco Slider/Impact Beds

Easy Solution for Load Zone Problems

- Complete load zone offering with slider beds through impact beds for up to 100 kg-m of force.
- No specifying trough angle; each bed is adjustable for 20°, 35° and 45° trough settings (ships at 35° setting)
- Low-profile installation. Because Flexco beds feature trough wings that are adjustable, they lay flat during installation, providing more clearance.
- Full UHMW slider bars included on outside bar to provide proper sealing and long life.
- Unique Impact Bar Supports protect the impact bars from damage, extending service life. An Anti-Migratory Tab on each support secures the bar and prevents it from sliding in the direction of belt travel.
- All beds are manufactured for mounting holes belt width + 250mm (600-1200mm beds), + 300mm (1350-1500mm beds), and + 400mm (1800mm beds). For wider structure, contact Customer Service for special quote.

How to spec the correct slider/impact bed for your conveyor transfer point


Roller Size

127mm ☐ 152mm ☐ 178mm ☐

Belt Width: _____

Bed Length: 1200mm ☐ 1500mm ☐


Impact Energy Calculation Chart



Product Ordering Information

Contact Flexco for information and pricing on shorter lead times and non-standard impact beds.
Please note that freight for all impact beds are ex-works

EZSB-C **Flexco Slider Beds** **Steel Rolls**



Flexco Slider Bed **with Steel Rolls 1200mm** (for non-impact areas)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZSB600-1200C	82185	110.7
750	EZSB750-1200C	82186	119.4
900	EZSB900-1200C	82187	131.1
1050	EZSB1050-1200C	82188	162.7
1200	EZSB1200-1200C	82189	175.0
1350	EZSB1350-1200C	82190	206.4
1500	EZSB1500-1200C	82191	217.1
1800	EZSB1800-1200C	82192	232.7

Lead time: 4 weeks

Flexco Slider Bed **with Steel Rolls 1500mm** (for non-impact areas)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZSB600-1500C	82193	118.4
750	EZSB750-1500C	82194	126.9
900	EZSB900-1500C	82195	138.6
1050	EZSB1050-1500C	82196	173.7
1200	EZSB1200-1500C	82197	186.2
1350	EZSB1350-1500C	82198	221.4
1500	EZSB1500-1500C	82199	232.1
1800	EZSB1800-1500C	82200	247.6

Lead time: 4 weeks



Adjustable Idler Set **with Steel Rolls** (for placement in between 3 or more beds)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZAI-600	109434	36.2
750	EZAI-750	109435	40.8
900	EZAI-900	109436	45.7
1050	EZAI-1050	109437	49.9
1200	EZAI-1200	109438	55.9
1350	EZAI-1350	109439	60.1
1500	EZAI-1500	109440	64.1
1800	EZAI-1800	109441	74.2


Lead time: 4 weeks

Product Notes:

- No need to specify troughing angle-designed to adjust to 20°, 35°, 45°.
- Designed for containment in the load zone, but not intended for impact zones.
- Slider bars are solid 25mm UHMW providing longer wear life and consistent load zone sealing.
- Product ships with two idlers. Additional idlers can be added by purchasing a EZRMK and the appropriate corresponding idler.

Replacement Parts List

EZSB-C Flexco Slider Beds Steel Rolls



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Slider Bar, 1200mm	SB4	78789	9.1
1a	Slider Bar, 1500mm	SB5	78790	10.9
2	Bar Bolt Kit (incl. 1 ea. 16mm carriage bolt, square washer, flat washer, lock washer, Nylock nut)	RIBBK	81250	0.2
3	Slider Roll Mount Kit*	EZRMKM	82344	2.3
4	Roll 600mm*	N6D3T-24-9-A45	83715	4.1
	Roll 750mm*	N6D3T-30-11-A45	83716	4.8
	Roll 900mm*	N6D3T-36-13-A45	83717	5.6
	Roll 1050mm*	N6D3T-42-15-A45	83718	6.3
	Roll 1200mm*	N6D3T-48-17-A45	83719	7.3
	Roll 1350mm*	N6D3T-54-19-A45	83720	7.7
	Roll 1500mm*	N6D3T-60-21-A45	83721	8.2
	Roll 1800mm*	N6D3T-72-25-A45	83722	9.8
5	Wing Plate Kit 600mm*	EZWPK-600	82345	7.7
	Wing Plate Kit 750mm*	EZWPK-750	82346	7.9
	Wing Plate Kit 900mm*	EZWPK-900	82347	9.6
	Wing Plate Kit 1050mm*	EZWPK-1050	82348	11.9
	Wing Plate Kit 1200mm*	EZWPK-1200	82349	13.7
	Wing Plate Kit 1350mm*	EZWPK-1350	82350	16.1
	Wing Plate Kit 1500mm*	EZWPK-1500	82351	17.7
	Wing Plate Kit 1800mm*	EZWPK-1800	82352	21.2
6	Cross Stringer Kit 600mm*	EZCSK-600	82353	22.3
	Cross Stringer Kit 750mm*	EZCSK-750	82354	25.6
	Cross Stringer Kit 900mm*	EZCSK-900	82355	28.9
	Cross Stringer Kit 1050mm*	EZCSK-1050	82356	32.1
	Cross Stringer Kit 1200mm*	EZCSK-1200	82357	35.6
	Cross Stringer Kit 1350mm*	EZCSK-1350	82358	38.9
	Cross Stringer Kit 1500mm*	EZCSK-1500	82359	42.2
	Cross Stringer Kit 1800mm*	EZCSK-1800	82360	45.0
7	Shim Kit Light Duty (incl. 4 shims)	SHIM-LDKIT	82393	6.2

*Hardware Included. Lead time: 4 weeks.

Replacement Quantities for EZSB-C

mm	600	750	900	1050	1200	1350	1500	1800
ROLLS REQUIRED	2	2	2	2	2	2	2	2
BARS REQUIRED	4	4	4	6	6	8	8	8
SLIDER	4	4	4	6	6	8	8	8
BAR BOLT KITS REQUIRED	8	8	8	12	12	16	16	16

Product Ordering Information

EZSB-I **Flexco Slider Beds** **CoreTech™ Impact Rolls**

Contact Flexco for information and pricing on shorter lead times and non-standard impact beds.
Please note that freight for all impact beds are ex-works



Flexco Slider Bed with CoreTech™ Impact Rolls 1200mm

(for impact zones with less than 25 Kg-m energy)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZSB600-1200I	82201	125.6
750	EZSB750-1200I	82202	136.1
900	EZSB900-1200I	82203	149.7
1050	EZSB1050-1200I	82204	184.7
1200	EZSB1200-1200I	82205	198.2
1350	EZSB1350-1200I	82206	233.1
1500	EZSB1500-1200I	82207	246.3
1800	EZSB1800-1200I	82208	265.8

Lead time: 4 weeks

Flexco Slider Bed with CoreTech™ Impact Rolls 1500mm

(for impact zones with less than 25 Kg-m energy)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZSB600-1500I	82209	133.4
750	EZSB750-1500I	82210	143.8
900	EZSB900-1500I	82211	157.5
1050	EZSB1050-1500I	82212	196.4
1200	EZSB1200-1500I	82213	210.0
1350	EZSB1350-1500I	82214	248.9
1500	EZSB1500-1500I	82215	262.1
1800	EZSB1800-1500I	82216	281.3

Lead time: 4 weeks

Product Notes:


- No need to specify troughing angle—designed to adjust to 20°, 35°, 45°.
- Outermost trough bar features 25mm solid UHMW slider bar to provide longer wear life and consistent load zone sealing where impact is not present.

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

EZSB-I Flexco Slider Beds CoreTech™ Impact Rolls



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Slider Bar, 1200mm	SB4	78789	9.1
1a	Slider Bar, 1500mm	SB5	78790	10.9
2	Impact Bar, 1200mm	IB4	76926	7.7
2a	Impact Bar, 1500mm	IB5	76927	9.5
3	Bar Bolt Kit (incl. 1 ea. 16mm carriage bolt, square washer, flat washer, lock washer, Nylock nut)	RIBBK	81250	0.2
4	Slider Roll Mount Kit*	EZRMKM	82344	2.3
5	Impact CoreTech™ Roll 600mm*	NI6D3T-24-9-A45	26184	4.6
	Impact CoreTech Roll 750mm*	NI6D3T-30-11-A45	26185	5.4
	Impact CoreTech Roll 900mm*	NI6D3T-36-13-A45	26186	6.3
	Impact CoreTech Roll 1050mm*	NI6D3T-42-15-A45	26187	7.3
	Impact CoreTech Roll 1200mm*	NI6D3T-48-17-A45	26188	8.1
	Impact CoreTech Roll 1350mm*	NI6D3T-54-19-A45	26189	9.0
	Impact CoreTech Roll 1500mm*	NI6D3T-60-21-A45	26190	9.8
	Impact CoreTech Roll 1800mm*	NI6D3T-72-25-A45	26191	11.6
6	Wing Plate Kit 600mm*	EZWPK-600	82345	7.7
	Wing Plate Kit 750mm*	EZWPK-750	82346	7.9
	Wing Plate Kit 900mm*	EZWPK-900	82347	9.6
	Wing Plate Kit 1050mm*	EZWPK-1050	82348	11.9
	Wing Plate Kit 1200mm*	EZWPK-1200	82349	13.7
	Wing Plate Kit 1350mm*	EZWPK-1350	82350	16.1
	Wing Plate Kit 1500mm*	EZWPK-1500	82351	17.7
	Wing Plate Kit 1800mm*	EZWPK-1800	82352	21.2
7	Cross Stringer Kit 600mm*	EZCSK-600	82353	22.3
	Cross Stringer Kit 750mm*	EZCSK-750	82354	25.6
	Cross Stringer Kit 900mm*	EZCSK-900	82355	28.9
	Cross Stringer Kit 1050mm*	EZCSK-1050	82356	32.1
	Cross Stringer Kit 1200mm*	EZCSK-1200	82357	35.6
	Cross Stringer Kit 1350mm*	EZCSK-1350	82358	38.9
	Cross Stringer Kit 1500mm*	EZCSK-1500	82359	42.2
	Cross Stringer Kit 1800mm*	EZCSK-1800	82360	45.0
8	Shim Kit Light Duty (incl. 4 shims)	SHIM-LDKIT	82393	6.2

*Hardware Included. Lead time: 4 weeks.

Replacement Quantities for EZSB-I

mm		600	750	900	1050	1200	1350	1500	1800
ROLLS REQUIRED		4	4	4	4	4	4	4	4
BARS REQUIRED	SLIDER	2	2	2	2	2	2	2	2
	IMPACT	2	2	2	4	4	6	6	6
BAR BOLT KITS REQUIRED		8	8	8	12	12	16	16	16

Product Ordering Information

Contact Flexco for information and pricing on shorter lead times and non-standard impact beds.
Please note that freight for all impact beds are ex-works

EZIB-L **Flexco Impact Beds** *All Bars - Light Duty*



Flexco Impact Bed Light Duty 1200mm

(for impact zones with less than 25 Kg-m energy)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZIB600-1200L-LP	68171	150.7
750	EZIB750-1200L-LP	68172	157.1
900	EZIB900-1200L-LP	68173	184.8
1050	EZIB1050-1200L-LP	68174	234.9
1200	EZIB1200-1200L-LP	68175	263.4
1350	EZIB1350-1200L-LP	68176	311.6
1500	EZIB1500-1200L-LP	68177	344.6
1800	EZIB1800-1200L-LP	68178	387.8

Lead time: 4 weeks

Flexco Impact Bed Light Duty 1500mm

(for impact zones with less than 25 Kg-m energy)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZIB600-1500L-LP	68179	171.2
750	EZIB750-1500L-LP	68180	177.6
900	EZIB900-1500L-LP	68181	209.4
1050	EZIB1050-1500L-LP	68182	267.7
1200	EZIB1200-1500L-LP	68183	300.2
1350	EZIB1350-1500L-LP	68184	356.6
1500	EZIB1500-1500L-LP	68185	393.8
1800	EZIB1800-1500L-LP	68186	441.0


Lead time: 4 weeks

Product Notes:

- No need to specify troughing angle—designed to adjust to 20°, 35°, 45°.
- Outermost trough bar features 25mm solid UHMW slider bar to provide longer wear life and consistent load zone sealing where impact is not present.

Replacement Parts List

EZIB-L
Flexco Impact Beds
All Bars - Light Duty



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Slider Bar, 1200mm	SB4	78789	9.1
1a	Slider Bar, 1500mm	SB5	78790	10.9
2	Impact Bar, 1200mm	IB4	76926	7.7
2a	Impact Bar, 1500mm	IB5	76927	11.4
3	Bar Bolt Kit (incl. 1 ea. 16mm carriage bolt, square washer, flat washer, lock washer, Nylock nut)	RIBBK	81250	0.2
4	Impact Bar Support - 1.2M	EZBS-1200	82361	7.3
4a	Impact Bar Support - 1.5M	EZBS-1500	82362	9.3
5	Centre Bar Mount Kit 600mm*	EZBMK-600	82281	2.4
	Centre Bar Mount Kit 750mm*	EZBMK-750	82282	2.6
	Centre Bar Mount Kit 900mm*	EZBMK-900	82283	3.4
	Centre Bar Mount Kit 1050mm*	EZBMK-1050	82284	3.6
	Centre Bar Mount Kit 1200mm*	EZBMK-1200	82285	4.4
	Centre Bar Mount Kit 1350mm*	EZBMK-1350	82286	4.8
	Centre Bar Mount Kit 1500mm*	EZBMK-1500	82287	5.6
	Centre Bar Mount Kit 1800mm*	EZBMK-1800	82288	6.6
6	Wing Plate Kit 600mm*	EZWPK-600	82345	7.7
	Wing Plate Kit 750mm*	EZWPK-750	82346	7.9
	Wing Plate Kit 900mm*	EZWPK-900	82347	9.6
	Wing Plate Kit 1050mm*	EZWPK-1050	82348	11.9
	Wing Plate Kit 1200mm*	EZWPK-1200	82349	13.7
	Wing Plate Kit 1350mm*	EZWPK-1350	82350	16.1
	Wing Plate Kit 1500mm*	EZWPK-1500	82351	17.7
	Wing Plate Kit 1800mm*	EZWPK-1800	82352	21.2
7	Cross Stringer Kit 600mm*	EZRKL-600	68368	22.3
	Cross Stringer Kit 750mm*	EZRKL-750	68369	25.6
	Cross Stringer Kit 900mm*	EZRKL-900	68370	28.9
	Cross Stringer Kit 1050mm*	EZRKL-1050	68371	32.1
	Cross Stringer Kit 1200mm*	EZRKL-1200	68372	35.6
	Cross Stringer Kit 1350mm*	EZRKL-1350	68373	38.9
	Cross Stringer Kit 1500mm*	EZRKL-1500	68374	42.2
	Cross Stringer Kit 1800mm*	EZRKL-1800	68375	45.0
8	Shim Kit Light Duty (incl. 4 shims)*	SHIM-LDKIT	82393	6.2

*Hardware Included. Lead time: 4 weeks.

Replacement Quantities for EZIB-L


mm		600	750	900	1050	1200	1350	1500	1800
BARS REQUIRED	SLIDER	2	2	2	2	2	2	2	2
	IMPACT	4	4	5	7	8	10	11	12
BAR BOLT KITS REQUIRED		14	14	17	21	24	28	31	34
BAR SUPPORTS REQUIRED		2	2	3	3	4	4	5	6

Specifications & Guidelines


EZIB-L

Flexco® Impact Beds

All Bars - Light Duty



		Bed Length	Item Code	Bed Width	Dim A	Dim B	Dim C
Light Duty	1200		68171	600	780	850	900
			68172	750	930	1000	1050
			68173	900	1060	1150	1200
			68174	1050	1210	1300	1350
			68175	1200	1360	1450	1500
			68176	1350	1560	1650	1700
	1500		67177	1500	1710	1800	1850
			68187	1800	2110	2200	2250
			68179	600	780	850	900
			68180	750	930	1000	1050
			68181	900	1060	1150	1200
			68182	1050	1210	1300	1350
			68183	1200	1360	1450	1500
			68184	1350	1560	1650	1700
			68185	1500	1710	1800	1850
			68186	1800	2110	2200	2250



Product Ordering Information

EZIB-M **Flexco Impact Beds** *All Bars - Medium Duty*

Contact Flexco for information and pricing on shorter lead times and non-standard impact beds.
Please note that freight for all impact beds are ex-works



Flexco Impact Bed Medium Duty 1200mm

(for impact zones with 25-100 Kg-m energy)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZIB600-1200M-LP	68187	180.8
750	EZIB750-1200M-LP	68188	190.5
900	EZIB900-1200M-LP	68189	223.2
1050	EZIB1050-1200M-LP	68190	280.8
1200	EZIB1200-1200M-LP	68191	314.8
1350	EZIB1350-1200M-LP	68192	369.6
1500	EZIB1500-1200M-LP	68193	410.4
1800	EZIB1800-1200M-LP	68194	466.4

Lead time: 4 weeks

Flexco Impact Bed Medium Duty 1500mm

(for impact zones with 25-100 Kg-m energy)

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	EZIB600-1500M-LP	68195	201.4
750	EZIB750-1500M-LP	68196	211.0
900	EZIB900-1500M-LP	68197	247.8
1050	EZIB1050-1500M-LP	68198	313.6
1200	EZIB1200-1500M-LP	68199	351.7
1350	EZIB1350-1500M-LP	68200	414.7
1500	EZIB1500-1500M-LP	68201	459.5
1800	EZIB1800-1500M-LP	68202	519.6


Lead time: 4 weeks

Product Notes:

- No need to specify troughing angle-designed to adjust to 20°, 35°, 45°.
- Outermost trough bar features 25mm solid UHMW slider bar to provide longer wear life and consistent load zone sealing where impact is not present.

Replacement Parts List

EZIB-M Flexco Impact Beds All Bars - Medium Duty



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Slider Bar, 1200mm	SB4	78789	9.1
1a	Slider Bar, 1500mm	SB5	78790	10.9
2	Impact Bar, 1200mm	IB4	76926	7.7
2a	Impact Bar, 1500mm	IB5	76927	11.4
3	Bar Bolt Kit (incl. 1 ea. 16mm carriage bolt, square washer, flat washer, lock washer, Nylock nut)	RIBBK	81250	0.2
4	Impact Bar Support - 1200mm	IBS-M1200	82397	7.7
4a	Impact Bar Support - 1500mm	IBS-M1500	82398	9.6
5	Centre Bar Mount Kit 600mm*	EZBMK-600	82281	2.4
	Centre Bar Mount Kit 750mm*	EZBMK-750	82282	2.6
	Centre Bar Mount Kit 900mm*	EZBMK-900	82283	3.4
	Centre Bar Mount Kit 1050mm*	EZBMK-1050	82284	3.6
	Centre Bar Mount Kit 1200mm*	EZBMK-1200	82285	4.4
	Centre Bar Mount Kit 1350mm*	EZBMK-1350	82286	4.8
	Centre Bar Mount Kit 1500mm*	EZBMK-1500	82287	5.6
	Centre Bar Mount Kit 1800mm*	EZBMK-1800	82288	6.6
6	Wing Plate Kit 600mm*	EZWPK-600	82345	7.7
	Wing Plate Kit 750mm*	EZWPK-750	82346	7.9
	Wing Plate Kit 900mm*	EZWPK-900	82347	9.6
	Wing Plate Kit 1050mm*	EZWPK-1050	82348	11.9
	Wing Plate Kit 1200mm*	EZWPK-1200	82349	13.7
	Wing Plate Kit 1350mm*	EZWPK-1350	82350	16.1
	Wing Plate Kit 1500mm*	EZWPK-1500	82351	17.7
	Wing Plate Kit 1800mm*	EZWPK-1800	82352	21.2
7	Cross Stringer Kit 600mm*	EZRKL-600	68368	22.3
	Cross Stringer Kit 750mm*	EZRKL-750	68369	25.6
	Cross Stringer Kit 900mm*	EZRKL-900	68370	28.9
	Cross Stringer Kit 1050mm*	EZRKL-1050	68371	32.1
	Cross Stringer Kit 1200mm*	EZRKL-1200	68372	35.6
	Cross Stringer Kit 1350mm*	EZRKL-1350	68373	38.9
	Cross Stringer Kit 1500mm*	EZRKL-1500	68374	42.2
	Cross Stringer Kit 1800mm*	EZRKL-1800	68375	45.0
8	Shim Kit Medium Duty (incl. 4 shims)*	SHIM-MDKIT	82394	9.3

*Hardware Included. Lead time: 4 weeks.

Replacement Quantities for EZIB-M


mm		600	750	900	1050	1200	1350	1500	1800
BARS REQUIRED	SLIDER	2	2	2	2	2	2	2	2
	IMPACT	4	4	5	7	8	10	11	12
BAR BOLT KITS REQUIRED		26	26	31	37	42	48	53	58
BAR SUPPORTS REQUIRED		4	4	5	5	6	6	7	8

Specifications & Guidelines


EZIB-M

Flexco Impact Beds

All Bars - Medium Duty



Bed Length	Item Code	Bed Width	Dim A	Dim B	Dim C
1200	68187	600	780	850	900
	68188	750	930	1000	1050
	68189	900	1060	1150	1200
	68190	1050	1210	1300	1350
	68191	1200	1360	1450	1500
	68192	1350	1560	1650	1700
	68193	1500	1710	1800	1850
	68194	1800	2110	2200	2250
	68195	600	780	850	900
	68196	750	930	1000	1050
1500	68197	900	1060	1150	1200
	68198	1050	1210	1300	1350
	68199	1200	1360	1450	1500
	68200	1350	1560	1650	1700
	68201	1500	1710	1800	1850
	68202	1800	2110	2200	2250



It's the Structure, not the bars

It absorbs more impact to save your belt. Our exclusive Velocity Reduction Technology™ provides two levels of impact relief.

Level 1: **Impact Bars** first absorb impact energy. Unique Impact Bar Supports on all DRX™ Impact Beds allow the impact bars to function properly - expanding and absorbing more impact energy.

Level 2: On DRX200, 750 and 1500 impact beds, **Isolation Mounts** provide a second level of reaction force reduction, absorbing additional impact energy and minimising transmission back to the belt. The DRX3000 Dynamic has **Impact Energy Absorbers** to disperse an immense amount of impact, even in extremely severe applications.

User-Friendly Slide-Out Service™


- All DRX Impact Beds separate in the middle to slide apart and out.
- Can be easily and safely converted from the run position to the service position.
- Impact bars are easy to get to for changeout. A complete changeout can be done in one or two hours.

Unique Impact Bar Supports protect the impact bars from damage, extending service life. An Anti-Migratory Tab on each support secures the bar and prevents it from sliding in the direction of the belt.

Other Features and Benefits

- Uses exclusive anti-spin square washers. Allows use of carriage bolts to secure impact bars instead of expensive T bolts.
- Centre bars are tilted 3° inward to help centre the load on the belt.

How to spec the correct impact bed for your conveyor transfer point



ROLLER SIZE

127 mm ☐ 152 mm ☐

Belt Width _____

Troughing Angle: 20° ☐ 35° ☐

Bed Length: 1.2 M ☐ 1.5 M ☐

IMPACT ENERGY

Lump Weight (w) _____

Drop Height (h) x _____

Total=kg/Mtr _____ See Below

Up to 25 kg-m—DRX200

25 to 100 kg-m—DRX750

100 to 200 kg-m—DRX1500

200 to 400 kg-m—DRX3000

Product Ordering Information

DRX™200
Impact Beds

DRX™200

1.2 M Beds, 20° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXL-24-420	76816	118.2
750	DRXL-30-420	76817	128.2
900	DRXL-36-420	76818	146.8
1050	DRXL-42-420	76819	187.3
1200	DRXL-48-420	76820	196.8
1350	DRXL-54-420	76821	226.4
1500	DRXL-60-420	76822	246.8
1800	DRXL-72-420	76823	279.6

DRX200

1.5 M Beds, 20° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXL-24-520	76824	131.8
750	DRXL-30-520	76825	141.4
900	DRXL-36-520	76826	162.3
1050	DRXL-42-520	76827	208.6
1200	DRXL-48-520	76828	218.2
1350	DRXL-54-520	76829	251.8
1500	DRXL-60-520	76830	273.6
1800	DRXL-72-520	76831	308.6

DRX200


1.2 M Beds, 35° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXL-24-435	76832	118.2
750	DRXL-30-435	76833	128.2
900	DRXL-36-435	76834	146.8
1050	DRXL-42-435	76835	187.3
1200	DRXL-48-435	76836	196.8
1350	DRXL-54-435	76837	226.4
1500	DRXL-60-435	76838	246.8
1800	DRXL-72-435	76839	279.6

DRX200

1.5 M Beds, 35° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXL-24-535	76840	131.8
750	DRXL-30-535	76841	141.4
900	DRXL-36-535	76842	162.3
1050	DRXL-42-535	76843	208.6
1200	DRXL-48-535	76844	218.2
1350	DRXL-54-535	76845	251.8
1500	DRXL-60-535	76846	273.6
1800	DRXL-72-535	76847	308.6



Replacement Bars and Bolt Kits Required per Belt Width-DRX200

BELT WIDTH mm	600	750	900	1050	1200	1350	1500	1800
Impact Bar Supports Required	2	2	3	4	4	4	5	6
Impact Bars Required	6	6	7	10	10	12	13	14
Impact Bar Bolt Kits Required	14	14	17	24	24	28	31	34

Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Impact Bar, 1.2 M	IB4	76926	7.7
2	Impact Bar, 1.5 M	IB5	76927	9.6
3	Impact Bar Bolt Kit incl. (1) ea 16 mm carriage bolt, square washer, flat washer, lock washer, Nylock nut	IBBK	76928	0.2
4	Impact Bar Support -L 1.2 M incl. (1) ea bar support, carriage bolt, square washer, lock washer, Nylock nut	IBS-L4	76929	7.6
5	Impact Bar Support -L 1.5 M incl. (1) ea bar support, carriage bolt, square washer, lock washer, Nylock nut	IBS-L5	76930	9.6
6	Sliding Support Arm Bolt Kit incl. (2) 50 mm bolts, (2) lock washers, (2) Nylock nuts	ISABK-LMH	77529	0.9
7	Isolation Mount Kit	IMK	76936	1.7
8	DRX200 Shim Kit (incl. 4 shims)	SHIM-KITL	77548	6.1

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

DRX™750
Impact Beds

DRX™750

1.2 M Beds, 20° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXM-24-420	88363	165.9
750	DRXM-30-420	88367	180.5
900	DRXM-36-420	88371	212.3
1050	DRXM-42-420	88375	269.1
1200	DRXM-48-420	88379	283.2
1350	DRXM-54-420	88383	320.0
1500	DRXM-60-420	88387	354.1
1800	DRXM-72-420	88391	407.3

DRX750

1.5 M Beds, 20° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXM-24-520	88364	183.2
750	DRXM-30-520	88368	197.7
900	DRXM-36-520	88372	233.6
1050	DRXM-42-520	88376	298.2
1200	DRXM-48-520	88380	312.3
1350	DRXM-54-520	88384	353.2
1500	DRXM-60-520	88388	391.4
1800	DRXM-72-520	88392	447.7

DRX750


1.2 M Beds, 35° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXM-24-435	88365	165.9
750	DRXM-30-435	88369	180.5
900	DRXM-36-435	88373	212.3
1050	DRXM-42-435	88377	269.1
1200	DRXM-48-435	88381	283.2
1350	DRXM-54-435	88385	320.0
1500	DRXM-60-435	88389	354.1
1800	DRXM-72-435	88393	407.3

DRX750

1.5 M Beds, 35° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXM-24-535	88366	183.2
750	DRXM-30-535	88370	197.7
900	DRXM-36-535	88374	233.6
1050	DRXM-42-535	88378	298.2
1200	DRXM-48-535	88382	312.3
1350	DRXM-54-535	88386	353.2
1500	DRXM-60-535	88390	391.4
1800	DRXM-72-535	88394	447.7



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Impact Bar, 1.2 M	IB4	76926	7.7
2	Impact Bar, 1.5 M	IB5	76927	9.6
3	Impact Bar Bolt Kit incl. (1) ea 16 mm carriage bolt, square washer, flat washer, lock washer, Nylock nut	IBBK	76928	0.2
4	Impact Bar Support -M 1.2 M incl. (1) bar support, (2) ea carriage bolt, square washer, lock washer, Nylock nut	IBS-M4	76931	7.7
5	Impact Bar Support -M 1.5 M incl. (1) bar support, (2) ea carriage bolt, square washer, lock washer, Nylock nut	IBS-M5	76932	9.6
6	Sliding Support Arm Bolt Kit incl. (2) 50 mm bolts, (2) lock washers, (2) Nylock nuts	ISABK-LMH	77529	0.9
7	Isolation Mount Kit	IMK	76936	1.7
8	DRX750 Shim Kit (incl. 6 shims)	SHIM-KITM	77549	9.3

Replacement Bars and Bolt Kits Required per Belt Width-DRX750

BELT WIDTH mm	600	750	900	1050	1200	1350	1500	1800
Impact Bar Supports Required	4	4	5	6	6	6	7	8
Impact Bars Required	6	6	7	10	10	12	13	14
Impact Bar Bolt Kits Required	26	26	31	42	42	48	53	58

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

DRX™1500
Impact Beds

DRX™1500

1.2 M Beds, 20° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXH-24-420	81315	228.6
750	DRXH-30-420	81319	247.7
900	DRXH-36-420	81323	285.5
1050	DRXH-42-420	81327	366.4
1200	DRXH-48-420	81331	385.0
1350	DRXH-54-420	81335	444.1
1500	DRXH-60-420	81339	484.6
1800	DRXH-72-420	81343	550.0

DRX1500

1.2 M Beds, 35° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXH-24-435	81317	228.6
750	DRXH-30-435	81321	247.7
900	DRXH-36-435	81325	285.5
1050	DRXH-42-435	81329	366.4
1200	DRXH-48-435	81333	385.0
1350	DRXH-54-435	81337	444.1
1500	DRXH-60-435	81341	484.6
1800	DRXH-72-435	81345	550.0

DRX1500


1.5 M Beds, 20° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXH-24-520	81316	253.6
750	DRXH-30-520	81320	273.2
900	DRXH-36-520	81324	314.6
1050	DRXH-42-520	81328	407.3
1200	DRXH-48-520	81332	425.9
1350	DRXH-54-520	81336	492.7
1500	DRXH-60-520	81340	536.8
1800	DRXH-72-520	81344	606.4

DRX1500

1.5 M Beds, 35° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
600	DRXH-24-535	81318	253.6
750	DRXH-30-535	81322	273.2
900	DRXH-36-535	81326	314.6
1050	DRXH-42-535	81330	407.3
1200	DRXH-48-535	81334	425.9
1350	DRXH-54-535	81338	492.7
1500	DRXH-60-535	81342	536.8
1800	DRXH-72-535	81346	606.4



Replacement Bars and Bolt Kits Required per Belt Width-DRX1500

BELT WIDTH mm	600	750	900	1050	1200	1350	1500	1800
Impact Bar Supports Required	6	6	7	10	10	12	13	14
Impact Bars Required	6	6	7	10	10	12	13	14
Impact Bar Bolt Kits Required	36	36	42	60	60	72	78	84

Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Impact Bar, 1.2 M	IB4	76926	7.7
2	Impact Bar, 1.5 M	IB5	76927	9.6
3	Impact Bar Bolt Kit incl. (1) ea 16 mm carriage bolt, square washer, flat washer, lock washer, Nylock nut	IBBK	76928	0.2
4	Impact Bar Support -H 1.2 M incl. (1) bar support, (2) ea carriage bolt, square washer, lock washer, Nylock nut	IBS-H4	76933	7.6
5	Impact Bar Support -DH 1.5 M incl. (1) bar support, (2) ea carriage bolt, square washer, lock washer, Nylock nut	IBS-DH5	76934	9.6
6	Sliding Support Arm Bolt Kit incl. (2) 50 mm bolts, (2) lock washers, (2) Nylock nuts	ISABK-LMH	77529	0.9
7	Isolation Mount Kit	IMK	76936	1.7
8	DRX1500 Shim Kit (incl. 8 shims)	SHIM-KITH	77550	12.3

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

DRX™3000
Dynamic Beds

DRX™3000


1.5 M Beds, 20° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
1050	DRXD-42-520	76912	614.1
1200	DRXD-48-520	76913	639.6
1350	DRXD-54-520	76914	712.7
1500	DRXD-60-520	76915	761.8
1800	DRXD-72-520	76916	953.6
2100	DRXD-84-520	76917	1027.7
2400	DRXD-96-520	76918	1185.9

DRX3000

1.5 M Beds, 35° Trough

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
1050	DRXD-42-535	76919	614.1
1200	DRXD-48-535	76920	639.6
1350	DRXD-54-535	76921	712.7
1500	DRXD-60-535	76922	761.8
1800	DRXD-72-535	76923	953.6
2100	DRXD-84-535	76924	1027.7
2400	DRXD-96-535	76925	1185.9



Replacement Bars and Bolt Kits Required per Belt Width-DRX3000

BELT WIDTH mm	1050	1200	1350	1500	1800	2100	2400
Impact Bars Required	10	10	12	13	16	16	20
Impact Bar Bolt Kits Required	56	56	64	70	88	88	112

Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	Impact Bar, 1.5 M	IB5	76927	9.6
2	Impact Bar Bolt Kit incl. (1) ea 16 mm carriage bolt, square washer, flat washer, lock washer, Nylock nut	IBBK	76928	0.2
3	Impact Bar Support - DH 1.5 M incl. (1) bar support, (2) ea carriage bolt, square washer, lock washer, Nylock nut	IBS-DH5	76934	9.6
4	Sliding Support Arm Bolt Kit incl. (4) 38 mm bolts, (2) 51 mm bolts, (6) lock washers, (6) Nylock nuts	ISABK	76935	0.9
5	Impact Energy Absorber 42-60	IEA42-60D	76937	19.1
6	Impact Energy Absorber 72-96	IEA72-96D	76938	30.0

Impact Bar Supports per Belt Width

BELT WIDTH mm	1050	1200	1350	1500	1800	2100	2400
Impact Bar Supports	8	8	8	9	12	12	16

Product Notes:

- For extreme impact applications up to 400 kgs.-M (lump size x drop height).
- Impact Energy Absorbers compress up to 75 mm to absorb extreme impact energy to minimize damaging forces and protect the belt.
- Slide-Out System™ allows direct access to service the impact bars.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.


Product Ordering Information

DRX™ Impact Beds Optional Parts and Tools

Impact Bars with 25 mm UHMW

For impact beds that have heavy abrasive wear on the impact bars.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1.2 M Impact Bar with 25 mm UHMW	IB4-1U	76965	7.7
1.5 M Impact Bar with 25 mm UHMW	IB5-1U	76966	9.6




Impact Bar with 25 mm UHMW Cover

Impact Bar Bolt Kit for Other OEM Impact Beds*

13 mm carriage bolts, square washer, flat washer and Nylock nut to mount DRX Impact Bars on other OEM beds that use 13 mm T-bolts.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Optional Impact Bar Bolt Kit	OIBBK	76950	0.2

*Kit includes 1 ea. bolt, square washer, flat washer and nut.




Optional Impact Bar Bolt Kit

Impact Bed Handy Wrench

A ratcheting wrench with 2 common socket sizes 19 mm & 24 mm for installation and maintenance of impact beds.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Impact Bed Handy Wrench	HW-IMPB	76939	0.7




Impact Bed Handy Wrench

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

V-Plough



Deflector™ V Plough-Mild Steel

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	BP450	73102	23
600	BP600	73104	25
750	BP750	73106	26
800	BP800	73107	28
900	BP900	73108	29
1050	BP1050	73110	31
1200	BP1200	73112	38
1400	BP1400	73113	42
1500	BP1500	73114	43
1600	BP1600	73115	44
1800	BP1800	73117	65

Note: Polyurethane Blades are approved for use in underground mines.
For belt widths over 1800 mm contact Flexco®.
Lead time: 1 week

Deflector™ V Plough-Stainless Steel

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450	BP450-S/S	76337	24
600	BP600-S/S	76338	25
750	BP750-S/S	76339	27
800	BP800-S/S	76340	29
900	BP900-S/S	76341	30
1050	BP1050-S/S	76342	32
1200	BP1200-S/S	76343	39
1400	BP1400-S/S	76344	44
1500	BP1500-S/S	76345	45
1600	BP1600-S/S	76346	46
1800	BP1800-S/S	76347	67

Note: Polyurethane Blades are approved for use in underground mines.
For belt widths over 1800 mm contact Flexco.
Lead time: 1 week

Product Notes:

- Exclusive blade design - 20° slant on leading edge spirals debris off the belt.
- Self-adjusting blade - the blade floats on the belt and self-adjusts as it wears.
- Unique blade adjuster - turnbuckle-type adjuster allows the blade to be accurately positioned to the belt.
- Easy to install - comes fully assembled and can be placed right into position on the conveyor.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

V-Plough

Replacement Parts		POWDER COATED			STAINLESS STEEL		
DESCRIPTION	BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
PL Pole	450-750	BP450-750-PL	73109	2.8	BP450-750-PL-S/S	A0683	2.7
	800-1050	BP800-1050-PL	73111	3.2	BP800-1050-PL-S/S	A0613	3.2
	1200-1400	BP1200-1400-PL	73118	3.6	BP1200-1400-PL-S/S	A0621	3.6
	1500-1600	BP1500-1600-PL	73119	4.6	BP1500-1600-PL-S/S	A0647	5.0
	1800	BP1800-PL	73121	5.5	BP1800-PL-S/S	A1547	5.9
Frame	450-750	BP450-750MF	73152	6.7	BP450-750MF-S/S MAIN FRAME	A0682	6.7
	800-1050	BP800-1050MF	73153	9.8	BP800-1050MF-S/S MAIN FRAME	A0612	9.8
	1200-1400	BP1200-1400MF	73154	12.6	BP1200-1400MF-S/S MAIN FRAME	A0620	12.6
	1500-1600	BP1500-1600MF	73147	16.0	BP1500-1600MF-S/S MAIN FRAME	A0646	16.0
	1800	BP1800MF	73148	18.3	BP1800MF-S/S MAIN FRAME	A1546	18.3
	2000	BP2000MF	A1996	19.7			
Blades - Polyurethane Pair - 110mm	450	BP450-B	74055	0.9			
	600	BP600-B	73777	0.9			
	750	BP750-B	73778	1.8			
	800	BP800-B	74057	1.8			
	900	BP900-B	73779	1.8			
	1050	BP1050-B	73780	1.8			
	1200	BP1200-B	73781	1.8			
	1400	BP1400-B	73782	2.3			
	1500	BP1500-B	73783	2.7			
	1600	BP1600-B	73784	2.7			
Blades - Polyurethane Pair - 180mm (Heavy-Duty)	750	HBP750-B	A0223	5.2			
	900	HBP900-B	A0224	6.3			
	1050	HBP1050-B	A2237	7.2			
	1200	HBP1200-B	73301	8.4			
	1400	HBP1400-B	73302	9.7			
	1500	HBP1500-B	73303	10.6			
	1600	HBP1600-B	73304	11.6			
	1800	HBP1800-B	73306	13.0			
	2000	HBP2000-B	73307	14.5			
	2200	HBP2200-B	73308	15.9			
	2400	HBP2400-B	73309	16.9			
	2500	HBP2500-B	73311	17.8			
Mounting Bracket		BP-MB	73123	0.5	BP-MB-S/S	A0615	0.5
Shaft Collar		BP-SC	73125	0.5	BP-SC-S/S	A0616	0.5
Linkage Arm		BP-LA	73127	0.9	BP-LA-S/S	A0614	0.9
Turnbuckle Linkage		BP-TL	73141	0.5	BP-TL-S/S	A0617	0.5
Standard Turnbuckle					BP-TB	73138	0.5
Standard U-Bolt					BP-UB	73139	0.5

Lead time: 3 weeks

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☒ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Twin Pole V-Plough



Deflector™ Twin Pole V Plough-Mild Steel UHMPE Blade

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
900	HBP900-TP	A2283	93.0
1050	HBP1050-TP	A2284	99.0
1200	HBP1200-TP	A2285	106.0
1400	HBP1400-TP	A2286	115.0
1500	HBP1500-TP	A2287	119.0
1600	HBP1600-TP	A2288	124.0
1800	HBP1800-TP	A2289	133.0
2000	HBP2000-TP	A2290	142.0
2200	HBP2200-TP	A2291	151.0
2400	HBP2400-TP	A2292	162.0
2500	HBP2500-TP	A2293	165.0

Note: Scraping blades are UHMPE material.
Blades are not FRAS approved.
For belt widths over 2500 mm contact Flexco®.
Lead time: 3 weeks

Deflector™ Twin Pole V Plough-Stainless Steel UHMPE Blade

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
900	HBP-TP-900 S/S	A2474	94.0
1050	HBP-TP-1050 S/S	A2475	100.0
1200	HBP-TP-1200 S/S	A2476	107.0
1400	HBP-TP-1400 S/S	A2477	116.0
1500	HBP-TP-1500 S/S	A2478	120.0
1600	HBP-TP-1600 S/S	A2479	125.0
1800	HBP-TP-1800 S/S	A2480	134.0
2000	HBP-TP-2000 S/S	A2481	143.0
2200	HBP-TP-2200 S/S	A2482	152.0
2400	HBP-TP-2400 S/S	A2483	163.0
2500	HBP-TP-2500 S/S	A2484	166.0

Note: Scraping blades are UHMPE material.
Blades are not FRAS approved.
For belt widths over 2500 mm contact Flexco.
Lead time: 3 weeks

 Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

Twin Pole V-Plough

Replacement Parts		POWDER COATED			STAINLESS STEEL		
DESCRIPTION	BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
PL Pole	900	HBP900-PL-TP	A2294	14.0	HBP900-PL-TP-S/S	A2492	15.0
	1050	HBP1050-PL-TP	A2295	15.0	HBP1050-PL-TP-S/S	A2493	16.0
	1200	HBP1200-PL-TP	A2296	16.0	HBP1200-PL-TP-S/S	A2494	17.0
	1400	HBP1400-PL-TP	A2297	18.0	HBP1400-PL-TP-S/S	A2495	19.0
	1500	HBP1500-PL-TP	A2298	20.0	HBP1500-PL-TP-S/S	A2496	21.0
	1600	HBP1600-PL-TP	A2299	21.0	HBP1600-PL-TP-S/S	A2497	22.0
	1800	HBP1800-PL-TP	A2300	22.0	HBP1800-PL-TP-S/S	A2498	23.0
	2000	HBP2000-PL-TP	A2301	24.0	HBP2000-PL-TP-S/S	A2499	25.0
	2200	HBP2200-PL-TP	A2303	26.0	HBP2200-PL-TP-S/S	A2500	27.0
	2400	HBP2400-PL-TP	A2302	28.0	HBP2400-PL-TP-S/S	A2501	29.0
Frame	2500	HBP2500-PL-TP	A2304	29.0	HBP2500-PL-TP-S/S	A2502	30.0
	900	HBP900-MF-TP	A2305	26.0	HBP900-MF-TP-S/S	A2504	27.0
	1050	HBP1050-MF-TP	A2306	28.0	HBP1050-MF-TP-S/S	A2505	29.0
	1200	HBP1200-MF-TP	A2307	30.0	HBP1200-MF-TP-S/S	A2506	31.0
	1400	HBP1400-MF-TP	A2308	33.0	HBP1400-MF-TP-S/S	A2507	34.0
	1500	HBP1500-MF-TP	A2309	34.0	HBP1500-MF-TP-S/S	A2508	35.0
	1600	HBP1600-MF-TP	A2310	35.5	HBP1600-MF-TP-S/S	A2509	36.5
	1800	HBP1800-MF-TP	A2311	38.0	HBP1800-MF-TP-S/S	A2510	39.0
	2000	HBP2000-MF-TP	A2312	41.0	HBP2000-MF-TP-S/S	A2511	42.0
	2200	HBP2200-MF-TP	A2314	44.0	HBP2200-MF-TP-S/S	A2512	45.0
Blades	2400	HBP2400-MF-TP	A2313	52.0	HBP2400-MF-TP-S/S	A2513	53.0
	2500	HBP2500-MF-TP	A2315	54.0	HBP2500-MF-TP-S/S	A2514	55.0
	900	HBP900-B-TP	A2316	4.5			
	1050	HBP1050-B-TP	A2317	5.0			
	1200	HBP1200-B-TP	A2318	5.5			
	1400	HBP1400-B-TP	A2319	6.3			
	1500	HBP1500-B-TP	A2320	7.0			
	1600	HBP1600-B-TP	A2321	7.5			
	1800	HBP1800-B-TP	A2322	8.2			
	2000	HBP2000-B-TP	A2323	9.0			
Linkage Arm	2200	HBP2200-B-TP	A2325	9.8			
	2400	HBP2400-B-TP	A2324	10.7			
	2500	HBP2500-B-TP	A2326	11.2			
Linkage Arm	900-2500	HBP-LA-TP	A2330	5.0	HBP-LA-TP-S/S	A2515	5.0
Mounting Bracket	900-2500	HBP-MB-TP	73922	2.1	HBP-MB-TP-S/S	A1155	2.1
Shaft Collar	900-2500	HBP-SC-TP	74490	0.7	HBP-SC-TP-S/S	A2189	0.7

Lead time: 3 weeks

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

HD® Floating V-Plough



HD® Floating V Plough- Mild Steel

UHMPE Blade

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
900	FBP900-TP	61750	133
1050	FBP1050-TP	61751	137
1200	FBP1200-TP	61752	163
1400	FBP1400-TP	61753	167
1500	FBP1500-TP	61754	189
1600	FBP1600-TP	61755	192
1800	FBP1800-TP	61756	218
2000	FBP2000-TP	61757	224
2200	FBP2200-TP	61758	256
2400	FBP2400-TP	61759	261
2500	FBP2500-TP	61760	284
2600	FBP2600-TP	61761	287

Note: Scraping blades are UHMPE material.
Blades are not FRAS approved.
For belt widths over 2600 mm contact Flexco®.
Lead time: 3 weeks

HD® Floating V Plough- Stainless Steel

UHMPE Blade

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
900	FBP900-TP S/S	61765	135
1050	FBP1050-TP S/S	61766	141
1200	FBP1200-TP S/S	61767	167
1400	FBP1400-TP S/S	61768	171
1500	FBP1500-TP S/S	61769	194
1600	FBP1600-TP S/S	61770	197
1800	FBP1800-TP S/S	61771	224
2000	FBP2000-TP S/S	61772	230
2200	FBP2200-TP S/S	61773	263
2400	FBP2400-TP S/S	61774	268
2500	FBP2500-TP S/S	61775	291
2600	FBP2600-TP S/S	61776	294

Note: Scraping blades are UHMPE material.
Blades are not FRAS approved.
For belt widths over 2600 mm contact Flexco.
Lead time: 3 weeks

Replacement Blades

UHMPE - pair

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
900	FBP900-B	61780	11.0
1050	FBP1050-B	61781	12.6
1200	FBP1200-B	61782	14.3
1400	FBP1400-B	61783	16.4
1500	FBP1500-B	61784	17.5
1600	FBP1600-B	61785	18.5
1800	FBP1800-B	61786	20.5
2000	FBP2000-B	61787	22.6
2200	FBP2200-B	61788	24.6
2400	FBP2400-B	61789	26.7
2500	FBP2500-B	61790	28.3
2600	FBP2600-B	61791	29.8

Lead time: 3 weeks

Product Notes:


- Cleans the inside/clean side of the return belt.
- Eliminates conveyor damage and belt mistracking caused by debris lodging in the tail pulley or take-up.
- Floating design self-adjusts as blade wears, eliminating the need for manual adjustment.
- Available in a range of sizes for multiple belt widths.
- Removes carryback on both sides of the conveyor
- UHMWPE blades provide long life and easy change-out.

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

HD® Floating V-Plough



Replacement Parts

			MILD STEEL			STAINLESS STEEL		
REF	DESCRIPTION	BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG	ORDERING NUMBER	ITEM CODE	WT. KG
1	Pole	900	HBP900-PL-TP	A2294		HBP900-PL-TP-S/S	A2492	
		1050	HBP1050-PL-TP	A2295		HBP1050-PL-TP-S/S	A2493	
		1200	HBP1200-PL-TP	A2296		HBP1200-PL-TP-S/S	A2494	
		1400	HBP1400-PL-TP	A2297		HBP1400-PL-TP-S/S	A2495	
		1500	HBP1500-PL-TP	A2298		HBP1500-PL-TP-S/S	A2496	
		1600	HBP1600-PL-TP	A2299		HBP1600-PL-TP-S/S	A2497	
		1800	HBP1800-PL-TP	A2300		HBP1800-PL-TP-S/S	A2498	
		2000	HBP2000-PL-TP	A2301		HBP2000-PL-TP-S/S	A2499	
		2200	HBP2200-PL-TP	A2303		HBP2200-PL-TP-S/S	A2500	
		2400	HBP2400-PL-TP	A2302		HBP2400-PL-TP-S/S	A2501	
		2500	HBP2500-PL-TP	A2304		HBP2500-PL-TP-S/S	A2502	
		2600	HBP2600-PL-TP	A0151		HBP2600-PL-TP-S/S	61877	
2	Frame	900-1050	FBP900-1050-MF	61795		FBP900-1050-MF-S/S	61803	
		1200-1400	FBP1200-1400-MF	61796		FBP1200-1400-MF-S/S	61804	
		1500-1600	FBP1500-1600-MF	61797		FBP1500-1600-MF-S/S	61805	
		1800-2000	FBP1800-2000-MF	61798		FBP1800-2000-MF-S/S	61806	
		2200-2400	FBP2200-2400-MF	61799		FBP2200-2400-MF-S/S	61807	
		2500-2600	FBP2500-2600-MF	61800		FBP2500-2600-MF-S/S	61808	
3	Protection Plate Kit	900-1050	FBP900-1050-PP	61890		FBP900-1050-PP-S/S	61898	
		1200-1400	FBP1200-1400-PP	61891		FBP1200-1400-PP-S/S	61899	
		1500-1600	FBP1500-1600-PP	61892		FBP1500-1600-PP-S/S	61900	
		1800-2000	FBP1800-2000-PP	61893		FBP1800-2000-PP-S/S	61901	
		2200-2400	FBP2200-2400-PP	61894		FBP2200-2400-PP-S/S	61902	
		2500-2600	FBP2500-2600-PP	61895		FBP2500-2600-PP-S/S	61903	
4	Slotted Plate Kit	900-1050	FBP900-1050-SP	61906		FBP900-1050-SP-S/S	61914	
		1200-1400	FBP1200-1400-SP	61907		FBP1200-1400-SP-S/S	61915	
		1500-1600	FBP1500-1600-SP	61908		FBP1500-1600-SP-S/S	61916	
		1800-2000	FBP1800-2000-SP	61909		FBP1800-2000-SP-S/S	61917	
		2200-2400	FBP2200-2400-SP	61910		FBP2200-2400-SP-S/S	61918	
		2500-2600	FBP2500-2600-SP	61911		FBP2500-2600-SP-S/S	61919	
5	Nose Protection	All	FBP-NP	61875		FBP-NP-S/S	61876	
6	Faceplate	All	FBP-FP	61888		FBP-FP-S/S	61889	
7	Linkage Mount Kit	All	FBP-LM	61882		FBP-LM-S/S	61883	
8	Mounting Bracket	All	HBP-MB-TP	73922		HBP-MB-TP-S/S	A1155	

Lead time: 3 weeks

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

V-Plough Blade Kits



V-Plough Blade Kits

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Standard-Duty Kits		
RVBP-SD-600-KIT VPLOUGH BLADE KIT	RBVP-SD-600	68267
RVBP-SD-750-KIT VPLOUGH BLADE KIT	RBVP-SD-750	68268
RVBP-SD-900-KIT VPLOUGH BLADE KIT	RBVP-SD-900	68269
RVBP-SD-1050-KIT VPLOUGH BLADE KIT	RBVP-SD-1050	68270
RVBP-SD-1200-KIT VPLOUGH BLADE KIT	RBVP-SD-1200	68271
RVBP-SD-1350-KIT VPLOUGH BLADE KIT	RBVP-SD-1350	68272
RVBP-SD-1500-KIT VPLOUGH BLADE KIT	RBVP-SD-1500	68273
RVBP-SD-1800-KIT VPLOUGH BLADE KIT	RBVP-SD-1800	68274
RVBP-SD-2000-KIT VPLOUGH BLADE KIT	RBVP-SD-2000	68275
RVBP-SD-2200-KIT VPLOUGH BLADE KIT	RBVP-SD-2200	68276
RVBP-SD-2400-KIT VPLOUGH BLADE KIT	RBVP-SD-2400	68277
RVBP-SD-2600-KIT VPLOUGH BLADE KIT	RBVP-SD-2600	68278
RVBP-SD-2800-KIT VPLOUGH BLADE KIT	RBVP-SD-2800	68279
Heavy-Duty Kits		
RVBP-HD-900-KIT VPLOUGH BLADE KIT	RBVP-HD-900	68252
RVBP-HD-1050-KIT VPLOUGH BLADE KIT	RBVP-HD-1050	68253
RVBP-HD-1200-KIT VPLOUGH BLADE KIT	RBVP-HD-1200	68254
RVBP-HD-1350-KIT VPLOUGH BLADE KIT	RBVP-HD-1350	68255
RVBP-HD-1500-KIT VPLOUGH BLADE KIT	RBVP-HD-1500	68256
RVBP-HD-1600-KIT VPLOUGH BLADE KIT	RBVP-HD-1600	68257
RVBP-HD-1800-KIT VPLOUGH BLADE KIT	RBVP-HD-1800	68258
RVBP-HD-2000-KIT VPLOUGH BLADE KIT	RBVP-HD-2000	68259
RVBP-HD-2200-KIT VPLOUGH BLADE KIT	RBVP-HD-2200	68260
RVBP-HD-2400-KIT VPLOUGH BLADE KIT	RBVP-HD-2400	68261
RVBP-HD-2500-KIT VPLOUGH BLADE KIT	RBVP-HD-2500	68262
RVBP-HD-2600-KIT VPLOUGH BLADE KIT	RBVP-HD-2600	68263
RVBP-HD-2800-KIT VPLOUGH BLADE KIT	RBVP-HD-2800	68264
RVBP-HD-3000-KIT VPLOUGH BLADE KIT	RBVP-HD-3000	68265
RVBP-HD-3200-KIT VPLOUGH BLADE KIT	RBVP-HD-3200	68266

Product Notes:

- Lasts up to 12 months longer than the leading competitor blade.
- Can be retrofitted to existing ESS V-Ploughs. The design of the blades allows a simple retrofit to existing ploughs.
- Simple and quick replacement for new blades. Due to the simple cartridge design of the blades, the replacement of blades is a quick and simple job, reducing the down time required.
- Discharges to both sides of the belt. The plough is angled to discharge materials to both sides of the belt, making it as convenient as possible for cleanup.
- Reduces belt mistracking.
- Use 93A durometer polyurethane to ensure exceptional wear life.

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

V-Plough Blade Kits

Replacement Parts

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Nose Cones		
RBVP-SD-N SD VPLOUGH NOSE	RBVP-SD-N	91768
RBVP-HD-N HD VPLOUGH NOSE	RBVP-HD-N	91782
Standard-Duty		
RBVP-SD-S-600 SD VPLOUGH SIDE	RBVP-SD-S-600	91769
RBVP-SD-S-750 SD VPLOUGH SIDE	RBVP-SD-S-750	91770
RBVP-SD-S-900 SD VPLOUGH SIDE	RBVP-SD-S-900	91771
RBVP-SD-S-1050 SD VPLOUGH SIDE	RBVP-SD-S-1050	91772
RBVP-SD-S-1200 SD VPLOUGH SIDE	RBVP-SD-S-1200	91773
RBVP-SD-S-1350 SD VPLOUGH SIDE	RBVP-SD-S-1350	91774
RBVP-SD-S-1500 SD VPLOUGH SIDE	RBVP-SD-S-1500	91775
RBVP-SD-S-1800 SD VPLOUGH SIDE	RBVP-SD-S-1800	91776
RBVP-SD-S-2000 SD VPLOUGH SIDE	RBVP-SD-S-2000	91777
RBVP-SD-S-2200 SD VPLOUGH SIDE	RBVP-SD-S-2200	91778
RBVP-SD-S-2400 SD VPLOUGH SIDE	RBVP-SD-S-2400	91779
RBVP-SD-S-2600 SD VPLOUGH SIDE	RBVP-SD-S-2600	91780
RBVP-SD-S-2800 SD VPLOUGH SIDE	RBVP-SD-S-2800	91781
Heavy-Duty		
RBVP-HD-S-900 HD VPLOUGH SIDE	RBVP-HD-S-900	91783
RBVP-HD-S-1050 HD VPLOUGH SIDE	RBVP-HD-S-1050	91784
RBVP-HD-S-1200 HD VPLOUGH SIDE	RBVP-HD-S-1200	91785
RBVP-HD-S-1350 HD VPLOUGH SIDE	RBVP-HD-S-1350	91786
RBVP-HD-S-1500 HD VPLOUGH SIDE	RBVP-HD-S-1500	91787
RBVP-HD-S-1600 HD VPLOUGH SIDE	RBVP-HD-S-1600	91788
RBVP-HD-S-1800 HD VPLOUGH SIDE	RBVP-HD-S-1800	91789
RBVP-HD-S-2000 HD VPLOUGH SIDE	RBVP-HD-S-2000	91790
RBVP-HD-S-2200 HD VPLOUGH SIDE	RBVP-HD-S-2200	91791
RBVP-HD-S-2400 HD VPLOUGH SIDE	RBVP-HD-S-2400	91792
RBVP-HD-S-2500 HD VPLOUGH SIDE	RBVP-HD-S-2500	91793
RBVP-HD-S-2600 HD VPLOUGH SIDE	RBVP-HD-S-2600	91794
RBVP-HD-S-2800 HD VPLOUGH SIDE	RBVP-HD-S-2800	91795
RBVP-HD-S-3000 HD VPLOUGH SIDE	RBVP-HD-S-3000	91796
RBVP-HD-S-3200 HD VPLOUGH SIDE	RBVP-HD-S-3200	91797



V-Plough SD Nose



V-Plough SD Side



V-Plough HD Nose



V-Plough HD Side

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Diagonal Plough

Diagonal Ploughs - Mild Steel*

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450-750	CBD-S	76442	20.0
900-1050	CBD-M	76443	25.0
1200-1500	CBD-L	76444	32.0
1600-1800	CBD-XL	76445	43.0
2000-2400	CBD-XXL	64787	54.0

*Use next larger size for Belt Widths between ranges.



Diagonal Plough* - Stainless Steel*


BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450-750	CBD-S-S/S	64178	20.0
900-1050	CBD-M-S/S	A1854	25.0
1200-1500	CBD-L-S/S	A1856	32.0
1600-1800	CBD-XL-S/S	76318	43.0
2000-2400	CBD-XXL-S/S	63554	54.0

*Use next larger size for Belt Widths between ranges.

Replacement Blade Kits-Polyurethane Blades

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450-750	DBK-S	76446	2.0
900-1050	DBK-M	76447	3.0
1200-1500	DBK-L	76448	4.0
1600-2000	DBK-XL	76449	5.0
2100-2400	DBK-XXL	62595	6.0

Diagonal Plough requires 1 blade; Reversing Plough requires 2 blades.



Deflector™ Reversible Plough with Polyurethane Blades-Mild Steel

BELT WIDTH mm	ORDERING NUMBER	ITEM CODE	WT. KG
450-750	CBR-S	72483	40.0
900-1050	CBR-M	72484	48.0
1200-1500	CBR-L	72485	60.0
1600-2000	CBR-XL	72486	80.0



Product Notes:


- A belt cleaner for the tail pulley. Prevents damage to the belt, pulley, lagging, and belt splice.
- Keeps fugitive materials off the inside of the belt and out of the tail pulley.
- Installed at a 45° angle across the belt to discharge material to one predetermined side.
- The blade is installed in a fixed position, eliminating any bouncing problems.
- Exclusive 20° angled blade quickly spirals material off the belt.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information & Replacement Parts

Diagonal Plough HD Spring Tensioned



HD Spring Tensioned Diagonal Ploughs

DESCRIPTION	BELT WIDTH mm	MILD STEEL		STAINLESS STEEL	
		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
Heavy-Duty Spring Tensioned Diagonal Plough	900-1050	CBD-ST-M	61077	CBD-ST-M-S/S	61079
	1200-1500	CBD-ST-L	61050	CBD-ST-L-S/S	61080
	1600-1800	CBD-ST-XL	61051	CBD-ST-XL-S/S	A2138
	2000-2400	CBD-ST-XXL	63747	CBD-ST-XXL-S/S	63748
Heavy-Duty Spring Tensioned Diagonal Plough with Polyurethane Blade	900-1050	CBD-ST-M-P	64772	CBD-ST-M-P-S/S	64623
	1200-1500	CBD-ST-L-P	64773	CBD-ST-L-P-S/S	64624
	1600-1800	CBD-ST-XL-P	64774	CBD-ST-XL-P-S/S	64625
	2000-2400	CBD-ST-XXL-P	64775	CBD-ST-XXL-P-S/S	64626
Heavy-Duty Spring Tensioned Diagonal Plough with Polyurethane Blade and Shield	900-1050	CBD-ST-M-PSS	64776	CBD-ST-M-PS-S/S	64780
	1200-1500	CBD-ST-L-PS	64777	CBD-ST-L-PS-S/S	64781
	1600-1800	CBD-ST-XL-PS	64778	CBD-ST-XL-PS-S/S	64782
	2000-2400	CBD-ST-XXL-PS	64779	CBD-ST-XXL-PS-S/S	64783

Lead time: 3 weeks

Replacement Parts

REF	DESCRIPTION	BELT WIDTH mm	BLADE WIDTH mm	MILD STEEL		STAINLESS STEEL	
				ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
1	Diagonal Plough Main Frame	900-1050	N/A	CBD-ST-M-MF	61105	CBD-ST-M-MF-S/S	61108
		1200-1500	N/A	CBD-ST-L-MF	61106	CBD-ST-L-MF-S/S	61109
		1600-1800	N/A	CBD-ST-XL-MF	61107	CBD-ST-XL-MF-S/S	61110
		2000-2400	N/A	CBD-ST-XXL-MF	63749	CBD-ST-XXL-MF-S/S	63750
2	Standard Blade (FRAS)	900-1050	1750	CBD-ST-FR-B	61111		
		1200-1500	2250	CBD-ST-L-FR-B	A2218		
		1600-1800	2750	CBD-ST-XL-FR-B	A1784		
		2000-2400	3250	CBD-ST-XXL-FR-B	63752		
	Polyurethane Blade	900-1050	1750	CBD-ST-B	64620		
		1200-1500	2250	CBD-ST-L-B	64621		
		1600-1800	2750	CBD-ST-XL-B	64482		
		2000-2400	3250	CBD-ST-XXL-B	64622		
3	Stainless Steel Face Plate	900-1050	N/A	CBD-ST-M-FP	61112		
		1200-1500	N/A	CBD-ST-L-FP	61113		
		1600-1800	N/A	CBD-ST-XL-FP	61114		
		2000-2400	N/A	CBD-ST-XXL-FP	63751		
-	Diagonal Plough Shields	900-1050	N/A	CBD-ST-M-S	64784		
		1200-1500	N/A	CBD-ST-L-S	64785		
		1600-1800	N/A	CBD-ST-XL-S	63024		
		2000-2400	N/A	CBD-ST-XXL-S	63791		
4	Adjusting Arm	N/A		CBD-ST-AA	61096		
5	Mounting Channel	N/A		CBD-ST-MC	B0092		
6	Threaded Bar	N/A		CBD-ST-TB-S/S	A2629		
7	Compression Spring	N/A		CBD-ST-CS-S/S	A2215		
8	Bush with Brass Insert			CBD-ST-BB	64310		
9	M12 NYLOC, S/S 316 nut & flat washer	N/A		N/A	N/A		
10	Fasteners kit (M24 half nuts & flat washers - SS304) Qty: 4 each	N/A		CBD-ST-HN-S/S	61100		
11	M12 X40 Hex bolt & nuts (SS316) Qty: 8 each	N/A		N/A	N/A		


Lead time: 3 weeks

Product Ordering Information

Belt Positioner™

Note:

- Use next larger size for belt widths between ranges.
- Idler rollers on sizes:
 - S-M-L are 127 mm diameter
 - X are 152 mm diameter
- Finish: All steel parts are powder coated. All nuts and set screws are metric in 300 series Stainless Steel.
- This product is also available in Stainless Steel. Please contact Flexco for pricing.



Belt Positioners with Steel Rollers

SIZE	BELT WIDTH (MIN-MAX) mm	POSITIONER WIDTH (MIN-MAX) mm	ORDERING NUMBER	ITEM CODE	WT. KG
Small	450-600	600-850	PSR-S-F	105629	31.7
Medium	750-1200	850-1400	PSR-M-F	105630	38.5
Large	1350-1800	1400-2075	PSR-L-F	105631	49.8
Extra Large	1800-2400	1800-3000	PSR-XL-F	105632	90.7

Lead time: 4 weeks

Product Notes:


- The Positioner should be centered between two standard return rollers. For general applications-standard belts up to 1800 mm: position the unit no closer than 900 mm to a return roller and no farther than 1.8 meters.
- Works on the return side of the conveyor using simple angled rollers mounted in a fixed position to quickly and continuously funnel the belt into the correct path.
- A “quick fix” solution for belts that consistently wander to one side.
- Typically installed before the tail pulley to keep the belt centred at the critical loading point. Centre loading is the key to solving many top side tracking problems.
- Idler rollers make smooth contact with the return belt’s bottom cover, eliminating excessive wear and damage to the belt’s edges.
- Has no pivoting mechanism to freeze up and cause the unit to stop working.
- Once installed, no further adjustment is required.

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

Belt Positioner™



Replacement Parts

REF	DESCRIPTION	BELT WIDTH (MIN-MAX) mm	ORDERING NUMBER	ITEM CODE	WT. KG
1	Small Frame Kit* (1 ea.)	450-650	RBPFK-S	105605	5.7
	Medium Frame Kit* (1 ea.)	750-1200	RBPFK-M	105606	6.5
	Large Frame Kit* (1 ea.)	1350-1600	RBPFK-L	105607	8.8
	Extra Large Frame Kit* (1 ea.)	1800-2400	RBPFK-XL	105608	13.0
2	Mounting Bracket Kit* (1 ea.)		RBPMBK	105603	2.7
3	Clamp Plate	450-2400	RBPCP	73162	0.5

* Hardware included
Lead time: 4 weeks

Replacement Rollers

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
4	Small Steel Roller	RBPSR-S	105621	5.5
	Medium Steel Roller	RBPSR-M	105622	7.5
	Large Steel Roller	RBPSR-L	105623	10.5
	Extra Large Steel Roller	RBPSR-XL	105624	16.6
5	Roller Retainer Kit*	RBPRET	105613	0.2
-	Extra Large Roller Retainer Kit*	RBPRET-XL	105614	0.3

* Hardware included
Positioners come standard with Steel rollers.
Lead time: 4 weeks

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.


 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

PTEZ™
Belt Trainer

PTEZ™ Belt Trainer

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
450	18	PTEZ-450	90265	54.4
600	24	PTEZ-600	90266	58.9
750	30	PTEZ-750	90267	63.5
900	36	PTEZ-900	90268	68
1050	42	PTEZ-1050	90269	72.6
1200	48	PTEZ-1200	90270	77.1



HD PTEZ™ Belt Trainer

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in.			
1050	42	PTEZHD-1050	90616	103.6
1200	48	PTEZHD-1200	90617	114.5
1350	54	PTEZHD-1350	90618	125.9
1400	56	PTEZHD-1400	90795	129.5
1500	60	PTEZHD-1500	90619	136.8
1600	64	PTEZHD-1600	90796	144.1
1800	72	PTEZHD-1800	90620	158.6
2000	80	PTEZHD-2000	90797	173.6
2100	84	PTEZHD-2100	90621	180.9

Product Notes:


- Simple adjustable mounting brackets ensure quick and accurate installation.
- Urethane roller cover ensures long-lasting performance.
- Works in multiple applications, yet economical. Single-direction and reversing belts. Wet or dry conditions. Belts with edge damage or wear. Belts mistracking to one or both sides.
- Easy ordering and installation. Enhanced to meet instant demands for training solutions, the PTEZ is available on a one-working-day lead time. The simple brackets and component construction also ensure a quick and easy installation.
- Uses tapered and patterned roller to activate the trainer movement. Pivot influences direction while Tilt increases the tension on the mistracked side—the result is two forces quickly moving the belt back to center.
- Works with mechanically fastened or vulcanized belts.

Replacement Parts List

PTEZ™ Replacement Parts


REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
1	PTEZ HD Mount Bracket Kit (2 ea.)	PTEZHD-MBK	90803	8.6
2	PTEZ HD Pole Bracket Kit (2 ea.)	PTEZHD-PBK	90804	3.2
3	PTEZ HD Dust Cover Kit (2 ea.)	PTEZHD-DCK	90805	0.5
4	PTEZ HD Wire Rope Bolt Kit (2 ea.)	PTEZHD-WRBK	90806	0.5
5	PTEZ HD J Bolt Bracket Kit (2 ea.)	PTEZHD-JBBK	90807	0.9

*Bracket set for 1 roller



Product Ordering Information

PT Smart™
Belt Trainer



PT Smart Standard
Belt Trainer
(Roller Included)

PT Smart™ Belt Trainer

BELT TRAINER COMPLETE			REPLACEMENT ROLLERS	
BELT WIDTH MM	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
450	PTS-18R	77664	PTS-RR21	77680
600	PTS-24R	77665	PTS-RR27	77681
750	PTS-30R	77666	PTS-RR33	77682
900	PTS-36R	77667	PTS-RR39	77683
1050	PTS-42R	77668	PTS-RR45	77684
1200	PTS-48R	77669	PTS-RR51	77685
1350	PTS-54R	77670	PTS-RR57	77686
1500	PTS-60R	77671	PTS-RR63	77687
1800	PTS-72R	77672	PTS-RR75	77689

Lead time: 1 week

Selection Guidelines

CONVEYOR CRITERIA	PT SMART™
Top side mistracking	NO
Return side mistracking	YES
Belt mistracking to one side	EXCELLENT
Belt mistracking to both sides	EXCELLENT
Inconsistent tracking problem	EXCELLENT
Belt is cupped (heavy)	GOOD
Belt has low running tension	EXCELLENT
Belt has medium running tension	EXCELLENT
Belt has high running tension	GOOD
Approx. "upstream" effect*	6 M
Approx. "downstream" effect*	36 - 45 M

Specifications:


- Maximum Belt Speed5 m/s
- Temperature Rating-40°C to 71°C
- Belt DirectionOne way
- Available for Belt Widths450 to 1800 mm
- Application Range.....Medium-duty belts up to 1600 PIW max tension.
Belt width + 75 mm idler.
Belt thickness 25 mm maximum.

☐ Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

PT Smart™
Belt Trainer



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE
1	PTS STD Sensor Roller 50 mm	PTS-SR	93089
1a	PTS HD Sensor Roller 75 mm	PTS-HDSR	77692
2	PTS Adjusting Bolt Kit	PTS-ABK	77693
3	PTS Sensor Arm Kit (incl. 1 ea.)	PTS-SAK	77694
4	PTS RH Sensor Adjuster Assy	PTS-RHSAA	77755
	PTS LH Sensor Adjuster Assy	PTS-LHSAA	77756
5	PTS Idler Bracket Kit (incl. L & R)	PTS-IBK	77696
5a	PTS HD Idler Bracket Kit (incl. L & R)	PTS-HIBK	77697
6	PTS Pivot Shield	PTS-PS	77698
7	PTS Pivot Assy (Axle and housing)	PTS-PA	77699
8	PTS Mounting Bracket Kit	PTS-MBK	77700
8a	PTS Mounting Bracket Kit U/G	PTS-MBKUG	77701
9	PTS Extending Bracket Kit (incl. L & R)	PTS-EBK	77702
10	Roller Retainer Kit	RBPRET	73163



*Hardware included

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Specifications & Guidelines

PT Smart™
Belt Trainer



PT Smart™ Standard

BELT WIDTH mm	ITEM CODE	A	B	C	D (VERTICAL ADJUSTMENT)
450	77664	575-875mm	250-575 mm	250 mm	0-250 mm
600	77665	725-1025mm	400-725 mm		
750	77666	875-1175mm	550-875 mm		
900	77667	1025-1325mm	700-1025 mm		
1050	77668	1175-1475mm	825-1175 mm		
1200	77669	1325-1625mm	1000-1325 mm		
1350	77670	1475-1775mm	1150-1475 mm		
1500	77671	1625-1925mm	1300-1625 mm		
1800	77672	1925-2225mm	1600-1925 mm		

Product Ordering Information

PT Max™ Belt Trainer - Mild Steel

Please note that freight for all PT Max™ are ex-works.


PT Max™ Top Side

	BELT WIDTH mm	ORDERING NUMBER	WT. KG
SD	750	PTM-750-3	130.0
	900	PTM-900-3	140.0
	1050	PTM-1050-3	147.0
	1200	PTM-1200-3	155.0
	1350	PTM-1350-3	161.0
	1500	PTM-1500-3	164.0
HD	1600	PTM-1600-3	168.0
	1800	PTM-1800-3	186.0
	2000	PTM-2000-3	204.0
	2400	PTM-2400-3	240.0
	2600	PTM-2600-3	258.0
	3000	PTM-3000-3	294.0

Finish: Steel parts are sandblasted, primed, and powder coated



PT MAX TOP SIDE BELT TRAINER:
The PT MAX is delivered without rollers, but is manufactured to accommodate on site rollers.
Includes Servo Rollers.



PT MAX RETURN SIDE BELT TRAINER
Rollers supplied by end user.

PT Max™ Return Side

	BELT WIDTH mm	ORDERING NUMBER	WT. KG
SD	750	PTM-750-1	130.0
	900	PTM-900-1	140.0
	1050	PTM-1050-1	147.0
	1200	PTM-1200-1	155.0
	1350	PTM-1350-1	161.0
	1500	PTM-1500-1	164.0
HD	1600	PTM-1600-1	168.0
	1800	PTM-1800-1	186.0
	2000	PTM-2000-1	204.0
	2400	PTM-2400-1	240.0
	2600	PTM-2600-1	258.0
	3000	PTM-3000-1	294.0

Finish: Steel parts are sandblasted, primed, and powder coated

PT Max™ V-Return

	BELT WIDTH mm	ORDERING NUMBER	WT. KG
SD	750	PTM-750-2	130.0
	900	PTM-900-2	140.0
	1050	PTM-1050-2	147.0
	1200	PTM-1200-2	155.0
	1350	PTM-1350-2	161.0
	1500	PTM-1500-2	164.0
HD	1600	PTM-1600-2	168.0
	1800	PTM-1800-2	186.0
	2000	PTM-2000-2	204.0
	2400	PTM-2400-2	240.0
	2600	PTM-2600-2	258.0
	3000	PTM-3000-2	294.0

Finish: Steel parts are sandblasted, primed, and powder coated

Replacement Servo Rollers

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
PTM Sensor Roller* (3" solid roller) (1ea.) S/S	MSR	74914	3.0



PT MAX V-RETURN BELT TRAINER

Product Notes:

- Please note PT Max™ no longer utilises generic item codes. Each PT Max is specifically engineered and is allocated a unique 6 digit item code upon manufacture which is also the serial number.
- FPT Max™ is custom manufactured to suit your requirements. Manufacture cannot commence without a data sheet; contact Flexco for specification order sheet.
- For larger sizes please contact Flexco (Aust) Pty Ltd.
- Also available in other roller configurations—please contact Flexco.
- PT Max™ lead time is 6 weeks ex-Sydney from the receipt of an order and all data requirements. Please allow an additional two weeks for stainless steel and galvanised trackers.


Product Ordering Information

PT Max™ Belt Trainer - Stainless Steel


Please note that freight for all PT Max™ are ex-works.

PT Max™ Top Side

	BELT WIDTH mm	ORDERING NUMBER	WT. KG
SD	750	PTM-750-3-S/S	130.0
	900	PTM-900-3-S/S	140.0
	1050	PTM-1050-3-S/S	147.0
	1200	PTM-1200-3-S/S	155.0
	1350	PTM-1350-3-S/S	161.0
	1500	PTM-1500-3-S/S	165.0
HD	1600	PTM-1600-3-S/S	168.0
	1800	PTM-1800-3-S/S	186.0
	2000	PTM-2000-3-S/S	204.0
	2400	PTM-2400-3-S/S	240.0
	2600	PTM-2600-3-S/S	258.0
	3000	PTM-3000-3-S/S	294.0



PT MAX TOP SIDE BELT TRAINER:
The PT MAX is delivered without rollers, but is manufactured to accommodate on site rollers.
Includes Servo Rollers.



PT MAX RETURN SIDE BELT TRAINER
Rollers supplied by end user.

PT Max™ Return Side


	BELT WIDTH mm	ORDERING NUMBER	WT. KG
SD	750	PTM-750-1-S/S	130.0
	900	PTM-900-1-S/S	140.0
	1050	PTM-1050-1-S/S	147.0
	1200	PTM-1200-1-S/S	155.0
	1350	PTM-1350-1-S/S	161.0
	1500	PTM-1500-1-S/S	165.0
HD	1600	PTM-1600-1-S/S	168.0
	1800	PTM-1800-1-S/S	186.0
	2000	PTM-2000-1-S/S	204.0
	2400	PTM-2400-1-S/S	240.0
	2600	PTM-2600-1-S/S	258.0
	3000	PTM-3000-1-S/S	294.0

PT Max™ V-Return

	BELT WIDTH mm	ORDERING NUMBER	WT. KG
SD	750	PTM-750-2-S/S	130.0
	900	PTM-900-2-S/S	140.0
	1050	PTM-1050-2-S/S	147.0
	1200	PTM-1200-2-S/S	155.0
	1350	PTM-1350-2-S/S	161.0
	1500	PTM-1500-2-S/S	165.0
HD	1600	PTM-1600-2-S/S	168.0
	1800	PTM-1800-2-S/S	186.0
	2000	PTM-2000-2-S/S	204.0
	2400	PTM-2400-2-S/S	240.0
	2600	PTM-2600-2-S/S	258.0
	3000	PTM-3000-2-S/S	294.0

Replacement Servo Rollers

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
PTM Sensor Roller* (3" solid roller) (1ea.)	MSR2-S/S	79378	3.0




PT MAX V-RETURN BELT TRAINER

Product Notes:

- Please note PT Max™ no longer utilises generic item codes. Each PT Max is specifically engineered and is allocated a unique 6 digit item code upon manufacture which is also the serial number.
- PT Max™ is custom manufactured to suit your requirements. Manufacture cannot commence without a data sheet; contact Flexco for specification order sheet.
- Stainless Steel PT Max™ is made from 304 Stainless Steel as standard, please specify specific requirements in the data sheet.
- For larger sizes please contact Flexco (Aust) Pty Ltd.
- Please note that PT Max™ freight terms are ex-works Sydney.
- Also available in other roller configurations—please contact Flexco.

Replacement Parts List

PT Max™
Belt Trainer



Replacement Parts

REF	DESCRIPTION	BELT WIDTH (mm)	MILD STEEL		STAINLESS STEEL	
			ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
1	PTM Sensor Roller* (3" solid roller) (1 ea.)	750-2100	MSR	74914	MSR2-S/S	79378
2	Swivel Mount Kit*	750-2100	PMSMK	74916	PMSMK-S/S	64925
3	Adjusting Arm Kit*	750-1500	MAK	74918	MAK-S/S	64926
3a	HD Adjusting Arm Kit*	1350-2100	MAKHD	74919	MAKHD	74919
4	Outer Roller Kit* (incl. 2 rollers, roller thimbles and bolts, nuts and washers)	750-2100	MORK	74921	MORK	74921
5	Center Roller Kit* (incl. 2 rollers, 2 washers, and 2 cotter pins)	750-2100	MCRK	74923	MCRK	74923
6	Center Bearing*	750-2100	MCB	74925	MCB	74925
7	Center Shaft Spacer Kit (incl. 2 spacers)	750-1500	MCSK	74927	MCSK	74927
7a	HD Center Shaft Spacer Kit (incl. 2 spacers)	1350-2100	MCSKHD	74928	MCSKHD	74928
8	Center Shaft	750-1500	MCS	74930	MCS	74930
8a	HD Center Shaft	1350-2100	MCSHD	74931	MCSHD	74931
9	Frame Arm Set Screw Kit (incl. 2 setscrews and 2 jam nuts)	750-3000	MFASK	75531	MFASK	75531
-	Center Bearing Kit (incl. 1 ea. items 5, 6, 7, 8)	750-1500	MCBK	76025	MCBK	76025
-	HD Center Bearing Kit (incl. 1 ea. items 5, 6, 7a, 8a)	1350-2100	MCBKHD	76026	MCBKHD	76026

Lead time: 3 weeks

MSR - 20mm shaft; MSR-S/S - 25mm shaft

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

PT Max™ Adjustable Belt Trainer

PT Max™ Adjustable Top Side

VERSION	BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KGS.
Standard	750	PTMA-750-3	83785	161.0
	900	PTMA-900-3	83661	170.0
	1050	PTMA-1050-3	83662	184.0
	1200	PTMA-1200-3	83663	193.0
	1350	PTMA-1350-3	83664	202.0
	1600	PTMA-1600-3	83665	229.0
	1800	PTMA-1800-3	83666	240.0
Heavy-Duty	1800	PTMAHD-1800-3	83734	277.0
	2000	PTMAHD-2000-3	83735	290.0
	2200	PTMAHD-2400-3	83736	304.0



PT MAX™ ADJUSTABLE TOP SIDE BELT TRAINER

PT Max Adjustable Return Side

VERSION	BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KGS.
Standard	750	PTMA-750-1	83786	154.0
	900	PTMA-900-1	83667	170.0
	1050	PTMA-1050-1	83668	179.0
	1200	PTMA-1200-1	83669	188.0
	1350	PTMA-1350-1	83670	195.0
	1600	PTMA-1600-1	83671	236.0
	1800	PTMA-1800-1	83672	245.0
Heavy-Duty	1800	PTMAHD-1800-1	83737	279.0
	2000	PTMAHD-2000-1	83738	290.0
	2200	PTMAHD-2400-1	83739	302.0




PT MAX ADJUSTABLE RETURN SIDE BELT TRAINER

PT Max Adjustable V-Return

VERSION	BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. KGS.
Standard	900	PTMA-750-2	83673	195.0
	1050	PTMA-1050-2	83674	204.0
	1200	PTMA-1200-2	83675	215.0
	1350	PTMA-1350-2	83676	225.0
	1600	PTMA-1600-2	83677	236.0
	1800	PTMA-1800-2	83678	277.0
Heavy-Duty	1800	PTMAHD-1800-2	83740	288.0
	2000	PTMAHD-2000-2	83741	329.0
	2200	PTMAHD-2400-2	83742	349.0

Please contact Flexco for availability and lead times.



PT MAX ADJUSTABLE V-RETURN BELT TRAINER

Product Notes:


- PT Max Adjustable takes the best features from the PT Max and integrates the adaptability of the PT Smart™ to create a fully-adjustable design that can fit almost any conveyor configuration without needing a data sheet.
- Standardised parts allow us to manage costs, include the rollers, and reduce lead times – down to 1 day on core sizes.
- Works in multiple applications. Top side or return side belts. Heavy duty or medium duty operations. Wet or dry conditions. Belts mistracking to one side or both sides. Whatever the issue, PT Max Adjustable has the answer.

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Replacement Parts List

PT Max™
Adjustable Belt Trainer



Replacement Parts

REF	DESCRIPTION	SIZE	ORDERING NUMBER	ITEM CODE	WT. KGS.
1	PTMA650T PT MAX TOP 650	127mm Roller	4.5" STEEL ROLLER-PTM 650	83788	5.3
	PTMA800T PT MAX TOP 800		SE5-T800	83679	7.2
	PTMA1000T PT MAX TOP 1000		SE5-T1000	83680	8.2
	PTMA1200T PT MAX TOP 1200		SE5-T1200	83681	9.5
	PTMA1400T PT MAX TOP 1400		SE5-T1400/VR1000	83682	10.4
	PTMA1600T PT MAX TOP 1600		SE5-T1600	83683	12.3
	PTMA1800T PT MAX TOP 1800		SE5-T1800	83684	14.8
	PTMA650R PT MAX RET 650	152.4mm Roller	SE6-T2200/ R650	83745	18.8
	PTMA800R PT MAX RET 800		SE6-R800	83685	22.5
	PTMA1000R PT MAX RET 1000		SE6-R1000	83686	25.6
	PTMA1200R PT MAX RET 1200		SE6-R1200	83687	30.9
	PTMA1400R PT MAX RET 1400		SE6-R1400	83688	35.2
	PTMA1600R PT MAX RET 1600		SE6-R1600	83689	40.2
	PTMA1800R PT MAX RET 1800		SE6-R1800	83690	46.5
	PT MAX V RETURN 800	127mm Roller	SE5-VR800	83691	8.5
	PT MAX V RETURN 1000		SE5-T1400 /VR1000	83682	10.5
	PT MAX V RETURN 1200		SE5-VR1200	83692	11.3
	PT MAX V RETURN 1400		SE5-VR1400	83693	12.5
	PT MAX V RETURN 1600		SE5-VR1600	83694	14.2
	PT MAX V RETURN 1800		SE5-VR1800	83695	16.2
	PTMAHD1800T PT MAX TOP 1800	152.4mm Roller	SE6-T1800	83743	15.3
	PTMAHD2000T PT MAX TOP 2000		SE6-T2000	83744	17.1
	PTMAHD2200T PT MAX TOP 2200		SE6-T2200/ R650	83745	18.8
	PTMAHD1800R PT MAX RET 1800		SE6-R1800	83690	46.5
	PTMAHD2000R PT MAX RET 2000		SE6-R2000	83746	53.5
	PTMAHD2200R PT MAX RET 2200		SE6-R2200	83747	57.3
	PTMAHD1800VR PT MAX V-RET 1800		SE6-VR1800	83748	27.2
	PTMAHD2000VR PT MAX V-RET 2000		SE6-VR2000	83749	30.3
	PTMAHD2200VR PT MAX V-RET 2200		SE6-VR2200	83750	35.5
	2 Sensor Roller 2.0* (3" solid roller)(1 ea.) (Top, Flat, V Return)		MSR	74914	3.2
3	Swivel Mount Kit 2.0* (Top, Flat, V Return)		PMSMK2	79380	2.5
4a	PTMA Adjusting Arm Kit (Top, Flat, V Return)		PTMAAK	90194	2.7
4b	PTMA Adjusting Arm Kit HD (Top, Flat, V Return HD)		PTMAAKHD	90195	4.1
5	Outer Roller Kit (Top, Flat, V Return) (incl. 2 rollers, roller thimbles, and bolts, nuts, & washers)		PTMAORK	90197	0.5
6	Center Roller Kit (Top, Flat, V Return) (incl. 2 rollers, 2 washers, & 2 cotter pins)		MCRK	74923	0.5
7	Center Bearing (Top, Flat, V Return)		MCB	74925	0.8
8a	Center Shaft Spacer Kit (incl. 2 spacers) (Top, Flat, V Return)		MCSK	74927	0.1
8b	Center Shaft Spacer Kit HD (incl. 2 spacers) (Top, Flat, V Return HD)		MCSKHD	74928	0.2
9a	Center Shaft (Top, Flat, V Return)		MCS	74930	1.8
9b	Center Shaft HD (Top, Flat, V Return HD)		MCSHD	74931	5.9
10a	Frame Mount Kit (Top)		PTMAFMKT	90185	6.6
10b	Frame Mount Kit (Flat/V Return)		PTMAFMKR	90186	19.1
10c	Frame Mount Kit (Flat/V Return HD)		PTMAFMKHDR	90187	22.4
11a	Extender Kit (Top)		PTMAEKT	90188	15.4
11b	Extender Kit (Top HD)		PTMAEKHDT	90191	22.6
11c	Extender Kit (Flat Return)		PTMAEKR	90189	25.9
11d	Extender Kit (Flat Return HD)		PTMAEKHDR	90192	39.2
11e	Extender Kit (V Return)		PTMAEKR	90190	34.5
11f	Extender Kit (V Return HD)		PTMAEKHVR	90193	50.9
-	Center Bearing Kit (incl. 1 ea. Items 6, 7, 8a, 9a) (Top, Flat, V Return)		MCBK	76025	3.6
-	Center Bearing Kit HD (incl. 1 ea. Items 6, 7, 8b, 9b) (Top, Flat, V Return HD)		MCBKHD	76026	7.7

*Hardware included

Please contact Flexco for availability and lead times.

Product Ordering Information


Flex-Lok™ Skirt Clamps

Flex-Lok™ Skirt Clamp-Mild Steel

- One Standard Skirt Clamp includes one 2 M mounting channel, 4 clamp plates, 4 clamp pins and one 2 M restraining bar.
- One Mini Skirt Clamp includes one 2 M mounting channel, 3 clamp plates, 3 clamp pins and one 2 M restraining bar.
- Skirt board and rubber not included.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Flex-Lok™ Skirt Clamp Complete	FLSC2000	71053	18.0
Mini Flex-Lok™ Skirt Clamp Complete	FLSCM2000	71148	15.0
REPLACEMENT PARTS			
Toggle Pin	FLSC-TP	71056	1.0
Clamp Plate	FLSC-CP	71057	1.0
Mini Clamp Plate	FLSCM-CP	71140	1.0
Clamp Bar-2000 mm	FLSC2000-CB	71061	5.0
Mounting Channel-2000 mm	FLSC2000-MC	71059	3.0

Finish: Clamp plates and clamp bars are powder coated steel. Mounting channel is powder coated. Toggle pins are zinc passivated steel. Skirt rubber is not included.




Flex-Lok™ Skirt Clamp-Stainless Steel

- One Standard Skirt Clamp includes one 2 M mounting channel, 4 clamp plates, 4 clamp pins and one 2 M restraining bar.
- One Mini Skirt Clamp includes one 2 M mounting channel, 3 clamp plates, 3 clamp pins and one 2 M restraining bar.
- Skirt board and rubber not included.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Flex-Lok™ Skirt Clamp Complete	FLSC2000-S/S	A1436	20.0
Mini Flex-Lok™ Skirt Clamp Complete	FLSCM2000-S/S	61471	15.0
REPLACEMENT PARTS			
Toggle Pin	FLSC-TP-S/S	A1437	1.0
Clamp Plate	FLSC-CP-S/S	A1438	1.0
Mini Clamp Plate	FLSCM-CP-S/S	A2596	1.0
Clamp Bar-2000 mm	FLSC2000-CB-S/S	A1439	5.0
Mounting Channel-2000 mm	FLSC2000-MC-S/S	A1440	3.0

All components supplied in 300 Series Stainless.



Flex-Lok™ Specifications

SKIRT RUBBER THICKNESS RANGE	
Thickness Range	8-25 mm

Product Notes:

- Solves material spillage problems in the conveyor loading zone.
- Stops material loss, eliminates safety hazards, and reduces wear on conveyor components.

Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information


Flex-Seal™
Skirt System

Flex-Seal™ Skirt System

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. KG
Flex-Seal™ Skirt System*	RMC-FS	76558	13.4
REPLACEMENT PARTS**			
Angle Plate	RMC2-FSAPK	76559	8.6
Angle Plate Stainless Steel	RMC2-AP-S/S	A2704	8.6
PAL PAK	RMC1-PP	75832	3.0
Bolt-On PAL PAK	RMC1-BPP	76415	3.0
Clamp Bar	RMC1-CB	75820	1.8

*Flex-Seal Skirt System includes angle plate, one Bolt-On PAL PAK, and one 1.2 M clamp bar. Skirt board and rubber not included. Skirt rubber thickness range: 8 mm to 19 mm

**Replacement parts include two Bolt-On clamp pins and two clamp plates.



Bolt-On PAL PAK

Flex-Seal™ Specifications


SKIRT RUBBER THICKNESS RANGE	
Width Required	150 mm
Thickness Range	8-19 mm

Product Ordering Information

Dual Seal
Polyurethane Skirting

Dual Seal Polyurethane Skirting

Height		Thickness		Length		CHAMFER	ORDERING NUMBER	ITEM CODE	WT. KG
mm	in	mm	in	m	ft				
150	6	12	1/2	7.6	25	35°	SKPU-DUAL-150x12x7.6	91400	21.3
150	6	20	3/4				SKPU-DUAL-150x20x7.6	91401	30.8
200	8	12	1/2				SKPU-DUAL-200x12x7.6	91402	27.4
200	8	20	3/4				SKPU-DUAL-200x20x7.6	91403	40.0
150	6	12	1/2	15.2	50		SKPU-DUAL-150x12x15.2	91404	42.6
150	6	20	3/4				SKPU-DUAL-150x20x15.2	91405	61.5
200	8	12	1/2				SKPU-DUAL-200x12x15.2	91406	54.9
200	8	20	3/4				SKPU-DUAL-200x20x15.2	91407	79.9



Product Notes:

- Secondary seal provides a floating contact area behind the main slab to prevent spillage.
- Polyurethane skirting offers a more wear-resistant material than typical rubber, often providing as much as 3-4 times the wear life in similar applications. The lower coefficient of friction reduces strain on the system.
- Works with Flexco series of skirt clamps that offer simple serviceability: RMC1/PAL-Pak, Flex-Lok™, and Flex-Seal™.
- Uses soft durometer (65A) polyurethane with exceptional tear resistance to ensure a good seal and long belt life.
- 7.6m (25') roll size ensures easy transportation, while the 35° chamfer eliminates the typical skirting break-in period.
- Suitable for most applications: single direction or reversing belts, wet or dry conditions, old or new belts, vulcanized or mechanically-spliced systems.
- Rated for temperatures from -30°C to 82°C (-20°F to 180°F).

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Standard Urethane Skirting

Standard Urethane Skirting with 35° Chamfer* - 7.6 M (25')

Height		Thickness		Length		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in	mm	in	m	ft			
100	4	10	3/8	7.6	25	SKPU-100x10x7.6	91288	9.61
100	4	12	1/2	7.6	25	SKPU-100x12x7.6	91289	12.79
100	4	16	5/8	7.6	25	SKPU-100x16x7.6	91290	16.01
100	4	19	3/4	7.6	25	SKPU-100x19x7.6	91291	19.19
100	4	25	1	7.6	25	SKPU-100x25x7.6	91292	25.58
150	6	10	3/8	7.6	25	SKPU-150x10x7.6	91298	14.38
150	6	12	1/2	7.6	25	SKPU-150x12x7.6	90283	8.2
150	6	16	5/8	7.6	25	SKPU-150x16x7.6	91299	24.00
150	6	20	25/32	7.6	25	SKPU-150x20x7.6	90284	12.38
150	6	25	1	7.6	25	SKPU-150x25x7.6	91300	38.37
200	8	10	3/8	7.6	25	SKPU-200x10x7.6	91304	19.19
200	8	12	1/2	7.6	25	SKPU-200x12x7.6	90285	11.97
200	8	16	5/8	7.6	25	SKPU-200x16x7.6	91305	31.98
200	8	20	25/32	7.6	25	SKPU-200x20x7.6	90286	18.14
200	8	25	1	7.6	25	SKPU-200x25x7.6	91306	51.17
250	10	10	3/8	7.6	25	SKPU-250x10x7.6	91310	23.99
250	10	12	1/2	7.6	25	SKPU-250x12x7.6	91311	31.98
250	10	16	5/8	7.6	25	SKPU-250x16x7.6	91312	39.96
250	10	19	3/4	7.6	25	SKPU-250x19x7.6	91313	47.99
250	10	25	1	7.6	25	SKPU-250x25x7.6	91314	63.96
300	12	10	3/8	7.6	25	SKPU-300x10x7.6	91320	28.80
300	12	12	1/2	7.6	25	SKPU-300x12x7.6	91321	38.37
300	12	16	5/8	7.6	25	SKPU-300x16x7.6	91322	47.99
300	12	19	3/4	7.6	25	SKPU-300x19x7.6	91323	57.56
300	12	25	1	7.6	25	SKPU-300x25x7.6	91234	76.75

Standard Urethane Skirting with 35° Chamfer* - 15.2 M (50')

Height		Thickness		Length		ORDERING NUMBER	ITEM CODE	WT. KG
mm	in	mm	in	m	ft			
100	4	10	3/8	15.2	50	SKPU-100x10x15.2	91293	19.19
100	4	12	1/2	15.2	50	SKPU-100x12x15.2	91294	25.58
100	4	16	5/8	15.2	50	SKPU-100x16x15.2	91295	31.98
100	4	19	3/4	15.2	50	SKPU-100x19x15.2	91296	38.37
100	4	25	1	15.2	50	SKPU-100x25x15.2	91297	51.17
150	6	10	3/8	15.2	50	SKPU-150x10x15.2	91301	28.80
150	6	12	1/2	15.2	50	SKPU-150x12x15.2	91222	38.37
150	6	16	5/8	15.2	50	SKPU-150x16x15.2	91302	47.99
150	6	19	3/4	15.2	50	SKPU-150x19x15.2	91223	57.56
150	6	25	1	15.2	50	SKPU-150x25x15.2	91303	76.75
200	8	10	3/8	15.2	50	SKPU-200x10x15.2	91307	38.37
200	8	12	1/2	15.2	50	SKPU-200x12x15.2	91224	51.17
200	8	16	5/8	15.2	50	SKPU-200x16x15.2	91308	63.96
200	8	19	3/4	15.2	50	SKPU-200x19x15.2	91225	76.75
200	8	25	1	15.2	50	SKPU-200x25x15.2	91309	102.33
250	10	10	3/8	15.2	50	SKPU-250x10x15.2	91315	47.99
250	10	12	1/2	15.2	50	SKPU-250x12x15.2	91316	63.96
250	10	16	5/8	15.2	50	SKPU-250x16x15.2	91317	79.97
250	10	19	3/4	15.2	50	SKPU-250x19x15.2	91318	95.93
250	10	25	1	15.2	50	SKPU-250x25x15.2	91319	127.91
300	12	10	3/8	15.2	50	SKPU-300x10x15.2	91325	57.56
300	12	12	1/2	15.2	50	SKPU-300x12x15.2	91326	76.75
300	12	16	5/8	15.2	50	SKPU-300x16x15.2	91327	95.93
300	12	19	3/4	15.2	50	SKPU-300x19x15.2	91328	115.12
300	12	25	1	15.2	50	SKPU-300x25x15.2	91329	153.50



Product Notes:


- Urethane skirting offers a more wear-resistant material than typical rubber, often providing as much as 3-4 times the wear life in similar applications. The lower coefficient of friction reduces strain on the system.
- Works with Flexco series of skirt clamps that offer simple serviceability: RMC1/PAL-Pak, Flex-Lok, and Flex-Seal.
- Uses soft durometer (65A) urethane with exceptional tear resistance to ensure a good seal and long belt life.
- 7.6M (25') roll size ensures easy transportation, while the 35° chamfer eliminates the typical skirting break-in period.
- Suitable for most applications: single direction or reversing belts, wet or dry conditions, old or new belts, vulcanised or mechanically-spliced systems.
- Rated for temperatures from -30°C to 82°C (-20°F to 180°F)

☐ **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

☐ **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Enclosed Skirt System



COMPONENTS

- | | |
|---|--|
| A. SKIRT BOARD – required
Available in 1200 or 2400 mm sections | C. END PLATE – optional
For belt widths 600 - 2400 mm |
| B. SUPPORT LEGS – required
For belt widths 600 - 2400 mm
Sold as two legs with a cross bar support | D. COVER PLATE – optional
Available in 1200 mm sections
For belt widths 600 - 2400 mm |

PRODUCT/ORDERING NOTES

- Maximum span between support legs is 2400mm (or 2.4M) and they are to be attached to the conveyor stringer or truss
- Skirting solutions do not include required skirt rubber; purchase from local Flexco distribution
- Straight skirt wall and tangential skirt wall available for different skirt rubber sealing options
- Product is built and sold to CEMA standards
- Skirt board liners are made with AR400 abrasive resistant plate steel

ORDERING EXAMPLE

For a covered 1200mm belt skirting system to cover 2.4M of conveyor, as shown above, with (2) 1200 skirt covers, (4) 1200mm tangential skirt walls, (1) rear seal, and (2) support legs the following should be ordered:

- A. (2) Covers, order number: SC-7-48
- B. (4) 48" Tangential Skirt Wall, order number: 4-X-15-4-T-1 or (2) 2400mm skirt walls, use 8-X-15-4-T-1
- C. (2) Support Legs, order number: LA-48
- D. (1) Rear Seal, order number: RS-1-15-48-35

 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Enclosed Skirt System



Skirt Walls*

Skirting sections do not include required skirt rubber; purchase from local Flexco distribution.

WALL LENGTH	STRAIGHT SKIRT WALL	
mm	ORDERING NUMBER	WEIGHT KG
1219	4-X-15-4-S-1	29.5
2438	8-X-15-4-S-1	59.0

WALL LENGTH	TANGENTIAL SKIRT WALL	
mm	ORDERING NUMBER	WEIGHT KG
1219	4-X-15-4-T-1	41.3
2438	8-X-15-4-T-1	83.0

Tangential skirt wall option requires a properly tracked belt within CEMA recommendations.




Rear Seal*

A rear seal can be used to enclose the rear of a skirting while providing access into the system.

BELT WIDTH	REAR SEAL	
mm	ORDERING NUMBER	WEIGHT KG
600	RS-1-15-24-35	7.7
750	RS-1-15-30-35	9.5
900	RS-1-15-36-35	11.3
1050	RS-1-15-42-35	13.6
1200	RS-1-15-48-35	15.4
1350	RS-1-15-54-35	17.7
1500	RS-1-15-60-35	20.0
1650	RS-1-15-66-35	21.8
1800	RS-1-15-72-35	24.5
2100	RS-1-15-84-35	30.0
2400	RS-1-15-96-35	35.8


Do not use a rear seal for a reversing conveyor belt.



Skirt Cover*

BELT WIDTH	1200mm SKIRT COVER	
mm	ORDERING NUMBER	WEIGHT KG
600	SC-7-24	4.5
750	SC-7-30	5.4
900	SC-7-36	6.4
1050	SC-7-42	7.3
1200	SC-7-48	6.2
1350	SC-7-54	9.1
1500	SC-7-60	10.0
1650	SC-7-66	10.7
1800	SC-7-72	12.2
2100	SC-7-84	14.1
2400	SC-7-96	15.9

Skirt covers are made out of aluminum.




 Stock items (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.
 Non-stock items (shaded) please contact Flexco for dispatch options and lead times.

Product Ordering Information

Enclosed Skirt System

Dust Curtain*


BELT WIDTH	DUST CURTAIN (OPTIONAL)	
mm	ORDERING NUMBER	WEIGHT KG
600	DC-1-15-24-35	2.3
750	DC-1-15-30-35	2.7
900	DC-1-15-36-35	3.2
1050	DC-1-15-42-35	3.6
1200	DC-1-15-48-35	3.6
1350	DC-1-15-54-35	4.1
1500	DC-1-15-60-35	4.5
1650	DC-1-15-66-35	4.5
1800	DC-1-15-72-35	5.0
2100	DC-1-15-84-35	5.4
2400	DC-1-15-96-35	5.4



Support Leg Assembly*

BELT WIDTH	SUPPORT LEG ASSEMBLY	
mm	ORDERING NUMBER	WEIGHT KG
600	LA-24	14.1
750	LA-30	14.5
900	LA-36	15.4
1050	LA-42	16.3
1200	LA-48	17.2
1350	LA-54	17.7
1500	LA-60	19.1
1650	LA-66	19.5
1800	LA-72	20.0
2100	LA-84	21.8
2400	LA-96	23.6


Locate a support leg at a maximum every 2400mm (or 2.4M). Skirt walls can accommodate support legs every 600mm (or 0.6M).



Cross Brace Spanner*

SPANNER LEG	CROSS BRACE SPANNER (OPTIONAL)	
mm	ORDERING NUMBER	WEIGHT KG
609	SP-24	2.7
1219	SP-48	5.0
1829	SP-72	7.3
2438	SP-96	10.0

Cross brace spanner can be used to connect between cross braces to locate the vertical section of the support leg assembly anywhere along the cross brace spanner. Support legs need to be located at a maximum of every 2400mm (or 2.4M).



 **Stock items** (non-shaded) refer to (*) for specific lead time, if not specified, standard lead time applies.

 **Non-stock items** (shaded) please contact Flexco for dispatch options and lead times.

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
	67324	57	BP-LA-S/S	A0614	153	CART-36/900-S/S	78578	77	CART2-72/1800-S/S	78585	77
	67325	57	BP-MB	73123	153	CART-36/900-S/S	78578	79	CART2-72/1800-S/S	78585	79
	91090	57	BP-MB-S/S	A0615	153	CART-36/900-S/S	78578	84	CART2-72/1800-S/S	78585	84
	91091	57	BP-SC	73125	153	CART-36/900-S/S	78578	86	CART2-72/1800-S/S	78585	86
	91092	57	BP-SC-S/S	A0616	153	CART-36/900-S/S	78578	91	CART2-72/1800-S/S	78585	91
	64205	57	BP-TB	73138	153	CART-36/900-S/S	78578	93	CART2-72/1800-S/S	78585	93
	64206	57	BP-TL	73141	153	CART-36/900-S/S	78578	98	CART2-72/1800-S/S	78585	98
	64207	57	BP-TL-S/S	A0617	153	CART-36/900-S/S	78578	99	CART2-72/1800-S/S	78585	100
	64208	57	BP-UB	73139	153	CART-42/1050-S/S	78579	41	CART2-78/1950-S/S	78635	42
	64209	57	BP1050	73110	152	CART-42/1050-S/S	78579	46	CART2-78/1950-S/S	78635	47
	64211	57	BP1050-B	73780	153	CART-42/1050-S/S	78579	77	CART2-78/1950-S/S	78635	77
	GR298	57	BP1050-S/S	76342	152	CART-42/1050-S/S	78579	79	CART2-78/1950-S/S	78635	79
	B0536	57	BP1200	73112	152	CART-42/1050-S/S	78579	84	CART2-78/1950-S/S	78635	84
	67586	130	BP1200-1400-PL	73118	153	CART-42/1050-S/S	78579	86	CART2-78/1950-S/S	78635	86
	67587	130	BP1200-1400-PL-S/S	A0621	153	CART-42/1050-S/S	78579	91	CART2-78/1950-S/S	78635	91
	68844	130	BP1200-1400MF	73154	153	CART-42/1050-S/S	78579	93	CART2-78/1950-S/S	78635	93
	67268	130	BP1200-1400MF-S/S MAIN FRAME	A0620	153	CART-42/1050-S/S	78579	98	CART2-78/1950-S/S	78635	98
	67267	130	BP1200-B	73781	153	CART-42/1050-S/S	78579	99	CART2-78/1950-S/S	78635	100
	67437	130	BP1200-S/S	76343	152	CART-48/1200-S/S	78580	77	CART2-84/2100-S/S	78586	42
	62445	130	BP1400	73113	152	CART-48/1200-S/S	78580	79	CART2-84/2100-S/S	78586	47
	62446	130	BP1400-B	73782	153	CART-48/1200-S/S	78580	84	CART2-84/2100-S/S	78586	77
	62447	130	BP1400-S/S	76344	152	CART-48/1200-S/S	78580	86	CART2-84/2100-S/S	78586	79
	62448	130	BP1500	73114	152	CART-48/1200-S/S	78580	91	CART2-84/2100-S/S	78586	84
4.5" STEEL ROLLER - PTM 650	83788	172	BP1500-1600-PL	73119	153	CART-48/1200-S/S	78580	93	CART2-84/2100-S/S	78586	86
ABU	76788	105	BP1500-1600-PL-S/S	A0647	153	CART-48/1200-S/S	78580	98	CART2-84/2100-S/S	78586	91
ABU	76788	105	BP1500-1600MF	73147	153	CART-48/1200-S/S	78580	99	CART2-84/2100-S/S	78586	93
ABU	76788	106	BP1500-1600MF-S/S MAIN FRAME	A0646	153	CART-54/1350-S/S	78581	77	CART2-84/2100-S/S	78586	98
ABU	76788	106	BP1500-B	73783	153	CART-54/1350-S/S	78581	79	CART2-84/2100-S/S	78586	100
ACME-N	62591	35	BP1500-S/S	76345	152	CART-54/1350-S/S	78581	84	CART2-96/2400-S/S	78587	42
ACME-N	62591	35	BP1600	73115	152	CART-54/1350-S/S	78581	86	CART2-96/2400-S/S	78587	47
ACME-N	62591	35	BP1600-B	73784	153	CART-54/1350-S/S	78581	91	CART2-96/2400-S/S	78587	77
ACME-N	62591	35	BP1600-S/S	76346	152	CART-54/1350-S/S	78581	93	CART2-96/2400-S/S	78587	79
ACME-PRK	62496	35	BP1800	73117	152	CART-54/1350-S/S	78581	98	CART2-96/2400-S/S	78587	84
ACME-PRK	62496	35	BP1800-B	73785	153	CART-54/1350-S/S	78581	99	CART2-96/2400-S/S	78587	86
ACME-PRK	62496	35	BP1800-PL	73121	153	CART-60/1500-S/S	78582	41	CART2-96/2400-S/S	78587	91
ACME-PRK	62496	35	BP1800-PL-S/S	A1547	153	CART-60/1500-S/S	78582	46	CART2-96/2400-S/S	78587	93
AIR BAG P	62036	35	BP1800-S/S	76347	152	CART-60/1500-S/S	78582	77	CART2-96/2400-S/S	78587	98
AIR HARK-S/S-60	62035	35	BP1800MF	73148	153	CART-60/1500-S/S	78582	79	CART2-96/2400-S/S	78587	100
AIR HARK-S/S-73	64175	35	BP1800MF-S/S MAIN FRAME	A1546	153	CART-60/1500-S/S	78582	84	CBC18	76668	118
AIR HDMRK S/S	62034	35	BP2000MF	A1996	153	CART-60/1500-S/S	78582	86	CBC24	76669	118
ATV-ANGLE	62426	71	BP450	73102	152	CART-60/1500-S/S	78582	91	CBC30	76670	118
ATV-ANGLE	62426	92	BP450-750-PL	73109	153	CART-60/1500-S/S	78582	93	CBC36	76671	118
ATV-BAG	62079	71	BP450-750-PL-S/S	A0683	153	CART-60/1500-S/S	78582	98	CBC3R	90641	118
ATV-BAG	62079	92	BP450-750MF	73152	153	CART-60/1500-S/S	78582	99	CBC42	76672	118
ATV-MOUNT	62424	71	BP450-750MF-S/S MAIN FRAME	A0682	153	CART-72/1800-S/S	78583	41	CBC48	76673	118
ATV-MOUNT	63073	71	BP450-B	74055	153	CART-72/1800-S/S	78583	46	CBC54	76674	118
ATV-MOUNT	62424	92	BP450-S/S	76337	152	CART-72/1800-S/S	78583	77	CBC60	76675	118
ATV-MOUNT	63073	92	BP600	73104	152	CART-72/1800-S/S	78583	79	CBCS18	90537	118
ATV-NIP	62037	35	BP600-B	73777	153	CART-72/1800-S/S	78583	84	CBCS24	90538	118
ATV-NIP	62037	71	BP600-S/S	76338	152	CART-72/1800-S/S	78583	86	CBCS30	90539	118
ATV-NIP	62037	92	BP750	73106	152	CART-72/1800-S/S	78583	91	CBCS36	90540	118
ATV-SLIDE	62425	71	BP750-B	73778	153	CART-72/1800-S/S	78583	93	CBCS42	90541	118
ATV-SLIDE	62425	92	BP750-S/S	76339	152	CART-72/1800-S/S	78583	98	CBCS48	90542	118
ATV-TUBE	66068	71	BP800	73107	152	CART-72/1800-S/S	78583	99	CBCS54	90543	118
ATV-TUBE	66068	92	BP800-1050-PL	73111	153	CART2-114/2850-S/S	78639	42	CBCS60	90544	118
ATV73-SS	66192	71	BP800-1050-PL-S/S	A0613	153	CART2-114/2850-S/S	78639	47	CBD-L	76444	160
ATV73-SS	66192	92	BP800-1050MF	73153	153	CART2-120/3000-S/S	78588	42	CBD-L-S/S	A1856	160
ATVK-60	62409	71	BP800-1050MF-S/S MAIN FRAME	A0612	153	CART2-120/3000-S/S	78588	47	CBD-M	76443	160
ATVK-60	62409	92	BP800-B	74057	153	CART2-120/3000-S/S	78588	77	CBD-M-S/S	A1854	160
ATVK-73	63072	71	BP800-S/S	76340	152	CART2-120/3000-S/S	78588	79	CBD-S	76442	160
ATVK-73	63072	92	BP900	73108	152	CART2-120/3000-S/S	78588	84	CBD-S-S/S	64178	160
ATVK73-SEC-SS	64743	71	BP900-B	73779	153	CART2-120/3000-S/S	78588	86	CBD-ST-AA	61096	161
ATVK73-SEC-SS	64743	92	BP900-S/S	76341	152	CART2-120/3000-S/S	78588	91	CBD-ST-B	64620	161
ATVKP-60	63861	71	C-PSTA	81045	105	CART2-120/3000-S/S	78588	93	CBD-ST-BB	64310	161
ATVKP-60	63861	92	CART-24/600-S/S	78576	41	CART2-120/3000-S/S	78588	98	CBD-ST-CS-S/S	A2215	161
ATVKP-73	63862	71	CART-24/600-S/S	78576	46	CART2-120/3000-S/S	78588	100	CBD-ST-FR-B	61111	161
ATVKP-73	63862	92	CART-24/600-S/S	78576	77	CART2-126/3150-S/S	78640	42	CBD-ST-HN-S/S	61100	161
AWT	75904	30	CART-24/600-S/S	78576	79	CART2-126/3150-S/S	78640	47	CBD-ST-L	61050	161
AWT	75904	36	CART-24/600-S/S	78576	84	CART2-48/1200-S/S	78580	41	CBD-ST-L-B	64621	161
AWT-1S	76375	30	CART-24/600-S/S	78576	86	CART2-48/1200-S/S	78580	46	CBD-ST-L-FP	61113	161
AWT-1S	76375	36	CART-24/600-S/S	78576	91	CART2-60/1500-S/S	78584	42	CBD-ST-L-FR-B	A2218	161
AWTA	75907	30	CART-24/600-S/S	78576	93	CART2-60/1500-S/S	78584	47	CBD-ST-L-MF	61106	161
AWTA	75907	36	CART-24/600-S/S	78576	98	CART2-60/1500-S/S	78584	77	CBD-ST-L-MF-S/S	61109	161
AWTB	75905	30	CART-24/600-S/S	78576	99	CART2-60/1500-S/S	78584	79	CBD-ST-L-PS	64773	161
AWTB	75905	36	CART-30/750-S/S	78577	77	CART2-60/1500-S/S	78584	84	CBD-ST-L-P-S/S	64624	161
AWTCB	75908	30	CART-30/750-S/S	78577	79	CART2-60/1500-S/S	78584	86	CBD-ST-L-PS	64777	161
AWTCB	75908	36	CART-30/750-S/S	78577	84	CART2-60/1500-S/S	78584	91	CBD-ST-L-PS-S/S	64781	161
AWTHK	75909	30	CART-30/750-S/S	78577	86	CART2-60/1500-S/S	78584	93	CBD-ST-L-S	64785	161
AWTHK	75909	36	CART-30/750-S/S	78577	91	CART2-60/1500-S/S	78584	98	CBD-ST-L-S/S	61080	161
AWTMB	75906	30	CART-30/750-S/S	78577	93	CART2-60/1500-S/S	78584	100	CBD-ST-M	61077	161
AWTMB	75906	36	CART-30/750-S/S	78577	98	CART2-66/1650-S/S	78634	42	CBD-ST-M-FP	61112	161
AWTNCB	76069	30	CART-30/750-S/S	78577	99	CART2-66/1650-S/S	78634	47	CBD-ST-M-MF	61105	161
AWTNCB	76069	36	CART-36/900-S/S	78578	41	CART2-72/1800-S/S	78585	42	CBD-ST-M-MF-S/S	61108	161
BP-LA	73127	153	CART-36/900-S/S	78578	46	CART2-72/1800-S/S	78585	47	CBD-ST-M-P	64772	161

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
CBD-ST-M-P-S/S	64623	161	CBSBLD42C	91531	115	CCKTS	79232	61	CRB-LS52HT	77558	13
CBD-ST-M-PS-S/S	64780	161	CBSBLD42C	91531	113	CCKTS-S/S	79234	59	CRB-LS52W	77104	13
CBD-ST-M-PSS	64776	161	CBSBLD42F	79951	113	CCKTS-S/S	79234	61	CRB-LS58	77096	13
CBD-ST-M-S	64784	161	CBSBLD42F	79951	115	CCMK	78919	51	CRB-LS58HT	77559	13
CBD-ST-M-S/S	61079	161	CBSBLD48C	91532	115	CCMK	78919	59	CRB-LS58W	77105	13
CBD-ST-MC	80092	161	CBSBLD48C	91532	113	CCMK	78919	61	CRB-UHT-1000	91258	18
CBD-ST-TB-S/S	A2629	161	CBSBLD48F	79952	113	CCMK-S/S	78921	59	CRB-UHT-1150	91259	18
CBD-ST-XL	61051	161	CBSBLD48F	79952	115	CCMK-S/S	78921	61	CRB-UHT-1300	91260	18
CBD-ST-XL-B	64482	161	CBSBLD54C	91533	115	CCMKHD	78920	55	CRB-UHT-1450	91261	18
CBD-ST-XL-FP	61114	161	CBSBLD54C	91533	113	CCMKHD	78920	59	CRB-UHT-1750	91263	18
CBD-ST-XL-FR-B	A1784	161	CBSBLD54F	79953	113	CCMKHD	78920	61	CRB-UHT-400	91254	18
CBD-ST-XL-MF	61107	161	CBSBLD54F	79953	115	CCMKHD	78920	68	CRB-UHT-550	91255	18
CBD-ST-XL-MF-S/S	61110	161	CBSBLD60C	91534	115	CCMKHD	78920	115	CRB-UHT-700	91256	18
CBD-ST-XL-P	64774	161	CBSBLD60C	91534	113	CCMKHD-S/S	78922	59	CRB-UHT-850	91257	18
CBD-ST-XL-P-S/S	64625	161	CBSBLD60F	79954	113	CCMKHD-S/S	78922	61	CRB-W16	78472	18
CBD-ST-XL-PS	64778	161	CBSBLD60F	79954	115	CCMKHD-S/S	78922	68	CRB-W22	78473	18
CBD-ST-XL-PS-S/S	64782	161	CBSBLD72C	91535	115	CDWB24	75884	111	CRB-W28	78474	18
CBD-ST-XL-S	63024	161	CBSBLD72C	91535	113	CDWB30	75885	111	CRB-W34	78475	18
CBD-ST-XL-S/S	A2138	161	CBSBLD72F	79955	113	CDWB36	75886	111	CRB-W40	78476	18
CBD-ST-XXL	63747	161	CBSBLD72F	79955	115	CDWB42	75887	111	CRB-W46	78477	18
CBD-ST-XXL-B	64622	161	CBSBLD84C	91536	115	CDWB48	75888	111	CRB-W52	78478	18
CBD-ST-XXL-FP	63751	161	CBSBLD84C	91536	113	CDWB54	75889	111	CRB-W58	78479	18
CBD-ST-XXL-FR-B	63752	161	CBSBLD84F	79956	113	CDWB60	75890	111	CRB-W64	78480	18
CBD-ST-XXL-MF	63749	161	CBSBLD84F	79956	115	CDWB72	75891	111	CRB-W70	78481	18
CBD-ST-XXL-MF-S/S	63750	161	CBSBLD96C	91537	115	CDWB84	76942	111	CRB16	75629	18
CBD-ST-XXL-P	64775	161	CBSBLD96C	91537	113	CDWB96	79062	111	CRB22	75630	18
CBD-ST-XXL-P-S/S	64626	161	CBSBLD96F	79957	113	CEBC-1	30018	134	CRB28	75631	18
CBD-ST-XXL-PS	64779	161	CBSBLD96F	79957	115	CEBC-1-NC	108848	134	CRB34	75632	18
CBD-ST-XXL-PS-S/S	64783	161	CBSC-1050-BT	108460	113	CEBC-2	30019	134	CRB40	75633	18
CBD-ST-XXL-S	63791	161	CBSC-1200-BT	108461	113	CEBC-2-NC	108849	134	CRB46	75634	18
CBD-ST-XXL-S/S	63748	161	CBSC-1350-BT	108462	113	CEBC1 Case	30020	134	CRB52	75635	18
CBD-XL	76445	160	CBSC-450-BT	108456	113	CEBC2 Case	30023	134	CRB58	75636	18
CBD-XL-S/S	76318	160	CBSC-600-BT	108457	113	CFG-212	78838	14	CRB64	75775	18
CBD-XXL	64787	160	CBSC-750-BT	108458	113	CFG-218	78839	14	CRB70	75773	18
CBD-XXL-S/S	63554	160	CBSC-900-BT	108459	113	CFG-224	78840	14	CRBF18	90631	118
CBR-L	72485	160	CBSCHD-1500-BT	108463	113	CFG-230	78841	14	CRDF24	90632	118
CBR-M	72484	160	CBSCHD-1800-BT	108464	113	CFG-236	78842	14	CRDF30	90633	118
CBR-S	72483	160	CBSCHD-2100-BT	108465	113	CFG-242	78843	14	CRDF36	90634	118
CBR-XL	72486	160	CBSCHD-2400-BT	108466	113	CFG-248	78844	14	CRDF42	90635	118
CBS-1050-BT	103248	113	CBSHD-1500-BT	103255	113	CFG-254	78845	14	CRDF48	90636	118
CBS-1200-BT	103249	113	CBSHD-1500P	84086	115	CFG-260	78846	14	CRDF54	90637	118
CBS-1350-BT	103250	113	CBSHD-1800-BT	103256	113	CFG-272	78847	14	CRDF60	90638	118
CBS-450-BT	103244	113	CBSHD-1800P	84087	115	CLSFG-212	77144	10	CRDLBLK-LH-S/S	A2826	80
CBS-600-BT	103245	113	CBSHD-2100-BT	103257	113	CLSFG-218	77145	10	CRDLBLK-LH-S/S	A2826	87
CBS-750-BT	103246	113	CBSHD-2100P	84088	115	CLSFG-224	77146	10	CRDLBLK-LH-S/S	A2826	100
CBS-900-BT	103247	113	CBSHD-2400-BT	103258	113	CLSFG-230	77147	10	CRDLBLK-RH-S/S	A2825	80
CBS18SC	91495	113	CBSHD-2400P	84089	115	CLSFG-236	77148	10	CRDLBLK-RH-S/S	A2825	87
CBS18SF	79936	113	CBSP18	91432	115	CLSFG-242	77149	10	CRDLBLK-RH-S/S	A2825	100
CBS24SC	91496	113	CBSP24	91433	115	CLSFG-248	77150	10	CRHMK	62400	78
CBS24SF	79937	113	CBSP30	91434	115	CLSFG-254	77151	10	CRHMK	62400	85
CBS30SC	91497	113	CBSP36	91435	115	CLSFG-260	77152	10	CRHMK	62400	98
CBS30SF	79938	113	CBSP42	91436	115	CPB	76692	118	CRHMK-S/S	62095	80
CBS36SC	91498	113	CBSP48	91437	115	CRB-HT10	76593	18	CRHMK-S/S	62095	87
CBS36SF	79939	113	CBSP54	91438	115	CRB-HT16	76594	18	CRHMK-S/S	62095	100
CBS42SC	91499	113	CCKHDL	79225	59	CRB-HT22	76595	18	CST1HDM-B	78515	92
CBS42SF	79940	113	CCKHDL	79225	61	CRB-HT28	76596	18	CST1HDM-B-S/S	78392	94
CBS48SC	91500	113	CCKHDL	79225	68	CRB-HT34	76597	18	CST1HDM-G	78516	92
CBS48SF	79941	113	CCKHDL	79225	115	CRB-HT40	76598	18	CST1HDM-G-S/S	78393	94
CBS54SC	91501	113	CCKHDL-S/S	79227	59	CRB-HT46	76599	18	CST1HDM-S	78514	92
CBS54SF	108469	113	CCKHDL-S/S	79227	61	CRB-HT52	76600	18	CST1HDM-S-S/S	78391	94
CBS60SC	79942	113	CCKHDL-S/S	79227	68	CRB-HT58	76601	18	CST1HDM-W	78513	92
CBS60SF	108467	113	CCKHDR	79229	59	CRB-HT64	76602	18	CST1HDM-W-S/S	78390	94
CBS72SC	79943	113	CCKHDR	79229	61	CRB-HT70	76603	18	CSTAK	77031	92
CBS72SF	108468	113	CCKHDR	79229	68	CRB-LS10	77088	13	CSTAK	77031	94
CBS84SF	79944	113	CCKHDR	79229	115	CRB-LS10W	77097	13	CSTBK	77037	92
CBS96SC	79945	113	CCKHDR-S/S	79231	59	CRB-LS16	77089	13	CSTBK	77037	94
CBS96SF	108470	113	CCKHDR-S/S	79231	61	CRB-LS16HT	77552	13	CSTHDMK	77871	92
CBSBLD18C	91527	115	CCKHDR-S/S	79231	68	CRB-LS16W	77098	13	CSTHDMK-S/S	78384	94
CBSBLD18C	91527	113	CCKHDS	79233	59	CRB-LS22	77090	13	CSTHDPM	77869	92
CBSBLD18F	79947	113	CCKHDS	79233	61	CRB-LS22HT	77553	13	CSTHDPM-S/S	78389	94
CBSBLD18F	79947	115	CCKHDS	79233	68	CRB-LS22W	77099	13	CT6	74535	59
CBSBLD24C	79948	113	CCKHDS	79232	115	CRB-LS28	77091	13	CT6	74535	61
CBSBLD24C	91528	115	CCKHDS-S/S	73235	59	CRB-LS28HT	77554	13	CT6	74535	62
CBSBLD24F	79948	113	CCKHDS-S/S	73235	61	CRB-LS28W	77100	13	CT6	74535	64
CBSBLD24F	79948	115	CCKHDS-S/S	73235	68	CRB-LS34	77092	13	CT6	74535	66
CBSBLD30C	91529	115	CCKL	79224	59	CRB-LS34HT	77555	13	CT6	74535	68
CBSBLD30F	79949	113	CCKL	79224	61	CRB-LS34W	77101	13	CT6	74535	70
CBSBLD30F	79949	115	CCKL-S/S	79226	59	CRB-LS40	77093	13	CT6	74535	78
CBSBLD36C	91530	115	CCKL-S/S	79226	61	CRB-LS40HT	77556	13	CT6	74535	80
CBSBLD36C	91530	113	CCKR	79228	59	CRB-LS40W	77102	13	CT6	74535	85
CBSBLD36F	79950	113	CCKR	79228	61	CRB-LS46	77094	13	CT6	74535	87
CBSBLD36F	79950	115	CCKR-S/S	79230	59	CRB-LS46HT	77557	13	CT6	74535	91
			CCKR-S/S	79230	61	CRB-LS46W	77103	13	CT6	74535	94
			CCKTS	79232	59	CRB-LS52	77095	13	CT6 (C-Tip)	74535	75

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
CT6 (C-Tip)	74535	82	DRXL-54-520	76829	147	EST-P-S/S-UHT	66993	17	EZP-LS212	77127	10
CTS-B	77744	92	DRXL-54-535	76845	147	EST-S	109468	16	EZP-LS212-S/S	62836	10
CTS-B-S/S	78387	12	DRXL-60-420	76822	147	EST-W-S/S	78809	17	EZP-LS212HT	77746	10
CTS-B-S/S/S	78387	94	DRXL-60-435	76838	147	EST-W-S/S-UHT	66994	17	EZP-LS212HT-S/S	62845	10
CTS-G	77745	92	DRXL-60-520	76830	147	ESTAK	76406	16	EZP-LS218	77128	10
CTS-G-S/S	78388	94	DRXL-60-535	76846	147	ESTAK	76406	105	EZP-LS218-S/S	62837	10
CTS-S	77743	51	DRXL-72-420	76823	147	ESTAK-EST	76406	35	EZP-LS218HT	77747	10
CTS-S	77743	92	DRXL-72-435	76839	147	ESTAK-EST-S/S	78849	17	EZP-LS218HT-S/S	62846	10
CTS-S-S/S	78386	94	DRXL-72-520	76831	147	ESTAK-EST-S/S	78849	35	EZP-LS224	77129	10
CTS-W	77742	92	DRXL-72-535	76847	147	ESTAK-SS	78849	106	EZP-LS224-S/S	62838	10
CTS-W-S/S	78385	94	DRXM-24-420	88363	148	EZAI-1050	109437	136	EZP-LS224HT	77748	10
DBK-L	76448	160	DRXM-24-435	88365	148	EZAI-1200	109438	136	EZP-LS224HT-S/S	62847	10
DBK-M	76447	160	DRXM-24-520	88364	148	EZAI-1350	109439	136	EZP-LS230	77130	10
DBK-S	76446	160	DRXM-24-535	88366	148	EZAI-1500	109440	136	EZP-LS230-S/S	62839	10
DBK-XL	76449	160	DRXM-30-420	88367	148	EZAI-1800	109441	136	EZP-LS230HT	77749	10
DBK-XXL	62595	160	DRXM-30-435	88369	148	EZAI-600	109434	136	EZP-LS230HT-S/S	62848	10
DRXD-42-520	76912	150	DRXM-30-520	88368	148	EZAI-750	109435	136	EZP-LS236HT-S/S	77131	10
DRXD-42-535	76919	150	DRXM-30-535	88370	148	EZAI-900	109436	136	EZP-LS236-S/S	62840	10
DRXD-48-520	76913	150	DRXM-36-420	88371	148	EZBMK-1050	82284	141	EZP-LS236HT	77750	10
DRXD-48-535	76920	150	DRXM-36-435	88373	148	EZBMK-1050	82284	144	EZP-LS236HT-S/S	62849	10
DRXD-54-520	76914	150	DRXM-36-520	88372	148	EZBMK-1200	82285	141	EZP-LS242	77132	10
DRXD-54-535	76921	150	DRXM-36-535	88374	148	EZBMK-1200	82285	144	EZP-LS242-S/S	62841	10
DRXD-60-520	76915	150	DRXM-42-420	88375	148	EZBMK-1350	82286	141	EZP-LS242HT	77751	10
DRXD-60-535	76922	150	DRXM-42-435	88377	148	EZBMK-1350	82286	144	EZP-LS242HT-S/S	62850	10
DRXD-72-520	76916	150	DRXM-42-520	88376	148	EZBMK-1500	82287	141	EZP-LS248	77133	10
DRXD-72-535	76923	150	DRXM-42-535	88378	148	EZBMK-1500	82287	144	EZP-LS248-S/S	62842	10
DRXD-84-520	76917	150	DRXM-48-420	88379	148	EZBMK-1800	82288	141	EZP-LS248HT	77752	10
DRXD-84-535	76924	150	DRXM-48-435	88381	148	EZBMK-1800	82288	144	EZP-LS248HT-S/S	62851	10
DRXD-96-520	76918	150	DRXM-48-520	88380	148	EZBMK-600	82281	141	EZP-LS254	77134	10
DRXD-96-535	76925	150	DRXM-48-535	88382	148	EZBMK-600	82281	144	EZP-LS254-S/S	62843	10
DRXH-24-420	81315	149	DRXM-54-420	88383	148	EZBMK-750	82282	141	EZP-LS254HT	77753	10
DRXH-24-435	81317	149	DRXM-54-435	88385	148	EZBMK-750	82282	144	EZP-LS254HT-S/S	62852	10
DRXH-24-520	81316	149	DRXM-54-520	88384	148	EZBMK-900	82283	141	EZP-LS260	77135	10
DRXH-24-535	81318	149	DRXM-54-535	88386	148	EZBMK-900	82283	144	EZP-LS260-S/S	62844	10
DRXH-30-420	81319	149	DRXM-60-420	88387	148	EZBS-1200	82361	141	EZP-LS260HT	77754	10
DRXH-30-435	81321	149	DRXM-60-435	88389	148	EZBS-1500	82362	141	EZP-LS260HT-S/S	62853	10
DRXH-30-520	81320	149	DRXM-60-520	88388	148	EZCSK-1050	82356	137	EZP1-218	75611	14
DRXH-30-535	81322	149	DRXM-60-535	88390	148	EZCSK-1050	82356	139	EZP1-218-S/S	61081	14
DRXH-36-420	81323	149	DRXM-72-420	88391	148	EZCSK-1200	82357	137	EZP1-224	75612	14
DRXH-36-435	81325	149	DRXM-72-435	88393	148	EZCSK-1200	82357	139	EZP1-224-S/S	61082	14
DRXH-36-520	81324	149	DRXM-72-520	88392	148	EZCSK-1350	82358	137	EZP1-230	75613	14
DRXH-36-535	81326	149	DRXM-72-535	88394	148	EZCSK-1350	82358	139	EZP1-230-S/S	61017	14
DRXH-42-420	81327	149	DVC-CLR1-AU	91602	126	EZCSK-1500	82359	137	EZP1-236	75614	14
DRXH-42-435	81329	149	DVC-SUB-N-AU	109370	126	EZCSK-1500	82359	139	EZP1-236-S/S	61083	14
DRXH-42-520	81328	149	DVC-SUB-U-AU	103971	126	EZCSK-1800	82360	137	EZP1-242	75615	14
DRXH-42-535	81330	149	DVCR-CLR-ADT	91597	126	EZCSK-1800	82360	139	EZP1-242-S/S	61016	14
DRXH-48-420	81331	149	DVCR-CLR-BC1AU	91603	126	EZCSK-600	82353	137	EZP1-248	75616	14
DRXH-48-435	81333	149	DVCR-CLR-BC2	91604	126	EZCSK-600	82353	139	EZP1-248-S/S	61084	14
DRXH-48-520	81332	149	DVCR-CLR-BTR1	91605	126	EZCSK-750	82354	137	EZP1-254	75617	14
DRXH-48-535	81334	149	DVCR-CLR-EX60	91596	126	EZCSK-750	82354	139	EZP1-254-S/S	61085	14
DRXH-54-420	81335	149	DVCR-CLR-EX73	91595	126	EZCSK-900	82355	137	EZP1-260	75618	14
DRXH-54-435	81337	149	DVCR-CLR-TC1	91608	126	EZCSK-900	82355	139	EZP1-260-S/S	61086	14
DRXH-54-520	81336	149	DVCR-CLR-TC2	91606	126	EZIB1050-1200L-LP	68174	140	EZP1-272	75771	14
DRXH-54-535	81338	149	DVCR-CLR-TC3	91607	126	EZIB1050-1200M-LP	68190	143	EZP1-272-S/S	61087	14
DRXH-60-420	81339	149	DWP72	75883	110	EZIB1050-1500L-LP	68182	140	EZP1-UHT2-1050-S/S	66960	14
DRXH-60-435	81341	149	DWP72-S/S	67409	110	EZIB1050-1500M-LP	68198	143	EZP1-UHT2-1200-S/S	66961	14
DRXH-60-520	81340	149	DWP84	76815	110	EZIB1200-1200L-LP	68175	140	EZP1-UHT2-1350-S/S	66962	14
DRXH-60-535	81342	149	DWP84-S/S	67486	110	EZIB1200-1200M-LP	68191	143	EZP1-UHT2-1500-S/S	66963	14
DRXH-72-420	81343	149	DWP96	79060	110	EZIB1200-1500L-LP	68183	140	EZP1-UHT2-1800-S/S	66964	14
DRXH-72-435	81345	149	DWP96-S/S	67487	110	EZIB1200-1500M-LP	68199	143	EZP1-UHT2-450-S/S	66956	14
DRXH-72-520	81344	149	EBC-1	30001	134	EZIB1350-1200L-LP	68176	140	EZP1-UHT2-600-S/S	66957	14
DRXH-72-535	81346	149	EBC-1-NC	108846	134	EZIB1350-1200M-LP	68192	143	EZP1-UHT2-750-S/S	66958	14
DRXL-24-420	76816	147	EBC-2	30002	134	EZIB1350-1500L-LP	68184	140	EZP1-UHT2-900-S/S	66959	14
DRXL-24-435	76832	147	EBC-2-NC	108847	134	EZIB1350-1500M-LP	68200	143	EZP1BP	75642	20
DRXL-24-520	76824	147	EBC1 Case	30009	134	EZIB1500-1200L-LP	68177	140	EZP1BP	75642	20
DRXL-24-535	76840	147	EBC2 Case	30010	134	EZIB1500-1200M-LP	68193	143	EZP1MPK	75637	16
DRXL-30-420	76817	147	ESBK-ATEX	90264	17	EZIB1500-1500L-LP	68185	140	EZP1MPK-S/S	78923	17
DRXL-30-435	76833	147	ESBK-B	76411	16	EZIB1500-1500M-LP	68201	143	EZP1P12	75619	16
DRXL-30-520	76825	147	ESBK-B	76411	17	EZIB1800-1200L-LP	68178	140	EZP1P12	75619	20
DRXL-30-535	76841	147	ESBK-B EST	76411	17	EZIB1800-1200M-LP	68194	143	EZP1P12-S/S	78812	17
DRXL-36-420	76818	147	ESBK-PS	76410	16	EZIB1800-1500L-LP	68186	140	EZP1P18	75620	16
DRXL-36-435	76834	147	ESBK-PS	76410	17	EZIB1800-1500M-LP	68202	143	EZP1P18	75620	20
DRXL-36-520	76826	147	ESPBK	76408	16	EZIB600-1200L-LP	68171	140	EZP1P18-S/S	61182	17
DRXL-36-535	76842	147	ESPRK	76409	16	EZIB600-1200M-LP	68187	143	EZP1P24	75621	16
DRXL-42-420	76819	147	ESPSBK	76407	16	EZIB600-1500L-LP	68179	140	EZP1P24	75621	20
DRXL-42-435	76835	147	ESS-B	76413	16	EZIB600-1500M-LP	68195	143	EZP1P24-S/S	A2988	17
DRXL-42-520	76827	147	ESS-S	76412	16	EZIB750-1200L-LP	68172	140	EZP1P30	75622	16
DRXL-42-535	76843	147	ESS-S	76412	105	EZIB750-1200M-LP	68188	143	EZP1P30	75622	20
DRXL-48-420	76820	147	ESS-S-S/S	79288	106	EZIB750-1500L-LP	68180	140	EZP1P30-S/S	A3041	17
DRXL-48-435	76836	147	EST-B	109469	16	EZIB750-1500M-LP	68196	143	EZP1P36	75623	16
DRXL-48-520	76828	147	EST-G-S/S	78810	17	EZIB900-1200L-LP	68173	140	EZP1P36	75623	20
DRXL-48-535	76844	147	EST-G-S/S-UHT	66995	17	EZIB900-1200M-LP	68189	143	EZP1P36-S/S	A3119	17
DRXL-54-420	76821	147	EST-P	109467	16	EZIB900-1500L-LP	68181	140	EZP1P42	75624	16
DRXL-54-435	76837	147	EST-P-S/S	78808	17	EZIB900-1500M-LP	68197	143	EZP1P42	75624	20

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
EZP1P42-S/S	61183	17	EZWPK-1050	82348	137	FBP2200-TP	61758	156	FMS-750-EL15-S/S	65671	62
EZP1P48	75625	16	EZWPK-1050	82348	139	FBP2200-TP S/S	61773	156	FMS-750V	79648	62
EZP1P48	75625	20	EZWPK-1050	82348	141	FBP2400-B	61789	156	FMS-750V-S/S	66107	62
EZP1P48-S/S	61491	17	EZWPK-1050	82348	144	FBP2400-TP	61759	156	FMS-900-EL15	65662	62
EZP1P54	75626	16	EZWPK-1200	82349	137	FBP2400-TP S/S	61774	156	FMS-900-EL15-S/S	65672	62
EZP1P54	75626	20	EZWPK-1200	82349	139	FBP2500-2600-MF	61800	157	FMS-900V	79649	62
EZP1P54-S/S	61184	17	EZWPK-1200	82349	141	FBP2500-2600-MF-S/S	61808	157	FMS-900V-S/S	66108	62
EZP1P60	75627	16	EZWPK-1200	82349	144	FBP2500-2600-PP	61895	157	FMSC2	91444	64
EZP1P60	75627	20	EZWPK-1350	82350	137	FBP2500-2600-PP-S/S	61903	157	FMSC2	91444	64
EZP1P60-S/S	61185	17	EZWPK-1350	82350	139	FBP2500-2600-SP	61911	157	FRPU150	61742	59
EZP1P72	75772	16	EZWPK-1350	82350	141	FBP2500-2600-SP-S/S	61919	157	H CARK-1000-CL-S/S	62660	39
EZP1P72	75772	20	EZWPK-1350	82350	144	FBP2500-B	61790	156	H CARK-1000-CL-S/S-EL15	63660	44
EZP1P72-S/S	61186	17	EZWPK-1500	82351	137	FBP2500-TP	61760	156	H CARK-1000-CM-S/S	62659	39
EZP1PL	75641	16	EZWPK-1500	82351	139	FBP2500-TP S/S	61775	156	H CARK-1000-CM-S/S-EL15	63659	44
EZP1PL	75641	20	EZWPK-1500	82351	141	FBP2600-B	61791	156	H CARK-1000-CS-S/S	62658	39
EZP1PL-S/S	78848	17	EZWPK-1500	82351	144	FBP2600-TP	61761	156	H CARK-1000-CS-S/S-EL15	63658	44
EZP1T-212	78488	19	EZWPK-1800	82352	137	FBP2600-TP S/S	61776	156	H CARK-1200-CL-S/S	62663	39
EZP1T-218	78489	19	EZWPK-1800	82352	139	FBP900-1050-MF	61795	157	H CARK-1200-CL-S/S-EL15	63663	44
EZP1T-224	78490	19	EZWPK-1800	82352	141	FBP900-1050-MF-S/S	61803	157	H CARK-1200-CM-S/S	62662	39
EZP1T-230	78491	19	EZWPK-1800	82352	144	FBP900-1050-PP	61890	157	H CARK-1200-CM-S/S-EL15	63662	44
EZP1T-236	78492	19	EZWPK-600	82345	137	FBP900-1050-PP-S/S	61898	157	H CARK-1200-CS-S/S	62661	39
EZP1T-242	78493	19	EZWPK-600	82345	139	FBP900-1050-SP	61906	157	H CARK-1200-CS-S/S-EL15	63661	44
EZP1T-248	78494	19	EZWPK-600	82345	141	FBP900-1050-SP-S/S	61914	157	H CARK-1400-CL-S/S	62666	39
EZP1T-254	78495	19	EZWPK-600	82345	144	FBP900-B	61780	156	H CARK-1400-CL-S/S-EL15	63666	44
EZP1T-260	78496	19	EZWPK-750	82346	137	FBP900-TP	61750	156	H CARK-1400-CM-S/S	62665	39
EZP1T-272	78497	19	EZWPK-750	82346	139	FBP900-TP S/S	61765	156	H CARK-1400-CM-S/S-EL15	63665	44
EZPTBT	77384	20	EZWPK-750	82346	141	FCSBC S/S	68867	121	H CARK-1400-CS-S/S	62664	39
EZPTBTHD	77385	20	EZWPK-750	82346	144	FL-PKIT-ML	77250	134	H CARK-1400-CS-S/S-EL15	63664	44
EZPTCK	78508	20	EZWPK-900	82347	137	FL-PKIT-XL	77251	134	H CARK-1600-CL-S/S	62669	39
EZPTCKHD	78509	20	EZWPK-900	82347	139	FLCK	77729	134	H CARK-1600-CL-S/S-EL15	63669	44
EZPTMPK	78507	20	EZWPK-900	82347	141	FLCP	76479	134	H CARK-1600-CM-S/S	62668	39
EZPTSK	78511	20	EZWPK-900	82347	144	FLEL-L	76473	134	H CARK-1600-CM-S/S-EL15	63668	44
EZPTSKHD	78512	20	FBP-FP	61888	157	FLEL-M	76472	134	H CARK-1600-CS-S/S	62667	39
EZPTS	78510	20	FBP-FP-S/S	61889	157	FLELK-XL	76986	134	H CARK-1600-CS-S/S-EL15	63667	44
EZRKL-1050	68371	141	FBP-LM	61882	157	FLELP	76474	134	H CARK-1800-CL-S/S	62672	39
EZRKL-1050	68371	144	FBP-LM-S/S	61883	157	FLL	76980	134	H CARK-1800-CL-S/S-EL15	63672	44
EZRKL-1200	68372	141	FBP-NP	61875	157	FLM	76979	134	H CARK-1800-CM-S/S	62671	39
EZRKL-1200	68372	144	FBP-NP-S/S	61876	157	FLRLB-L	76481	134	H CARK-1800-CM-S/S-EL15	63671	44
EZRKL-1350	68373	141	FBP1050-B	61781	156	FLRLB-M	76482	134	H CARK-1800-CS-S/S	62670	39
EZRKL-1350	68373	144	FBP1050-TP	61751	156	FLRP	76478	134	H CARK-1800-CS-S/S-EL15	63670	44
EZRKL-1500	68374	141	FBP1050-TP S/S	61766	156	FLSC-CP	71057	173	H CARK-1800-CL-S/S	62654	39
EZRKL-1500	68374	144	FBP1200-1400-MF	61796	157	FLSC-CP-S/S	A1438	173	H CARK-600-CL-S/S-EL15	63654	44
EZRKL-1800	68375	141	FBP1200-1400-MF-S/S	61804	157	FLSC-TP	71056	173	H CARK-600-CM-S/S	62653	39
EZRKL-1800	68375	144	FBP1200-1400-PP	61891	157	FLSC-TP-S/S	A1437	173	H CARK-600-CM-S/S-EL15	63653	44
EZRKL-600	68368	141	FBP1200-1400-PP-S/S	61899	157	FLSC2000	71053	173	H CARK-600-CS-S/S	62652	39
EZRKL-600	68368	144	FBP1200-1400-SP	61907	157	FLSC2000-CB	71061	173	H CARK-600-CS-S/S-EL15	63652	44
EZRKL-750	68369	141	FBP1200-1400-SP-S/S	61915	157	FLSC2000-CB-S/S	A1439	173	H CARK-800-CL-S/S	62657	39
EZRKL-750	68369	144	FBP1200-B	61782	156	FLSC2000-MC	71059	173	H CARK-800-CL-S/S-EL15	63657	44
EZRKL-900	68370	141	FBP1200-TP	61752	156	FLSC2000-MC-S/S	A1440	173	H CARK-800-CM-S/S	62656	39
EZRKL-900	68370	144	FBP1200-TP S/S	61767	156	FLSC2000-S/S	A1436	173	H CARK-800-CM-S/S-EL15	63656	44
EZRMMK	82344	137	FBP1400-B	61783	156	FLSCM-CP	71140	173	H CARK-800-CS-S/S	62655	39
EZRMMK	82344	139	FBP1400-TP	61753	156	FLSCM-CP-S/S	A2596	173	H CARK-800-CS-S/S-EL15	63655	44
EZSB1050-1200C	82188	136	FBP1400-TP S/S	61768	156	FLSCM2000	71148	173	H CARK-1000-CL-EL15	62544	38
EZSB1050-1200I	82204	138	FBP1500-1600-MF	61797	157	FLSCM2000-S/S	61471	173	H-CARK-1000-CL-EL15	63639	43
EZSB1050-1500C	82196	136	FBP1500-1600-MF-S/S	61805	157	FLTW-L	76477	134	H-CARK-1000-CM	62543	38
EZSB1050-1500I	82212	138	FBP1500-1600-PP	61892	157	FLTW-M	76476	134	H-CARK-1000-CM-EL15	63638	43
EZSB1200-1200C	82189	136	FBP1500-1600-PP-S/S	61900	157	FLTW-XL	76985	134	H-CARK-1000-CS	62542	38
EZSB1200-1200I	82205	138	FBP1500-1600-SP	61908	157	FLVRL-XL	76984	134	H-CARK-1000-CS-EL15	63637	43
EZSB1200-1500C	82197	136	FBP1500-1600-SP-S/S	61916	157	FLXL	76983	134	H-CARK-1200-CL	62547	38
EZSB1200-1500I	82213	138	FBP1500-B	61784	156	FMS-1050-EL15	65663	62	H-CARK-1200-CL-EL15	63642	43
EZSB1350-1200C	82190	136	FBP1500-TP	61754	156	FMS-1050-EL15-S/S	65673	62	H-CARK-1200-CM	62546	38
EZSB1350-1200I	82206	138	FBP1500-TP S/S	61769	156	FMS-1050V	79650	62	H-CARK-1200-CM-EL15	63641	43
EZSB1350-1500C	82198	136	FBP1600-B	61785	156	FMS-1050V-S/S	66109	62	H-CARK-1200-CS	62545	38
EZSB1350-1500I	82214	138	FBP1600-TP	61755	156	FMS-1200-EL15	65664	62	H-CARK-1200-CS-EL15	63640	43
EZSB1500-1200C	82191	136	FBP1600-TP S/S	61770	156	FMS-1200-EL15-S/S	65674	62	H-CARK-1400-CL	62550	38
EZSB1500-1200I	82207	138	FBP1800-2000-MF	61798	157	FMS-1200V	79651	62	H-CARK-1400-CL-EL15	63645	43
EZSB1500-1500C	82199	136	FBP1800-2000-MF-S/S	61806	157	FMS-1200V-S/S	66110	62	H-CARK-1400-CM	62549	38
EZSB1500-1500I	82215	138	FBP1800-2000-PP	61893	157	FMS-1350-EL15	65665	62	H-CARK-1400-CM-EL15	63644	43
EZSB1800-1200C	82192	136	FBP1800-2000-PP-S/S	61901	157	FMS-1350-EL15-S/S	65675	62	H-CARK-1400-CS	62548	38
EZSB1800-1200I	82208	138	FBP1800-2000-SP	61909	157	FMS-1350V	79652	62	H-CARK-1400-CS-EL15	63643	43
EZSB1800-1500C	82200	136	FBP1800-2000-SP-S/S	61917	157	FMS-1350V-S/S	66111	62	H-CARK-1600-CL	62553	38
EZSB1800-1500I	82216	138	FBP1800-B	61786	156	FMS-1500-EL15	65666	62	H-CARK-1600-CL-EL15	63648	43
EZSB600-1200C	82185	136	FBP1800-TP	61756	156	FMS-1500-EL15-S/S	65676	62	H-CARK-1600-CM	62552	38
EZSB600-1200I	82201	138	FBP1800-TP S/S	61771	156	FMS-1500V	79653	62	H-CARK-1600-CM-EL15	63647	43
EZSB600-1500C	82193	136	FBP2000-B	61787	156	FMS-1500V-S/S	66112	62	H-CARK-1600-CS	62551	38
EZSB600-1500I	82209	138	FBP2000-TP	61757	156	FMS-1800-EL15	65667	62	H-CARK-1600-CS-EL15	63646	43
EZSB750-1200C	82186	136	FBP2000-TP S/S	61772	156	FMS-1800-EL15-S/S	65677	62	H-CARK-1800-CL	62556	38
EZSB750-1200I	82202	138	FBP2200-2400-MF	61799	157	FMS-1800V	79654	62	H-CARK-1800-CL-EL15	63651	43
EZSB750-1500C	82194	136	FBP2200-2400-MF-S/S	61807	157	FMS-1800V-S/S	66113	62	H-CARK-1800-CM	62555	38
EZSB750-1500I	82210	138	FBP2200-2400-PP	61894	157	FMS-600-EL15	65660	62	H-CARK-1800-CM-EL15	63650	43
EZSB900-1200C	82187	136	FBP2200-2400-PP-S/S	61902	157	FMS-600-EL15-S/S	65670	62	H-CARK-1800-CS	62554	38
EZSB900-1200I	82203	138	FBP2200-2400-SP	61910	157	FMS-600V	79647	62	H-CARK-1800-CS-EL15	63649	43
EZSB900-1500C	82195	136	FBP2200-2400-SP-S/S	61918	157	FMS-600V-S/S	66106	62	H-CARK-600-CL	62538	38
EZSB900-1500I	82211	138	FBP2200-B	61788	156	FMS-750-EL15	65661	62	H-CARK-600-CL-EL15	63633	43

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
H-CARK-600-CM	62537	38	H-CARK2-2200-CLL-S/S	62724	39	H-SAC-AP-1600	62457	41	H73CSK-G	62743	35
H-CARK-600-CM-EL15	63632	43	H-CARK2-2200-CLL-S/S-EL15	63618	44	H-SAC-AP-1600	62457	42	H73CSK-G	62743	37
H-CARK-600-CS	62536	38	H-CARK2-2200-CM	62616	38	H-SAC-AP-1600	62457	46	H73CSK-G	62743	41
H-CARK-600-CS-EL15	63631	43	H-CARK2-2200-CM-EL15	63584	43	H-SAC-AP-1600	62457	47	H73CSK-G	62743	42
H-CARK-800-CL	62541	38	H-CARK2-2200-CM-S/S	62722	39	H-SAC-AP-1800	62458	41	H73CSK-G	62743	46
H-CARK-800-CL-EL15	63636	43	H-CARK2-2200-CM-S/S-EL15	63616	44	H-SAC-AP-1800	62458	46	H73CSK-G	62743	47
H-CARK-800-CM	62540	38	H-CARK2-2400-CL	62620	38	H-SAC-AP-600	62452	41	H73CSK-G-S/S	62744	35
H-CARK-800-CM-EL15	63635	43	H-CARK2-2400-CL-EL15	63588	43	H-SAC-AP-600	62452	42	H73CSK-G-S/S	62744	37
H-CARK-800-CS	62539	38	H-CARK2-2400-CL-S/S	62726	39	H-SAC-AP-600	62452	42	H73CSK-G-S/S	62744	41
H-CARK-800-CS-EL15	63634	43	H-CARK2-2400-CL-S/S-EL15	63620	44	H-SAC-AP-600	62452	42	H73CSK-G-S/S	62744	42
H-CARK2-1200-CL	62601	38	H-CARK2-2400-CLL	62621	38	H-SAC-AP-600	62452	46	H73CSK-G-S/S	62744	46
H-CARK2-1200-CL-EL15	63569	43	H-CARK2-2400-CLL-EL15	63589	43	H-SAC-AP-600	62452	47	H73CSK-G-S/S	62744	47
H-CARK2-1200-CL-S/S	62707	39	H-CARK2-2400-CLL-S/S	62727	39	H-SAC-AP-600	62452	47	H73CSK-S	62745	35
H-CARK2-1200-CL-S/S-EL15	63601	44	H-CARK2-2400-CLL-S/S-EL15	63621	44	H-SAC-AP-600	62452	47	H73CSK-S	62745	42
H-CARK2-1200-CLL	62602	38	H-CARK2-2400-CM	62619	38	H-SAC-AP-800	62453	41	H73CSK-S	62745	47
H-CARK2-1200-CLL-EL15	63570	43	H-CARK2-2400-CM-EL15	63587	43	H-SAC-AP-800	62453	42	H73CSK-S-S/S	62746	35
H-CARK2-1200-CLL-S/S	62708	39	H-CARK2-2400-CM-S/S	62725	39	H-SAC-AP-800	62453	42	H73CSK-S-S/S	62746	42
H-CARK2-1200-CLL-S/S-EL15	63602	44	H-CARK2-2400-CM-S/S-EL15	63619	44	H-SAC-AP-800	62453	42	H73CSK-S-S/S	62746	47
H-CARK2-1200-CM	62600	38	H-CARK2-2600-CL	62623	38	H-SAC-AP-800	62453	42	HARK	73069	37
H-CARK2-1200-CM-EL15	63568	43	H-CARK2-2600-CL-EL15	63591	43	H-SAC-AP-800	62453	46	HARK	73069	105
H-CARK2-1200-CM-S/S	62706	39	H-CARK2-2600-CL-S/S	62729	39	H-SAC-AP-800	62453	47	HARK-S/S	75423	37
H-CARK2-1200-CM-S/S-EL15	63600	44	H-CARK2-2600-CL-S/S-EL15	63623	44	H-SAC-AP-800	62453	47	HARK-S/S	77364	106
H-CARK2-1200-CS	62599	38	H-CARK2-2600-CLL	62624	38	H-SAC-AP-800	62453	47	HATDMK-S/S	63861	35
H-CARK2-1200-CS-EL15	63567	43	H-CARK2-2600-CLL-EL15	63592	43	H-SAC-AP-800	62453	47	HBP-LA-TP	A2330	155
H-CARK2-1200-CS-S/S	62705	39	H-CARK2-2600-CLL-S/S	62730	39	H2CP-1200	62763	42	HBP-LA-TP-S/S	A2515	155
H-CARK2-1200-CS-S/S-EL15	63599	44	H-CARK2-2600-CLL-S/S-EL15	63624	44	H2CP-1200	62763	47	HBP-MB-TP	73922	155
H-CARK2-1400-CL	62605	38	H-CARK2-2600-CM	62622	38	H2CP-1200-S/S	62801	42	HBP-MB-TP	73922	157
H-CARK2-1400-CL-EL15	63573	43	H-CARK2-2600-CM-EL15	63590	43	H2CP-1200-S/S	62801	47	HBP-MB-TP-S/S	A1155	155
H-CARK2-1400-CL-S/S	62711	39	H-CARK2-2600-CM-S/S	62728	39	H2CP-1400	62764	42	HBP-MB-TP-S/S	A1155	157
H-CARK2-1400-CL-S/S-EL15	63605	44	H-CARK2-2600-CM-S/S-EL15	63622	44	H2CP-1400	62764	47	HBP-SC-TP	74490	155
H-CARK2-1400-CLL	62606	38	H-CARK2-2800-CL	62626	38	H2CP-1400-S/S	62802	42	HBP-SC-TP-S/S	A2189	155
H-CARK2-1400-CLL-EL15	63574	43	H-CARK2-2800-CL-EL15	63594	43	H2CP-1400-S/S	62802	47	HBP-TP-1050 S/S	A2475	154
H-CARK2-1400-CLL-S/S	62712	39	H-CARK2-2800-CL-S/S	62732	39	H2CP-1600	62765	42	HBP-TP-1200 S/S	A2476	154
H-CARK2-1400-CLL-S/S-EL15	63606	44	H-CARK2-2800-CL-S/S-EL15	63626	44	H2CP-1600	62765	47	HBP-TP-1400 S/S	A2477	154
H-CARK2-1400-CM	62604	38	H-CARK2-2800-CLL	62627	38	H2CP-1600-S/S	62803	42	HBP-TP-1500 S/S	A2478	154
H-CARK2-1400-CM-EL15	63572	43	H-CARK2-2800-CLL-EL15	63595	43	H2CP-1600-S/S	62803	47	HBP-TP-1600 S/S	A2479	154
H-CARK2-1400-CM-S/S	62710	39	H-CARK2-2800-CLL-S/S	62733	39	H2CP-1800	62766	42	HBP-TP-1800 S/S	A2480	154
H-CARK2-1400-CM-S/S-EL15	63604	44	H-CARK2-2800-CLL-S/S-EL15	63627	44	H2CP-1800	62766	47	HBP-TP-2000 S/S	A2481	154
H-CARK2-1400-CS	62603	38	H-CARK2-2800-CM	62625	38	H2CP-1800-S/S	62804	42	HBP-TP-2200 S/S	A2482	154
H-CARK2-1400-CS-EL15	63571	43	H-CARK2-2800-CM-EL15	63593	43	H2CP-1800-S/S	62804	47	HBP-TP-2400 S/S	A2483	154
H-CARK2-1400-CS-S/S	62709	39	H-CARK2-2800-CM-S/S	62731	39	H2CP-2000	62767	42	HBP-TP-2500 S/S	A2484	154
H-CARK2-1400-CS-S/S-EL15	63603	44	H-CARK2-2800-CM-S/S-EL15	63625	44	H2CP-2000	62767	47	HBP-TP-900 S/S	A2474	154
H-CARK2-1600-CL	62608	38	H-CARK2-3000-CL	62629	38	H2CP-2000-S/S	62805	42	HBP1050-B	A2237	153
H-CARK2-1600-CL-EL15	63576	43	H-CARK2-3000-CL-EL15	63597	43	H2CP-2000-S/S	62805	47	HBP1050-B-TP	A2317	155
H-CARK2-1600-CL-S/S	62714	39	H-CARK2-3000-CL-S/S	62735	39	H2CP-2400	62768	42	HBP1050-MF-TP	A2306	155
H-CARK2-1600-CL-S/S-EL15	63608	44	H-CARK2-3000-CL-S/S-EL15	63629	44	H2CP-2400	62768	47	HBP1050-MF-TP-S/S	A2505	155
H-CARK2-1600-CLL	62609	38	H-CARK2-3000-CLL	62630	38	H2CP-2400-S/S	62806	42	HBP1050-PL-TP	A2295	155
H-CARK2-1600-CLL-EL15	63577	43	H-CARK2-3000-CLL-EL15	63598	43	H2CP-2400-S/S	62806	47	HBP1050-PL-TP	A2295	157
H-CARK2-1600-CLL-S/S	62715	39	H-CARK2-3000-CLL-S/S	62736	39	H2CP-2600	62769	42	HBP1050-PL-TP-S/S	A2493	155
H-CARK2-1600-CLL-S/S-EL15	63609	44	H-CARK2-3000-CLL-S/S-EL15	63630	44	H2CP-2600	62769	47	HBP1050-PL-TP-S/S	A2493	157
H-CARK2-1600-CM	62607	38	H-CARK2-3000-CM	62628	38	H2CP-2600-S/S	62807	42	HBP1050-TP	A2284	154
H-CARK2-1600-CM-EL15	63575	43	H-CARK2-3000-CM-EL15	63596	43	H2CP-2600-S/S	62807	47	HBP1200-B	73301	153
H-CARK2-1600-CM-S/S	62713	39	H-CARK2-3000-CM-S/S	62734	39	H2CP-2800	62770	42	HBP1200-B-TP	A2318	155
H-CARK2-1600-CM-S/S-EL15	63607	44	H-CARK2-3000-CM-S/S-EL15	63628	44	H2CP-2800	62770	47	HBP1200-MF-TP	A2307	155
H-CARK2-1800-CL	62611	38	H-SAC-AP-1000	62454	41	H2CP-2800-S/S	62808	42	HBP1200-MF-TP-S/S	A2506	155
H-CARK2-1800-CL-EL15	63579	43	H-SAC-AP-1000	62454	42	H2CP-2800-S/S	62808	47	HBP1200-PL-TP	A2296	155
H-CARK2-1800-CL-S/S	62717	39	H-SAC-AP-1000	62454	42	H2CP-3000	62771	42	HBP1200-PL-TP	A2296	157
H-CARK2-1800-CL-S/S-EL15	63611	44	H-SAC-AP-1000	62454	42	H2CP-3000	62771	47	HBP1200-PL-TP-S/S	A2494	155
H-CARK2-1800-CLL	62612	38	H-SAC-AP-1000	62454	42	H2CP-3000-S/S	62809	42	HBP1200-PL-TP-S/S	A2494	157
H-CARK2-1800-CLL-EL15	63580	43	H-SAC-AP-1000	62454	46	H2CP-3000-S/S	62809	47	HBP1200-TP	A2285	154
H-CARK2-1800-CLL-S/S	62718	39	H-SAC-AP-1000	62454	47	H60CSK-B	62747	35	HBP1400-B	73302	153
H-CARK2-1800-CLL-S/S-EL15	63612	44	H-SAC-AP-1000	62454	47	H60CSK-B-S/S	62748	35	HBP1400-B-TP	A2319	155
H-CARK2-1800-CM	62610	38	H-SAC-AP-1000	62454	47	H60CSK-G	62741	35	HBP1400-MF-TP	A2308	155
H-CARK2-1800-CM-EL15	63578	43	H-SAC-AP-1000	62454	47	H60CSK-G-S/S	62742	35	HBP1400-MF-TP-S/S	A2507	155
H-CARK2-1800-CM-S/S	62716	39	H-SAC-AP-1200	62455	41	H73BTK	63079	41	HBP1400-PL-TP	A2297	155
H-CARK2-1800-CM-S/S-EL15	63610	44	H-SAC-AP-1200	62455	42	H73BTK	63079	42	HBP1400-PL-TP	A2297	157
H-CARK2-2000-CL	62614	38	H-SAC-AP-1200	62455	42	H73BTK	63079	46	HBP1400-PL-TP-S/S	A2495	155
H-CARK2-2000-CL-EL15	63582	43	H-SAC-AP-1200	62455	42	H73BTK	63079	47	HBP1400-PL-TP-S/S	A2495	157
H-CARK2-2000-CL-S/S	62720	39	H-SAC-AP-1200	62455	42	H73BTK-S/S	63080	41	HBP1400-TP	A2286	154
H-CARK2-2000-CL-S/S-EL15	63614	44	H-SAC-AP-1200	62455	46	H73BTK-S/S	63080	42	HBP1500-B	73303	153
H-CARK2-2000-CLL	62615	38	H-SAC-AP-1200	62455	47	H73BTK-S/S	63080	46	HBP1500-B-TP	A2320	155
H-CARK2-2000-CLL-EL15	63583	43	H-SAC-AP-1200	62455	47	H73BTK-S/S	63080	47	HBP1500-MF-TP	A2309	155
H-CARK2-2000-CLL-S/S	62721	39	H-SAC-AP-1200	62455	47	H73CSK-B	62749	35	HBP1500-MF-TP-S/S	A2508	155
H-CARK2-2000-CLL-S/S-EL15	63615	44	H-SAC-AP-1200	62455	47	H73CSK-B	62749	37	HBP1500-PL-TP	A2298	155
H-CARK2-2000-CM	62613	38	H-SAC-AP-1400	62456	41	H73CSK-B	62749	41	HBP1500-PL-TP	A2298	157
H-CARK2-2000-CM-EL15	63581	43	H-SAC-AP-1400	62456	42	H73CSK-B	62749	42	HBP1500-PL-TP-S/S	A2496	155
H-CARK2-2000-CM-S/S	62719	39	H-SAC-AP-1400	62456	42	H73CSK-B	62749	46	HBP1500-PL-TP-S/S	A2496	157
H-CARK2-2000-CM-S/S-EL15	63613	44	H-SAC-AP-1400	62456	42	H73CSK-B-S/S	62749	47	HBP1500-TP	A2287	154
H-CARK2-2200-CL	62617	38	H-SAC-AP-1400	62456	42	H73CSK-B-S/S	62750	35	HBP1600-B	73304	153
H-CARK2-2200-CL-EL15	63585	43	H-SAC-AP-1400	62456	46	H73CSK-B-S/S	62750	37	HBP1600-B-TP	A2321	155
H-CARK2-2200-CL-S/S	62723	39	H-SAC-AP-1400	62456	47	H73CSK-B-S/S	62750	41	HBP1600-MF-TP	A2310	155
H-CARK2-2200-CL-S/S-EL15	63617	44	H-SAC-AP-1400	62456	47	H73CSK-B-S/S	62750	42	HBP1600-MF-TP-S/S	A2509	155
H-CARK2-2200-CLL	62618	38	H-SAC-AP-1400	62456	47	H73CSK-B-S/S	62750	46	HBP1600-PL-TP	A2299	155
H-CARK2-2200-CLL-EL15	63586	43	H-SAC-AP-1400	62456	47	H73CSK-B-S/S	62750	47	HBP1600-PL-TP	A2299	157

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
HBP1600-PL-TP-S/S	A2497	155	HCP-600-S/S	62757	41	HP600-S/S	75374	37	HSA8CS-S/S	62509	47
HBP1600-PL-TP-S/S	A2497	157	HCP-600-S/S	62757	46	HP750	73031	37	HSA8L	73063	34
HBP1600-TP	A2288	154	HCP-800	62752	41	HP750-S/S	75375	37	HSA8L-S/S	73774	34
HBP1800-B	73306	153	HCP-800	62752	46	HP900	73033	37	HSA8LL	73064	34
HBP1800-B-TP	A2322	155	HCP-800-S/S	62758	41	HP900-S/S	75376	37	HSA8LL-S/S	74033	34
HBP1800-MF-TP	A2311	155	HCP-800-S/S	62758	46	HPA1200	69469	73	HSA8M	73049	34
HBP1800-MF-TP-S/S	A2510	155	HCSBB-60	62513	35	HPA1350	69470	73	HSA8M-S/S	73773	34
HBP1800-PL-TP	A2300	155	HCSBB-60	62513	35	HPA1500	69471	73	HSA8S	73048	34
HBP1800-PL-TP	A2300	157	HCSBB-73	62514	35	HPA1600	69472	73	HSA8S-S/S	73772	34
HBP1800-PL-TP-S/S	A2498	155	HCSBB-73	62514	35	HPA1800	69473	73	HSA8SS	73047	34
HBP1800-PL-TP-S/S	A2498	157	HCSBB-B/G	62589	35	HPA2000	69474	73	HSA8SS-S/S	73771	34
HBP1800-TP	A2289	154	HCSBB-B/G	62589	35	HPA2200	69475	73	HSA8SSS	75565	34
HBP2000-B	73307	153	HCSBB-B/G	62589	35	HPA2400	69476	73	HSA8SSS-S/S	79655	34
HBP2000-B-TP	A2323	155	HCSBB-B/G	62589	35	HPA2600	69477	73	HSHD	73483	37
HBP2000-MF-TP	A2312	155	HCSBB-S	62590	35	HPA2800	69478	73	HSHD	73483	41
HBP2000-MF-TP-S/S	A2511	155	HCSBB-S	62590	35	HPA3000	69479	73	HSHD	73483	42
HBP2000-PL-TP	A2301	155	HCSTAK	62494	35	HPHD 1800	74601	37	HSHD	73483	46
HBP2000-PL-TP	A2301	157	HCSTAK-S/S	62495	35	HPHD 1800-S/S	A2063	37	HSHD	73483	47
HBP2000-PL-TP-S/S	A2499	155	HCSTK-60-B	62747	37	HPHD2000	74547	37	HSHD-S/S	76467	37
HBP2000-PL-TP-S/S	A2499	157	HCSTK-60-B-S/S	62748	37	HPHD2000-S/S	A1783	37	HSHD-S/S	76467	41
HBP2000-TP	A2290	154	HCSTK-60-G	62741	37	HPHD2400	74548	37	HSHD-S/S	76467	42
HBP2200-B	73308	153	HCSTK-60-G-S/S	62742	37	HPHD2400-S/S	A2590	37	HSHD-S/S	76467	46
HBP2200-B-TP	A2325	155	HDARK	74550	37	HPS8	73050	37	HSHD-S/S	76467	47
HBP2200-MF-TP	A2314	155	HDARK	77329	105	HSA	73486	37	HSTSS	61173	37
HBP2200-MF-TP-S/S	A2512	155	HDARK-S/S	76247	37	HSA200	73489	34	HTF212	76658	14
HBP2200-PL-TP	A2303	155	HDARK-S/S	77331	106	HSA200	73489	37	HTF212-S/S	62826	14
HBP2200-PL-TP	A2303	157	HDATDMK-S/S	63862	35	HSA200	73489	40	HTF218	76659	14
HBP2200-PL-TP-S/S	A2500	155	HDCK	74490	37	HSA200	73489	41	HTF218-S/S	62827	14
HBP2200-PL-TP-S/S	A2500	157	HDMK	74551	37	HSA200	73489	42	HTF224	76660	14
HBP2200-TP	A2291	154	HDMK-S/S	76248	37	HSA200	73489	45	HTF224-S/S	62828	14
HBP2400-B	73309	153	HDMRK	74582	37	HSA200	73489	46	HTF230	76661	14
HBP2400-B-TP	A2324	155	HDMRK	74582	37	HSA200	73489	47	HTF230-S/S	62829	14
HBP2400-MF-TP	A2313	155	HDMRK-S/S	76245	37	HSA200_EL15 (15mm)	76027	34	HTF236	76662	14
HBP2400-MF-TP-S/S	A2513	155	HDMRK-S/S	76245	37	HSA200_XL20 (20mm)	67775	34	HTF236-S/S	62830	14
HBP2400-PL-TP	A2302	155	HDPHC	61003	59	HSA200-EL15	76027	45	HTF242	76663	14
HBP2400-PL-TP	A2302	157	HDPHC	61003	78	HSA200-EL15	76027	46	HTF242-S/S	62831	14
HBP2400-PL-TP-S/S	A2501	155	HDPHSC-S/S	61001	59	HSA200-EL15	76027	47	HTF248	76664	14
HBP2400-PL-TP-S/S	A2501	157	HDPHSC-S/S	61001	80	HSA8-CL	62507	40	HTF248-S/S	62832	14
HBP2400-TP	A2292	154	HDR24	79010	122	HSA8-CLL	62508	40	HTF254	76665	14
HBP2500-B	73311	153	HDR30	79011	122	HSA8-CM	62506	40	HTF254-S/S	62833	14
HBP2500-B-TP	A2326	155	HDR36	79012	122	HSA8-CS	62505	40	HTF260	76666	14
HBP2500-MF-TP	A2315	155	HDR42	79013	122	HSA8CL	62507	41	HTF260-S/S	62834	14
HBP2500-MF-TP-S/S	A2514	155	HDR48	79014	122	HSA8CL	62507	42	HTF272	76667	14
HBP2500-PL-TP	A2304	155	HDR54	79015	122	HSA8CL	62507	45	HTF272-S/S	62835	14
HBP2500-PL-TP	A2304	157	HDR60	79016	122	HSA8CL	62507	46	HTTS	74141	123
HBP2500-PL-TP-S/S	A2502	155	HDRBK	79009	122	HSA8CL	62507	47	HV-1000-SAC-CL	62523	38
HBP2500-PL-TP-S/S	A2502	157	HDRBK-HD	79072	122	HSA8CL-S/S	62511	40	HV-1000-SAC-CL-EL15	63214	43
HBP2500-TP	A2293	154	HDRGEK	79236	122	HSA8CL-S/S	62511	41	HV-1000-SAC-CL-S/S	62639	39
HBP2600-PL-TP	A0151	157	HDRP15	64140	123	HSA8CL-S/S	62511	42	HV-1000-SAC-CL-S/S-EL15	63235	44
HBP2600-PL-TP-S/S	61877	157	HDRP17	63679	123	HSA8CL-S/S	62511	45	HV-1000-SAC-CM	62522	38
HBP750-B	A0223	153	HDRP22	63678	123	HSA8CL-S/S	62511	46	HV-1000-SAC-CM-EL15	63213	43
HBP900-B	A0224	153	HDRR24	79019	122	HSA8CL-S/S	62511	47	HV-1000-SAC-CM-S/S	62638	39
HBP900-B-TP	A2316	155	HDRR30	79020	122	HSA8CLL	62508	41	HV-1000-SAC-CM-S/S-EL15	63234	44
HBP900-MF-TP	A2305	155	HDRR36	79021	122	HSA8CLL	62508	42	HV-1000-SAC-CS	62521	38
HBP900-MF-TP-S/S	A2504	155	HDRR42	79022	122	HSA8CLL	62508	45	HV-1000-SAC-CS-EL15	63212	43
HBP900-PL-TP	A2294	155	HDRR48	79023	122	HSA8CLL	62508	46	HV-1000-SAC-CS-S/S	62637	39
HBP900-PL-TP	A2294	157	HDRR54	79024	122	HSA8CLL	62508	47	HV-1000-SAC-CS-S/S-EL15	63233	44
HBP900-PL-TP-S/S	A2492	155	HDRR60	79025	122	HSA8CLL-S/S	62512	40	HV-1200-2SAC-CL	62559	38
HBP900-PL-TP-S/S	A2492	157	HDRRS72*	79026	122	HSA8CLL-S/S	62512	41	HV-1200-2SAC-CL-EL15	63423	43
HBP900-TP	A2283	154	HDRRS84*	79027	122	HSA8CLL-S/S	62512	42	HV-1200-2SAC-CL-S/S	62675	39
HBRK	73068	37	HDRS72*	79017	122	HSA8CLL-S/S	62512	45	HV-1200-2SAC-CL-S/S-EL15	63455	44
HBRK-S/S	75422	37	HDRS84*	79018	122	HSA8CLL-S/S	62512	46	HV-1200-2SAC-CLL	62560	38
HBRK-S/S-73	76246	35	HDSTCK-S/S	A2189	37	HSA8CLL-S/S	62512	47	HV-1200-2SAC-CLL-EL15	63424	43
HBRK-S/S-60	75422	35	HDSTKD	A2518	37	HSA8CM	62506	41	HV-1200-2SAC-CLL-S/S	62676	39
HBRKX	74549	37	HDSTKD-S/S	A2519	37	HSA8CM	62506	42	HV-1200-2SAC-CLL-S/S-EL15	63456	44
HBRKX-S/S	76246	37	HDT5	74502	105	HSA8CM	62506	45	HV-1200-2SAC-CM	62558	38
HCP-1000	62753	41	HDT5-S/S	75586	106	HSA8CM	62506	46	HV-1200-2SAC-CM-EL15	63422	43
HCP-1000	62753	46	HEX NUT	G1211	35	HSA8CM	62506	47	HV-1200-2SAC-CM-S/S	62674	39
HCP-1000-S/S	62759	41	HEX NUT	G1211	71	HSA8CM-S/S	62510	40	HV-1200-2SAC-CM-S/S-EL15	63454	44
HCP-1000-S/S	62759	46	HEX NUT	G1211	92	HSA8CM-S/S	62510	41	HV-1200-2SAC-CS	62557	38
HCP-1200	62754	41	HEX Plug 3/4	61057	121	HSA8CM-S/S	62510	42	HV-1200-2SAC-CS-EL15	63421	43
HCP-1200	62754	46	HMK	73054	37	HSA8CM-S/S	62510	45	HV-1200-2SAC-CS-S/S	62673	39
HCP-1200-S/S	62760	41	HMK-S/S	75424	37	HSA8CM-S/S	62510	46	HV-1200-2SAC-CS-S/S-EL15	63453	44
HCP-1200-S/S	62760	46	HP1050	73035	37	HSA8CM-S/S	62510	47	HV-1200-2SAC-CS-S/S-EL15	62526	38
HCP-1400	62755	41	HP1050-S/S	75377	37	HSA8CS	62505	41	HV-1200-SAC-CL-EL15	63217	43
HCP-1400	62755	46	HP1200	73037	37	HSA8CS	62505	42	HV-1200-SAC-CL-S/S	62642	39
HCP-1400-S/S	62761	41	HP1200-S/S	75378	37	HSA8CS	62505	45	HV-1200-SAC-CL-S/S-EL15	63238	44
HCP-1400-S/S	62761	46	HP1500	73066	37	HSA8CS	62505	46	HV-1200-SAC-CM	62525	38
HCP-1800	62756	41	HP1500-S/S	75379	37	HSA8CS	62505	47	HV-1200-SAC-CM-EL15	63216	43
HCP-1800	62756	46	HP1600	73739	37	HSA8CS-S/S	62509	40	HV-1200-SAC-CM-S/S	62641	39
HCP-1800-S/S	62762	41	HP1600-S/S	75380	37	HSA8CS-S/S	62509	41	HV-1200-SAC-CM-S/S-EL15	63237	44
HCP-1800-S/S	62762	46	HP450	73027	37	HSA8CS-S/S	62509	42	HV-1200-SAC-CS	62524	38
HCP-600	62751	41	HP450-S/S	75373	37	HSA8CS-S/S	62509	45	HV-1200-SAC-CS-EL15	63215	43
HCP-600	62751	46	HP600	73029	37	HSA8CS-S/S	62509	46	HV-1200-SAC-CS-S/S	62640	39

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
HV-1200-SAC-CS-S/S-EL15	63236	44	HV-2000-2SAC-CLL-S/S-EL15	63469	44	HV-800-SAC-CM-S/S-EL15	63231	44	HV450SS	73026	32
HV-1400-2SAC-CL	62563	38	HV-2000-2SAC-CM	62571	38	HV-800-SAC-CS	62518	38	HV450SS-PCST	63936	33
HV-1400-2SAC-CL-EL15	63427	43	HV-2000-2SAC-CM-EL15	63435	43	HV-800-SAC-CS-EL15	63209	43	HV450SS-PCST-S/S	63978	33
HV-1400-2SAC-CL-S/S	62679	39	HV-2000-2SAC-CM-S/S	62687	39	HV-800-SAC-CS-S/S	62634	39	HV450SS-S/S	75293	32
HV-1400-2SAC-CL-S/S-EL15	63459	44	HV-2000-2SAC-CM-S/S-EL15	63467	44	HV-800-SAC-CS-S/S-EL15	63230	44	HV600M	73173	32
HV-1400-2SAC-CLL	62564	38	HV-2200-2SAC-CL	62575	38	HV1050L	73179	32	HV600M-PCST	63941	33
HV-1400-2SAC-CLL-EL15	63428	43	HV-2200-2SAC-CL-EL15	63439	43	HV1050L-PCST	63952	33	HV600M-PCST-S/S	63983	33
HV-1400-2SAC-CLL-S/S	62680	39	HV-2200-2SAC-CL-S/S	62691	39	HV1050L-PCST-S/S	63994	33	HV600M-S/S	75298	32
HV-1400-2SAC-CLL-S/S-EL15	63460	44	HV-2200-2SAC-CL-S/S-EL15	63471	44	HV1050L-S/S	75309	32	HV600S	73030	32
HV-1400-2SAC-CM	62562	38	HV-2200-2SAC-CLL	62576	38	HV1050M	73036	32	HV600S-PCST	63940	33
HV-1400-2SAC-CM-EL15	63426	43	HV-2200-2SAC-CLL-EL15	63440	43	HV1050M-PCST	63951	33	HV600S-PCST-S/S	63982	33
HV-1400-2SAC-CM-S/S	62678	39	HV-2200-2SAC-CLL-S/S	62692	39	HV1050M-PCST-S/S	63993	33	HV600S-S/S	75297	32
HV-1400-2SAC-CM-S/S-EL15	63458	44	HV-2200-2SAC-CLL-S/S-EL15	63472	44	HV1050M-S/S	75308	32	HV600SS	73045	32
HV-1400-2SAC-CS	62561	38	HV-2200-2SAC-CM	62574	38	HV1050S	73056	32	HV600SS-PCST	63939	33
HV-1400-2SAC-CS-EL15	63425	43	HV-2200-2SAC-CM-EL15	63438	43	HV1050S-PCST	63950	33	HV600SS-PCST-S/S	63981	33
HV-1400-2SAC-CS-S/S	62677	39	HV-2200-2SAC-CM-S/S	62690	39	HV1050S-PCST-S/S	63992	33	HV600SS-S/S	75296	32
HV-1400-2SAC-CS-S/S-EL15	63457	44	HV-2200-2SAC-CM-S/S-EL15	63470	44	HV1050S-S/S	75307	32	HV750M	73174	32
HV-1400-SAC-CL	62529	38	HV-2400-2SAC-CL	62578	38	HV1050SS	73057	32	HV750M-PCST	63944	33
HV-1400-SAC-CL-EL15	63220	43	HV-2400-2SAC-CL-EL15	63442	43	HV1050SS-PCST	64045	33	HV750M-PCST-S/S	63986	33
HV-1400-SAC-CL-S/S	62645	39	HV-2400-2SAC-CL-S/S	62694	39	HV1050SS-PCST-S/S	63991	33	HV750M-S/S	75301	32
HV-1400-SAC-CL-S/S-EL15	63241	44	HV-2400-2SAC-CL-S/S-EL15	63474	44	HV1050SS-S/S	75306	32	HV750S	73032	32
HV-1400-SAC-CM	62528	38	HV-2400-2SAC-CLL	62579	38	HV1200L	73180	32	HV750S-PCST	63943	33
HV-1400-SAC-CM-EL15	63219	43	HV-2400-2SAC-CLL-EL15	63443	43	HV1200L-PCST	63956	33	HV750S-PCST-S/S	63985	33
HV-1400-SAC-CM-S/S	62644	39	HV-2400-2SAC-CLL-S/S	62695	39	HV1200L-PCST-S/S	63998	33	HV750S-S/S	75300	32
HV-1400-SAC-CM-S/S-EL15	63240	44	HV-2400-2SAC-CLL-S/S-EL15	63475	44	HV1200L-S/S	75313	32	HV750SS	73053	32
HV-1400-SAC-CS	62527	38	HV-2400-2SAC-CM	62577	38	HV1200M	73038	32	HV750SS-PCST	63942	33
HV-1400-SAC-CS-EL15	63218	43	HV-2400-2SAC-CM-EL15	63441	43	HV1200M-PCST	63955	33	HV750SS-PCST-S/S	63984	33
HV-1400-SAC-CS-S/S	62643	39	HV-2400-2SAC-CM-S/S	62693	39	HV1200M-PCST-S/S	63997	33	HV750SS-S/S	75299	32
HV-1400-SAC-CS-S/S-EL15	63239	44	HV-2400-2SAC-CM-S/S-EL15	63473	44	HV1200M-S/S	75312	32	HV900L	73178	32
HV-1600-2SAC-CL	62566	38	HV-2600-2SAC-CL	62581	38	HV1200S	73058	32	HV900L-PCST	63948	33
HV-1600-2SAC-CL-EL15	63430	43	HV-2600-2SAC-CL-EL15	63445	43	HV1200S-PCST	63954	33	HV900L-PCST-S/S	63990	33
HV-1600-2SAC-CL-S/S	62682	39	HV-2600-2SAC-CL-S/S	62697	39	HV1200S-PCST-S/S	63996	33	HV900L-S/S	75305	32
HV-1600-2SAC-CL-S/S-EL15	63462	44	HV-2600-2SAC-CL-S/S-EL15	63477	44	HV1200S-S/S	75311	32	HV900M	73175	32
HV-1600-2SAC-CLL	62567	38	HV-2600-2SAC-CLL	62582	38	HV1200SS	73059	32	HV900M-PCST	63947	33
HV-1600-2SAC-CLL-EL15	63431	43	HV-2600-2SAC-CLL-EL15	63446	43	HV1200SS-PCST	63953	33	HV900M-PCST-S/S	63989	33
HV-1600-2SAC-CLL-S/S	62683	39	HV-2600-2SAC-CLL-S/S	62698	39	HV1200SS-PCST-S/S	63995	33	HV900M-S/S	75304	32
HV-1600-2SAC-CLL-S/S-EL15	63463	44	HV-2600-2SAC-CLL-S/S-EL15	63478	44	HV1200SS-S/S	75310	32	HV900S	73034	32
HV-1600-2SAC-CM	62565	38	HV-2600-2SAC-CM	62580	38	HV1500L	73158	32	HV900S-PCST	63946	33
HV-1600-2SAC-CM-EL15	63429	43	HV-2600-2SAC-CM-EL15	63444	43	HV1500L-PCST	63958	33	HV900S-PCST-S/S	63988	33
HV-1600-2SAC-CM-S/S	62681	39	HV-2600-2SAC-CM-S/S	62696	39	HV1500L-PCST-S/S	64000	33	HV900S-S/S	75303	32
HV-1600-2SAC-CM-S/S-EL15	63461	44	HV-2600-2SAC-CM-S/S-EL15	63476	44	HV1500L-S/S	75315	32	HV900SS	73055	32
HV-1600-SAC-CL	62531	38	HV-2800-2SAC-CL	62584	38	HV1500LL	73215	32	HV900SS-PCST	63945	33
HV-1600-SAC-CL-EL15	63222	43	HV-2800-2SAC-CL-EL15	63448	43	HV1500LL-PCST	63959	33	HV900SS-PCST-S/S	63987	33
HV-1600-SAC-CL-S/S	62647	39	HV-2800-2SAC-CL-S/S	62700	39	HV1500LL-PCST-S/S	64001	33	HV900SS-S/S	75302	32
HV-1600-SAC-CL-S/S-EL15	63243	44	HV-2800-2SAC-CL-S/S-EL15	63480	44	HV1500LL-S/S	75316	32	HVC-S/S	73494	37
HV-1600-SAC-CLL	62532	38	HV-2800-2SAC-CLL	62585	38	HV1500M	73177	32	HVHD1800L	74477	32
HV-1600-SAC-CLL-EL15	63223	43	HV-2800-2SAC-CLL-EL15	63449	43	HV1500M-PCST	63957	33	HVHD1800L-PCST-S/S	64006	33
HV-1600-SAC-CLL-S/S	62648	39	HV-2800-2SAC-CLL-S/S	62701	39	HV1500M-PCST-S/S	63999	33	HVHD1800L-S/S	A1595	32
HV-1600-SAC-CLL-S/S-EL15	63244	44	HV-2800-2SAC-CLL-S/S-EL15	63481	44	HV1500M-S/S	75314	32	HVHD1800LL	74478	32
HV-1600-SAC-CM	62530	38	HV-2800-2SAC-CM	62583	38	HV1600L	73638	32	HVHD1800LL-PCST-S/S	64007	33
HV-1600-SAC-CM-EL15	63221	43	HV-2800-2SAC-CM-EL15	63447	43	HV1600L-PCST	63961	33	HVHD1800LL-S/S	A1596	32
HV-1600-SAC-CM-S/S	62646	39	HV-2800-2SAC-CM-S/S	62699	39	HV1600L-PCST-S/S	64003	33	HVHD1800M	74602	32
HV-1600-SAC-CM-S/S-EL15	63242	44	HV-2800-2SAC-CM-S/S-EL15	63479	44	HV1600L-S/S	75318	32	HVHD1800M-PCST-S/S	64005	33
HV-1800-2SAC-CL	62569	38	HV-3000-2SAC-CL	62587	38	HV1600LL	73639	32	HVHD1800M-S/S	A1594	32
HV-1800-2SAC-CL-EL15	63433	43	HV-3000-2SAC-CL-EL15	63451	43	HV1600LL-PCST	63962	33	HVHD2100L	74540	32
HV-1800-2SAC-CL-S/S	62685	39	HV-3000-2SAC-CL-S/S	62703	39	HV1600LL-PCST-S/S	64004	33	HVHD2100L-PCST-S/S	64009	33
HV-1800-2SAC-CL-S/S-EL15	63465	44	HV-3000-2SAC-CL-S/S-EL15	63483	44	HV1600LL-S/S	75319	32	HVHD2100L-S/S	A1598	32
HV-1800-2SAC-CLL	62570	38	HV-3000-2SAC-CLL	62588	38	HV1600M	73637	32	HVHD2100LL	74541	32
HV-1800-2SAC-CLL-EL15	63434	43	HV-3000-2SAC-CLL-EL15	63452	43	HV1600M-PCST	63960	33	HVHD2100LL-PCST-S/S	64010	33
HV-1800-2SAC-CLL-S/S	62686	39	HV-3000-2SAC-CLL-S/S	62704	39	HV1600M-PCST-S/S	64002	33	HVHD2100LL-S/S	A1599	32
HV-1800-2SAC-CLL-S/S-EL15	63466	44	HV-3000-2SAC-CLL-S/S-EL15	63484	44	HV1600M-S/S	75317	32	HVHD2100M	74539	32
HV-1800-2SAC-CM	62568	38	HV-3000-2SAC-CM	62586	38	HV1800L-PCST	63964	33	HVHD2100M-PCST-S/S	64008	33
HV-1800-2SAC-CM-EL15	63432	43	HV-3000-2SAC-CM-EL15	63450	43	HV1800LL-PCST	63965	33	HVHD2100M-S/S	A1597	32
HV-1800-2SAC-CM-S/S	62684	39	HV-3000-2SAC-CM-S/S	62702	39	HV1800M-PCST	63963	33	HVHD2400L	74545	32
HV-1800-2SAC-CM-S/S-EL15	63464	44	HV-3000-2SAC-CM-S/S-EL15	63482	44	HV2100L-PCST	63967	33	HVHD2400L-PCST-S/S	64012	33
HV-1800-SAC-CL	62534	38	HV-600-SAC-CL	62517	38	HV2100LL-PCST	63968	33	HVHD2400L-S/S	A1601	32
HV-1800-SAC-CL-EL15	63225	43	HV-600-SAC-CL-EL15	63208	43	HV2100M-PCST	63966	33	HVHD2400LL	74546	32
HV-1800-SAC-CL-S/S	62650	39	HV-600-SAC-CL-S/S	62633	39	HV2400L-PCST	63970	33	HVHD2400LL-PCST-S/S	64013	33
HV-1800-SAC-CL-S/S-EL15	63246	44	HV-600-SAC-CL-S/S-EL15	63229	44	HV2400LL-PCST	63971	33	HVHD2400LL-S/S	A1602	32
HV-1800-SAC-CLL	62535	38	HV-600-SAC-CM	62516	38	HV2400M-PCST	63969	33	HVHD2400M	74544	32
HV-1800-SAC-CLL-EL15	63226	43	HV-600-SAC-CM-EL15	63207	43	HV2600L-PCST	63973	33	HVHD2400M-PCST-S/S	64011	33
HV-1800-SAC-CLL-S/S	62651	39	HV-600-SAC-CM-S/S	62632	39	HV2600LL-PCST	63974	33	HVHD2400M-S/S	A1600	32
HV-1800-SAC-CLL-S/S-EL15	63247	44	HV-600-SAC-CM-S/S-EL15	63228	44	HV2600M-PCST	63972	33	HVHD2600L	A2461	32
HV-1800-SAC-CM	62533	38	HV-600-SAC-CS	62515	38	HV3000L-PCST	63976	33	HVHD2600L-PCST-S/S	64015	33
HV-1800-SAC-CM-EL15	63224	43	HV-600-SAC-CS-EL15	63206	43	HV3000LL-PCST	63977	33	HVHD2600L-S/S	A2463	32
HV-1800-SAC-CM-S/S	62649	39	HV-600-SAC-CS-S/S	62631	39	HV3000M-PCST	63975	33	HVHD2600LL	A2397	32
HV-1800-SAC-CM-S/S-EL15	63245	44	HV-600-SAC-CS-S/S-EL15	63227	44	HV450M	73019	32	HVHD2600LL-PCST-S/S	64016	33
HV-2000-2SAC-CL	62572	38	HV-800-SAC-CL	62520	38	HV450M-PCST	63938	33	HVHD2600LL-S/S	A2464	32
HV-2000-2SAC-CL-EL15	63436	43	HV-800-SAC-CL-EL15	63211	43	HV450M-PCST-S/S	63980	33	HVHD2600M	A2396	32
HV-2000-2SAC-CL-S/S	62688	39	HV-800-SAC-CL-S/S	62636	39	HV450M-S/S	75295	32	HVHD2600M-PCST-S/S	64014	33
HV-2000-2SAC-CL-S/S-EL15	63468	44	HV-800-SAC-CL-S/S-EL15	63232	44	HV450S	73028	32	HVHD2600M-S/S	A2462	32
HV-2000-2SAC-CLL	62573	38	HV-800-SAC-CM	62519	38	HV450S-PCST	63937	33	HVHD3000L	74592	32
HV-2000-2SAC-CLL-EL15	63437	43	HV-800-SAC-CM-EL15	63210	43	HV450S-PCST-S/S	63979	33	HVHD3000L-PCST-S/S	64018	33
HV-2000-2SAC-CLL-S/S	62689	39	HV-800-SAC-CM-S/S	62635	39	HV450S-S/S	75294	32	HVHD3000L-S/S	A2466	32

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
HVHD3000LL	74593	32	HXFHD2100M-S/S	A1590	31	MAPEK	76024	124	MDWS-24	75868	109
HVHD3000LL-PCST-S/S	64019	33	HXFHD2400L	74686	31	MBADB	79527	117	MDWS-2400-S/S	67475	109
HVHD3000LL-S/S	A2467	32	HXFHD2400L-S/S	A1593	31	MBC-18	79494	116	MDWS-30	75869	109
HVHD3000M	74591	32	HXFHD2400M	74685	31	MBC-24	79495	116	MDWS-36	75870	109
HVHD3000M-PCST-S/S	64017	33	HXFHD2400M-S/S	A1592	31	MBC-30	79496	116	MDWS-42	75871	109
HVHD3000M-S/S	A2465	32	IB4	76926	139	MBC-36	79497	116	MDWS-48	75872	109
HVPT-S/S	73631	34	IB4	76926	141	MBC-42	79498	116	MDWS-54	75873	109
HVPT-S/S	73631	37	IB4	76926	144	MBC-48	79499	116	MDWS-60	75874	109
HVPT-S/S	73631	40	IB4	76926	147	MBC-54	79500	116	MDWS-600-S/S	67466	109
HVPT-S/S	73631	41	IB4	76926	148	MBC-60	79501	116	MDWS-72	75875	109
HVPT-S/S	73631	42	IB4	76926	149	MBC-72	79502	116	MDWS-750-S/S	67467	109
HVPT-S/S	73631	45	IB4-1U	76965	151	MBC-84	79503	116	MDWS-84	76806	109
HVPT-S/S	73631	46	IB5	76927	139	MBCB	79526	117	MDWS-900-S/S	67468	109
HVPT-S/S	73631	47	IB5	76927	141	MBCBC	79525	117	MDWS-96	79063	109
HVPT-S/S_EL15 (15mm)	62254	34	IB5	76927	144	MBCBL	79532	117	MDWS-MST-1050	67562	109
HVT8-EL15-S/S	62254	46	IB5	76927	147	MBCBM	79528	117	MDWS-MST-1050-S/S	67479	109
HVT8-EL15-S/S	62254	47	IB5	76927	148	MBCDBK	79536	116	MDWS-MST-1200	67563	109
HVT8-S/S	75419	34	IB5	76927	149	MBCDBK	79536	117	MDWS-MST-1200-S/S	67480	109
HVT8-S/S	75419	37	IB5	76927	150	MBCEC	79534	117	MDWS-MST-1350	67564	109
HVT8-S/S	75419	40	IB5-1U	76966	151	MBCM-1	79529	117	MDWS-MST-1350-S/S	67481	109
HVT8-S/S	75419	41	IBBK	76928	147	MBCM-2	79530	117	MDWS-MST-1500	67565	109
HVT8-S/S	75419	42	IBBK	76928	148	MBCMK	79524	117	MDWS-MST-1500-S/S	67482	109
HVT8-S/S	75419	45	IBBK	76928	149	MBCMCK	79533	117	MDWS-MST-1800	67566	109
HVT8-S/S	75419	46	IBBK	76928	150	MBCTA	79531	117	MDWS-MST-1800-S/S	67483	109
HVT8-S/S	75419	47	IBS-DH5	76934	149	MBDS-18	79504	117	MDWS-MST-2100	67567	109
HW-BC	74100	123	IBS-DH5	76934	150	MBDS-24	79505	117	MDWS-MST-2100-S/S	67484	109
HW-IMPB	76939	151	IBS-H4	76933	149	MBDS-30	79506	117	MDWS-MST-2400	67568	109
HXF1050L	74670	31	IBS-L4	76929	147	MBDS-36	79507	117	MDWS-MST-2400-S/S	67485	109
HXF1050L-S/S	75277	31	IBS-L5	76930	147	MBDS-42	79508	117	MDWS-MST-600-S/S	67559	109
HXF1050M	74669	31	IBS-M1200	82397	144	MBDS-48	79509	117	MDWS-MST-750	67560	109
HXF1050M-S/S	75276	31	IBS-M1500	82398	144	MBDS-54	79510	117	MDWS-MST-750-S/S	67477	109
HXF1050S	74668	31	IBS-M4	76931	148	MBDS-60	79511	117	MDWS-MST-900	67561	109
HXF1050S-S/S	75275	31	IBS-M5	76932	148	MBDS-72	79512	117	MDWS-MST-900-S/S	67478	109
HXF1200L	74673	31	IEA42-60D	76937	150	MBDS-84	79513	117	MESBK-PS	82364	105
HXF1200L-S/S	75280	31	IEA72-96D	76938	150	MBRD-18	79514	117	MESBK-PS	82364	106
HXF1200M	74672	31	IMK	76936	147	MBRD-24	79515	116	MESBKL	87895	105
HXF1200M-S/S	75279	31	IMK	76936	148	MBRD-24	79515	117	MESBKL-SS	82892	106
HXF1200S	74671	31	IMK	76936	149	MBRD-30	79516	116	MESPKR	81896	105
HXF1200S-S/S	75278	31	ISABK	76935	150	MBRD-36	79517	116	MESPKR-SS	82894	106
HXF1500L	74678	31	ISABK-LMH	77529	147	MBRD-42	79518	117	MFASK	75531	170
HXF1500L-S/S	75282	31	ISABK-LMH	77529	148	MBRD-48	79519	116	MFASK	75531	170
HXF1500M	74677	31	ISABK-LMH	77529	149	MBRD-54	79520	117	MHCP-24A	75937	28
HXF1500M-S/S	75281	31	LS-BP	77114	12	MBRD-60	79521	117	MHCP-24S	75929	28
HXF1600L	73444	31	LS-BP-S/S	77115	12	MBRD-60	79521	117	MHCP-2BC24	76638	30
HXF1600L-S/S	75284	31	LS-SP	77365	12	MBRD-60	79521	117	MHCP-2BC30	76639	30
HXF1600M	73443	31	LS-SS	77118	12	MBRD-60	79521	117	MHCP-2BC36	76640	30
HXF1600M-S/S	75283	31	LS-SS	77118	12	MBRD-60	79521	117	MHCP-2BC42	76641	30
HXF2-L	75982	34	LS-SW	77117	12	MBRD-60	79521	117	MHCP-2BC48	76642	30
HXF2-M	75981	34	LS-SW-S/S	78850	12	MBRD-60	79521	117	MHCP-2BC54	76643	30
HXF2-S	75980	34	LSP12	77070	12	MBRD-72	79522	116	MHCP-2BC60	76644	30
HXF2-SS	75979	34	LSP12-S/S	77079	12	MBRD-72	79522	117	MHCP-2BC72	76645	30
HXF450M	74660	31	LSP18	77071	12	MBRD-84	79523	116	MHCP-2BC84	76812	30
HXF450M-S/S	75267	31	LSP18-S/S	77080	12	MBRD-84	79523	117	MHCP-30A	75938	28
HXF450S	74659	31	LSP24	77072	12	MCB	74925	170	MHCP-30S	75939	28
HXF450S-S/S	75266	31	LSP24-S/S	77081	12	MCB	74925	170	MHCP-36A	75939	28
HXF600M	74662	31	LSP30	77073	12	MCB	74925	172	MHCP-36S	75931	28
HXF600M-S/S	75269	31	LSP30-S/S	77082	12	MCBK	76025	170	MHCP-42A	75940	28
HXF600S	74661	31	LSP36	77074	12	MCBK	76025	170	MHCP-42S	75932	28
HXF600S-S/S	75268	31	LSP36-S/S	77083	12	MCBK	76025	172	MHCP-48A	75941	28
HXF750M	74664	31	LSP42	77075	12	MCBKHD	76026	170	MHCP-48S	75933	28
HXF750M-S/S	75271	31	LSP42-S/S	77084	12	MCBKHD	76026	170	MHCP-54A	75942	28
HXF750S	74663	31	LSP48	77076	12	MCBKHD	76026	172	MHCP-54S	75943	28
HXF750S-S/S	75270	31	LSP48-S/S	77085	12	MCRK	74923	170	MHCP-60A	75935	28
HXF8L	74691	34	LSP54	77077	12	MCRK	74923	172	MHCP-60S	75944	28
HXF8L-Blue	77521	34	LSP54-S/S	77086	12	MCS	74930	170	MHCP-72S	75936	28
HXF8M	74690	34	LSP60	77078	12	MCS	74930	170	MHCP-84A	76801	28
HXF8M-Blue	77520	34	LSP60-S/S	77087	12	MCS	74930	172	MHCP-84S	76800	28
HXF8S	74689	34	LST-B-S/S	77124	12	MCSHD	74931	170	MHCP-BS	76394	30
HXF8S-Blue	77519	34	LST-P	77121	12	MCSHD	74931	170	MHCP-CH	76393	30
HXF8SS	74307	34	LST-S	77123	12	MCSK	74927	170	MHP-6108	90151	26
HXF8SS-Blue	77518	34	LST-TAK	77120	12	MCSK	74927	170	MHP-6120	90152	26
HXF900L	74667	31	LST-TAK	77120	12	MCSK	74927	172	MHP-624	77703	26
HXF900L-S/S	75274	31	LST-W	77122	12	MCSKHD	74928	170	MHP-630	77704	26
HXF900M	74666	31	LST-W-S/S	77125	12	MCSKHD	74928	170	MHP-636	77705	26
HXF900M-S/S	75273	31	LST-W-S/S-2	77126	12	MCSKHD	74928	172	MHP-642	77706	26
HXF900S	74665	31	LSTMPK	77366	12	MCSKHD	74928	172	MHP-648	77707	26
HXF900S-S/S	75272	31	LSTMPK-S/S	78933	12	MDWS-1050-S/S	67469	109	MHP-654	77708	26
HXFHD1800L	74682	31	LSTMPK2-S/S	78462	12	MDWS-1200-S/S	67470	109	MHP-660	77709	26
HXFHD1800L-S/S	A1589	31	LSTPB-RK	77367	12	MDWS-1350-S/S	67471	109	MHP-672	77710	26
HXFHD1800M	74681	31	LSTPB-RK	77367	12	MDWS-1500-S/S	67472	109	MHP-684	77711	26
HXFHD1800M-S/S	A1588	31	MAK	74918	170	MDWS-1800-S/S	67473	109	MHP-696	77712	26
HXFHD2100L	74684	31	MAK-S/S	64926	170	MDWS-2100-S/S	67474	109	MHP-CP1050	75964	30
HXFHD2100L-S/S	A1591	31	MAKHD	74919	170						
HXFHD2100M	74683	31	MAKHD	74919	170						

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
MHP-CP1200	75965	30	MHS-2100-MST-S/S	64038	65	MHS-CARK-V72/1800-S/S MVECKS/S	82848	97	MHS-P750*	77500	70
MHP-CP1400	75966	30	MHS-2100BT	77488	67	MHS-CARK2-V120/3000	77954	90	MHS-P750S/S	77509	66
MHP-CP1500	75967	30	MHS-2100BT-2SAC	78017	96	MHS-CARK2-V120/3000	77954	97	MHS-P750S/S	77509	68
MHP-CP1800	75968	30	MHS-2100BT-2SAC-S/S	78326	96	MHS-CARK2-V120/3000-S/S MV2CKS	82853	90	MHS-P750S/S*	77509	64
MHP-CP2100	76811	30	MHS-2100BT-V/S	77497	67	MHS-CARK2-V120/3000-S/S MV2CKS	82853	97	MHS-P750S/S*	77509	70
MHP-CP600	75961	30	MHS-2100FPV	77797	69	MHS-CARK2-V60/1500	77950	90	MHS-P900	77501	66
MHP-CP750	75962	30	MHS-2100FPV-S/S	77807	69	MHS-CARK2-V60/1500	77950	97	MHS-P900	77501	68
MHP-CP900	75963	30	MHS-2100V-2SAC	78172	89	MHS-CARK2-V60/1500-S/S MV2CKSS	82849	90	MHS-P900*	77501	64
MHP-EP	76392	24	MHS-2100V-2SAC-S/S	78547	89	MHS-CARK2-V60/1500-S/S MV2CKSS	82849	97	MHS-P900*	77501	70
MHP-EP	76392	30	MHS-2400-MST	64029	65	MHS-CARK2-V72/1800	77951	90	MHS-P900S/S	77510	66
MHP-EP	76392	42	MHS-2400-MST-S/S	64039	65	MHS-CARK2-V72/1800	77951	97	MHS-P900S/S	77510	68
MHP-EP	76392	47	MHS-2400BT	77489	67	MHS-CARK2-V72/1800-S/S MV2CKSS	82850	90	MHS-P900S/S*	77510	64
MHP-EP	76392	77	MHS-2400BT-2SAC	78018	96	MHS-CARK2-V72/1800-S/S MV2CKSS	82850	97	MHS-P900S/S*	77510	70
MHP-EP	76392	84	MHS-2400BT-2SAC-S/S	78327	96	MHS-CARK2-V84/2100	77952	90	MMKU	77324	105
MHP-EP	76392	91	MHS-2400BT-V/S	77498	67	MHS-CARK2-V84/2100	77952	97	MMKU-SS	77357	106
MHP-EP	76392	98	MHS-2400FPV	77798	69	MHS-CARK2-V84/2100-S/S MV2CKSS	82851	90	MMKUHD	77327	105
MHP-EP-S/S	77599	24	MHS-2400FPV-S/S	77808	69	MHS-CARK2-V84/2100-S/S MV2CKSS	82851	97	MMKUHD-SS	77358	106
MHP-EP-S/S	77599	42	MHS-2400V-2SAC	78173	89	MHS-CARK2-V96/2400	77953	90	MMP-624	76450	22
MHP-EP-S/S	77599	47	MHS-2400V-2SAC-S/S	78548	89	MHS-CARK2-V96/2400	77953	97	MMP-624-S/S	77424	22
MHP-EP-S/S	77599	79	MHS-3000BT-2SAC	78019	96	MHS-CARK2-V96/2400-S/S MV2CKSS	82852	90	MMP-630	76451	22
MHP-EP-S/S	77599	86	MHS-3000BT-2SAC-S/S	78328	96	MHS-CARK2-V96/2400-S/S MV2CKSS	82852	97	MMP-630-S/S	77425	22
MHP-EP-S/S	77599	93	MHS-3000V-2SAC	78174	89	MHS-P1050	77502	66	MMP-636	76452	22
MHP-EP-S/S	77599	99	MHS-3000V-2SAC-S/S	78549	89	MHS-P1050	77502	68	MMP-636-S/S	77426	22
MHS-1050-MST	64023	65	MHS-600-MST	64020	65	MHS-P1050*	77502	64	MMP-642	76453	22
MHS-1050-MST-S/S	64033	65	MHS-600-MST-S/S	64030	65	MHS-P1050*	77502	70	MMP-642-S/S	77427	22
MHS-1050BT	77484	67	MHS-600BT	77481	67	MHS-P1050S/S	77511	66	MMP-648	76454	22
MHS-1050BT-V/S	77493	67	MHS-600BT-V/S	77490	67	MHS-P1050S/S	77511	68	MMP-648-S/S	77428	22
MHS-1050BT-V-SAC	78010	96	MHS-600BT-V-SAC	78007	96	MHS-P1050S/S*	77511	64	MMP-654	76455	22
MHS-1050BT-V-SAC-S/S	78319	96	MHS-600BT-V-SAC-S/S	78316	96	MHS-P1050S/S*	77511	70	MMP-654-S/S	77429	22
MHS-1050FPV	77792	69	MHS-600FPV	77789	69	MHS-P1200	77527	66	MMP-660	76456	22
MHS-1050FPV-S/S	77802	69	MHS-600FPV-S/S	77799	69	MHS-P1200	77527	68	MMP-660-S/S	77430	22
MHS-1050V-SAC	78165	89	MHS-600V-SAC	78162	89	MHS-P1200*	77527	64	MMP-672	76457	22
MHS-1050V-SAC-S/S	78540	89	MHS-600V-SAC-S/S	78537	89	MHS-P1200*	77527	70	MMP-672-S/S	77431	22
MHS-1200-MST	64024	65	MHS-750-MST	64021	65	MHS-P1200S/S	77528	66	MMP-684	76798	22
MHS-1200-MST-S/S	64034	65	MHS-750-MST-S/S	64031	65	MHS-P1200S/S	77528	68	MMP-684-S/S	77432	22
MHS-1200BT	77525	67	MHS-750BT	77482	67	MHS-P1200S/S*	77528	64	MMPBPK	76466	24
MHS-1200BT-V/S	77526	67	MHS-750BT-V/S	77491	67	MHS-P1200S/S*	77528	70	MMPBPK-S/S	77600	24
MHS-1200BT-V-SAC	78011	96	MHS-750BT-V-SAC	78008	96	MHS-P1350	77503	66	MMPCP24	76458	24
MHS-1200BT-V-SAC-S/S	78320	96	MHS-750BT-V-SAC-S/S	78317	96	MHS-P1350	77503	68	MMPCP24-S/S	77590	24
MHS-1200FPV	77793	69	MHS-750FPV	77790	69	MHS-P1350*	77503	64	MMPCP30	76459	24
MHS-1200FPV-S/S	77803	69	MHS-750FPV-S/S	77800	69	MHS-P1350*	77503	70	MMPCP30-S/S	77591	24
MHS-1200V-SAC	78166	89	MHS-750V-SAC	78163	89	MHS-P1350S/S	77512	66	MMPCP36	76460	24
MHS-1200V-SAC-S/S	78541	89	MHS-750V-SAC-S/S	78538	89	MHS-P1350S/S	77512	68	MMPCP36-S/S	77592	24
MHS-1350-MST	64025	65	MHS-900-MST	64022	65	MHS-P1350S/S*	77512	64	MMPCP42	76461	24
MHS-1350-MST-S/S	64035	65	MHS-900-MST-S/S	64032	65	MHS-P1350S/S*	77512	70	MMPCP42-S/S	77593	24
MHS-1350BT	77485	67	MHS-900BT	77483	67	MHS-P1500	77504	66	MMPCP48	76462	24
MHS-1350BT-V/S	77494	67	MHS-900BT-V/S	77492	67	MHS-P1500	77504	68	MMPCP48-S/S	77594	24
MHS-1350BT-V-SAC	78012	96	MHS-900BT-V-SAC	78009	96	MHS-P1500*	77504	64	MMPCP54	76463	24
MHS-1350BT-V-SAC-S/S	78321	96	MHS-900BT-V-SAC-S/S	78318	96	MHS-P1500*	77504	70	MMPCP54-S/S	77595	24
MHS-1350FPV	77794	69	MHS-900FPV	77791	69	MHS-P1500S/S	77513	66	MMPCP60	76464	24
MHS-1350FPV-S/S	77804	69	MHS-900FPV-S/S	77801	69	MHS-P1500S/S	77513	68	MMPCP60-S/S	77596	24
MHS-1350V-SAC	78167	89	MHS-900V-SAC	78164	89	MHS-P1500S/S*	77513	64	MMPCP72	76465	24
MHS-1350V-SAC-S/S	78542	89	MHS-900V-SAC-S/S	78539	89	MHS-P1500S/S*	77513	70	MMPCP72-S/S	77597	24
MHS-1500-MST	64026	65	MHS-CARK-V24/600	77937	90	MHS-P1800	77505	66	MMPCP84	76808	24
MHS-1500-MST-S/S	64036	65	MHS-CARK-V24/600	77937	97	MHS-P1800	77505	68	MMPCP84-S/S	77598	24
MHS-1500BT	77486	67	MHS-CARK-V24/600-S/S MVECKS/S	82841	90	MHS-P1800*	77505	64	MORK	74921	170
MHS-1500BT-2SAC	78015	96	MHS-CARK-V24/600-S/S MVECKS/S	82841	97	MHS-P1800*	77505	70	MORK	74921	170
MHS-1500BT-2SAC-S/S	78324	96	MHS-CARK-V30/750	77938	90	MHS-P1800S/S	77514	66	MPSTA-S/S	82289	106
MHS-1500BT-V/S	77495	67	MHS-CARK-V30/750	77938	97	MHS-P1800S/S	77514	68	MQMTSBSK-SS	82895	106
MHS-1500BT-V-SAC	78013	96	MHS-CARK-V30/750-S/S MVECKS/S	82842	90	MHS-P1800S/S*	77514	64	MR-1050PG	A2840	132
MHS-1500BT-V-SAC-S/S	78322	96	MHS-CARK-V30/750-S/S MVECKS/S	82842	97	MHS-P1800S/S*	77514	70	MR-1200PG	A2841	132
MHS-1500FPV	77795	69	MHS-CARK-V36/900	77939	90	MHS-P2100	77506	66	MR-1500PG	A2829	132
MHS-1500FPV-S/S	77805	69	MHS-CARK-V36/900	77939	97	MHS-P2100	77506	68	MR-1600PG	A2830	132
MHS-1500V-2SAC	78170	89	MHS-CARK-V36/900-S/S MVECKS/S	82843	90	MHS-P2100*	77506	70	MR-1800PG	A2831	132
MHS-1500V-2SAC-S/S	78545	89	MHS-CARK-V36/900-S/S MVECKS/S	82843	97	MHS-P2100S/S	77515	66	MR-2100PG	A2832	132
MHS-1500V-SAC	78168	89	MHS-CARK-V42/1050	77940	90	MHS-P2100S/S	77515	68	MR-2400PG	A2833	132
MHS-1500V-SAC-S/S	78543	89	MHS-CARK-V42/1050	77940	97	MHS-P2100S/S*	77515	70	MR-2600PG	A2834	132
MHS-1800-MST	64027	65	MHS-CARK-V42/1050-S/S MVECKS/S	82844	90	MHS-P2400	77507	66	MR-3000PG	A2835	132
MHS-1800-MST-S/S	64037	65	MHS-CARK-V42/1050-S/S MVECKS/S	82844	97	MHS-P2400	77507	68	MR-450PG	A2836	132
MHS-1800BT	77487	67	MHS-CARK-V48/1200	77941	90	MHS-P2400*	77507	70	MR-600PG	A2837	132
MHS-1800BT-2SAC	78016	96	MHS-CARK-V48/1200	77941	97	MHS-P2400S/S	77516	66	MR-750PG	A2838	132
MHS-1800BT-2SAC-S/S	78325	96	MHS-CARK-V48/1200-S/S MVECKS/S	82845	90	MHS-P2400S/S	77516	68	MR-900PG	A2839	132
MHS-1800BT-V/S	77496	67	MHS-CARK-V48/1200-S/S MVECKS/S	82845	97	MHS-P2400S/S*	77516	70	MRB102	77545	27
MHS-1800BT-V-SAC	78014	96	MHS-CARK-V54/1350	77942	90	MHS-P600	77499	66	MRB108	77546	27
MHS-1800BT-V-SAC-S/S	78323	96	MHS-CARK-V54/1350	77942	97	MHS-P600	77499	68	MRB114	77547	27
MHS-1800FPV	77796	69	MHS-CARK-V54/1350-S/S MVECKS/S	82846	90	MHS-P600*	77499	64	MRB18	77531	27
MHS-1800FPV-S/S	77806	69	MHS-CARK-V54/1350-S/S MVECKS/S	82846	97	MHS-P600*	77499	70	MRB24	77532	27
MHS-1800V-2SAC	78171	89	MHS-CARK-V60/1500	77943	90	MHS-P600S/S	77508	66	MRB30	77533	27
MHS-1800V-2SAC-S/S	78546	89	MHS-CARK-V60/1500	77943	97	MHS-P600S/S	77508	68	MRB36	77534	27
MHS-1800V-SAC	78169	89	MHS-CARK-V60/1500-S/S MVECKS/S	82847	90	MHS-P600S/S*	77508	64	MRB42	77535	27
MHS-1800V-SAC-S/S	78544	89	MHS-CARK-V60/1500-S/S MVECKS/S	82847	97	MHS-P600S/S*	77508	70	MRB48	77536	27
MHS-1950BT-2SAC-S/S	66255	96	MHS-CARK-V72/1800	77944	90	MHS-P750	77500	66	MRB54	77537	27
MHS-1950V-2SAC-S/S	78649	89	MHS-CARK-V72/1800	77944	97	MHS-P750	77500	68	MRB60	77538	27
MHS-2100-MST	64028	65	MHS-CARK-V72/1800-S/S MVECKS/S	82848	90	MHS-P750*	77500	64	MRB66	77539	27

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
MRB72	77540	27	MSTLP	64930	110	PCAP-24/600-S/S	78355	80	PPA1350	69481	73
MRB78	77541	27	MSTLP	64930	110	PCAP-30/750	77914	78	PPA1500	69482	73
MRB84	77542	27	MUPSBK	82896	105	PCAP-30/750-S/S	78356	80	PPA1650	69483	73
MRB90	77543	27	MUPSBK-SS	82893	106	PCAP-36/900	77915	78	PPA1800	69484	73
MRB96	77544	27	N6D3T-24-9-A45	83715	137	PCAP-36/900-S/S	78357	80	PPA1950	69485	73
MSPBPK-S/S	77583	17	N6D3T-30-11-A45	83716	137	PCAP-42/1050	77916	78	PPA2100	69486	73
MSPMPK	75811	24	N6D3T-36-13-A45	83717	137	PCAP-42/1050-S/S	78358	80	PPA2250	69487	73
MSPMPK-S/S	77582	24	N6D3T-42-15-A45	83718	137	PCAP-48/1200	77917	78	PPA2400	69488	73
MSPPP30	75804	110	N6D3T-48-17-A45	83719	137	PCAP-48/1200-S/S	78359	80	PPHD1800	74597	59
MSPPP30-S/S	77473	110	N6D3T-54-19-A45	83720	137	PCAP-54/1350	77918	78	PPHD1800-S/S	A1781	59
MSPPP36	75805	110	N6D3T-60-21-A45	83721	137	PCAP-54/1350-S/S	78360	80	PPHD2000	74556	59
MSPPP36-S/S	77474	110	N6D3T-72-25-A45	83722	137	PCAP-60/1500	77919	78	PPHD2000-S/S	A2120	59
MSPPP42	75806	110	NI6D3T-24-9-A45	26184	139	PCAP-60/1500-S/S	78361	80	PPHD2100	A2803	59
MSPPP42-S/S	77475	110	NI6D3T-30-11-A45	26185	139	PCAP-72/1800	77920	78	PPHD2100-S/S	A1613	59
MSPPP48	75807	110	NI6D3T-36-13-A45	26186	139	PCAP-72/1800-S/S	78362	80	PPHD2400	74557	59
MSPPP48-S/S	77476	110	NI6D3T-42-15-A45	26187	139	PCB	75507	51	PPHD2400-S/S	A1775	59
MSPPP54	75808	110	NI6D3T-48-17-A45	26188	139	PFC-P-S/S	79289	59	PPS8	73024	59
MSPPP54-S/S	77477	110	NI6D3T-54-19-A45	26189	139	PHA	73626	59	PS1050	73543	121
MSPPP60	75809	110	NI6D3T-60-21-A45	26190	139	PHA	73626	78	PS1050PL	73585	121
MSPPP60-S/S	77478	110	NI6D3T-72-25-A45	26191	139	PHDCB	75510	55	PS1200	73544	121
MSPPP66	76695	110	QIBBK	76950	151	PHSC-S/S	73433	59	PS1200PL	73586	121
MSPPP66-S/S	77479	110	P-CARK-V24/600	78080	76	PHSC-S/S	73433	80	PS1400	73546	121
MSR	74914	168	P-CARK-V24/600-S/S PVECKS/S	82815	76	PHSC-S/S	73433	121	PS1400PL	73587	121
MSR	74914	170	P-CARK-V30/750	78081	76	PMB	77727	30	PS1500	73545	121
MSR	74914	172	P-CARK-V30/750-S/S PVECKS/S	82816	76	PMBL	75516	78	PS1500PL	73588	121
MSR2-S/S	79378	169	P-CARK-V36/900	78082	76	PMBL	75516	85	PS1600	73537	121
MSR2-S/S	79378	170	P-CARK-V36/900-S/S PVECKS/S	82817	76	PMBL	75516	98	PS1800PL	74049	121
MST LOCK PIN SS	62309	111	P-CARK-V42/1050	78083	76	PMBL	75516	115	PS2000	73539	121
MST-MBL	79436	71	P-CARK-V42/1050-S/S PVECKS/S	82818	76	PMBL	75516	118	PS2000 PL	74050	121
MST-MBR	79437	71	P-CARK-V48/1200	78084	76	PMBL (left)	75516	51	PS600	73014	121
MST-PMBLR	64564	71	P-CARK-V48/1200-S/S PVECKS/S	82819	76	PMBL (left)	75516	55	PS600PL	73582	121
MST-PMBLR-SS	64565	71	P-CARK-V54/1350	78085	76	PMBL (left)	75516	59	PS750	73541	121
MSTAM	79435	64	P-CARK-V54/1350-S/S PVECKS/S	82820	76	PMBL (left)	75516	61	PS750PL	73583	121
MSTAM	79435	66	P-CARK-V60/1500	78086	76	PMBL (left)	75516	68	PS900	73542	121
MSTAM	79435	110	P-CARK-V60/1500-S/S PVECKS/S	82821	76	PMBL (right)	75519	59	PS900PL	73584	121
MSTAM-S/S	64931	64	P-CARK-V72/1800	78087	76	PMBL (right)	75519	61	PSA150	73156	59
MSTAM-S/S	64931	66	P-CARK-V72/1800-S/S PVECKS/S	82822	76	PMBL (right)	75519	68	PSA150	73156	78
MSTAM-S/S	64931	110	P-CARK-V120/3000	78097	76	PMBL-S/S (left)	75518	71	PSA150 (V-Tip)	73156	75
MSTBBK	63067	64	P-CARK2-V120/3000-S/S PV2ECKSS	82827	76	PMBL-S/S	75518	80	PSA150-EL15	62094	59
MSTBBK	63067	64	P-CARK2-V60/1500	78093	76	PMBL-S/S	75518	87	PSA150-EL15	62094	78
MSTBBK	63067	66	P-CARK2-V60/1500-S/S PV2ECKSS	82823	76	PMBL-S/S	75518	92	PSA150-XL	67776	59
MSTBBK	63067	66	P-CARK2-V72/1800	78094	76	PMBL-S/S	75518	100	PSA150-XL	67776	78
MSTBBK	63067	110	P-CARK2-V72/1800-S/S PV2ECKSS	82824	76	PMBL-S/S (left)	75518	59	PSN11010	74053	121
MSTBBK	63067	110	P-CARK2-V78/1950-S/S PV2ECKSS	82876	76	PMBL-S/S (left)	75518	61	PSR-L-F	105631	162
MSTDB	79434	71	P-CARK2-V84/2100	78095	76	PMBL-S/S (left)	75518	68	PSR-M-F	105630	162
MSTHD-B	79433	64	P-CARK2-V84/2100-S/S PV2ECKSS	82825	76	PMBL-S/S (right)	75521	59	PSR-S-F	105629	162
MSTHD-B	79433	66	P-CARK2-V96/2400	78096	76	PMBL-S/S (right)	75521	61	PSR-XL-F	105632	162
MSTHD-B	79433	71	P-CARK2-V96/2400-S/S PV2ECKSS	82826	76	PMBL-S/S (right)	75521	68	PSSS	74773	59
MSTHD-B	79433	110	PAB	75513	51	PMBR	75519	78	PSSS-H	73222	121
MSTHD-B-S/S	90183	57	PAB	75513	55	PMBR	75519	85	PSSS-N	73221	121
MSTHD-B-S/S	90183	64	PAB	75513	59	PMBR	75519	98	PST2-S	77724	30
MSTHD-B-S/S	90183	110	PAB	75513	61	PMBR	75519	115	PST2-W	77723	30
MSTHD-G	63020	64	PAB	75513	68	PMBR	75519	118	PSTA	75896	24
MSTHD-G	63020	66	PAB	75513	78	PMBR (right)	75519	51	PSTA	75896	30
MSTHD-G	63020	71	PAB	75513	85	PMBR (right)	75519	55	PSTA-S/S	77442	24
MSTHD-G	63020	110	PAB	75513	98	PMBR-S/S	75521	71	PSTS-S	75899	30
MSTHD-G-S/S	90184	57	PAB	75513	115	PMBR-S/S	75521	80	PSTS-S	75899	35
MSTHD-G-S/S	90184	64	PAB	75513	118	PMBR-S/S	75521	87	PSTS-S-S/S	79056	35
MSTHD-G-S/S	90184	110	PAB-S/S	75515	59	PMBR-S/S	75521	92	PSTS-W	75898	24
MSTHD-S	79432	64	PAB-S/S	75515	61	PMBR-S/S	75521	100	PSTS-W	75898	30
MSTHD-S	79432	66	PAB-S/S	75515	68	PMR-CHB-L60	61073	132	PSTS-W	75898	105
MSTHD-S	79432	71	PAB-S/S	75515	80	PMR-CHB-L73	61075	132	PSVA	73434	121
MSTHD-S	79432	110	PAB-S/S	75515	87	PMR-CHB-R60	61074	132	PTCZ-1050	90269	164
MSTHD-S-S/S	90182	57	PAB-S/S	75515	100	PMR-CHB-R73	61076	132	PTCZ-1200	90270	164
MSTHD-S-S/S	90182	64	PACB100	65803	71	PMSMK	74916	170	PTCZ-450	90265	164
MSTHD-S-S/S	90182	110	PACB100	65803	92	PMSMK-S/S	64925	170	PTCZ-600	90266	164
MSTHD-SS-B	90183	66	PACB60	66055	71	PMSMK2	79380	172	PTCZ-750	90267	164
MSTHD-SS-B	90183	71	PACB60	66055	92	PP1050	73011	59	PTCZ-900	90268	164
MSTHD-SS-G	90184	66	PAT1	65571	36	PP1050-S/S	75386	59	PTCZHD-1050	90616	164
MSTHD-SS-G	90184	71	PAT1	65571	71	PP1200	73013	59	PTCZHD-1200	90617	164
MSTHD-SS-S	90182	66	PAT1	65571	92	PP1200-S/S	75387	59	PTCZHD-1350	90618	164
MSTHD-SS-S	90182	71	PAT2	66056	36	PP1400	73015	59	PTCZHD-1400	90795	164
MSTHD-SS-W	90181	66	PAT2	66056	71	PP1400-S/S	75388	59	PTCZHD-1500	90619	164
MSTHD-SS-W	90181	71	PAT2	66056	92	PP1500	73016	59	PTCZHD-1600	90796	164
MSTHD-W	79431	64	PATHK	78794	36	PP1500-S/S	75389	59	PTCZHD-1800	90620	164
MSTHD-W	79431	66	PATLK	78791	36	PP450	73003	59	PTCZHD-2000	90797	164
MSTHD-W	79431	71	PBC-1	61356	134	PP450-S/S	75382	59	PTCZHD-2100	90621	164
MSTHD-W	79431	110	PBC-1-NC	108850	134	PP600	73005	59	PTCZHD-DCK	90805	164
MSTHD-W-S/S	90181	64	PBC-2	61357	134	PP600-S/S	75383	59	PTCZHD-JBBK	90807	164
MSTHD-W-S/S	90181	110	PBC-2-NC	108851	134	PP750	73007	59	PTCZHD-MBK	90803	164
MSTLP	64930	64	PBC-FR	61358	134	PP750-S/S	75384	59	PTCZHD-PBK	90804	164
MSTLP	64930	64	PBC1 Case	U8393	134	PP900	73009	59	PTCZHD-WRBK	90806	164
MSTLP	64930	66	PBC2 Case	U8394	134	PP900-S/S	75385	59	PTK	65746	66
MSTLP	64930	66	PCAP-24/600	77913	78	PPA1200	69480	73	PTK	65746	66

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
PTK	65746	68	PTMA-1350-3	83664	171	PV1500-SAC-S/S	78335	75	R-CARK-V48/1200-S/S RVECKS/S	82832	83
PTK	65746	68	PTMA-1600-1	83671	171	PV1800-2SAC	78029	75	R-CARK-V54/1350 S/S RVECKS/S	82833	83
PTK	65746	70	PTMA-1600-2	83677	171	PV1800-2SAC-S/S	78338	75	R-CARK-V60/1500	82834	83
PTK	65746	70	PTMA-1600-3	83665	171	PV1800-SAC	78027	75	R-CARK-V72/1800	82835	83
PTM-1050-1		168	PTMA-1800-1	83672	171	PV1800-SAC-S/S	78336	75	R-CARK-V72/1800-S/S RVECKS/S	82836	83
PTM-1050-1-S/S		169	PTMA-1800-2	83678	171	PV1950-2SAC-S/S	78656	75	R-CARK-V72/1800-S/S RVECKS/S	82837	83
PTM-1050-2		168	PTMA-1800-3	83666	171	PV2100-2SAC	78030	75	R-CARK-V84/2100	82838	83
PTM-1050-2-S/S		169	PTMA-750-1	83786	171	PV2100-2SAC-S/S	78339	75	R-CARK2-V60/1500-S/S RV2ECKSS	82839	83
PTM-1050-3		168	PTMA-750-2	83673	171	PV2400-2SAC	78031	75	R-CARK2-V72/1800	82840	83
PTM-1050-3-S/S		169	PTMA-750-3	83785	171	PV2400-2SAC-S/S	78340	75	R-CARK2-V72/1800-S/S RV2ECKSS	82841	83
PTM-1200-1		168	PTMA-900-1	83667	171	PV3000-2SAC	78032	75	R-CARK2-V84/2100	82842	83
PTM-1200-1-S/S		169	PTMA-900-3	83661	171	PV3000-2SAC-S/S	78341	75	R-CARK2-V96/2400-S/S RV2ECKSS	82843	83
PTM-1200-2		168	PTMAAK	90194	172	PV450	73435	58	R-CARK2-V96/2400-S/S RV2ECKSS	82844	83
PTM-1200-2-S/S		169	PTMAAKHD	90195	172	PV450-S/S	75323	58	R-CARK2-V96/2400-S/S RV2ECKSS	82845	83
PTM-1200-3		168	PTMAEKHDR	90192	172	PV600	73004	58	R-CARK2-V96/2400-S/S RV2ECKSS	82846	83
PTM-1200-3-S/S		169	PTMAEKHDT	90191	172	PV600-S/S	75324	58	R-CARK2-V96/2400-S/S RV2ECKSS	82847	83
PTM-1350-1		168	PTMAEKHDVR	90193	172	PV600-SAC	78020	75	R-CARK2-V96/2400-S/S RV2ECKSS	82848	83
PTM-1350-1-S/S		169	PTMAEKR	90189	172	PV600-SAC-S/S	78329	75	R-CARK2-V96/2400-S/S RV2ECKSS	82849	83
PTM-1350-2		168	PTMAEKT	90188	172	PV750	73006	58	R-CARK2-V96/2400-S/S RV2ECKSS	82850	83
PTM-1350-2-S/S		169	PTMAEKVR	90190	172	PV750-S/S	75325	58	R-CARK2-V96/2400-S/S RV2ECKSS	82851	83
PTM-1350-3		168	PTMAFMKHDR	90187	172	PV750-SAC	78021	75	R-CARK2-V96/2400-S/S RV2ECKSS	82852	83
PTM-1350-3-S/S		169	PTMAFMKR	90186	172	PV750-SAC-S/S	78330	75	R-CARK2-V96/2400-S/S RV2ECKSS	82853	83
PTM-1500-1		168	PTMAFMKT	90185	172	PV900	73008	58	R-CARK2-V96/2400-S/S RV2ECKSS	82854	83
PTM-1500-1-S/S		169	PTMAHD-1800-1	83737	171	PV900-S/S	75326	58	R-CARK2-V96/2400-S/S RV2ECKSS	82855	83
PTM-1500-2		168	PTMAHD-1800-2	83740	171	PV900-SAC	78022	75	R-CARK2-V96/2400-S/S RV2ECKSS	82856	83
PTM-1500-2-S/S		169	PTMAHD-1800-3	83734	171	PV900-SAC-S/S	78331	75	R-CARK2-V96/2400-S/S RV2ECKSS	82857	83
PTM-1500-3		168	PTMAHD-2000-1	83738	171	PVHD1800	74598	58	R-CARK2-V96/2400-S/S RV2ECKSS	82858	83
PTM-1500-3-S/S		169	PTMAHD-2000-2	83741	171	PVHD1800-S/S	A1603	58	R-CARK2-V96/2400-S/S RV2ECKSS	82859	83
PTM-1600-1		168	PTMAHD-2000-3	83735	171	PVHD2000	75452	58	R-CARK2-V96/2400-S/S RV2ECKSS	82860	83
PTM-1600-1-S/S		169	PTMAHD-2400-1	83739	171	PVHD2000-S/S	A2046	58	R-CARK2-V96/2400-S/S RV2ECKSS	82861	83
PTM-1600-2		168	PTMAHD-2400-2	83742	171	PVHD2100	74553	58	R-CARK2-V96/2400-S/S RV2ECKSS	82862	83
PTM-1600-2-S/S		169	PTMAHD-2400-3	83736	171	PVHD2100-S/S	A1604	58	R-CARK2-V96/2400-S/S RV2ECKSS	82863	83
PTM-1600-3		168	PTMAORK	90197	172	PVHD2400	74555	58	R-CARK2-V96/2400-S/S RV2ECKSS	82864	83
PTM-1600-3-S/S		169	PTPK	75897	30	PVHD2400-S/S	A1605	58	R-CARK2-V96/2400-S/S RV2ECKSS	82865	83
PTM-1800-1		168	PTPK-MT	82343	105	PVT6-S/S	75420	59	R-CARK2-V96/2400-S/S RV2ECKSS	82866	83
PTM-1800-1-S/S		169	PTPK-MT-S/S	82342	106	PVT6-S/S	75420	80	R-CARK2-V96/2400-S/S RV2ECKSS	82867	83
PTM-1800-2		168	PTS-18R	77664	165	PVT6-S/S	75420	121	R-CARK2-V96/2400-S/S RV2ECKSS	82868	83
PTM-1800-2-S/S		169	PTS-24R	77665	165	Q150-EL15	68240	59	R-CARK2-V96/2400-S/S RV2ECKSS	82869	83
PTM-1800-3		168	PTS-30R	77666	165	Q150-XL	68241	59	R-CARK2-V96/2400-S/S RV2ECKSS	82870	83
PTM-1800-3-S/S		169	PTS-36R	77667	165	QMT-G	76483	24	R-CARK2-V96/2400-S/S RV2ECKSS	82871	83
PTM-2000-1		168	PTS-42R	77668	165	QMT-G-S/S	77586	24	R-CARK2-V96/2400-S/S RV2ECKSS	82872	83
PTM-2000-1-S/S		169	PTS-48R	77669	165	QMT-P	76074	24	R-CARK2-V96/2400-S/S RV2ECKSS	82873	83
PTM-2000-2		168	PTS-54R	77670	165	QMT-P-S/S	77584	24	R-CARK2-V96/2400-S/S RV2ECKSS	82874	83
PTM-2000-2-S/S		169	PTS-60R	77671	165	QMT-W	76075	24	R-CARK2-V96/2400-S/S RV2ECKSS	82875	83
PTM-2000-3		168	PTS-72R	77672	165	QMT-W-S/S	77585	24	R-CARK2-V96/2400-S/S RV2ECKSS	82876	83
PTM-2000-3-S/S		169	PTS-ABK	77693	166	QMTBK-G	76540	24	R-CARK2-V96/2400-S/S RV2ECKSS	82877	83
PTM-2400-1		168	PTS-EBK	77702	166	QMTBK-G	76540	24	R-CARK2-V96/2400-S/S RV2ECKSS	82878	83
PTM-2400-1-S/S		169	PTS-HDSR	77692	166	QMTBK-GCN	82174	105	R-CARK2-V96/2400-S/S RV2ECKSS	82879	83
PTM-2400-2		168	PTS-HIBK	77697	166	QMTBK-GCN	82174	106	R-CARK2-V96/2400-S/S RV2ECKSS	82880	83
PTM-2400-2-S/S		169	PTS-IBK	77696	166	QMTBK-P	76097	24	R-CARK2-V96/2400-S/S RV2ECKSS	82881	83
PTM-2400-3		168	PTS-LHSAA	77756	166	QMTBK-P	76097	24	R-CARK2-V96/2400-S/S RV2ECKSS	82882	83
PTM-2400-3-S/S		169	PTS-MBK	77700	166	QMTBK-W	76098	24	R-CARK2-V96/2400-S/S RV2ECKSS	82883	83
PTM-2600-1		168	PTS-MBKUG	77701	166	QMTBK-W	76098	24	R-CARK2-V96/2400-S/S RV2ECKSS	82884	83
PTM-2600-1-S/S		169	PTS-PA	77699	166	QMTBK-W	76098	30	R-CARK2-V96/2400-S/S RV2ECKSS	82885	83
PTM-2600-2		168	PTS-PS	77698	166	QMTBK-WS-MT	82175	105	R-CARK2-V96/2400-S/S RV2ECKSS	82886	83
PTM-2600-2-S/S		169	PTS-RHSAA	77755	166	QMTBK-WS-MT	82175	106	R-CARK2-V96/2400-S/S RV2ECKSS	82887	83
PTM-2600-3		168	PTS-RR21	77680	165	QMTPAK	76096	24	R-CARK2-V96/2400-S/S RV2ECKSS	82888	83
PTM-2600-3-S/S		169	PTS-RR27	77681	165	QMTPAK-S/S	77587	24	R-CARK2-V96/2400-S/S RV2ECKSS	82889	83
PTM-3000-1		168	PTS-RR33	77682	165	QMTPSBK	76099	24	R-CARK2-V96/2400-S/S RV2ECKSS	82890	83
PTM-3000-1-S/S		169	PTS-RR39	77683	165	QMTPSBK-CN	82182	105	R-CARK2-V96/2400-S/S RV2ECKSS	82891	83
PTM-3000-2		168	PTS-RR45	77684	165	QMTPSBK-S/S	77588	24	R-CARK2-V96/2400-S/S RV2ECKSS	82892	83
PTM-3000-2-S/S		169	PTS-RR51	77685	165	QMTS-G	76484	24	R-CARK2-V96/2400-S/S RV2ECKSS	82893	83
PTM-3000-3		168	PTS-RR57	77686	165	QMTS-G	76484	105	R-CARK2-V96/2400-S/S RV2ECKSS	82894	83
PTM-3000-3-S/S		169	PTS-RR63	77687	165	QMTS-G-S/S	77452	17	R-CARK2-V96/2400-S/S RV2ECKSS	82895	83
PTM-750-1		168	PTS-RR75	77689	165	QMTS-G-S/S	77452	24	R-CARK2-V96/2400-S/S RV2ECKSS	82896	83
PTM-750-1-S/S		169	PTS-SAK	77694	166	QMTS-G-SS	77452	106	R-CARK2-V96/2400-S/S RV2ECKSS	82897	83
PTM-750-2		168	PTS-SR	93089	166	QMTS-P	75845	16	R-CARK2-V96/2400-S/S RV2ECKSS	82898	83
PTM-750-2-S/S		169	PV1050	73010	58	QMTS-P	75845	24	R-CARK2-V96/2400-S/S RV2ECKSS	82899	83
PTM-750-3		168	PV1050-S/S	75327	58	QMTS-P	75845	105	R-CARK2-V96/2400-S/S RV2ECKSS	82900	83
PTM-750-3-S/S		169	PV1050-SAC	78023	75	QMTS-P-S/S	77450	17	R-CARK2-V96/2400-S/S RV2ECKSS	82901	83
PTM-900-1		168	PV1050-SAC-S/S	78332	75	QMTS-P-S/S	77450	24	R-CARK2-V96/2400-S/S RV2ECKSS	82902	83
PTM-900-1-S/S		169	PV1200	73012	58	QMTS-P-SS	77450	106	R-CARK2-V96/2400-S/S RV2ECKSS	82903	83
PTM-900-2		168	PV1200-S/S	75328	58	QMTS-W-S/S	77451	17	R-CARK2-V96/2400-S/S RV2ECKSS	82904	83
PTM-900-2-S/S		169	PV1200-SAC	78024	75	QMTS-W-SS	77451	106	R-CARK2-V96/2400-S/S RV2ECKSS	82905	83
PTM-900-3		168	PV1200-SAC-S/S	78333	75	QSTS-W-S/S	77451	24	R-CARK2-V96/2400-S/S RV2ECKSS	82906	83
PTM-900-3-S/S		169	PV1350-SAC	78025	75	R-CARK-V24/600	78106	83	R-CARK2-V96/2400-S/S RV2ECKSS	82907	83
PTMA-1050-1	83668	171	PV1350-SAC-S/S	78334	75	R-CARK-V24/600-S/S RVECKS/S	82828	83	R-CARK2-V96/2400-S/S RV2ECKSS	82908	83
PTMA-1050-2	83674	171	PV1400	73436	58	R-CARK-V30/750	78107	83	R-CARK2-V96/2400-S/S RV2ECKSS	82909	83
PTMA-1050-3	83662	171	PV1400-S/S	75329	58	R-CARK-V30/750-S/S RVECKS/S	82829	83	R-CARK2-V96/2400-S/S RV2ECKSS	82910	83
PTMA-1200-1	83669	171	PV1500	73437	58	R-CARK-V36/900	78108	83	R-CARK2-V96/2400-S/S RV2ECKSS	82911	83
PTMA-1200-2	83675	171	PV1500-2SAC	78028	75	R-CARK-V36/900-S/S RVECKS/S	82830	83	R-CARK2-V96/2400-S/S RV2ECKSS	82912	83
PTMA-1200-3	83663	171	PV1500-2SAC-S/S	78337	75	R-CARK-V42/1050	78109	83	R-CARK2-V96/2400-S/S RV2ECKSS	82913	83
PTMA-1350-1	83670	171	PV1500-S/S	75330	58	R-CARK-V42/1050-S/S RVECKS/S	82831	83	R-CARK2-V96/2400-S/S RV2ECKSS	82914	83
PTMA-1350-2	83676	171	PV1500-SAC	78026	75	R-CARK-V48/1200	78110	83	R-CARK2-V96/2400-S/S RV2ECKSS	82915	83

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
RBVP-SD-S-2000	91777	159	RSA150	73628	98	SAC2-TIP-TL	77866	92	SACPL2-120/3000-S/S	78383	99
RBVP-SD-S-2200	91778	159	RSA150 (V-Tip)	73628	82	SAC2-TIP-TL	77866	94	SACPL2-60/1500	77895	77
RBVP-SD-S-2400	91779	159	RSA150 (V-Tip)	73628	96	SAC2-TIP-TL	77866	98	SACPL2-60/1500	77895	84
RBVP-SD-S-2600	91780	159	RSA150_EL15	61141	61	SAC2-TIP-TL	77866	100	SACPL2-60/1500	77895	91
RBVP-SD-S-2800	91781	159	RSA150-EL	61141	62	SACKRP	77885	41	SACPL2-60/1500-S/S	77895	98
RBVP-SD-S-600	91769	159	RSA150-EL	61141	64	SACKRP	77885	78	SACPL2-60/1500-S/S	78379	79
RBVP-SD-S-750	91770	159	RSA150-EL	61141	66	SACKRP	77885	85	SACPL2-60/1500-S/S	78379	86
RBVP-SD-S-900	91771	159	RSA150-EL	61141	68	SACKRP	77885	92	SACPL2-60/1500-S/S	78379	93
RC-HD-S/S	69521	61	RSA150-EL	61141	70	SACKRP	77885	98	SACPL2-60/1500-S/S	78379	99
RC-HD-S/S	69521	85	RSA150-EL15	61141	85	SACKRP-S/S	78399	80	SACPL2-72/1800	77896	77
RC-HD-S/S	69521	87	RSA150-EL15	61141	91	SACKRP-S/S	78399	87	SACPL2-72/1800	77896	84
RC-S/S	76250	61	RSA150-EL15	61141	98	SACKRP-S/S	78399	94	SACPL2-72/1800	77896	91
RC-S/S	76250	87	RSA150-XL	67777	62	SACKRP-S/S	78399	100	SACPL2-72/1800	77896	98
RCAP-24/600	77921	85	RSA150-XL	67777	66	SACPL-24/600	77887	77	SACPL2-72/1800-S/S	78380	79
RCAP-24/600-S/S	78363	87	RSA150-XL	67777	68	SACPL-24/600	77887	84	SACPL2-72/1800-S/S	78380	86
RCAP-30/750	77922	85	RSA150-XL	67777	70	SACPL-24/600	77887	91	SACPL2-72/1800-S/S	78380	93
RCAP-30/750-S/S	78364	87	RSA150-XL	67777	85	SACPL-24/600	77887	98	SACPL2-72/1800-S/S	78380	99
RCAP-36/900	77923	85	RSA150-XL	67777	91	SACPL-24/600-S/S	78371	79	SACPL2-78/1950-S/S	78642	79
RCAP-36/900-S/S	78365	87	RSA150-XL	67777	98	SACPL-24/600-S/S	78371	86	SACPL2-78/1950-S/S	78642	86
RCAP-42/1050	77924	85	RSA150-XL20	67777	61	SACPL-24/600-S/S	78371	93	SACPL2-78/1950-S/S	78642	93
RCAP-42/1050-S/S	78366	87	RSA150-XL20	67777	64	SACPL-24/600-S/S	78371	99	SACPL2-78/1950-S/S	78642	99
RCAP-48/1200	77925	85	RV1050	74637	60	SACPL-30/750	77888	77	SACPL2-84/2100	77897	77
RCAP-48/1200-S/S	78367	87	RV1050-S/S	75345	60	SACPL-30/750	77888	84	SACPL2-84/2100	77897	84
RCAP-54/1350	77926	85	RV1050-SAC	78036	82	SACPL-30/750	77888	91	SACPL2-84/2100	77897	91
RCAP-54/1350-S/S	78368	87	RV1050-SAC-S/S	78345	82	SACPL-30/750	77888	98	SACPL2-84/2100	77897	98
RCAP-60/1500	77927	85	RV1200	74638	60	SACPL-30/750-S/S	78372	79	SACPL2-84/2100-S/S	78381	79
RCAP-60/1500-S/S	78369	87	RV1200-S/S	75346	60	SACPL-30/750-S/S	78372	86	SACPL2-84/2100-S/S	78381	86
RCAP-72/1800	77928	85	RV1200-SAC	78037	82	SACPL-30/750-S/S	78372	93	SACPL2-84/2100-S/S	78381	93
RCAP-72/1800-S/S	78370	87	RV1200-SAC-S/S	78346	82	SACPL-30/750-S/S	78372	99	SACPL2-84/2100-S/S	78381	99
Reduce Adap F 3/4	61058	121	RV1350-SAC	78038	82	SACPL-36/900	77889	77	SACPL2-96/2400	77898	77
RIBBK	81250	137	RV1350-SAC-S/S	78347	82	SACPL-36/900	77889	84	SACPL2-96/2400	77898	84
RIBBK	81250	139	RV1400	74639	60	SACPL-36/900	77889	91	SACPL2-96/2400	77898	91
RIBBK	81250	141	RV1400-S/S	75347	60	SACPL-36/900	77889	98	SACPL2-96/2400	77898	98
RIBBK	81250	144	RV1500	74640	60	SACPL-36/900-S/S	78373	79	SACPL2-96/2400-S/S	78382	79
RMC-FS	76558	174	RV1500-2SAC	78041	82	SACPL-36/900-S/S	78373	86	SACPL2-96/2400-S/S	78382	86
RMC1-BPP	76415	174	RV1500-2SAC-S/S	78350	82	SACPL-36/900-S/S	78373	93	SACPL2-96/2400-S/S	78382	93
RMC1-CB	75820	174	RV1500-S/S	75348	60	SACPL-36/900-S/S	78373	99	SACPL2-96/2400-S/S	78382	99
RMC1-PP	75832	174	RV1500-SAC	78039	82	SACPL-42/1050	77890	77	SACRH	77883	41
RMC2-AP-S/S	A2704	174	RV1500-SAC-S/S	78348	82	SACPL-42/1050	77890	84	SACRH	77883	78
RMC2-FSAPK	76559	174	RV1800-2SAC	78042	82	SACPL-42/1050	77890	91	SACRH	77883	85
RP1050	74608	61	RV1800-2SAC-S/S	78351	82	SACPL-42/1050	77890	98	SACRH	77883	92
RP1050-S/S	75404	61	RV1800-SAC	78040	82	SACPL-42/1050-S/S	78374	79	SACRH	77883	98
RP1200	74609	61	RV1800-SAC-S/S	78349	82	SACPL-42/1050-S/S	78374	86	SACRH-S/S	78397	80
RP1200-S/S	75405	61	RV1950-2SAC-S/S	78663	82	SACPL-42/1050-S/S	78374	93	SACRH-S/S	78397	87
RP1400	74610	61	RV2100-2SAC	78043	82	SACPL-42/1050-S/S	78374	99	SACRH-S/S	78397	94
RP1400-S/S	75406	61	RV2100-2SAC-S/S	78352	82	SACPL-48/1200	77891	77	SACRH-S/S	78397	100
RP1500	74611	61	RV2400-2SAC	78044	82	SACPL-48/1200	77891	84	SACRHL	77884	41
RP1500-S/S	75407	61	RV2400-2SAC-S/S	78353	82	SACPL-48/1200	77891	91	SACRHL	77884	78
RP450	74604	61	RV3000-2SAC	78045	82	SACPL-48/1200	77891	98	SACRHL	77884	85
RP450-S/S	75400	61	RV3000-2SAC-S/S	78354	82	SACPL-48/1200-S/S	78375	79	SACRHL	77884	92
RP600	74605	61	RV450	74633	60	SACPL-48/1200-S/S	78375	86	SACRHL	77884	98
RP600-S/S	75401	61	RV450-S/S	75341	60	SACPL-48/1200-S/S	78375	93	SACRHL-S/S	78398	80
RP750	74606	61	RV600	74634	60	SACPL-48/1200-S/S	78375	99	SACRHL-S/S	78398	87
RP750-S/S	75402	61	RV600-S/S	75342	60	SACPL-54/1350	77892	77	SACRHL-S/S	78398	94
RP900	74607	61	RV600-SAC	78033	82	SACPL-54/1350	77892	84	SACRHL-S/S	78398	100
RP900-S/S	75403	61	RV600-SAC-S/S	78342	82	SACPL-54/1350	77892	91	SACRKN	77882	41
RPA1200	103602	73	RV750	74635	60	SACPL-54/1350	77892	98	SACRKN	77882	78
RPA1350	103603	73	RV750-S/S	75343	60	SACPL-54/1350-S/S	78376	79	SACRKN	77882	80
RPA1500	103604	73	RV750-SAC	78034	82	SACPL-54/1350-S/S	78376	86	SACRKN	77882	85
RPA1800	103605	73	RV750-SAC-S/S	78343	82	SACPL-54/1350-S/S	78376	93	SACRKN	77882	87
RPA1950	103606	73	RV900	74636	60	SACPL-54/1350-S/S	78376	99	SACRKN	77882	92
RPA2100	103607	73	RV900-S/S	75344	60	SACPL-60/1500	77893	77	SACRKN	77882	94
RPA2400	103608	73	RV900-SAC	78035	82	SACPL-60/1500	77893	84	SACRKN	77882	98
RPHD1800	74613	61	RV900-SAC-S/S	78344	82	SACPL-60/1500	77893	91	SACRKN	77882	100
RPHD1800-S/S	A1575	61	RVHD1800	74642	60	SACPL-60/1500	77893	98	SACRKT	77886	78
RPHD2000	74614	61	RVHD1800-S/S	A1626	60	SACPL-60/1500-S/S	78377	79	SACRKT	77886	85
RPHD2000-S/S	61270	61	RVHD2000	75463	60	SACPL-60/1500-S/S	78377	86	SACRKT	77886	92
RPHD2100	A2527	61	RVHD2100	74643	60	SACPL-60/1500-S/S	78377	93	SACRKT	77886	98
RPHD2100-S/S	A1629	61	RVHD2100-S/S	A1628	60	SACPL-60/1500-S/S	78377	99	SACRKT-S/S	78401	80
RPHD2400	74615	61	RVHD2400	74644	60	SACPL-72/1800	77894	77	SACRKT-S/S	78401	87
RPHD2400-S/S	61271	61	RVHD2400-S/S	A1610	60	SACPL-72/1800	77894	84	SACRKT-S/S	78401	94
RSA	76249	61	RV76-S/S	76205	61	SACPL-72/1800	77894	91	SACRKT-S/S	78401	100
RSA	76249	85	RV76-S/S	76205	62	SACPL-72/1800	77894	98	SACSK	77052	92
RSA-HD	69520	61	RV76-S/S	76205	64	SACPL-72/1800-S/S	78378	79	SACSK	77052	94
RSA-HD	69520	85	RV76-S/S	76205	66	SACPL-72/1800-S/S	78378	86	SACSRC	77065	92
RSA-HD	69520	87	RV76-S/S	76205	68	SACPL-72/1800-S/S	78378	93	SACSRC	77065	94
RSA150	73628	61	RV76-S/S	76205	70	SACPL-72/1800-S/S	78378	99	SB-MB-S/S	A1535	121
RSA150	73628	62	RV76-S/S	76205	87	SACPL2-120/3000	77899	77	SB-UC38-S/S	A1536	121
RSA150	73628	64	RV76-S/S	76205	94	SACPL2-120/3000	77899	84	SB1050	A0334	121
RSA150	73628	66	RV76-S/S	76205	100	SACPL2-120/3000	77899	91	SB1050-SEC	61066	120
RSA150	73628	68	SAC2-TIP-TL	77866	78	SACPL2-120/3000	77899	98	SB1050A	A0435	120
RSA150	73628	70	SAC2-TIP-TL	77866	80	SACPL2-120/3000-S/S	78383	79	SB1200	A0863	121
RSA150	73628	85	SAC2-TIP-TL	77866	85	SACPL2-120/3000-S/S	78383	86	SB1200-SEC	61067	120
RSA150	73628	91	SAC2-TIP-TL	77866	87	SACPL2-120/3000-S/S	78383	93	SB1200A	A0316	120

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
SB1400	A0827	121	SKPU-150x20x7.6	90284	175	SPG-CVR-H	77741	102	STJK	74417	37
SB1400-SEC	61068	120	SKPU-150x25x15.2	91303	175	SRBK	74941	123	STJK	74417	37
SB1400A	A1620	120	SKPU-150x25x7.6	91300	175	SSFRB	78456	30	STJK-S/S	74417	105
SB1500	A2033	121	SKPU-200x10x15.2	91307	175	SSRB	75978	30	STJK-S/S	74417	106
SB1500-SEC	61069	120	SKPU-200x10x7.6	91304	175	SST1HDM-B	78519	70	STJM	74775	37
SB1500A	A1838	120	SKPU-200x12x15.2	91224	175	SST1HDM-B	78519	92	STJM	74775	37
SB1800	A0317	121	SKPU-200x12x7.6	90285	175	SST1HDM-B	78519	110	STJM	74775	105
SB1800-SEC	61070	120	SKPU-200x16x15.2	91308	175	SST1HDM-B	78519	115	STJM-S/S	75426	37
SB1800A	A1357	120	SKPU-200x16x7.6	91305	175	SST1HDM-B-S/S	78396	70	STJM-S/S	75426	37
SB2100	61287	121	SKPU-200x19x15.2	91225	175	SST1HDM-B-S/S	78396	94	STKD	74504	37
SB2400	A1776	121	SKPU-200x20x7.6	90286	175	SST1HDM-B-S/S	78396	110	STKD-S/S	75427	37
SB4	78789	137	SKPU-200x25x15.2	91309	175	SST1HDM-G	79069	70	STLP	79535	117
SB4	78789	139	SKPU-200x25x7.6	91306	175	SST1HDM-G	79069	92	STS-B	75844	35
SB4	78789	141	SKPU-250x10x15.2	91315	175	SST1HDM-G	79069	94	STS-B	75844	35
SB4	78789	144	SKPU-250x10x7.6	91310	175	SST1HDM-G	79069	110	STS-B	75844	55
SB5	78790	137	SKPU-250x12x15.2	91316	175	SST1HDM-G	79069	115	STS-B	75844	64
SB5	78790	139	SKPU-250x12x7.6	91311	175	SST1HDM-G-S/S	79454	70	STS-B	75844	66
SB5	78790	141	SKPU-250x16x15.2	91317	175	SST1HDM-S	78518	70	STS-B	75844	70
SB5	78790	144	SKPU-250x16x7.6	91312	175	SST1HDM-S	78518	92	STS-B	75844	92
SB600	A0886	121	SKPU-250x19x15.2	91318	175	SST1HDM-S	78518	110	STS-B	75844	110
SB600-SEC	61063	120	SKPU-250x19x7.6	91313	175	SST1HDM-S	78518	111	STS-B	75844	110
SB600A	A0887	120	SKPU-250x25x15.2	91319	175	SST1HDM-S	78518	115	STS-B	75844	115
SB750	A0408	121	SKPU-250x25x7.6	91314	175	SST1HDM-S-S/S	78395	70	STS-B-S/S	77632	35
SB750-SEC	61064	120	SKPU-300x10x15.2	91325	175	SST1HDM-S-S/S	78395	94	STS-B-S/S	77632	35
SB750A	A0407	120	SKPU-300x10x7.6	91320	175	SST1HDM-S-S/S	78395	110	STS-B-S/S	77632	64
SB900	A0696	121	SKPU-300x12x15.2	91326	175	SST1HDM-W	78517	70	STS-B-S/S	77632	66
SB900-SEC	61065	120	SKPU-300x12x7.6	91321	175	SST1HDM-W	78517	92	STS-B-S/S	77632	70
SB900A	A0912	120	SKPU-300x16x15.2	91327	175	SST1HDM-W	78517	110	STS-B-S/S	77632	94
SCU60	82812	105	SKPU-300x16x7.6	91322	175	SST1HDM-W	78517	115	STS-B-S/S	77632	110
SCU60-S/S	82810	106	SKPU-300x19x15.2	91328	175	SST1HDM-W-S/S	78394	70	STS-B-S/S	77632	110
SCUHD	82813	105	SKPU-300x19x7.6	91323	175	SST1HDM-W-S/S	78394	94	STS-G	78142	35
SCUHD-S/S	82811	106	SKPU-300x25x15.2	91329	175	SST1HDM-W-S/S	78394	110	STS-G	78142	35
SE5-T1000	83680	172	SKPU-300x25x7.6	91234	175	SSTBK-B	76637	70	STS-G	78142	64
SE5-T1200	83681	172	SKPU-DUAL-150x12x15.2	91404	174	SSTBK-B	76637	70	STS-G	78142	66
SE5-T1400/VR1000	83682	172	SKPU-DUAL-150x12x7.6	91400	174	SSTBK-B	76637	92	STS-G	78142	70
SE5-T1400/VR1000	83682	172	SKPU-DUAL-150x20x15.2	91405	174	SSTBK-B	76637	94	STS-G	78142	92
SE5-T1600	83683	172	SKPU-DUAL-150x20x7.6	91401	174	SSTBK-B	76637	110	STS-G	78142	110
SE5-T1800	83684	172	SKPU-DUAL-200x12x15.2	91406	174	SSTBK-B	76637	110	STS-G	78142	110
SE5-T800	83679	172	SKPU-DUAL-200x12x7.6	91402	174	SSTBK-W	76636	70	STS-G	78142	115
SE5-VR1200	83692	172	SKPU-DUAL-200x20x15.2	91407	174	SSTBK-W	76636	70	STS-G-S/S	79057	35
SE5-VR1400	83693	172	SKPU-DUAL-200x20x7.6	91403	174	SSTBK-W	76636	92	STS-G-S/S	79057	35
SE5-VR1600	83694	172	SMR-CCB-L60	A2844	132	SSTBK-W	76636	94	STS-G-S/S	79057	64
SE5-VR1800	83695	172	SMR-CCB-L73	A2842	78	SSTBK-W	76636	110	STS-G-S/S	79057	66
SE5-VR800	83691	172	SMR-CCB-L73	A2842	85	SSTBK-W	76636	110	STS-G-S/S	79057	70
SE6-R1000	83686	172	SMR-CCB-L73	A2842	98	SSTBK-W	76636	111	STS-G-S/S	79057	110
SE6-R1200	83687	172	SMR-CCB-L73	A2842	132	SSTHDMK	77870	70	STS-G-S/S	79057	110
SE6-R1400	83688	172	SMR-CCB-R60	A2845	132	SSTHDMK	77870	91	STS-S	75843	55
SE6-R1600	83689	172	SMR-CCB-R73	A2843	78	SSTHDMK	77870	110	STS-S	75843	64
SE6-R1800	83690	172	SMR-CCB-R73	A2843	85	SSTHDPM	77868	70	STS-S	75843	66
SE6-R1800	83690	172	SMR-CCB-R73	A2843	98	SSTHDPM	77868	92	STS-S	75843	70
SE6-R2000	83746	172	SMR-CCB-R73	A2843	132	SSTHDPM	77868	110	STS-S	75843	92
SE6-R2200	83747	172	SPFC	79200	66	SSTHK	79582	70	STS-S	75843	110
SE6-R800	83685	172	SPFC	79200	68	SSTHK	79582	110	STS-S	75843	110
SE6-T1800	83743	172	SPFC	79200	70	SSTHK-S/S	78586	70	STS-S	75843	115
SE6-T2000	83744	172	SPFC	79200	91	SSTHK-S/S	79586	110	STS-S	75843	111
SE6-T2200/R650	83745	172	SPFC	79200	98	SSTLMB	76072	124	STS-S-S/S	77631	64
SE6-T2200/R650	83745	172	SPFC-S/S	79201	66	SSTSMB	76071	124	STS-S-S/S	77631	66
SE6-VR1800	83748	172	SPFC-S/S	79201	68	STAK	75847	70	STS-S-S/S	77631	70
SE6-VR2000	83749	172	SPFC-S/S	79201	70	STAK	75847	70	STS-S-S/S	77631	94
SE6-VR2200	83750	172	SPFC-S/S	79201	94	STAK	75847	92	STS-S-S/S	77631	110
SHIM-KITH	77550	149	SPFC-S/S	79201	100	STAK	75847	94	STS-S-S/S	77631	110
SHIM-KITL	77548	147	SPG-CVR-A	77387	21	STAK	75847	110	STS-W	75846	64
SHIM-KITM	77549	148	SPG-CVR-A	77387	74	STAK	75847	110	STS-W	75846	66
SHIM-LDKIT	82393	137	SPG-CVR-A	77387	102	STAKHD	75892	70	STS-W	75846	70
SHIM-LDKIT	82393	139	SPG-CVR-B	77388	21	STAKHD	75892	70	STS-W	75846	92
SHIM-LDKIT	82393	141	SPG-CVR-B	77388	74	STAKHD	75892	92	STS-W	75846	110
SHIM-MDKIT	82394	144	SPG-CVR-B	77388	102	STAKHD	75892	94	STS-W	75846	110
SKPU-100x10x15.2	91293	175	SPG-CVR-C	77389	21	STAKHD	75892	110	STS-W	75846	115
SKPU-100x10x7.6	91288	175	SPG-CVR-C	77389	74	STAKHD	75892	110	STS-W-S/S	77630	64
SKPU-100x12x15.2	91294	175	SPG-CVR-C	77389	102	STCK	74506	37	STS-W-S/S	77630	66
SKPU-100x12x7.6	91289	175	SPG-CVR-D	77390	21	STCK-S/S	75425	37	STS-W-S/S	77630	70
SKPU-100x16x15.2	91295	175	SPG-CVR-D	77390	74	STGK2	77635	70	STS-W-S/S	77630	94
SKPU-100x16x7.6	91290	175	SPG-CVR-D	77390	102	STGK2	77635	70	STS-W-S/S	77630	110
SKPU-100x19x15.2	91296	175	SPG-CVR-E	77391	21	STGK2	77635	92	STS-W-S/S	77630	110
SKPU-100x19x7.6	91291	175	SPG-CVR-E	77391	74	STGK2	77635	94	STTS	74419	37
SKPU-100x25x15.2	91297	175	SPG-CVR-E	77391	102	STGK2	77635	110	STTS	74419	105
SKPU-100x25x7.6	91292	175	SPG-CVR-F	77392	21	STGK2	77635	110	STTS-S/S	75585	37
SKPU-150x10x15.2	91301	175	SPG-CVR-F	77392	74	STHDMK2-S/S	77634	70	STTS-S/S	75585	106
SKPU-150x10x7.6	91298	175	SPG-CVR-F	77392	102	STHDMK2-S/S	77634	94	TEN-LOCK-KIT	77443	21
SKPU-150x12x15.2	91222	175	SPG-CVR-G	77393	21	STHDMK2-S/S	77634	110	TEN-LOCK-KIT	77443	74
SKPU-150x12x7.6	90283	175	SPG-CVR-G	77393	74	STHDPM2-S/S	77633	70	TEN-LOCK-KIT	77443	102
SKPU-150x16x15.2	91302	175	SPG-CVR-G	77393	102	STHDPM2-S/S	77633	94	TRB18	76485	23
SKPU-150x16x7.6	91299	175	SPG-CVR-H	77741	21	STHDPM2-S/S	77633	110	TRB24	76486	23
SKPU-150x19x15.2	91223	175	SPG-CVR-H	77741	74	STJ-S/S	75426	106	TRB30	76487	23

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
TRB36	76488	23	URVB54/1350	76742	103	USPB2	79206	105	YCART-24/600-P	79618	49
TRB42	76489	23	URVB54/1350	76742	103	USPB2	79206	106	YCART-24/600-R	91806	49
TRB48	76490	23	URVB54/1350	76742	104	USPK	76790	105	YCART-24/600-TC	79812	49
TRB54	76491	23	URVB54/1350	76742	104	USPK-SS-M	82888	106	YCART-30/750-P	79619	49
TRB60	76492	23	URVB54/1350	76742	107	UST	GN812	105	YCART-30/750-R	91807	49
TRB66	76493	23	URVB56/1400	77314	103	UST	GN812	106	YCART-30/750-TC	79813	49
TRB72	76494	23	URVB56/1400	77314	103	UST-G-MT	82900	105	YCART-36/900-HDP	79817	53
TRB78	76697	23	URVB56/1400	77314	104	UST-G-MT-SS	82904	106	YCART-36/900-HDR	91823	53
TRB84	77047	23	URVB56/1400	77314	104	UST-P-MT	82897	105	YCART-36/900-HDTC	79829	53
TRB90	77048	23	URVB56/1400	77314	107	UST-P-MT-SS	82901	106	YCART-36/900-P	79620	49
UFB18	74448	107	URVB60/1500	76743	103	UST-S-MT	82898	105	YCART-36/900-R	91808	49
UFB18-B	67327	107	URVB60/1500	76743	103	UST-S-MT-SS	82902	106	YCART-36/900-TC	79814	49
UFB24	74449	107	URVB60/1500	76743	104	UST-W-MT	82899	105	YCART-42/1050-HDP	79818	53
UFB24-B	67328	107	URVB60/1500	76743	104	UST-W-MT-SS	82903	106	YCART-42/1050-HDR	91824	53
UFB30	74450	107	URVB60/1500	76743	107	UTS	74420	37	YCART-42/1050-HDTC	79830	53
UFB30-B	67329	107	URVB64/1600	77315	103	UTV1050	77301	103	YCART-42/1050-P	79621	49
UFB36	74451	107	URVB64/1600	77315	103	UTV1050-J	77287	104	YCART-42/1050-R	91809	49
UFB36-B	67330	107	URVB64/1600	77315	104	UTV1050-S/S	82711	103	YCART-42/1050-TC	79815	49
UFB42	74452	107	URVB64/1600	77315	104	UTV1050J-S/S	77263	104	YCART-48/1200-HDP	79819	53
UFB42-B	67331	107	URVB64/1600	77315	107	UTV1200	77302	103	YCART-48/1200-HDR	91825	53
UFB48	74453	107	URVB72/1800	76744	103	UTV1200-J	77288	104	YCART-48/1200-HDTC	79831	53
UFB48-B	67332	107	URVB72/1800	76744	103	UTV1200-S/S	82712	103	YCART-48/1200-P	79622	49
UFB54	74454	107	URVB72/1800	76744	104	UTV1200J-S/S	77264	104	YCART-48/1200-R	91810	49
UFB54-B	67333	107	URVB72/1800	76744	104	UTV1350	77303	103	YCART-48/1200-TC	79816	49
UFB60	74455	107	URVB72/1800	76744	107	UTV1350-J	77289	104	YCART-54/1350-HDP	79820	53
UFB60-B	67334	107	URVB80/2000	77320	103	UTV1350-S/S	82713	103	YCART-54/1350-HDR	91826	53
UFB72	74456	107	URVB80/2000	77320	103	UTV1350J-S/S	77265	104	YCART-54/1350-HDTC	79832	53
UFB72-B	67335	107	URVB80/2000	77320	104	UTV1400	77304	103	YCART-60/1500-HDP	79821	53
UFB84	74460	107	URVB80/2000	77320	104	UTV1400-J	77290	104	YCART-60/1500-HDR	91827	53
UFB84-B	67336	107	URVB80/2000	77320	107	UTV1400-S/S	82714	103	YCART-60/1500-HDTC	79833	53
UHPB	79207	105	URVB84/2100	76745	103	UTV1400J-S/S	77266	104	YCART-72/1800-HDP	79822	53
UHPB	79207	106	URVB84/2100	76745	103	UTV1500	77305	103	YCART-72/1800-HDR	91828	53
UHSPK-M	82887	105	URVB84/2100	76745	104	UTV1500-J	77291	104	YCART-72/1800-HDTC	79834	53
UHSPK-SS-M	82889	106	URVB84/2100	76745	104	UTV1500-S/S	82715	103	YCART-S/S-24/600-SDTC	66749	57
ULP1050	66126	128	URVB84/2100	76745	107	UTV1500J-S/S	77267	104	YCART-S/S-30/750-SDTC	67750	57
ULP1200	66127	128	URVB88/2200	77316	103	UTV1600	77306	103	YCART-S/S-36/900-HDP	67417	57
ULP1350	66128	128	URVB88/2200	77316	103	UTV1600-J	77292	104	YCART-S/S-36/900-HDTC	67411	57
ULP1500	66129	128	URVB88/2200	77316	104	UTV1600-S/S	82716	103	YCART-S/S-36/900-SDTC	67751	57
ULP1650	66130	128	URVB88/2200	77316	104	UTV1600J-S/S	77268	104	YCART-S/S-42/1050-HDP	67418	57
ULP1800	67057	128	URVB88/2200	77316	107	UTV1800	77307	103	YCART-S/S-42/1050-HDTC	67412	57
ULP2000	67084	128	URVB94/2400	77421	103	UTV1800-J	77293	104	YCART-S/S-42/1050-SDTC	67752	57
ULP2200	67085	128	URVB94/2400	77421	103	UTV1800-S/S	82717	103	YCART-S/S-48/1200-HDP	67419	57
ULP2400	67058	128	URVB94/2400	77421	104	UTV1800J-S/S	77269	104	YCART-S/S-48/1200-HDTC	67413	57
ULP2600	67086	128	URVB94/2400	77421	104	UTV2000	77308	103	YCART-S/S-48/1200-SDTC	67753	57
ULP2800	67087	128	URVB94/2400	77421	107	UTV2000-J	77294	104	YCART-S/S-54/1350-HDP	67420	57
ULP3000	67088	128	URVB98/2500	77422	103	UTV2000-S/S	82718	103	YCART-S/S-54/1350-HDTC	67414	57
ULP450	66122	128	URVB98/2500	77422	103	UTV2000J-S/S	77270	104	YCART-S/S-60/1500-HDP	67421	57
ULP600	66123	128	URVB98/2500	77422	104	UTV2100	77309	103	YCART-S/S-60/1500-HDTC	67415	57
ULP750	66124	128	URVB98/2500	77422	104	UTV2100-J	77295	104	YCART-S/S-72/1800-HDP	67422	57
ULP900	66125	128	URVB98/2500	77422	107	UTV2100-S/S	82719	103	YCART-S/S-72/1800-HDTC	67416	57
UMBK-M	82890	105	USP18/450	82689	105	UTV2100J-S/S	77271	104	YPHD1050-S/S POLE	64199	57
UMBK-SS-M	82891	106	USP18/450-S/S	77339	106	UTV2200	77310	103	YPHD1200-S/S POLE	64200	57
UNB60	61369	37	USP24/600	82690	105	UTV2200-J	77296	104	YPHD1350-S/S POLE	64201	57
UNB73	A2671	37	USP24/600-S/S	77340	106	UTV2200-S/S	82720	103	YPHD1500-S/S POLE	64202	57
URVB18/450	76736	103	USP30/750	82691	105	UTV2200J-S/S	77272	104	YPHD1800-S/S POLE	64204	57
URVB18/450	76736	103	USP30/750-S/S	77341	106	UTV2400	77411	103	YPHD600-S/S POLE	67322	57
URVB18/450	76736	104	USP36/900	82692	105	UTV2400-J	77413	104	YPHD750-S/S POLE	67323	57
URVB18/450	76736	104	USP36/900-S/S	77342	106	UTV2400-S/S	82721	103	YPHD900-S/S POLE	64198	57
URVB18/450	76736	107	USP42/1050	82693	105	UTV2400J-S/S	77417	104	YST-P	79837	51
URVB24/600	76737	103	USP42/1050-S/S	77343	106	UTV2500	77412	103	YST-S	79838	51
URVB24/600	76737	103	USP48/1200	82694	105	UTV2500-J	77414	104	YST-Y	79836	51
URVB24/600	76737	104	USP48/1200-S/S	77344	106	UTV2500-S/S	82722	103	YSTANK	79857	51
URVB24/600	76737	104	USP54/1350	82695	105	UTV2500J-S/S	77418	104	YSTANKHD	79858	55
URVB24/600	76737	107	USP54/1350-S/S	77345	106	UTV450	77297	103	YSTDBK	79844	51
URVB30/750	76738	103	USP56/1400	82696	105	UTV450-J	77283	104	YSTGBK	79845	51
URVB30/750	76738	103	USP56/1400-S/S	77346	106	UTV450-S/S	82707	103	YSTHD-BK	79842	55
URVB30/750	76738	104	USP60/1500	82697	105	UTV450J-S/S	77259	104	YSTHD-BL	79841	55
URVB30/750	76738	104	USP60/1500-S/S	77347	106	UTV600	77298	103	YSTHD-GR	79839	55
URVB30/750	76738	107	USP64/1600	82698	105	UTV600-J	77284	104	YSTHD-S	79840	55
URVB36/900	76739	103	USP64/1600-S/S	77348	106	UTV600-S/S	82708	103	YSTHDBK-B	79856	55
URVB36/900	76739	103	USP72/1800	82699	105	UTV600J-S/S	77260	104	YSTHDBK-W	79853	55
URVB36/900	76739	104	USP72/1800-S/S	77349	106	UTV750	77299	103	YSTHDBK	79850	55
URVB36/900	76739	104	USP80/2000	82700	105	UTV750-J	77285	104	YSTHDBGK	79851	55
URVB36/900	76739	107	USP80/2000-S/S	77350	106	UTV750-S/S	82709	103	YSTHDLBK	79852	55
URVB42/1050	76740	103	USP84/2100	82701	105	UTV750J-S/S	77261	104	YSTHDMB	79849	55
URVB42/1050	76740	103	USP84/2100-S/S	77351	106	UTV900	77300	103	YSTHDS-BL	79798	55
URVB42/1050	76740	104	USP88/2200	82702	105	UTV900-J	77286	104	YSTHDS-GR	79797	55
URVB42/1050	76740	104	USP88/2200-S/S	77352	106	UTV900-S/S	82710	103	YSTLBK	79846	51
URVB42/1050	76740	107	USP94/2400	82703	105	UTV900J-S/S	77262	104	YSTMB	79843	51
URVB48/1200	76741	103	USP94/2400-S/S	77419	106	WCB	A0012	120	YSTPHDMK	79854	55
URVB48/1200	76741	103	USP98/2500	82704	105	WCB	A0012	121	YSTPMK	79848	51
URVB48/1200	76741	104	USP98/2500-S/S	77420	106	YCART-18/450-P	79617	49	YSTS-P	79796	51
URVB48/1200	76741	104	USPB	79206	105	YCART-18/450-R	91805	49	YSTS-Y	79795	51
URVB48/1200	76741	107	USPB	79206	106	YCART-18/450-TC	79811	49	YSTTBK-B	79855	51

INDEX By Ordering Number

Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #	Ordering Number	Item Code	Page #
YSTTBK-W	79847	51	YTHDR-60S	91820	52						
YT-1050S	83233	48	YTHDR-72S	91821	52						
YT-1200S	83234	48	YTP-18/450	82932	51						
YT-450S	83229	48	YTP-24/600	82933	51						
YT-600S	83230	48	YTP-30/750	82934	51						
YT-750S	83231	48	YTP-36/900	82935	51						
YT-900S	83232	48	YTP-42/1050	82936	51						
YT-C*	79574	49	YTP-48/1200	82937	51						
YT-HDC*	79728	53	YTPHD-36/900	83106	55						
YT-HDP*	79677	53	YTPHD-42/1050	83107	55						
YT-HDR*	91822	53	YTPHD-48/1200	83108	55						
YT-P*	79573	49	YTPHD-54/1350	83109	55						
YT-R*	91804	49	YTPHD-60/1500	83110	55						
YT-TC-1050S	83245	48	YTPHD-72/1800	83112	55						
YT-TC-1200S	83246	48	YTR-18S	91798	48						
YT-TC-450S	83241	48	YTR-24S	91799	48						
YT-TC-600S	83242	48	YTR-30S	91800	48						
YT-TC-750S	83243	48	YTR-36S	91801	48						
YT-TC-900S	83244	48	YTR-42S	91802	48						
YTA-18/450	82949	51	YTR-48S	91803	48						
YTA-24/600	82950	51									
YTA-30/750	82951	51									
YTA-36/900	82952	51									
YTA-42/1050	82953	51									
YTA-48/1200	82954	51									
YTAC	79623	51									
YTACHD	79835	55									
YTAHD-36/900	79805	55									
YTAHD-42/1050	79806	55									
YTAHD-48/1200	79807	55									
YTAHD-54/1350	79808	55									
YTAHD-60/1500	79809	55									
YTAHD-72/1800	79810	55									
YTC-1050	83227	48									
YTC-1200	83228	48									
YTC-450	83223	48									
YTC-600	83224	48									
YTC-750	83225	48									
YTC-900	83226	48									
YTC1050-BT-S/S SECONDARY	67288	56									
YTC1200-BT-S/S SECONDARY	67289	56									
YTC600-BT-S/S SECONDARY	67285	56									
YTC750-BT-S/S SECONDARY	67286	56									
YTC900-BT-S/S SECONDARY	67287	56									
YTCHD-1050	83100	52									
YTCHD-1200	83101	52									
YTCHD-1350	83102	52									
YTCHD-1500	83103	52									
YTCHD-1800	83105	52									
YTCHD-900	83099	52									
YTCHD1050-BT-S/S SECONDARY	67291	56									
YTCHD1050-MST-S/S SECONDARY	67309	56									
YTCHD1200-BT-S/S SECONDARY	67292	56									
YTCHD1200-MST-S/S SECONDARY	67310	56									
YTCHD1350-BT-S/S SECONDARY	67293	56									
YTCHD1350-MST-S/S SECONDARY	67311	56									
YTCHD1500-BT-S/S SECONDARY	67294	56									
YTCHD1500-MST-S/S SECONDARY	67312	56									
YTCHD1800-BT-S/S SECONDARY	67295	56									
YTCHD1800-MST-S/S SECONDARY	67313	56									
YTCHD900-BT-S/S SECONDARY	67290	56									
YTCHD900-MST-S/S SECONDARY	67308	56									
YTFHD1050-MST-S/S SECONDARY	67315	56									
YTFHD1200-MST-S/S SECONDARY	67316	56									
YTFHD1350-MST-S/S SECONDARY	67317	56									
YTFHD1500-MST-S/S SECONDARY	67318	56									
YTFHD1800-MST-S/S SECONDARY	67319	56									
YTFHD900-MST-S/S SECONDARY	67314	56									
YTHD-1050S	83121	52									
YTHD-1200S	83122	52									
YTHD-1350S	83123	52									
YTHD-1500S	83124	52									
YTHD-1800S	83126	52									
YTHD-900S	83120	52									
YTHD-TC-1050S	83135	52									
YTHD-TC-1200S	83136	52									
YTHD-TC-1350S	83137	52									
YTHD-TC-1500S	83138	52									
YTHD-TC-1800S	83140	52									
YTHD-TC-900S	83134	52									
YTHDR-36S	91816	52									
YTHDR-42S	91817	52									
YTHDR-48S	91818	52									
YTHDR-54S	91819	52									

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
26184	NI6D3T-24-9-A45	139	61358	PBC-FR	134	62034	AIR HDMRK S/S	35	62458	H-SAC-AP-1800	46
26185	NI6D3T-30-11-A45	139	61369	UNB60	37	62035	AIR HARK-S/S-60	35	62494	HCSTAK	35
26186	NI6D3T-36-13-A45	139	61471	FLSCM2000-S/S	173	62036	AIR BAG P	35	62495	HCSTAK-S/S	35
26187	NI6D3T-42-15-A45	139	61491	EZP1P48-S/S	17	62037	ATV-NIP	35	62496	ACME-PRK	35
26188	NI6D3T-48-17-A45	139	61742	FRPU150	59	62037	ATV-NIP	71	62496	ACME-PRK	35
26189	NI6D3T-54-19-A45	139	61750	FBP900-TP	156	62037	ATV-NIP	92	62496	ACME-PRK	35
26190	NI6D3T-60-21-A45	139	61751	FBP1050-TP	156	62079	ATV-BAG	71	62496	ACME-PRK	35
26191	NI6D3T-72-25-A45	139	61752	FBP1200-TP	156	62079	ATV-BAG	92	62505	HSAB-CS	40
28250	RBPSR-S-CCT	163	61753	FBP1400-TP	156	62094	PSA150-EL15	59	62505	HSABCS	41
28251	RBPSR-M-CCT	163	61754	FBP1500-TP	156	62094	PSA150-EL15	78	62505	HSABCS	42
28253	RBPSR-L-CCT	163	61755	FBP1600-TP	156	62095	CRHMK-S/S	80	62505	HSABCS	45
28254	RBPSR-XL-CCT	163	61756	FBP1800-TP	156	62095	CRHMK-S/S	87	62505	HSABCS	46
30001	EB-C1	134	61757	FBP2000-TP	156	62095	CRHMK-S/S	100	62505	HSABCS	47
30002	EB-C2	134	61758	FBP2200-TP	156	62254	HVPT-S/S, EL15 (15mm)	34	62506	HSAB-CM	40
30009	EB-C1 Case	134	61759	FBP2400-TP	156	62254	HVT8-EL15-S/S	46	62506	HSABCM	41
30010	EB-C2 Case	134	61760	FBP2500-TP	156	62254	HVT8-EL15-S/S	47	62506	HSABCM	42
30018	CEBC-1	134	61761	FBP2600-TP	156	62400	CRHMK	78	62506	HSABCM	45
30019	CEBC-2	134	61765	FBP900-TP S/S	156	62400	CRHMK	85	62506	HSABCM	46
30020	CEBC1 Case	134	61766	FBP1050-TP S/S	156	62400	CRHMK	98	62506	HSABCM	47
30023	CEBC2 Case	134	61767	FBP1200-TP S/S	156	62409	ATVK-60	71	62507	HSAB-CL	40
61001	HDPHSC-S/S	59	61768	FBP1400-TP S/S	156	62409	ATVK-60	92	62507	HSABCL	41
61001	HDPHSC-S/S	80	61769	FBP1500-TP S/S	156	62424	ATV-MOUNT	71	62507	HSABCL	42
61003	HDPHC	59	61770	FBP1600-TP S/S	156	62424	ATV-MOUNT	92	62507	HSABCL	45
61003	HDPHC	78	61771	FBP1800-TP S/S	156	62425	ATV-SLIDE	71	62507	HSABCL	46
61016	EZP1-242-S/S	14	61772	FBP2000-TP S/S	156	62425	ATV-SLIDE	92	62507	HSABCL	47
61017	EZP1-230-S/S	14	61773	FBP2200-TP S/S	156	62426	ATV-ANGLE	71	62508	HSAB-CLL	40
61050	CBD-ST-L	161	61774	FBP2400-TP S/S	156	62426	ATV-ANGLE	92	62508	HSABCLL	41
61051	CBD-ST-XL	161	61775	FBP2500-TP S/S	156	62445		130	62508	HSABCLL	42
61057	HEX Plug 3/4	121	61776	FBP2600-TP S/S	156	62446		130	62508	HSABCLL	45
61058	Reduce Adap F 3/4	121	61780	FBP900-B	156	62447		130	62508	HSABCLL	46
61063	SB600-SEC	120	61781	FBP1050-B	156	62448		130	62508	HSABCLL	47
61064	SB750-SEC	120	61782	FBP1200-B	156	62452	H-SAC-AP-600	41	62509	HSABCS-S/S	40
61065	SB900-SEC	120	61783	FBP1400-B	156	62452	H-SAC-AP-600	42	62509	HSABCS-S/S	41
61066	SB1050-SEC	120	61784	FBP1500-B	156	62452	H-SAC-AP-600	42	62509	HSABCS-S/S	42
61067	SB1200-SEC	120	61785	FBP1600-B	156	62452	H-SAC-AP-600	42	62509	HSABCS-S/S	45
61068	SB1400-SEC	120	61786	FBP1800-B	156	62452	H-SAC-AP-600	46	62509	HSABCS-S/S	46
61069	SB1500-SEC	120	61787	FBP2000-B	156	62452	H-SAC-AP-600	47	62509	HSABCS-S/S	47
61070	SB1800-SEC	120	61788	FBP2200-B	156	62452	H-SAC-AP-600	47	62510	HSABCM-S/S	40
61073	PMR-CHB-L60	132	61789	FBP2400-B	156	62452	H-SAC-AP-600	47	62510	HSABCM-S/S	41
61074	PMR-CHB-R60	132	61790	FBP2500-B	156	62453	H-SAC-AP-800	41	62510	HSABCM-S/S	42
61075	PMR-CHB-L73	132	61791	FBP2600-B	156	62453	H-SAC-AP-800	42	62510	HSABCM-S/S	45
61076	PMR-CHB-R73	132	61795	FBP900-1050-MF	157	62453	H-SAC-AP-800	42	62510	HSABCM-S/S	46
61077	CBD-ST-M	161	61796	FBP1200-1400-MF	157	62453	H-SAC-AP-800	42	62510	HSABCM-S/S	47
61079	CBD-ST-M-S/S	161	61797	FBP1500-1600-MF	157	62453	H-SAC-AP-800	42	62511	HSABCL-S/S	40
61080	CBD-ST-L-S/S	161	61798	FBP1800-2000-MF	157	62453	H-SAC-AP-800	46	62511	HSABCL-S/S	41
61081	EZP1-218-S/S	14	61799	FBP2200-2400-MF	157	62453	H-SAC-AP-800	47	62511	HSABCL-S/S	45
61082	EZP1-224-S/S	14	61800	FBP2500-2600-MF	157	62453	H-SAC-AP-800	47	62511	HSABCL-S/S	46
61083	EZP1-236-S/S	14	61803	FBP900-1050-MF-S/S	157	62453	H-SAC-AP-800	47	62511	HSABCL-S/S	46
61084	EZP1-248-S/S	14	61804	FBP1200-1400-MF-S/S	157	62453	H-SAC-AP-800	47	62511	HSABCL-S/S	47
61085	EZP1-254-S/S	14	61805	FBP1500-1600-MF-S/S	157	62454	H-SAC-AP-1000	41	62512	HSABCL-S/S	40
61086	EZP1-260-S/S	14	61806	FBP1800-2000-MF-S/S	157	62454	H-SAC-AP-1000	42	62512	HSABCL-S/S	41
61087	EZP1-272-S/S	14	61807	FBP2200-2400-MF-S/S	157	62454	H-SAC-AP-1000	42	62512	HSABCL-S/S	42
61096	CBD-ST-AA	161	61808	FBP2500-2600-MF-S/S	157	62454	H-SAC-AP-1000	42	62512	HSABCL-S/S	45
61100	CBD-ST-HN-S/S	161	61875	FBP-NP	157	62454	H-SAC-AP-1000	42	62512	HSABCL-S/S	46
61105	CBD-ST-M-MF	161	61876	FBP-NP-S	157	62454	H-SAC-AP-1000	46	62512	HSABCL-S/S	47
61106	CBD-ST-L-MF	161	61877	HBP2600-PL-TP-S/S	157	62454	H-SAC-AP-1000	47	62513	HCSBB-60	35
61107	CBD-ST-XL-MF	161	61882	FBP-LM	157	62454	H-SAC-AP-1000	47	62513	HCSBB-60	35
61108	CBD-ST-M-MF-S/S	161	61883	FBP-LM-S/S	157	62454	H-SAC-AP-1000	47	62514	HCSBB-73	35
61109	CBD-ST-L-MF-S/S	161	61888	FBP-FP	157	62454	H-SAC-AP-1000	47	62514	HCSBB-73	35
61110	CBD-ST-XL-MF-S/S	161	61889	FBP-FP-S/S	157	62455	H-SAC-AP-1200	41	62515	HV-600-SAC-CS	38
61111	CBD-ST-FR-B	161	61890	FBP900-1050-PP	157	62455	H-SAC-AP-1200	42	62516	HV-600-SAC-CM	38
61112	CBD-ST-M-FP	161	61891	FBP1200-1400-PP	157	62455	H-SAC-AP-1200	42	62517	HV-600-SAC-CL	38
61113	CBD-ST-L-FP	161	61892	FBP1500-1600-PP	157	62455	H-SAC-AP-1200	42	62518	HV-800-SAC-CS	38
61114	CBD-ST-XL-FP	161	61893	FBP1800-2000-PP	157	62455	H-SAC-AP-1200	46	62519	HV-800-SAC-CM	38
61141	RSA150-EL15	61	61894	FBP2200-2400-PP	157	62455	H-SAC-AP-1200	46	62520	HV-800-SAC-CL	38
61141	RSA150-EL	62	61895	FBP2500-2600-PP	157	62455	H-SAC-AP-1200	47	62521	HV-1000-SAC-CS	38
61141	RSA150-EL	64	61898	FBP900-1050-PP-S/S	157	62455	H-SAC-AP-1200	47	62522	HV-1000-SAC-CM	38
61141	RSA150-EL	66	61899	FBP1200-1400-PP-S/S	157	62455	H-SAC-AP-1200	47	62523	HV-1000-SAC-CL	38
61141	RSA150-EL	68	61900	FBP1500-1600-PP-S/S	157	62455	H-SAC-AP-1200	47	62524	HV-1200-SAC-CS	38
61141	RSA150-EL	70	61901	FBP1800-2000-PP-S/S	157	62456	H-SAC-AP-1400	41	62525	HV-1200-SAC-CM	38
61141	RSA150-EL15	85	61902	FBP2200-2400-PP-S/S	157	62456	H-SAC-AP-1400	42	62526	HV-1200-SAC-CL	38
61141	RSA150-EL15	91	61903	FBP2500-2600-PP-S/S	157	62456	H-SAC-AP-1400	42	62527	HV-1400-SAC-CS	38
61141	RSA150-EL15	98	61906	FBP900-1050-SP	157	62456	H-SAC-AP-1400	42	62528	HV-1400-SAC-CM	38
61173	HSTSS	37	61907	FBP1200-1400-SP	157	62456	H-SAC-AP-1400	42	62529	HV-1400-SAC-CL	38
61182	EZP1P18-S/S	17	61908	FBP1500-1600-SP	157	62456	H-SAC-AP-1400	46	62530	HV-1600-SAC-CM	38
61183	EZP1P42-S/S	17	61909	FBP1800-2000-SP	157	62456	H-SAC-AP-1400	47	62531	HV-1600-SAC-CL	38
61184	EZP1P54-S/S	17	61910	FBP2200-2400-SP	157	62456	H-SAC-AP-1400	47	62532	HV-1600-SAC-CLL	38
61185	EZP1P60-S/S	17	61911	FBP2500-2600-SP	157	62456	H-SAC-AP-1400	47	62533	HV-1800-SAC-CM	38
61186	EZP1P72-S/S	17	61914	FBP900-1050-SP-S/S	157	62456	H-SAC-AP-1400	47	62534	HV-1800-SAC-CL	38
61270	RPHD2000-S/S	61	61915	FBP1200-1400-SP-S/S	157	62457	H-SAC-AP-1600	41	62535	HV-1800-SAC-CLL	38
61271	RPHD2400-S/S	61	61916	FBP1500-1600-SP-S/S	157	62457	H-SAC-AP-1600	42	62536	H-CARK-600-CS	38
61287	SB2100	121	61917	FBP1800-2000-SP-S/S	157	62457	H-SAC-AP-1600	46	62537	H-CARK-600-CM	38
61356	PBC-1	134	61918	FBP2200-2400-SP-S/S	157	62457	H-SAC-AP-1600	47	62538	H-CARK-600-CL	38
61357	PBC-2	134	61919	FBP2500-2600-SP-S/S	157	62458	H-SAC-AP-1800	41	62539	H-CARK-800-CS	38

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
62540	H-CARK-800-CM	38	62623	H-CARK2-2600-CL	38	62707	H-CARK2-1200-CL-S/S	39	62759	HCP-1000-S/S	41
62541	H-CARK-800-CL	38	62624	H-CARK2-2600-CLL	38	62708	H-CARK2-1200-CLL-S/S	39	62759	HCP-1000-S/S	46
62542	H-CARK-1000-CS	38	62625	H-CARK2-2800-CM	38	62709	H-CARK2-1400-CS-S/S	39	62760	HCP-1200-S/S	41
62543	H-CARK-1000-CM	38	62626	H-CARK2-2800-CL	38	62710	H-CARK2-1400-CM-S/S	39	62760	HCP-1200-S/S	46
62544	H-CARK-1000-CL	38	62627	H-CARK2-2800-CLL	38	62711	H-CARK2-1400-CL-S/S	39	62761	HCP-1400-S/S	41
62545	H-CARK-1200-CS	38	62628	H-CARK2-3000-CM	38	62712	H-CARK2-1400-CLL-S/S	39	62761	HCP-1400-S/S	46
62546	H-CARK-1200-CM	38	62629	H-CARK2-3000-CL	38	62713	H-CARK2-1600-CM-S/S	39	62762	HCP-1800-S/S	41
62547	H-CARK-1200-CL	38	62630	H-CARK2-3000-CLL	38	62714	H-CARK2-1600-CL-S/S	39	62762	HCP-1800-S/S	46
62548	H-CARK-1400-CS	38	62631	HV-600-SAC-CS-S/S	39	62715	H-CARK2-1600-CLL-S/S	39	62763	H2CP-1200	42
62549	H-CARK-1400-CM	38	62632	HV-600-SAC-CM-S/S	39	62716	H-CARK2-1800-CM-S/S	39	62763	H2CP-1200	47
62550	H-CARK-1400-CL	38	62633	HV-600-SAC-CL-S/S	39	62717	H-CARK2-1800-CL-S/S	39	62764	H2CP-1400	42
62551	H-CARK-1600-CS	38	62634	HV-800-SAC-CS-S/S	39	62718	H-CARK2-1800-CLL-S/S	39	62764	H2CP-1400	47
62552	H-CARK-1600-CM	38	62635	HV-800-SAC-CM-S/S	39	62719	H-CARK2-2000-CM-S/S	39	62765	H2CP-1600	42
62553	H-CARK-1600-CL	38	62636	HV-800-SAC-CL-S/S	39	62720	H-CARK2-2000-CL-S/S	39	62765	H2CP-1600	47
62554	H-CARK-1800-CS	38	62637	HV-1000-SAC-CS-S/S	39	62721	H-CARK2-2000-CLL-S/S	39	62766	H2CP-1800	42
62555	H-CARK-1800-CM	38	62638	HV-1000-SAC-CM-S/S	39	62722	H-CARK2-2200-CM-S/S	39	62766	H2CP-1800	47
62556	H-CARK-1800-CL	38	62639	HV-1000-SAC-CL-S/S	39	62723	H-CARK2-2200-CL-S/S	39	62767	H2CP-2000	42
62557	HV-1200-2SAC-CS	38	62640	HV-1200-SAC-CS-S/S	39	62724	H-CARK2-2200-CLL-S/S	39	62767	H2CP-2000	47
62558	HV-1200-2SAC-CM	38	62641	HV-1200-SAC-CM-S/S	39	62725	H-CARK2-2400-CM-S/S	39	62768	H2CP-2400	42
62559	HV-1200-2SAC-CL	38	62642	HV-1200-SAC-CL-S/S	39	62726	H-CARK2-2400-CL-S/S	39	62768	H2CP-2400	47
62560	HV-1200-2SAC-CLL	38	62643	HV-1400-SAC-CS-S/S	39	62727	H-CARK2-2400-CLL-S/S	39	62769	H2CP-2600	42
62561	HV-1400-2SAC-CS	38	62644	HV-1400-SAC-CM-S/S	39	62728	H-CARK2-2600-CM-S/S	39	62769	H2CP-2600	47
62562	HV-1400-2SAC-CM	38	62645	HV-1400-SAC-CL-S/S	39	62729	H-CARK2-2600-CL-S/S	39	62770	H2CP-2800	42
62563	HV-1400-2SAC-CL	38	62646	HV-1600-SAC-CM-S/S	39	62730	H-CARK2-2600-CLL-S/S	39	62770	H2CP-2800	47
62564	HV-1400-2SAC-CLL	38	62647	HV-1600-SAC-CL-S/S	39	62731	H-CARK2-2800-CM-S/S	39	62771	H2CP-3000	42
62565	HV-1600-2SAC-CM	38	62648	HV-1600-SAC-CLL-S/S	39	62732	H-CARK2-2800-CL-S/S	39	62771	H2CP-3000	47
62566	HV-1600-2SAC-CL	38	62649	HV-1800-SAC-CM-S/S	39	62733	H-CARK2-2800-CLL-S/S	39	62801	H2CP-1200-S/S	42
62567	HV-1600-2SAC-CLL	38	62650	HV-1800-SAC-CL-S/S	39	62734	H-CARK2-3000-CM-S/S	39	62801	H2CP-1200-S/S	47
62568	HV-1800-2SAC-CM	38	62651	HV-1800-SAC-CL-S/S	39	62735	H-CARK2-3000-CL-S/S	39	62802	H2CP-1400-S/S	42
62569	HV-1800-2SAC-CL	38	62652	H CARK-600-CS-S/S	39	62736	H-CARK2-3000-CLL-S/S	39	62802	H2CP-1400-S/S	47
62570	HV-1800-2SAC-CLL	38	62653	H CARK-600-CM-S/S	39	62741	H60CSK-G	35	62803	H2CP-1600-S/S	42
62571	HV-2000-2SAC-CM	38	62654	H CARK-600-CL-S/S	39	62741	HCSTK-60-G	37	62803	H2CP-1600-S/S	47
62572	HV-2000-2SAC-CL	38	62655	H CARK-800-CS-S/S	39	62742	H60CSK-G-S/S	35	62804	H2CP-1800-S/S	42
62573	HV-2000-2SAC-CLL	38	62656	H CARK-800-CM-S/S	39	62742	HCSTK-60-G-S/S	37	62804	H2CP-1800-S/S	47
62574	HV-2200-2SAC-CM	38	62657	H CARK-800-CL-S/S	39	62743	H73CSK-G	35	62805	H2CP-2000-S/S	42
62575	HV-2200-2SAC-CL	38	62658	H CARK-1000-CS-S/S	39	62743	H73CSK-G	37	62805	H2CP-2000-S/S	47
62576	HV-2200-2SAC-CLL	38	62659	H CARK-1000-CM-S/S	39	62743	H73CSK-G	41	62806	H2CP-2400-S/S	42
62577	HV-2400-2SAC-CM	38	62660	H CARK-1000-CL-S/S	39	62743	H73CSK-G	42	62806	H2CP-2400-S/S	47
62578	HV-2400-2SAC-CL	38	62661	H CARK-1200-CS-S/S	39	62743	H73CSK-G	46	62807	H2CP-2600-S/S	42
62579	HV-2400-2SAC-CLL	38	62662	H CARK-1200-CM-S/S	39	62743	H73CSK-G	47	62807	H2CP-2600-S/S	47
62580	HV-2600-2SAC-CM	38	62663	H CARK-1200-CL-S/S	39	62744	H73CSK-G-S/S	35	62808	H2CP-2800-S/S	42
62581	HV-2600-2SAC-CL	38	62664	H CARK-1400-CS-S/S	39	62744	H73CSK-G-S/S	37	62808	H2CP-2800-S/S	47
62582	HV-2600-2SAC-CLL	38	62665	H CARK-1400-CM-S/S	39	62744	H73CSK-G-S/S	41	62809	H2CP-3000-S/S	42
62583	HV-2800-2SAC-CM	38	62666	H CARK-1400-CL-S/S	39	62744	H73CSK-G-S/S	42	62809	H2CP-3000-S/S	47
62584	HV-2800-2SAC-CL	38	62667	H CARK-1600-CS-S/S	39	62744	H73CSK-G-S/S	46	62826	HTF212-S/S	14
62585	HV-2800-2SAC-CLL	38	62668	H CARK-1600-CM-S/S	39	62744	H73CSK-G-S/S	35	62827	HTF218-S/S	14
62586	HV-3000-2SAC-CM	38	62669	H CARK-1600-CL-S/S	39	62745	H73CSK-S	35	62828	HTF224-S/S	14
62587	HV-3000-2SAC-CL	38	62670	H CARK-1800-CS-S/S	39	62745	H73CSK-S	42	62829	HTF230-S/S	14
62588	HV-3000-2SAC-CLL	38	62671	H CARK-1800-CM-S/S	39	62745	H73CSK-S	47	62830	HTF236-S/S	14
62589	HCSSB-B/G	35	62672	H CARK-1800-CL-S/S	39	62746	H73CSK-S-S/S	35	62831	HTF242-S/S	14
62589	HCSSB-B/G	35	62673	HV-1200-2SAC-CS-S/S	39	62746	H73CSK-S-S/S	42	62832	HTF248-S/S	14
62589	HCSSB-B/G	35	62674	HV-1200-2SAC-CM-S/S	39	62746	H73CSK-S-S/S	47	62833	HTF254-S/S	14
62589	HCSSB-B/G	35	62675	HV-1200-2SAC-CL-S/S	39	62747	H60CSK-B	35	62834	HTF260-S/S	14
62590	HCSSB-S	35	62676	HV-1200-2SAC-CLL-S/S	39	62747	HCSTK-60-B	37	62835	HTF272-S/S	14
62590	HCSSB-S	35	62677	HV-1400-2SAC-CS-S/S	39	62748	H60CSK-B-S/S	35	62836	EZP-LS212-S/S	10
62591	ACME-N	35	62678	HV-1400-2SAC-CM-S/S	39	62748	HCSTK-60-B-S/S	37	62837	EZP-LS218-S/S	10
62591	ACME-N	35	62679	HV-1400-2SAC-CL-S/S	39	62749	H73CSK-B	35	62838	EZP-LS224-S/S	10
62591	ACME-N	35	62680	HV-1400-2SAC-CLL-S/S	39	62749	H73CSK-B	37	62839	EZP-LS230-S/S	10
62591	ACME-N	35	62681	HV-1600-2SAC-CM-S/S	39	62749	H73CSK-B	41	62840	EZP-LS236-S/S	10
62595	DBK-XL	160	62682	HV-1600-2SAC-CL-S/S	39	62749	H73CSK-B	42	62841	EZP-LS242-S/S	10
62599	H-CARK2-1200-CS	38	62683	HV-1600-2SAC-CLL-S/S	39	62749	H73CSK-B	46	62842	EZP-LS248-S/S	10
62600	H-CARK2-1200-CM	38	62684	HV-1800-2SAC-CM-S/S	39	62749	H73CSK-B	47	62843	EZP-LS254-S/S	10
62601	H-CARK2-1200-CL	38	62685	HV-1800-2SAC-CL-S/S	39	62750	H73CSK-B-S/S	35	62844	EZP-LS260-S/S	10
62602	H-CARK2-1200-CLL	38	62686	HV-1800-2SAC-CLL-S/S	39	62750	H73CSK-B-S/S	37	62845	EZP-LS212HT-S/S	10
62603	H-CARK2-1400-CS	38	62687	HV-2000-2SAC-CM-S/S	39	62750	H73CSK-B-S/S	41	62846	EZP-LS218HT-S/S	10
62604	H-CARK2-1400-CM	38	62688	HV-2000-2SAC-CL-S/S	39	62750	H73CSK-B-S/S	42	62847	EZP-LS224HT-S/S	10
62605	H-CARK2-1400-CL	38	62689	HV-2000-2SAC-CLL-S/S	39	62750	H73CSK-B-S/S	46	62848	EZP-LS230HT-S/S	10
62606	H-CARK2-1400-CLL	38	62690	HV-2200-2SAC-CM-S/S	39	62750	H73CSK-B-S/S	47	62849	EZP-LS236HT-S/S	10
62607	H-CARK2-1600-CM	38	62691	HV-2200-2SAC-CL-S/S	39	62751	HCP-600	41	62850	EZP-LS242HT-S/S	10
62608	H-CARK2-1600-CL	38	62692	HV-2200-2SAC-CLL-S/S	39	62751	HCP-600	46	62851	EZP-LS248HT-S/S	10
62609	H-CARK2-1600-CLL	38	62693	HV-2400-2SAC-CM-S/S	39	62752	HCP-800	41	62852	EZP-LS254HT-S/S	10
62610	H-CARK2-1800-CM	38	62694	HV-2400-2SAC-CL-S/S	39	62752	HCP-800	46	62853	EZP-LS260HT-S/S	10
62611	H-CARK2-1800-CL	38	62695	HV-2400-2SAC-CLL-S/S	39	62753	HCP-1000	41	63020	MSTHD-G	64
62612	H-CARK2-1800-CLL	38	62696	HV-2600-2SAC-CM-S/S	39	62753	HCP-1000	46	63020	MSTHD-G	66
62613	H-CARK2-2000-CM	38	62697	HV-2600-2SAC-CL-S/S	39	62754	HCP-1200	41	63020	MSTHD-G	71
62614	H-CARK2-2000-CL	38	62698	HV-2600-2SAC-CLL-S/S	39	62754	HCP-1200	46	63020	MSTHD-G	110
62615	H-CARK2-2000-CLL	38	62699	HV-2800-2SAC-CM-S/S	39	62755	HCP-1400	41	63024	CBD-ST-XL-S	161
62616	H-CARK2-2200-CM	38	62700	HV-2800-2SAC-CL-S/S	39	62755	HCP-1400	46	63067	MSTBBK	64
62617	H-CARK2-2200-CL	38	62701	HV-2800-2SAC-CLL-S/S	39	62756	HCP-1800	41	63067	MSTBBK	64
62618	H-CARK2-2200-CLL	38	62702	HV-3000-2SAC-CM-S/S	39	62756	HCP-1800	46	63067	MSTBBK	66
62619	H-CARK2-2400-CM	38	62703	HV-3000-2SAC-CL-S/S	39	62757	HCP-600-S/S	41	63067	MSTBBK	66
62620	H-CARK2-2400-CL	38	62704	HV-3000-2SAC-CLL-S/S	39	62757	HCP-600-S/S	46	63067	MSTBBK	110
62621	H-CARK2-2400-CLL	38	62705	H-CARK2-1200-CS-S/S	39	62758	HCP-800-S/S	41	63067	MSTBBK	110
62622	H-CARK2-2600-CM	38	62706	H-CARK2-1200-CM-S/S	39	62758	HCP-800-S/S	46	63072	ATVK-73	71

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
63072	ATVK-73	92	63452	HV-3000-2SAC-CLL-EL15	43	63617	H-CARK2-2200-CL-S/S-EL15	44	63950	HV1050S-PCST	33
63073	ATV-MOUNT	71	63453	HV-1200-2SAC-CS-S/S-EL15	44	63618	H-CARK2-2200-CLL-S/S-EL15	44	63951	HV1050M-PCST	33
63073	ATV-MOUNT	92	63454	HV-1200-2SAC-CM-S/S-EL15	44	63619	H-CARK2-2400-CM-S/S-EL15	44	63952	HV1050L-PCST	33
63079	H73BTK	41	63455	HV-1200-2SAC-CL-S/S-EL15	44	63620	H-CARK2-2400-CL-S/S-EL15	44	63953	HV1200SS-PCST	33
63079	H73BTK	42	63456	HV-1200-2SAC-CLL-S/S-EL15	44	63621	H-CARK2-2400-CLL-S/S-EL15	44	63954	HV1200S-PCST	33
63079	H73BTK	46	63457	HV-1400-2SAC-CS-S/S-EL15	44	63622	H-CARK2-2600-CM-S/S-EL15	44	63955	HV1200M-PCST	33
63079	H73BTK	47	63458	HV-1400-2SAC-CM-S/S-EL15	44	63623	H-CARK2-2600-CL-S/S-EL15	44	63956	HV1200L-PCST	33
63080	H73BTK-S/S	41	63459	HV-1400-2SAC-CLL-S/S-EL15	44	63624	H-CARK2-2600-CLL-S/S-EL15	44	63957	HV1500M-PCST	33
63080	H73BTK-S/S	42	63460	HV-1400-2SAC-CLL-S/S-EL15	44	63625	H-CARK2-2800-CM-S/S-EL15	44	63958	HV1500L-PCST	33
63080	H73BTK-S/S	46	63461	HV-1600-2SAC-CM-S/S-EL15	44	63626	H-CARK2-2800-CL-S/S-EL15	44	63959	HV1500L-PCST	33
63080	H73BTK-S/S	47	63462	HV-1600-2SAC-CL-S/S-EL15	44	63627	H-CARK2-2800-CLL-S/S-EL15	44	63960	HV1600M-PCST	33
63206	HV-600-SAC-CS-EL15	43	63463	HV-1600-2SAC-CLL-S/S-EL15	44	63628	H-CARK2-3000-CM-S/S-EL15	44	63961	HV1600L-PCST	33
63207	HV-600-SAC-CM-EL15	43	63464	HV-1800-2SAC-CM-S/S-EL15	44	63629	H-CARK2-3000-CL-S/S-EL15	44	63962	HV1600L-PCST	33
63208	HV-600-SAC-CL-EL15	43	63465	HV-1800-2SAC-CL-S/S-EL15	44	63630	H-CARK2-3000-CLL-S/S-EL15	44	63963	HV1800M-PCST	33
63209	HV-800-SAC-CS-EL15	43	63466	HV-1800-2SAC-CLL-S/S-EL15	44	63631	H-CARK-600-CS-EL15	43	63964	HV1800L-PCST	33
63210	HV-800-SAC-CM-EL15	43	63467	HV-2000-2SAC-CM-S/S-EL15	44	63632	H-CARK-600-CM-EL15	43	63965	HV1800L-PCST	33
63211	HV-800-SAC-CL-EL15	43	63468	HV-2000-2SAC-CL-S/S-EL15	44	63633	H-CARK-600-CL-EL15	43	63966	HV2100M-PCST	33
63212	HV-1000-SAC-CS-EL15	43	63469	HV-2000-2SAC-CLL-S/S-EL15	44	63634	H-CARK-800-CS-EL15	43	63967	HV2100L-PCST	33
63213	HV-1000-SAC-CM-EL15	43	63470	HV-2200-2SAC-CM-S/S-EL15	44	63635	H-CARK-800-CM-EL15	43	63968	HV2100L-PCST	33
63214	HV-1000-SAC-CL-EL15	43	63471	HV-2200-2SAC-CL-S/S-EL15	44	63636	H-CARK-800-CL-EL15	43	63969	HV2400M-PCST	33
63215	HV-1200-SAC-CS-EL15	43	63472	HV-2200-2SAC-CLL-S/S-EL15	44	63637	H-CARK-1000-CS-EL15	43	63970	HV2400L-PCST	33
63216	HV-1200-SAC-CM-EL15	43	63473	HV-2400-2SAC-CM-S/S-EL15	44	63638	H-CARK-1000-CM-EL15	43	63971	HV2400L-PCST	33
63217	HV-1200-SAC-CL-EL15	43	63474	HV-2400-2SAC-CL-S/S-EL15	44	63639	H-CARK-1000-CL-EL15	43	63972	HV2600M-PCST	33
63218	HV-1400-SAC-CS-EL15	43	63475	HV-2400-2SAC-CLL-S/S-EL15	44	63640	H-CARK-1200-CS-EL15	43	63973	HV2600L-PCST	33
63219	HV-1400-SAC-CM-EL15	43	63476	HV-2600-2SAC-CM-S/S-EL15	44	63641	H-CARK-1200-CM-EL15	43	63974	HV2600L-PCST	33
63220	HV-1400-SAC-CL-EL15	43	63477	HV-2600-2SAC-CL-S/S-EL15	44	63642	H-CARK-1200-CL-EL15	43	63975	HV3000M-PCST	33
63221	HV-1600-SAC-CM-EL15	43	63478	HV-2600-2SAC-CLL-S/S-EL15	44	63643	H-CARK-1400-CS-EL15	43	63976	HV3000L-PCST	33
63222	HV-1600-SAC-CL-EL15	43	63479	HV-2800-2SAC-CM-S/S-EL15	44	63644	H-CARK-1400-CM-EL15	43	63977	HV3000L-PCST	33
63223	HV-1600-SAC-CL-EL15	43	63480	HV-2800-2SAC-CL-S/S-EL15	44	63645	H-CARK-1400-CL-EL15	43	63978	HV4500S-PCST-S/S	33
63224	HV-1800-SAC-CM-EL15	43	63481	HV-2800-2SAC-CLL-S/S-EL15	44	63646	H-CARK-1600-CS-EL15	43	63979	HV4500S-PCST-S/S	33
63225	HV-1800-SAC-CL-EL15	43	63482	HV-3000-2SAC-CM-S/S-EL15	44	63647	H-CARK-1600-CM-EL15	43	63980	HV4500M-PCST-S/S	33
63226	HV-1800-SAC-CL-EL15	43	63483	HV-3000-2SAC-CL-S/S-EL15	44	63648	H-CARK-1600-CL-EL15	43	63981	HV600SS-PCST-S/S	33
63227	HV-600-SAC-CS-S/S-EL15	44	63484	HV-3000-2SAC-CLL-S/S-EL15	44	63649	H-CARK-1800-CS-EL15	43	63982	HV600S-PCST-S/S	33
63228	HV-600-SAC-CM-S/S-EL15	44	63554	CBD-XXL-S/S	160	63650	H-CARK-1800-CM-EL15	43	63983	HV600M-PCST-S/S	33
63229	HV-600-SAC-CL-S/S-EL15	44	63567	H-CARK2-1200-CS-EL15	43	63651	H-CARK-1800-CL-EL15	43	63984	HV750SS-PCST-S/S	33
63230	HV-800-SAC-CS-S/S-EL15	44	63568	H-CARK2-1200-CM-EL15	43	63652	H CARK-600-CS-S/S-EL15	44	63985	HV750S-PCST-S/S	33
63231	HV-800-SAC-CM-S/S-EL15	44	63569	H-CARK2-1200-CL-EL15	43	63653	H CARK-600-CM-S/S-EL15	44	63986	HV750M-PCST-S/S	33
63232	HV-800-SAC-CL-S/S-EL15	44	63570	H-CARK2-1200-CLL-EL15	43	63654	H CARK-600-CL-S/S-EL15	44	63987	HV900SS-PCST-S/S	33
63233	HV-1000-SAC-CS-S/S-EL15	44	63571	H-CARK2-1400-CS-EL15	43	63655	H CARK-800-CS-S/S-EL15	44	63988	HV900S-PCST-S/S	33
63234	HV-1000-SAC-CM-S/S-EL15	44	63572	H-CARK2-1400-CM-EL15	43	63656	H CARK-800-CM-S/S-EL15	44	63989	HV900M-PCST-S/S	33
63235	HV-1000-SAC-CL-S/S-EL15	44	63573	H-CARK2-1400-CL-EL15	43	63657	H CARK-800-CL-S/S-EL15	44	63990	HV900L-PCST-S/S	33
63236	HV-1200-SAC-CS-S/S-EL15	44	63574	H-CARK2-1400-CLL-EL15	43	63658	H CARK-1000-CS-S/S-EL15	44	63991	HV1050SS-PCST-S/S	33
63237	HV-1200-SAC-CM-S/S-EL15	44	63575	H-CARK2-1600-CM-EL15	43	63659	H CARK-1000-CM-S/S-EL15	44	63992	HV1050S-PCST-S/S	33
63238	HV-1200-SAC-CL-S/S-EL15	44	63576	H-CARK2-1600-CL-EL15	43	63660	H CARK-1000-CL-S/S-EL15	44	63993	HV1050M-PCST-S/S	33
63239	HV-1400-SAC-CS-S/S-EL15	44	63577	H-CARK2-1600-CLL-EL15	43	63661	H CARK-1200-CS-S/S-EL15	44	63994	HV1050L-PCST-S/S	33
63240	HV-1400-SAC-CM-S/S-EL15	44	63578	H-CARK2-1800-CM-EL15	43	63662	H CARK-1200-CM-S/S-EL15	44	63995	HV1200SS-PCST-S/S	33
63241	HV-1400-SAC-CL-S/S-EL15	44	63579	H-CARK2-1800-CL-EL15	43	63663	H CARK-1200-CL-S/S-EL15	44	63996	HV1200S-PCST-S/S	33
63242	HV-1600-SAC-CM-S/S-EL15	44	63580	H-CARK2-1800-CLL-EL15	43	63664	H CARK-1400-CS-S/S-EL15	44	63997	HV1200M-PCST-S/S	33
63243	HV-1600-SAC-CL-S/S-EL15	44	63581	H-CARK2-2000-CM-EL15	43	63665	H CARK-1400-CM-S/S-EL15	44	63998	HV1200L-PCST-S/S	33
63244	HV-1600-SAC-CLL-S/S-EL15	44	63582	H-CARK2-2000-CL-EL15	43	63666	H CARK-1400-CL-S/S-EL15	44	63999	HV1500M-PCST-S/S	33
63245	HV-1800-SAC-CM-S/S-EL15	44	63583	H-CARK2-2000-CLL-EL15	43	63667	H CARK-1600-CS-S/S-EL15	44	64000	HV1500L-PCST-S/S	33
63246	HV-1800-SAC-CL-S/S-EL15	44	63584	H-CARK2-2200-CM-EL15	43	63668	H CARK-1600-CM-S/S-EL15	44	64001	HV1500L-PCST-S/S	33
63247	HV-1800-SAC-CLL-S/S-EL15	44	63585	H-CARK2-2200-CL-EL15	43	63669	H CARK-1600-CL-S/S-EL15	44	64002	HV1600M-PCST-S/S	33
63421	HV-1200-2SAC-CS-EL15	43	63586	H-CARK2-2200-CLL-EL15	43	63670	H CARK-1800-CS-S/S-EL15	44	64003	HV1600L-PCST-S/S	33
63422	HV-1200-2SAC-CM-EL15	43	63587	H-CARK2-2400-CM-EL15	43	63671	H CARK-1800-CM-S/S-EL15	44	64004	HV1600L-PCST-S/S	33
63423	HV-1200-2SAC-CL-EL15	43	63588	H-CARK2-2400-CL-EL15	43	63672	H CARK-1800-CL-S/S-EL15	44	64005	HVHD1800M-PCST-S/S	33
63424	HV-1200-2SAC-CLL-EL15	43	63589	H-CARK2-2400-CLL-EL15	43	63678	HDRP22	123	64006	HVHD1800L-PCST-S/S	33
63425	HV-1400-2SAC-CS-EL15	43	63590	H-CARK2-2600-CM-EL15	43	63679	HDRP17	123	64007	HVHD1800L-PCST-S/S	33
63426	HV-1400-2SAC-CM-EL15	43	63591	H-CARK2-2600-CL-EL15	43	63747	CBD-ST-XXL	161	64008	HVHD2100M-PCST-S/S	33
63427	HV-1400-2SAC-CL-EL15	43	63592	H-CARK2-2600-CLL-EL15	43	63748	CBD-ST-XXL-S/S	161	64009	HVHD2100L-PCST-S/S	33
63428	HV-1400-2SAC-CLL-EL15	43	63593	H-CARK2-2800-CM-EL15	43	63749	CBD-ST-XXL-MF	161	64010	HVHD2100L-PCST-S/S	33
63429	HV-1600-2SAC-CM-EL15	43	63594	H-CARK2-2800-CL-EL15	43	63750	CBD-ST-XXL-MF-S/S	161	64011	HVHD2400M-PCST-S/S	33
63430	HV-1600-2SAC-CL-EL15	43	63595	H-CARK2-2800-CLL-EL15	43	63751	CBD-ST-XXL-FP	161	64012	HVHD2400L-PCST-S/S	33
63431	HV-1600-2SAC-CLL-EL15	43	63596	H-CARK2-3000-CM-EL15	43	63752	CBD-ST-XXL-FR-B	161	64013	HVHD2400L-PCST-S/S	33
63432	HV-1800-2SAC-CM-EL15	43	63597	H-CARK2-3000-CL-EL15	43	63791	CBD-ST-XXL-S	161	64014	HVHD2600M-PCST-S/S	33
63433	HV-1800-2SAC-CL-EL15	43	63598	H-CARK2-3000-CLL-EL15	43	63861	ATVKP-60	71	64015	HVHD2600L-PCST-S/S	33
63434	HV-1800-2SAC-CLL-EL15	43	63599	H-CARK2-1200-CS-S/S-EL15	44	63861	ATVKP-60	92	64016	HVHD2600L-PCST-S/S	33
63435	HV-2000-2SAC-CM-EL15	43	63600	H-CARK2-1200-CM-S/S-EL15	44	63861	HATDMK-S/S	35	64017	HVHD3000M-PCST-S/S	33
63436	HV-2000-2SAC-CL-EL15	43	63601	H-CARK2-1200-CL-S/S-EL15	44	63862	ATVKP-73	71	64018	HVHD3000L-PCST-S/S	33
63437	HV-2000-2SAC-CLL-EL15	43	63602	H-CARK2-1200-CLL-S/S-EL15	44	63862	ATVKP-73	92	64019	HVHD3000L-PCST-S/S	33
63438	HV-2200-2SAC-CM-EL15	43	63603	H-CARK2-1400-CS-S/S-EL15	44	63862	H0ATDMK-S/S	35	64020	MHS-600-MST	65
63439	HV-2200-2SAC-CL-EL15	43	63604	H-CARK2-1400-CM-S/S-EL15	44	63936	HV450SS-PCST	33	64021	MHS-750-MST	65
63440	HV-2200-2SAC-CLL-EL15	43	63605	H-CARK2-1400-CL-S/S-EL15	44	63937	HV450S-PCST	33	64022	MHS-900-MST	65
63441	HV-2400-2SAC-CM-EL15	43	63606	H-CARK2-1400-CLL-S/S-EL15	44	63938	HV450M-PCST	33	64023	MHS-1050-MST	65
63442	HV-2400-2SAC-CL-EL15	43	63607	H-CARK2-1600-CM-S/S-EL15	44	63939	HV600SS-PCST	33	64024	MHS-1200-MST	65
63443	HV-2400-2SAC-CLL-EL15	43	63608	H-CARK2-1600-CL-S/S-EL15	44	63940	HV600S-PCST	33	64025	MHS-1350-MST	65
63444	HV-2600-2SAC-CM-EL15	43	63609	H-CARK2-1600-CLL-S/S-EL15	44	63941	HV600M-PCST	33	64026	MHS-1500-MST	65
63445	HV-2600-2SAC-CL-EL15	43	63610	H-CARK2-1800-CM-S/S-EL15	44	63942	HV750SS-PCST	33	64027	MHS-1800-MST	65
63446	HV-2600-2SAC-CLL-EL15	43	63611	H-CARK2-1800-CL-S/S-EL15	44	63943	HV750S-PCST	33	64028	MHS-2100-MST	65
63447	HV-2800-2SAC-CM-EL15	43	63612	H-CARK2-1800-CLL-S/S-EL15	44	63944	HV750M-PCST	33	64029	MHS-2400-MST	65
63448	HV-2800-2SAC-CL-EL15	43	63613	H-CARK2-2000-CM-S/S-EL15	44	63945	HV900SS-PCST	33	64030	MHS-600-MST-S/S	65
63449	HV-2800-2SAC-CLL-EL15	43	63614	H-CARK2-2000-CL-S/S-EL15	44	63946	HV900S-PCST	33	64031	MHS-750-MST-S/S	65
63450	HV-3000-2SAC-CM-EL15	43	63615	H-CARK2-2000-CLL-S/S-EL15	44	63947	HV900M-PCST	33	64032	MHS-900-MST-S/S	65
63451	HV-3000-2SAC-CL-EL15	43	63616	H-CARK2-2200-CM-S/S-EL15	44	63948	HV900L-PCST	33	64033	MHS-1050-MST-S/S	65

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
64034	MHS-1200-MST-S/S	65	65746	PTK	70	67331	UFB42-B	107	68264	RBVP-HD-2800	158
64035	MHS-1350-MST-S/S	65	65746	PTK	70	67332	UFB48-B	107	68265	RBVP-HD-3000	158
64036	MHS-1500-MST-S/S	65	65803	PACB100	71	67333	UFB54-B	107	68266	RBVP-HD-3200	158
64037	MHS-1800-MST-S/S	65	65803	PACB100	92	67334	UFB60-B	107	68267	RBVP-SD-600	158
64038	MHS-2100-MST-S/S	65	66055	PACB60	71	67335	UFB72-B	107	68268	RBVP-SD-750	158
64039	MHS-2400-MST-S/S	65	66055	PACB60	92	67336	UFB84-B	107	68269	RBVP-SD-900	158
64045	HV1050SS-PCST	33	66056	PAT2	36	67409	DWPT2-S/S	110	68270	RBVP-SD-1050	158
64140	HDRP15	123	66056	PAT2	71	67411	YCART-S/S-36/900-HDTC	57	68271	RBVP-SD-1200	158
64175	AIR HARK-S/S-73	35	66056	PAT2	92	67412	YCART-S/S-42/1050-HDTC	57	68272	RBVP-SD-1350	158
64178	CBD-S-S/S	160	66068	ATV-TUBE	71	67413	YCART-S/S-48/1200-HDTC	57	68273	RBVP-SD-1500	158
64198	YPHD900-S/S POLE	57	66068	ATV-TUBE	92	67414	YCART-S/S-54/1350-HDTC	57	68274	RBVP-SD-1800	158
64199	YPHD1050-S/S POLE	57	66106	FMS-600V-S/S	62	67415	YCART-S/S-60/1500-HDTC	57	68275	RBVP-SD-2000	158
64200	YPHD1200-S/S POLE	57	66107	FMS-750V-S/S	62	67416	YCART-S/S-72/1800-HDTC	57	68276	RBVP-SD-2200	158
64201	YPHD1350-S/S POLE	57	66108	FMS-900V-S/S	62	67417	YCART-S/S-36/900-HDP	57	68277	RBVP-SD-2400	158
64202	YPHD1500-S/S POLE	57	66109	FMS-1050V-S/S	62	67418	YCART-S/S-42/1050-HDP	57	68278	RBVP-SD-2600	158
64204	YPHD1800-S/S POLE	57	66110	FMS-1200V-S/S	62	67419	YCART-S/S-48/1200-HDP	57	68279	RBVP-SD-2800	158
64205		57	66111	FMS-1350V-S/S	62	67420	YCART-S/S-54/1350-HDP	57	68368	EZRKL-600	141
64206		57	66112	FMS-1500V-S/S	62	67421	YCART-S/S-60/1500-HDP	57	68368	EZRKL-600	144
64207		57	66113	FMS-1800V-S/S	62	67422	YCART-S/S-72/1800-HDP	57	68369	EZRKL-750	141
64208		57	66122	ULP450	128	67437		130	68369	EZRKL-750	144
64209		57	66123	ULP600	128	67466	MDWS-600-S/S	109	68370	EZRKL-900	141
64211		57	66124	ULP750	128	67467	MDWS-750-S/S	109	68370	EZRKL-900	144
64310	CBD-ST-BB	161	66125	ULP900	128	67468	MDWS-900-S/S	109	68371	EZRKL-1050	141
64482	CBD-ST-XL-B	161	66126	ULP1050	128	67469	MDWS-1050-S/S	109	68371	EZRKL-1050	144
64564	MST-PMBLR	71	66127	ULP1200	128	67470	MDWS-1200-S/S	109	68372	EZRKL-1200	141
64565	MST-PMBLR-SS	71	66128	ULP1350	128	67471	MDWS-1350-S/S	109	68372	EZRKL-1200	144
64620	CBD-ST-B	161	66129	ULP1500	128	67472	MDWS-1500-S/S	109	68373	EZRKL-1350	141
64621	CBD-ST-L-B	161	66130	ULP1650	128	67473	MDWS-1800-S/S	109	68373	EZRKL-1350	144
64622	CBD-ST-XL-B	161	66192	ATV73-SS	71	67474	MDWS-2100-S/S	109	68374	EZRKL-1500	141
64623	CBD-ST-M-P-S/S	161	66192	ATV73-SS	92	67475	MDWS-2400-S/S	109	68374	EZRKL-1500	144
64624	CBD-ST-L-P-S/S	161	66255	MHS-1950BTV-2SAC-S/S	96	67476	MDWS-MST-600-S/S	109	68375	EZRKL-1800	141
64625	CBD-ST-XL-P-S/S	161	66749	YCART-S/S-24/600-SDTC	57	67477	MDWS-MST-750-S/S	109	68375	EZRKL-1800	144
64626	CBD-ST-XXL-P-S/S	161	66956	EZP1-UHT2-450-S/S	14	67478	MDWS-MST-900-S/S	109	68844		130
64743	ATVK73-SEC-SS	71	66957	EZP1-UHT2-600-S/S	14	67479	MDWS-MST-1050-S/S	109	68867	FCSBC S/S	121
64743	ATVK73-SEC-SS	92	66958	EZP1-UHT2-750-S/S	14	67480	MDWS-MST-1200-S/S	109	69469	HPA1200	73
64772	CBD-ST-M-P	161	66959	EZP1-UHT2-900-S/S	14	67481	MDWS-MST-1350-S/S	109	69470	HPA1350	73
64773	CBD-ST-L-P	161	66960	EZP1-UHT2-1050-S/S	14	67482	MDWS-MST-1500-S/S	109	69471	HPA1500	73
64774	CBD-ST-XL-P	161	66961	EZP1-UHT2-1200-S/S	14	67483	MDWS-MST-1800-S/S	109	69472	HPA1600	73
64775	CBD-ST-XXL-P	161	66962	EZP1-UHT2-1350-S/S	14	67484	MDWS-MST-2100-S/S	109	69473	HPA1800	73
64776	CBD-ST-M-PSS	161	66963	EZP1-UHT2-1500-S/S	14	67485	MDWS-MST-2400-S/S	109	69474	HPA2000	73
64777	CBD-ST-L-PS	161	66964	EZP1-UHT2-1800-S/S	14	67486	DWP84-S/S	110	69475	HPA2200	73
64778	CBD-ST-XL-PS	161	66993	EST-P-S/S-UHT	17	67487	DWP96-S/S	110	69476	HPA2400	73
64779	CBD-ST-XXL-PS	161	66994	EST-W-S/S-UHT	17	67559	MDWS-MST-600	109	69477	HPA2600	73
64780	CBD-ST-M-P-S/S	161	66995	EST-G-S/S-UHT	17	67560	MDWS-MST-750	109	69478	HPA2800	73
64781	CBD-ST-L-PS-S/S	161	67057	ULP1800	128	67561	MDWS-MST-900	109	69479	HPA3000	73
64782	CBD-ST-XL-PS-S/S	161	67058	ULP2400	128	67562	MDWS-MST-1050	109	69480	PPA1200	73
64783	CBD-ST-XXL-PS-S/S	161	67084	ULP2000	128	67563	MDWS-MST-1200	109	69481	PPA1350	73
64784	CBD-ST-M-S	161	67085	ULP2200	128	67564	MDWS-MST-1350	109	69482	PPA1500	73
64785	CBD-ST-L-S	161	67086	ULP2600	128	67565	MDWS-MST-1500	109	69483	PPA1650	73
64787	CBD-XXL	160	67087	ULP2800	128	67566	MDWS-MST-1800	109	69484	PPA1800	73
64925	PMSMK-S/S	170	67088	ULP3000	128	67567	MDWS-MST-2100	109	69485	PPA1950	73
64926	MAK-S/S	170	67267		130	67568	MDWS-MST-2400	109	69486	PPA2100	73
64930	MSTLP	64	67268		130	67586		130	69487	PPA2250	73
64930	MSTLP	64	67285	YTC600-BT-S/S SECONDARY	56	67587		130	69488	PPA2400	73
64930	MSTLP	66	67286	YTC750-BT-S/S SECONDARY	56	67750	YCART-S/S-30/750-SDTC	57	69520	RSA-HD	61
64930	MSTLP	66	67287	YTC900-BT-S/S SECONDARY	56	67751	YCART-S/S-36/900-SDTC	57	69520	RSA-HD	85
64930	MSTLP	110	67288	YTC1050-BT-S/S SECONDARY	56	67752	YCART-S/S-42/1050-SDTC	57	69520	RSA-HD	87
64930	MSTLP	110	67289	YTC1200-BT-S/S SECONDARY	56	67753	YCART-S/S-48/1200-SDTC	57	69521	RC-HD-S/S	61
64931	MSTAM-S/S	64	67290	YTCHD900-BT-S/S SECONDARY	56	67775	YSA200_XL20 (20mm)	34	69521	RC-HD-S/S	85
64931	MSTAM-S/S	66	67291	YTCHD1050-BT-S/S SECONDARY	56	67776	PSA150-XL	59	69521	RC-HD-S/S	87
64931	MSTAM-S/S	110	67292	YTCHD1200-BT-S/S SECONDARY	56	67776	PSA150-XL	72	71053	FLSC2000	173
65571	PAT1	36	67293	YTCHD1350-BT-S/S SECONDARY	56	67777	PSA150-XL	68	71056	FLSC-TP	173
65571	PAT1	71	67294	YTCHD1500-BT-S/S SECONDARY	56	67777	PSA150-XL	66	71057	FLSC-CP	173
65571	PAT1	92	67295	YTCHD1800-BT-S/S SECONDARY	56	67777	PSA150-XL	68	71059	FLSC2000-MC	173
65660	FMS-600-EL15	62	67308	YTCHD900-MST-S/S SECONDARY	56	67777	PSA150-XL	70	71061	FLSC2000-CB	173
65661	FMS-750-EL15	62	67309	YTCHD1050-MST-S/S SECONDARY	56	67777	PSA150-XL	85	71140	FLSCM-CP	173
65662	FMS-900-EL15	62	67310	YTCHD1200-MST-S/S SECONDARY	56	67777	PSA150-XL	91	71148	FLSCM2000	173
65663	FMS-1050-EL15	62	67311	YTCHD1350-MST-S/S SECONDARY	56	67777	PSA150-XL	98	72483	CBR-S	160
65664	FMS-1200-EL15	62	67312	YTCHD1500-MST-S/S SECONDARY	56	67777	PSA150-XL20	61	72484	CBR-M	160
65665	FMS-1350-EL15	62	67313	YTCHD1800-MST-S/S SECONDARY	56	67777	PSA150-XL20	64	72485	CBR-L	160
65666	FMS-1500-EL15	62	67314	YTFHD900-MST-S/S SECONDARY	56	68240	Q150-EL15	59	72486	CBR-XL	160
65667	FMS-1800-EL15	62	67315	YTFHD1050-MST-S/S SECONDARY	56	68241	Q150-XL	59	73003	PP450	59
65670	FMS-600-EL15-S/S	62	67316	YTFHD1200-MST-S/S SECONDARY	56	68252	RBVP-HD-900	158	73004	PV600	58
65671	FMS-750-EL15-S/S	62	67317	YTFHD1350-MST-S/S SECONDARY	56	68253	RBVP-HD-1050	158	73005	PP600	59
65672	FMS-900-EL15-S/S	62	67318	YTFHD1500-MST-S/S SECONDARY	56	68254	RBVP-HD-1200	158	73006	PV750	58
65673	FMS-1050-EL15-S/S	62	67319	YTFHD1800-MST-S/S SECONDARY	56	68255	RBVP-HD-1350	158	73007	PP750	59
65674	FMS-1200-EL15-S/S	62	67322	YPHD600-S/S POLE	57	68256	RBVP-HD-1500	158	73008	PV900	58
65675	FMS-1350-EL15-S/S	62	67323	YPHD750-S/S POLE	57	68257	RBVP-HD-1600	158	73009	PP900	59
65676	FMS-1500-EL15-S/S	62	67324		57	68258	RBVP-HD-1800	158	73010	PV1050	58
65677	FMS-1800-EL15-S/S	62	67325		57	68259	RBVP-HD-2000	158	73011	PP1050	59
65746	PTK	66	67327	UFB18-B	107	68260	RBVP-HD-2200	158	73012	PV1200	58
65746	PTK	66	67328	UFB24-B	107	68261	RBVP-HD-2400	158	73013	PP1200	59
65746	PTK	68	67329	UFB30-B	107	68262	RBVP-HD-2500	158	73014	PS600	121
65746	PTK	68	67330	UFB36-B	107	68263	RBVP-HD-2600	158	73015	PP1400	59

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
73016	PP1500	59	73306	HBP1800-B	153	74033	HS88LL-S/S	34	74634	RV600	60
73019	HV450M	32	73307	HBP2000-B	153	74049	PS1800PL	121	74635	RV750	60
73024	PPS6	59	73308	HBP2200-B	153	74050	PS2000 PL	121	74636	RV900	60
73026	HV450SS	32	73309	HBP2400-B	153	74053	PSN11010	121	74637	RV1050	60
73027	HP450	37	73311	HBP2500-B	153	74055	BP450-B	153	74638	RV1200	60
73028	HV450S	32	73433	PHSC-S/S	59	74057	BP800-B	153	74639	RV1400	60
73029	HP600	37	73433	PHSC-S/S	80	74100	HW-BC	123	74640	RV1500	60
73030	HV600S	32	73433	PHSC-S/S	121	74101	HTTS	123	74642	RVHD1800	60
73031	HP750	37	73434	PSVA	121	74307	HXF8SS	34	74643	RVHD2100	60
73032	HV750S	32	73435	PV450	58	74417	STJK	37	74644	RVHD2400	60
73033	HP900	37	73436	PV1400	58	74417	STJK	37	74659	HXF450S	31
73034	HV900S	32	73437	PV1500	58	74417	STJK-S/S	105	74660	HXF450M	31
73035	HP1050	37	73443	HXF1600M	31	74417	STJK-S/S	106	74661	HXF600S	31
73036	HV1050M	32	73444	HXF1600L	31	74419	STTS	37	74662	HXF600M	31
73037	HP1200	37	73483	HS8D	37	74419	STTS	105	74663	HXF750S	31
73038	HV1200M	32	73483	HS8D	41	74420	UTS	37	74664	HXF750M	31
73045	HV600SS	32	73483	HS8D	42	74448	UF818	107	74665	HXF900S	31
73047	HS88SS	34	73483	HS8D	46	74449	UF824	107	74666	HXF900M	31
73048	HS88S	34	73483	HS8D	47	74450	UF830	107	74667	HXF900L	31
73049	HS88M	34	73486	HS8	37	74451	UF836	107	74668	HXF1050S	31
73050	HP58	37	73489	HS8200	34	74452	UF842	107	74669	HXF1050M	31
73053	HV750SS	32	73489	HS8200	37	74453	UF848	107	74670	HXF1050L	31
73054	HMK	37	73489	HS8200	40	74454	UF854	107	74671	HXF1200S	31
73055	HV900SS	32	73489	HS8200	41	74455	UF860	107	74672	HXF1200M	31
73056	HV1050S	32	73489	HS8200	42	74456	UF872	107	74673	HXF1200L	31
73057	HV1050SS	32	73489	HS8200	45	74460	UF884	107	74677	HXF1500M	31
73058	HV1200S	32	73489	HS8200	46	74477	HVHD1800L	32	74678	HXF1500L	31
73059	HV1200SS	32	73489	HS8200	47	74478	HVHD1800LL	32	74681	HXFHD1800M	31
73063	HS88L	34	73494	HVC-S/S	37	74490	HBP-SC-TP	155	74682	HXFHD1800L	31
73064	HS88LL	34	73537	PS1800	121	74490	HDCK	37	74683	HXFHD2100M	31
73066	HP1500	37	73539	PS2000	121	74502	HDT5	105	74684	HXFHD2100L	31
73068	HBRK	37	73541	PS750	121	74504	STKD	37	74685	HXFHD2400M	31
73069	HARK	37	73542	PS900	121	74506	STCK	37	74686	HXFHD2400L	31
73069	HARK	105	73543	PS1050	121	74535	CT6	59	74689	HXF8S	34
73102	BP450	152	73544	PS1200	121	74535	CT6	61	74690	HXF8M	34
73104	BP600	152	73545	PS1500	121	74535	CT6	62	74691	HXF8L	34
73106	BP750	152	73546	PS1400	121	74535	CT6	64	74773	PSSS	59
73107	BP800	152	73582	PS600PL	121	74535	CT6	66	74775	STJM	37
73108	BP900	152	73583	PS750PL	121	74535	CT6	68	74775	STJM	37
73109	BP450-750-PL	153	73584	PS900PL	121	74535	CT6	70	74775	STJM	105
73110	BP1050	152	73585	PS1050PL	121	74535	CT6	78	74914	MSR	168
73111	BP800-1050-PL	153	73586	PS1200PL	121	74535	CT6	80	74914	MSR	170
73112	BP1200	152	73587	PS1400PL	121	74535	CT6	85	74914	MSR	172
73113	BP1400	152	73588	PS1500PL	121	74535	CT6	87	74916	PMSMK	170
73114	BP1500	152	73626	PHA	59	74535	CT6	91	74918	MAK	170
73115	BP1600	152	73626	PHA	78	74535	CT6	94	74919	MAKHD	170
73117	BP1800	152	73628	RS8150	61	74535	CT6 (C-Tip)	75	74919	MAKHD	170
73118	BP1200-1400-PL	153	73628	RS8150	62	74535	CT6 (C-Tip)	82	74921	MORCK	170
73119	BP1500-1600-PL	153	73628	RS8150	64	74539	HVHD2100M	32	74921	MORCK	170
73121	BP1800-PL	153	73628	RS8150	66	74540	HVHD2100L	32	74923	MCRK	170
73123	BP-MB	153	73628	RS8150	68	74541	HVHD2100LL	32	74923	MCRK	170
73125	BP-SC	153	73628	RS8150	70	74544	HVHD2400M	32	74923	MCRK	172
73127	BP-LA	153	73628	RS8150	85	74545	HVHD2400L	32	74925	MCB	170
73138	BP-TB	153	73628	RS8150	91	74546	HVHD2400LL	32	74925	MCB	170
73139	BP-UB	153	73628	RS8150	98	74547	HPHD2000	37	74925	MCB	172
73141	BP-TL	153	73628	RS8150 (V-Tip)	82	74548	HPHD2400	37	74927	MCSK	170
73147	BP1500-1600MF	153	73628	RS8150 (V-Tip)	96	74549	HBRKX	37	74927	MCSK	170
73148	BP1800MF	153	73631	HVPT-S/S	34	74550	HDARK	37	74927	MCSK	172
73152	BP450-750MF	153	73631	HVPT-S/S	37	74551	HDMK	37	74928	MCSKHD	170
73153	BP800-1050MF	153	73631	HVPT-S/S	40	74553	PVHD2100	58	74928	MCSKHD	170
73154	BP1200-1400MF	153	73631	HVPT-S/S	41	74555	PVHD2400	58	74928	MCSKHD	172
73156	PS8150	59	73631	HVPT-S/S	42	74556	PPHD2000	59	74930	MCS	170
73156	PS8150	78	73631	HVPT-S/S	45	74557	PPHD2400	59	74930	MCS	170
73156	PS8150 (V-Tip)	75	73631	HVPT-S/S	46	74582	HDMRK	37	74930	MCS	172
73158	HV1500L	32	73631	HVPT-S/S	47	74582	HDMRK	37	74931	MCSHD	170
73162	RBPCP	163	73637	HV1600M	32	74591	HVHD3000M	32	74931	MCSHD	170
73163	RBPRET	166	73638	HV1600L	32	74592	HVHD3000L	32	74931	MCSHD	172
73173	HV600M	32	73639	HV1600LL	32	74593	HVHD3000LL	32	74941	SRBK	123
73174	HV750M	32	73739	HP1600	37	74597	PPHD1800	59	75266	HXF450S-S/S	31
73175	HV900M	32	73771	HS88SS-S/S	34	74598	PVHD1800	58	75267	HXF450M-S/S	31
73177	HV1500M	32	73772	HS88S-S/S	34	74601	HPHD1800	37	75268	HXF600S-S/S	31
73178	HV900L	32	73773	HS88M-S/S	34	74602	HVHD1800M	32	75269	HXF600M-S/S	31
73179	HV1050L	32	73774	HS88L-S/S	34	74604	RP450	61	75270	HXF750S-S/S	31
73180	HV1200L	32	73777	BP600-B	153	74605	RP600	61	75271	HXF750M-S/S	31
73215	HV1500LL	32	73778	BP750-B	153	74606	RP750	61	75272	HXF900S-S/S	31
73221	PSSS-N	121	73779	BP900-B	153	74607	RP900	61	75273	HXF900M-S/S	31
73222	PSSS-H	121	73780	BP1050-B	153	74608	RP1050	61	75274	HXF900L-S/S	31
73235	CCKHDT5-S/S	59	73781	BP1200-B	153	74609	RP1200	61	75275	HXF1050S-S/S	31
73235	CCKHDT5-S/S	61	73782	BP1400-B	153	74610	RP1400	61	75276	HXF1050M-S/S	31
73235	CCKHDT5-S/S	68	73783	BP1500-B	153	74611	RP1500	61	75277	HXF1050L-S/S	31
73301	HBP1200-B	153	73784	BP1600-B	153	74613	RPHD1800	61	75278	HXF1200S-S/S	31
73302	HBP1400-B	153	73785	BP1800-B	153	74614	RPHD2000	61	75279	HXF1200M-S/S	31
73303	HBP1500-B	153	73922	HBP-MB-TP	155	74615	RPHD2400	61	75280	HXF1200L-S/S	31
73304	HBP1600-B	153	73922	HBP-MB-TP	157	74633	RV450	60	75281	HXF1500M-S/S	31

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
75282	HXF1500L-S/S	31	75424	HMK-S/S	37	75623	EZP1P36	16	75887	CDWB42	111
75283	HXF1600M-S/S	31	75425	STCK-S/S	37	75623	EZP1P36	20	75888	CDWB48	111
75284	HXF1600L-S/S	31	75426	STJ-S/S	106	75624	EZP1P42	16	75889	CDWB54	111
75293	HV450SS-S/S	32	75426	STJM-S/S	37	75624	EZP1P42	20	75890	CDWB60	111
75294	HV450S-S/S	32	75426	STJM-S/S	37	75625	EZP1P48	16	75891	CDWB72	111
75295	HV450M-S/S	32	75427	STKD-S/S	37	75625	EZP1P48	20	75892	STAKHD	70
75296	HV600SS-S/S	32	75452	PVHD2000	58	75626	EZP1P54	16	75892	STAKHD	70
75297	HV600S-S/S	32	75463	RVHD2000	60	75626	EZP1P54	20	75892	STAKHD	92
75298	HV600M-S/S	32	75507	PCB	51	75627	EZP1P60	16	75892	STAKHD	94
75299	HV750SS-S/S	32	75510	PHDCB	55	75627	EZP1P60	20	75892	STAKHD	110
75300	HV750S-S/S	32	75513	PAB	51	75629	CRB16	18	75892	STAKHD	110
75301	HV750M-S/S	32	75513	PAB	55	75630	CRB22	18	75896	PSTA	24
75302	HV900SS-S/S	32	75513	PAB	59	75631	CRB28	18	75896	PSTA	30
75303	HV900S-S/S	32	75513	PAB	61	75632	CRB34	18	75897	PTPK	30
75304	HV900M-S/S	32	75513	PAB	68	75633	CRB40	18	75898	PSTS-W	24
75305	HV900L-S/S	32	75513	PAB	78	75634	CRB46	18	75898	PSTS-W	30
75306	HV1050SS-S/S	32	75513	PAB	85	75635	CRB52	18	75898	PSTS-W	105
75307	HV1050S-S/S	32	75513	PAB	98	75636	CRB58	18	75899	PSTS-S	30
75308	HV1050M-S/S	32	75513	PAB	115	75637	EZP1MPK	16	75899	PSTS-S	35
75309	HV1050L-S/S	32	75513	PAB	118	75641	EZP1PL	16	75904	AWT	30
75310	HV1200SS-S/S	32	75515	PAB-S/S	59	75641	EZP1PL	20	75904	AWT	36
75311	HV1200S-S/S	32	75515	PAB-S/S	61	75642	EZP1BP	16	75905	AWTB	36
75312	HV1200M-S/S	32	75515	PAB-S/S	68	75642	EZP1BP	20	75905	AWTB	36
75313	HV1200L-S/S	32	75515	PAB-S/S	80	75771	EZP1-272	14	75906	AWTMB	30
75314	HV1500M-S/S	32	75515	PAB-S/S	87	75772	EZP1P72	16	75906	AWTMB	36
75315	HV1500L-S/S	32	75515	PAB-S/S	100	75772	EZP1P72	20	75907	AWTA	30
75316	HV1500LL-S/S	32	75516	PMBL	78	75773	CRB70	18	75907	AWTA	36
75317	HV1600M-S/S	32	75516	PMBL	85	75775	CRB64	18	75908	AWTCB	36
75318	HV1600L-S/S	32	75516	PMBL	98	75804	MSPP30	110	75908	AWTCB	36
75319	HV1600LL-S/S	32	75516	PMBL	115	75805	MSPP36	110	75909	AWTHK	36
75323	PV450-S/S	58	75516	PMBL	118	75806	MSPP42	110	75909	AWTHK	36
75324	PV600-S/S	58	75516	PMBL (left)	51	75807	MSPP48	110	75929	MHCP-24S	28
75325	PV750-S/S	58	75516	PMBL (left)	55	75808	MSPP54	110	75930	MHCP-30S	28
75326	PV900-S/S	58	75516	PMBL (left)	59	75809	MSPP60	110	75931	MHCP-36S	28
75327	PV1050-S/S	58	75516	PMBL (left)	61	75811	MSPMPK	24	75932	MHCP-42S	28
75328	PV1200-S/S	58	75516	PMBL (left)	68	75820	RMC1-CB	174	75933	MHCP-48S	28
75329	PV1400-S/S	58	75518	PMBL-S/S	71	75832	RMC1-PP	174	75934	MHCP-54S	28
75330	PV1500-S/S	58	75518	PMBL-S/S	80	75843	STS-S	55	75935	MHCP-60S	28
75341	RV450-S/S	60	75518	PMBL-S/S	87	75843	STS-S	64	75936	MHCP-72S	28
75342	RV600-S/S	60	75518	PMBL-S/S	92	75843	STS-S	66	75937	MHCP-24A	28
75343	RV750-S/S	60	75518	PMBL-S/S	100	75843	STS-S	70	75938	MHCP-30A	28
75344	RV900-S/S	60	75518	PMBL-S/S (left)	59	75843	STS-S	92	75939	MHCP-36A	28
75345	RV1050-S/S	60	75518	PMBL-S/S (left)	61	75843	STS-S	110	75940	MHCP-42A	28
75346	RV1200-S/S	60	75518	PMBL-S/S (left)	68	75843	STS-S	110	75941	MHCP-48A	28
75347	RV1400-S/S	60	75519	PMBL (right)	59	75843	STS-S	115	75942	MHCP-54A	28
75348	RV1500-S/S	60	75519	PMBL (right)	61	75843	STS-S	111	75943	MHCP-60A	28
75373	HP450-S/S	37	75519	PMBL (right)	68	75844	STS-B	35	75944	MHCP-72A	28
75374	HP600-S/S	37	75519	PMBR	78	75844	STS-B	35	75961	MHP-CP600	30
75375	HP750-S/S	37	75519	PMBR	85	75844	STS-B	55	75962	MHP-CP750	30
75376	HP900-S/S	37	75519	PMBR	98	75844	STS-B	64	75963	MHP-CP900	30
75377	HP1050-S/S	37	75519	PMBR	115	75844	STS-B	66	75964	MHP-CP1050	30
75378	HP1200-S/S	37	75519	PMBR	118	75844	STS-B	70	75965	MHP-CP1200	30
75379	HP1500-S/S	37	75519	PMBR (right)	51	75844	STS-B	92	75966	MHP-CP1400	30
75380	HP1600-S/S	37	75519	PMBR (right)	55	75844	STS-B	110	75967	MHP-CP1500	30
75382	PP450-S/S	59	75521	PMBL-S/S (right)	59	75844	STS-B	110	75968	MHP-CP1800	30
75383	PP600-S/S	59	75521	PMBL-S/S (right)	61	75844	STS-B	115	75978	SSRB	30
75384	PP750-S/S	59	75521	PMBL-S/S (right)	68	75845	QMTS-P	16	75979	HXF2-SS	34
75385	PP900-S/S	59	75521	PMBR-S/S	71	75845	QMTS-P	24	75980	HXF2-S	34
75386	PP1050-S/S	59	75521	PMBR-S/S	80	75845	QMTS-P	105	75981	HXF2-M	34
75387	PP1200-S/S	59	75521	PMBR-S/S	87	75846	STS-W	64	75982	HXF2-L	34
75388	PP1400-S/S	59	75521	PMBR-S/S	92	75846	STS-W	66	76024	MAPEK	124
75389	PP1500-S/S	59	75521	PMBR-S/S	100	75846	STS-W	70	76025	MCBK	170
75400	RP450-S/S	61	75531	MFASK	170	75846	STS-W	92	76025	MCBK	170
75401	RP600-S/S	61	75531	MFASK	170	75846	STS-W	110	76025	MCBK	172
75402	RP750-S/S	61	75565	HSA8SSS	34	75846	STS-W	110	76026	MCBKHD	170
75403	RP900-S/S	61	75585	STTS-S/S	37	75846	STS-W	115	76026	MCBKHD	170
75404	RP1050-S/S	61	75585	STTS-S/S	106	75847	STAK	70	76026	MCBKHD	172
75405	RP1200-S/S	61	75586	HDTS-S/S	106	75847	STAK	70	76027	HSA200_EL15 (15mm)	34
75406	RP1400-S/S	61	75611	EZP1-218	14	75847	STAK	92	76027	HSA200-EL15	45
75407	RP1500-S/S	61	75612	EZP1-224	14	75847	STAK	94	76027	HSA200-EL15	46
75419	HVT8-S/S	34	75613	EZP1-230	14	75847	STAK	110	76027	HSA200-EL15	47
75419	HVT8-S/S	37	75614	EZP1-236	14	75847	STAK	110	76069	AWTNCB	30
75419	HVT8-S/S	40	75615	EZP1-242	14	75868	MDWS-24	109	76069	AWTNCB	36
75419	HVT8-S/S	41	75616	EZP1-248	14	75869	MDWS-30	109	76071	SSTSMB	124
75419	HVT8-S/S	42	75617	EZP1-254	14	75870	MDWS-36	109	76072	SSTLMB	124
75419	HVT8-S/S	45	75618	EZP1-260	14	75871	MDWS-42	109	76074	QMT-P	24
75419	HVT8-S/S	46	75619	EZP1P12	16	75872	MDWS-48	109	76075	QMT-W	24
75419	HVT8-S/S	47	75619	EZP1P12	20	75873	MDWS-54	109	76096	QMTPAK	24
75420	PVT6-S/S	59	75620	EZP1P18	16	75874	MDWS-60	109	76097	QMTBK-P	24
75420	PVT6-S/S	80	75620	EZP1P18	20	75875	MDWS-72	109	76097	QMTBK-P	24
75420	PVT6-S/S	121	75621	EZP1P24	16	75883	DWP72	110	76098	QMTBK-W	24
75422	HBRK-S/S	37	75621	EZP1P24	20	75884	CDWB24	111	76098	QMTBK-W	24
75422	HBRK-S/S-60	35	75622	EZP1P30	16	75885	CDWB30	111	76098	QMTBK-W	30
75423	HARK-S/S	37	75622	EZP1P30	20	75886	CDWB36	111	76099	QMTPSBK	24

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
76205	RV76-S/S	61	76467	HSHD-S/S	41	76736	URVB18/450	103	76838	DRXL-60-435	147
76205	RV76-S/S	62	76467	HSHD-S/S	42	76736	URVB18/450	104	76839	DRXL-72-435	147
76205	RV76-S/S	64	76467	HSHD-S/S	46	76736	URVB18/450	104	76840	DRXL-24-535	147
76205	RV76-S/S	66	76467	HSHD-S/S	47	76736	URVB18/450	107	76841	DRXL-30-535	147
76205	RV76-S/S	68	76472	FLEL-M	134	76737	URVB24/600	103	76842	DRXL-36-535	147
76205	RV76-S/S	70	76473	FLEL-L	134	76737	URVB24/600	103	76843	DRXL-42-535	147
76205	RV76-S/S	87	76474	FLELP	134	76737	URVB24/600	104	76844	DRXL-48-535	147
76205	RV76-S/S	94	76476	FLTW-M	134	76737	URVB24/600	104	76845	DRXL-54-535	147
76205	RV76-S/S	100	76477	FLTW-L	134	76737	URVB24/600	107	76846	DRXL-60-535	147
76245	HDMRK-S/S	37	76478	FLRP	134	76738	URVB30/750	103	76847	DRXL-72-535	147
76245	HDMRK-S/S	37	76479	FLCP	134	76738	URVB30/750	103	76912	DRXD-42-520	150
76246	HBRK-S/S -73	35	76481	FLRLB-L	134	76738	URVB30/750	104	76913	DRXD-48-520	150
76246	HBRKX-S/S	37	76482	FLRLB-M	134	76738	URVB30/750	104	76914	DRXD-54-520	150
76247	HDARK-S/S	37	76483	QMT-G	24	76738	URVB30/750	104	76915	DRXD-60-520	150
76248	HDMK-S/S	37	76484	QMTS-G	24	76739	URVB36/900	103	76916	DRXD-72-520	150
76249	RSA	61	76484	QMTS-G	105	76739	URVB36/900	103	76917	DRXD-84-520	150
76249	RSA	85	76485	TRB18	23	76739	URVB36/900	104	76918	DRXD-96-520	150
76250	RC-S/S	61	76486	TRB24	23	76739	URVB36/900	104	76919	DRXD-42-535	150
76250	RC-S/S	87	76487	TRB30	23	76739	URVB36/900	107	76920	DRXD-48-535	150
76318	CBD-XL-S/S	160	76488	TRB36	23	76740	URVB42/1050	103	76921	DRXD-54-535	150
76337	BP450-S/S	152	76489	TRB42	23	76740	URVB42/1050	103	76922	DRXD-60-535	150
76338	BP600-S/S	152	76490	TRB48	23	76740	URVB42/1050	104	76923	DRXD-72-535	150
76339	BP750-S/S	152	76491	TRB54	23	76740	URVB42/1050	104	76924	DRXD-84-535	150
76340	BP800-S/S	152	76492	TRB60	23	76740	URVB42/1050	107	76925	DRXD-96-535	150
76341	BP900-S/S	152	76493	TRB66	23	76741	URVB48/1200	103	76926	IB4	139
76342	BP1050-S/S	152	76494	TRB72	23	76741	URVB48/1200	103	76926	IB4	141
76343	BP1200-S/S	152	76540	QMTBK-G	24	76741	URVB48/1200	104	76926	IB4	144
76344	BP1400-S/S	152	76540	QMTBK-G	24	76741	URVB48/1200	104	76926	IB4	147
76345	BP1500-S/S	152	76558	RMC-FS	174	76741	URVB48/1200	107	76926	IB4	148
76346	BP1600-S/S	152	76559	RMC2-FSAPK	174	76742	URVB54/1350	103	76926	IB4	149
76347	BP1800-S/S	152	76593	CRB-HT10	18	76742	URVB54/1350	103	76927	IB5	139
76375	AWT-1S	30	76594	CRB-HT16	18	76742	URVB54/1350	104	76927	IB5	141
76375	AWT-1S	36	76595	CRB-HT22	18	76742	URVB54/1350	104	76927	IB5	144
76392	MHP-EP	24	76596	CRB-HT28	18	76742	URVB54/1350	107	76927	IB5	147
76392	MHP-EP	30	76597	CRB-HT34	18	76743	URVB60/1500	103	76927	IB5	148
76392	MHP-EP	42	76598	CRB-HT40	18	76743	URVB60/1500	103	76927	IB5	149
76392	MHP-EP	47	76599	CRB-HT46	18	76743	URVB60/1500	104	76927	IB5	150
76392	MHP-EP	77	76600	CRB-HT52	18	76743	URVB60/1500	104	76928	IBBK	147
76392	MHP-EP	84	76601	CRB-HT58	18	76743	URVB60/1500	107	76928	IBBK	148
76392	MHP-EP	91	76602	CRB-HT64	18	76744	URVB72/1800	103	76928	IBBK	149
76392	MHP-EP	98	76603	CRB-HT70	18	76744	URVB72/1800	103	76928	IBBK	150
76393	MHCP-CH	30	76636	SSTBK-W	70	76744	URVB72/1800	104	76929	IBS-L4	147
76394	MHCP-BS	30	76636	SSTBK-W	70	76744	URVB72/1800	104	76930	IBS-L5	147
76406	ESTAK	16	76636	SSTBK-W	92	76744	URVB72/1800	107	76931	IBS-M4	148
76406	ESTAK	105	76636	SSTBK-W	94	76745	URVB84/2100	103	76932	IBS-M5	148
76406	ESTAK-EST	35	76636	SSTBK-W	110	76745	URVB84/2100	103	76933	IBS-H4	149
76407	ESPSBK	16	76636	SSTBK-W	110	76745	URVB84/2100	104	76934	IBS-DH5	149
76408	ESPBK	16	76636	SSTBK-W	111	76745	URVB84/2100	104	76934	IBS-DH5	150
76409	ESPRK	16	76637	SSTBK-B	70	76745	URVB84/2100	107	76935	ISABK	150
76410	ESBK-PS	16	76637	SSTBK-B	70	76788	ABU	105	76936	IMK	147
76410	ESBK-PS	17	76637	SSTBK-B	92	76788	ABU	105	76936	IMK	148
76411	ESBK-B	16	76637	SSTBK-B	94	76788	ABU	106	76936	IMK	149
76411	ESBK-B	17	76637	SSTBK-B	110	76788	ABU	106	76937	IEA42-600	150
76411	ESBK-B EST	17	76637	SSTBK-B	110	76790	USPK	105	76938	IEA72-960	150
76412	ESS-S	16	76638	MHCP-2BC24	30	76798	MMP-684	22	76939	HW-IMPB	151
76412	ESS-S	105	76639	MHCP-2BC30	30	76800	MHCP-84S	28	76942	CDWB84	111
76413	ESS-B	16	76640	MHCP-2BC36	30	76801	MHCP-84A	28	76950	OIBBK	151
76415	RMCI-BPP	174	76641	MHCP-2BC42	30	76806	MDWS-84	109	76965	IB4-1U	151
76442	CBD-S	160	76642	MHCP-2BC48	30	76808	MMPCP84	24	76966	IB5-1U	151
76443	CBD-M	160	76643	MHCP-2BC54	30	76811	MHP-CP2100	30	76979	FLM	134
76444	CBD-L	160	76644	MHCP-2BC60	30	76812	MHCP-2BC84	30	76980	FLL	134
76445	CBD-XL	160	76645	MHCP-2BC72	30	76815	DWP84	110	76983	FLXL	134
76446	DBK-S	160	76658	HTF212	14	76816	DRXL-24-420	147	76984	FLVRL-XL	134
76447	DBK-M	160	76659	HTF218	14	76817	DRXL-30-420	147	76985	FLTW-XL	134
76448	DBK-L	160	76660	HTF224	14	76818	DRXL-36-420	147	76986	FLELK-XL	134
76449	DBK-XL	160	76661	HTF230	14	76819	DRXL-42-420	147	77031	CSTAK	92
76450	MMP-624	22	76662	HTF236	14	76820	DRXL-48-420	147	77031	CSTAK	94
76451	MMP-630	22	76663	HTF242	14	76821	DRXL-54-420	147	77037	CSTBK	92
76452	MMP-636	22	76664	HTF248	14	76822	DRXL-60-420	147	77037	CSTBK	94
76453	MMP-642	22	76665	HTF254	14	76823	DRXL-72-420	147	77047	TRB84	23
76454	MMP-648	22	76666	HTF260	14	76824	DRXL-24-520	147	77048	TRB90	23
76455	MMP-654	22	76667	HTF272	14	76825	DRXL-30-520	147	77052	SACSK	92
76456	MMP-660	22	76668	CBC18	118	76826	DRXL-36-520	147	77052	SACSK	94
76457	MMP-672	22	76669	CBC24	118	76827	DRXL-42-520	147	77065	SACSRC	92
76458	MMPCP24	24	76670	CBC30	118	76828	DRXL-48-520	147	77065	SACSRC	94
76459	MMPCP30	24	76671	CBC36	118	76829	DRXL-54-520	147	77070	LSP12	12
76460	MMPCP36	24	76672	CBC42	118	76830	DRXL-60-520	147	77071	LSP18	12
76461	MMPCP42	24	76673	CBC48	118	76831	DRXL-72-520	147	77072	LSP24	12
76462	MMPCP48	24	76674	CBC54	118	76832	DRXL-24-435	147	77073	LSP30	12
76463	MMPCP54	24	76675	CBC60	118	76833	DRXL-30-435	147	77074	LSP36	12
76464	MMPCP60	24	76692	CPB	118	76834	DRXL-36-435	147	77075	LSP42	12
76465	MMPCP72	24	76695	MSPP66	110	76835	DRXL-42-435	147	77076	LSP48	12
76466	MMPBPBK	24	76697	TRB78	23	76836	DRXL-48-435	147	77077	LSP54	12
76467	HSHD-S/S	37	76736	URVB18/450	103	76837	DRXL-54-435	147	77078	LSP60	12

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
77079	LSP12-S/S	12	77293	UTV1800-J	104	77393	SPG-CVR-G	74	77503	MHS-P1350	68
77080	LSP18-S/S	12	77294	UTV2000-J	104	77393	SPG-CVR-G	102	77503	MHS-P1350*	64
77081	LSP24-S/S	12	77295	UTV2100-J	104	77411	UTV2400	103	77503	MHS-P1350*	70
77082	LSP30-S/S	12	77296	UTV2200-J	104	77412	UTV2500	103	77504	MHS-P1500	66
77083	LSP36-S/S	12	77297	UTV450	103	77413	UTV2400-J	104	77504	MHS-P1500	68
77084	LSP42-S/S	12	77298	UTV600	103	77414	UTV2500-J	104	77504	MHS-P1500*	64
77085	LSP48-S/S	12	77299	UTV750	103	77417	UTV2400J-S/S	104	77504	MHS-P1500*	70
77086	LSP54-S/S	12	77300	UTV900	103	77418	UTV2500J-S/S	104	77505	MHS-P1800	66
77087	LSP60-S/S	12	77301	UTV1050	103	77419	USP94/2400-S/S	106	77505	MHS-P1800	68
77088	CRB-LS10	13	77302	UTV1200	103	77420	USP98/2500-S/S	106	77505	MHS-P1800*	64
77089	CRB-LS16	13	77303	UTV1350	103	77421	URVB94/2400	103	77505	MHS-P1800*	70
77090	CRB-LS22	13	77304	UTV1400	103	77421	URVB94/2400	103	77506	MHS-P2100	66
77091	CRB-LS28	13	77305	UTV1500	103	77421	URVB94/2400	104	77506	MHS-P2100	68
77092	CRB-LS34	13	77306	UTV1600	103	77421	URVB94/2400	104	77506	MHS-P2100*	70
77093	CRB-LS40	13	77307	UTV1800	103	77421	URVB94/2400	107	77507	MHS-P2400	66
77094	CRB-LS46	13	77308	UTV2000	103	77422	URVB98/2500	103	77507	MHS-P2400	68
77095	CRB-LS52	13	77309	UTV2100	103	77422	URVB98/2500	103	77507	MHS-P2400*	70
77096	CRB-LS58	13	77310	UTV2200	103	77422	URVB98/2500	104	77508	MHS-P600S/S	66
77097	CRB-LS10W	13	77314	URVB56/1400	103	77422	URVB98/2500	104	77508	MHS-P600S/S	68
77098	CRB-LS16W	13	77314	URVB56/1400	103	77422	URVB98/2500	107	77508	MHS-P600S/S*	64
77099	CRB-LS22W	13	77314	URVB56/1400	104	77424	MMP-624-S/S	22	77508	MHS-P600S/S*	70
77100	CRB-LS28W	13	77314	URVB56/1400	104	77425	MMP-630-S/S	22	77509	MHS-P750S/S	66
77101	CRB-LS34W	13	77314	URVB56/1400	107	77426	MMP-636-S/S	22	77509	MHS-P750S/S	68
77102	CRB-LS40W	13	77315	URVB64/1600	103	77427	MMP-642-S/S	22	77509	MHS-P750S/S*	64
77103	CRB-LS46W	13	77315	URVB64/1600	103	77428	MMP-648-S/S	22	77509	MHS-P750S/S*	70
77104	CRB-LS52W	13	77315	URVB64/1600	104	77429	MMP-654-S/S	22	77510	MHS-P900S/S	66
77105	CRB-LS58W	13	77315	URVB64/1600	104	77430	MMP-660-S/S	22	77510	MHS-P900S/S	68
77114	LS-BP	12	77315	URVB64/1600	107	77431	MMP-672-S/S	22	77510	MHS-P900S/S*	64
77115	LS-BP-S/S	12	77316	URVB88/2200	103	77432	MMP-684-S/S	22	77510	MHS-P900S/S*	70
77117	LS-SW	12	77316	URVB88/2200	103	77442	PSTA-S/S	24	77511	MHS-P1050S/S	66
77118	LS-SS	12	77316	URVB88/2200	104	77443	TEN-LOCK-KIT	21	77511	MHS-P1050S/S	68
77118	LS-SS	12	77316	URVB88/2200	104	77443	TEN-LOCK-KIT	74	77511	MHS-P1050S/S*	64
77120	LST-TAK	12	77316	URVB88/2200	107	77443	TEN-LOCK-KIT	102	77511	MHS-P1050S/S*	70
77120	LST-TAK	12	77320	URVB80/2000	103	77450	QMTS-P-S/S	17	77512	MHS-P1350S/S	66
77121	LST-P	12	77320	URVB80/2000	103	77450	QMTS-P-S/S	24	77512	MHS-P1350S/S	68
77122	LST-W	12	77320	URVB80/2000	104	77450	QMTS-P-SS	106	77512	MHS-P1350S/S*	64
77123	LST-S	12	77320	URVB80/2000	104	77451	QMTS-W-S/S	17	77512	MHS-P1350S/S*	70
77124	LST-B-S/S	12	77320	URVB80/2000	107	77451	QMTS-W-SS	106	77513	MHS-P1500S/S	66
77125	LST-W-S/S	12	77324	MMKU	105	77451	QSTS-W-S/S	24	77513	MHS-P1500S/S	68
77126	LST-W-S-S-2	12	77327	MMKUHD	105	77452	QMTS-G-S/S	17	77513	MHS-P1500S/S*	64
77127	EZP-LS212	10	77329	HDARK	105	77452	QMTS-G-S/S	24	77513	MHS-P1500S/S*	70
77128	EZP-LS218	10	77331	HDARK-S/S	106	77452	QMTS-G-SS	106	77514	MHS-P1800S/S	66
77129	EZP-LS224	10	77339	USP18/450-S/S	106	77473	MSP30-S/S	110	77514	MHS-P1800S/S	68
77130	EZP-LS230	10	77340	USP24/600-S/S	106	77474	MSP36-S/S	110	77514	MHS-P1800S/S*	64
77131	EZP-LS236	10	77341	USP30/750-S/S	106	77475	MSP42-S/S	110	77514	MHS-P1800S/S*	70
77132	EZP-LS242	10	77342	USP36/900-S/S	106	77476	MSP48-S/S	110	77515	MHS-P2100S/S	66
77133	EZP-LS248	10	77343	USP42/1050-S/S	106	77477	MSP54-S/S	110	77515	MHS-P2100S/S	68
77134	EZP-LS254	10	77344	USP48/1200-S/S	106	77478	MSP60-S/S	110	77515	MHS-P2100S/S*	70
77135	EZP-LS260	10	77345	USP54/1350-S/S	106	77479	MSP66-S/S	110	77516	MHS-P2400S/S	66
77144	CLSFG-212	10	77346	USP56/1400-S/S	106	77481	MHS-600BTV	67	77516	MHS-P2400S/S	68
77145	CLSFG-218	10	77347	USP60/1500-S/S	106	77482	MHS-750BTV	67	77516	MHS-P2400S/S*	70
77146	CLSFG-224	10	77348	USP64/1600-S/S	106	77483	MHS-900BTV	67	77518	HXF8SS-Blue	34
77147	CLSFG-230	10	77349	USP72/1800-S/S	106	77484	MHS-1050BTV	67	77519	HXF8S-Blue	34
77148	CLSFG-236	10	77350	USP80/2000-S/S	106	77485	MHS-1350BTV	67	77520	HXF8M-Blue	34
77149	CLSFG-242	10	77351	USP84/2100-S/S	106	77486	MHS-1500BTV	67	77521	HXF8L-Blue	34
77150	CLSFG-248	10	77352	USP88/2200-S/S	106	77487	MHS-1800BTV	67	77525	MHS-1200BTV	67
77151	CLSFG-254	10	77357	MMKU-SS	106	77488	MHS-2100BTV	67	77526	MHS-1200BTV-S/S	67
77152	CLSFG-260	10	77358	MMKUHD-SS	106	77489	MHS-2400BTV	67	77527	MHS-P1200	66
77250	FL-PKIT-ML	134	77364	HARK-S/S	106	77490	MHS-600BTV-S/S	67	77527	MHS-P1200	68
77251	FL-PKIT-XL	134	77365	LS-SP	12	77491	MHS-750BTV-S/S	67	77527	MHS-P1200*	64
77259	UTV450J-S/S	104	77366	LSTMPK	12	77492	MHS-900BTV-S/S	67	77527	MHS-P1200*	70
77260	UTV600J-S/S	104	77367	LSTPB-RK	12	77493	MHS-1050BTV-S/S	67	77528	MHS-P1200S/S	66
77261	UTV750J-S/S	104	77367	LSTPB-RK	12	77494	MHS-1350BTV-S/S	67	77528	MHS-P1200S/S	68
77262	UTV900J-S/S	104	77384	EZPTBT	20	77495	MHS-1500BTV-S/S	67	77528	MHS-P1200S/S*	64
77263	UTV1050J-S/S	104	77385	EZPTBTHD	20	77496	MHS-1800BTV-S/S	67	77528	MHS-P1200S/S*	70
77264	UTV1200J-S/S	104	77387	SPG-CVR-A	21	77497	MHS-2100BTV-S/S	67	77529	ISABK-LMH	147
77265	UTV1350J-S/S	104	77387	SPG-CVR-A	74	77498	MHS-2400BTV-S/S	67	77529	ISABK-LMH	148
77266	UTV1400J-S/S	104	77387	SPG-CVR-A	102	77499	MHS-P600	66	77529	ISABK-LMH	149
77267	UTV1500J-S/S	104	77388	SPG-CVR-B	21	77499	MHS-P600	68	77531	MRB18	27
77268	UTV1600J-S/S	104	77388	SPG-CVR-B	74	77499	MHS-P600*	64	77532	MRB24	27
77269	UTV1800J-S/S	104	77388	SPG-CVR-B	102	77499	MHS-P600*	70	77533	MRB30	27
77270	UTV2000J-S/S	104	77389	SPG-CVR-C	21	77500	MHS-P750	66	77534	MRB36	27
77271	UTV2100J-S/S	104	77389	SPG-CVR-C	74	77500	MHS-P750	68	77535	MRB42	27
77272	UTV2200J-S/S	104	77389	SPG-CVR-C	102	77500	MHS-P750*	64	77536	MRB48	27
77283	UTV450-J	104	77390	SPG-CVR-D	21	77500	MHS-P750*	70	77537	MRB54	27
77284	UTV600-J	104	77390	SPG-CVR-D	74	77501	MHS-P900	66	77538	MRB60	27
77285	UTV750-J	104	77390	SPG-CVR-D	102	77501	MHS-P900	68	77539	MRB66	27
77286	UTV900-J	104	77391	SPG-CVR-E	21	77501	MHS-P900*	64	77540	MRB72	27
77287	UTV1050-J	104	77391	SPG-CVR-E	74	77501	MHS-P900*	70	77541	MRB78	27
77288	UTV1200-J	104	77391	SPG-CVR-E	102	77502	MHS-P1050	66	77542	MRB84	27
77289	UTV1350-J	104	77392	SPG-CVR-F	21	77502	MHS-P1050	68	77543	MRB90	27
77290	UTV1400-J	104	77392	SPG-CVR-F	74	77502	MHS-P1050*	64	77544	MRB96	27
77291	UTV1500-J	104	77392	SPG-CVR-F	102	77502	MHS-P1050*	70	77545	MRB102	27
77292	UTV1600-J	104	77393	SPG-CVR-G	21	77503	MHS-P1350	66	77546	MRB108	27

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
77547	MRB114	27	77687	PTS-RR63	165	77882	SACRKN	85	77920	PCAP-72/1800	78
77548	SHIM-KITL	147	77689	PTS-RR75	165	77882	SACRKN	87	77921	RCAP-24/600	85
77549	SHIM-KITM	148	77692	PTS-HDSR	166	77882	SACRKN	92	77922	RCAP-30/750	85
77550	SHIM-KITH	149	77693	PTS-ABK	166	77882	SACRKN	94	77923	RCAP-36/900	85
77552	CRB-LS16HT	13	77694	PTS-SAK	166	77882	SACRKN	98	77924	RCAP-42/1050	85
77553	CRB-LS22HT	13	77696	PTS-IBK	166	77882	SACRKN	100	77925	RCAP-48/1200	85
77554	CRB-LS28HT	13	77697	PTS-HIBK	166	77883	SACRH	41	77926	RCAP-54/1350	85
77555	CRB-LS34HT	13	77698	PTS-PS	166	77883	SACRH	78	77927	RCAP-60/1500	85
77556	CRB-LS40HT	13	77699	PTS-PA	166	77883	SACRH	85	77928	RCAP-72/1800	85
77557	CRB-LS46HT	13	77700	PTS-MBK	166	77883	SACRH	92	77937	MHS-CARK-V24/600	90
77558	CRB-LS52HT	13	77701	PTS-MBKUG	166	77883	SACRH	98	77937	MHS-CARK-V24/600	97
77559	CRB-LS58HT	13	77702	PTS-EBK	166	77884	SACRHL	41	77938	MHS-CARK-V30/750	90
77582	MSPMPK-S/S	24	77703	MHP-624	26	77884	SACRHL	78	77938	MHS-CARK-V30/750	97
77583	MSPBPK-S/S	17	77704	MHP-630	26	77884	SACRHL	85	77939	MHS-CARK-V36/900	90
77584	QMT-P-S/S	24	77705	MHP-636	26	77884	SACRHL	92	77939	MHS-CARK-V36/900	97
77585	QMT-W-S/S	24	77706	MHP-642	26	77884	SACRHL	98	77940	MHS-CARK-V42/1050	90
77586	QMT-G-S/S	24	77707	MHP-648	26	77885	SACKRP	41	77940	MHS-CARK-V42/1050	97
77587	QMTPAK-S/S	24	77708	MHP-654	26	77885	SACKRP	78	77941	MHS-CARK-V48/1200	90
77588	QMTPSBK-S/S	24	77709	MHP-660	26	77885	SACKRP	85	77941	MHS-CARK-V48/1200	97
77590	MMPCP24-S/S	24	77710	MHP-672	26	77885	SACKRP	92	77942	MHS-CARK-V54/1350	90
77591	MMPCP30-S/S	24	77711	MHP-684	26	77885	SACKRP	98	77942	MHS-CARK-V54/1350	97
77592	MMPCP36-S/S	24	77712	MHP-696	26	77886	SACRKT	78	77943	MHS-CARK-V60/1500	90
77593	MMPCP42-S/S	24	77723	PST2-W	30	77886	SACRKT	85	77943	MHS-CARK-V60/1500	97
77594	MMPCP48-S/S	24	77724	PST2-S	30	77886	SACRKT	92	77944	MHS-CARK-V72/1800	90
77595	MMPCP54-S/S	24	77727	PMB	30	77886	SACRKT	98	77944	MHS-CARK-V72/1800	97
77596	MMPCP60-S/S	24	77729	FLCK	134	77887	SACPL-24/600	77	77950	MHS-CARK2-V60/1500	90
77597	MMPCP72-S/S	24	77741	SPG-CVR-H	21	77887	SACPL-24/600	84	77950	MHS-CARK2-V60/1500	97
77598	MMPCP84-S/S	24	77741	SPG-CVR-H	74	77887	SACPL-24/600	91	77951	MHS-CARK2-V72/1800	90
77599	MHP-EP-S/S	24	77741	SPG-CVR-H	102	77887	SACPL-24/600	98	77951	MHS-CARK2-V72/1800	97
77599	MHP-EP-S/S	42	77742	CTS-W	92	77888	SACPL-30/750	77	77952	MHS-CARK2-V84/2100	90
77599	MHP-EP-S/S	47	77743	CTS-S	51	77888	SACPL-30/750	84	77952	MHS-CARK2-V84/2100	97
77599	MHP-EP-S/S	79	77743	CTS-S	92	77888	SACPL-30/750	91	77953	MHS-CARK2-V96/2400	90
77599	MHP-EP-S/S	86	77744	CTS-B	92	77888	SACPL-30/750	98	77953	MHS-CARK2-V96/2400	97
77599	MHP-EP-S/S	93	77745	CTS-G	92	77889	SACPL-36/900	77	77954	MHS-CARK2-V120/3000	90
77599	MHP-EP-S/S	99	77746	EZP-LS212HT	10	77889	SACPL-36/900	84	77954	MHS-CARK2-V120/3000	97
77600	MMPBPK-S/S	24	77747	EZP-LS218HT	10	77889	SACPL-36/900	91	78007	MHS-600BTV-SAC	96
77630	STS-W-S/S	64	77748	EZP-LS224HT	10	77889	SACPL-36/900	98	78008	MHS-750BTV-SAC	96
77630	STS-W-S/S	66	77749	EZP-LS230HT	10	77890	SACPL-42/1050	77	78009	MHS-900BTV-SAC	96
77630	STS-W-S/S	70	77750	EZP-LS236HT	10	77890	SACPL-42/1050	84	78010	MHS-1050BTV-SAC	96
77630	STS-W-S/S	94	77751	EZP-LS242HT	10	77890	SACPL-42/1050	91	78011	MHS-1200BTV-SAC	96
77630	STS-W-S/S	110	77752	EZP-LS248HT	10	77890	SACPL-42/1050	98	78012	MHS-1350BTV-SAC	96
77630	STS-W-S/S	110	77753	EZP-LS254HT	10	77891	SACPL-48/1200	77	78013	MHS-1500BTV-SAC	96
77631	STS-S-S/S	64	77754	EZP-LS260HT	10	77891	SACPL-48/1200	84	78014	MHS-1800BTV-SAC	96
77631	STS-S-S/S	66	77755	PTS-RHSAA	166	77891	SACPL-48/1200	91	78015	MHS-1500BTV-2SAC	96
77631	STS-S-S/S	70	77756	PTS-LHSAA	166	77891	SACPL-48/1200	98	78016	MHS-1800BTV-2SAC	96
77631	STS-S-S/S	94	77789	MHS-600FPV	69	77892	SACPL-54/1350	77	78017	MHS-2100BTV-2SAC	96
77631	STS-S-S/S	110	77790	MHS-750FPV	69	77892	SACPL-54/1350	84	78018	MHS-2400BTV-2SAC	96
77631	STS-S-S/S	110	77791	MHS-900FPV	69	77892	SACPL-54/1350	91	78019	MHS-3000BTV-2SAC	96
77632	STS-B-S/S	35	77792	MHS-1050FPV	69	77892	SACPL-54/1350	98	78020	PV600-SAC	75
77632	STS-B-S/S	35	77793	MHS-1200FPV	69	77893	SACPL-60/1500	77	78021	PV750-SAC	75
77632	STS-B-S/S	64	77794	MHS-1350FPV	69	77893	SACPL-60/1500	84	78022	PV900-SAC	75
77632	STS-B-S/S	66	77795	MHS-1500FPV	69	77893	SACPL-60/1500	91	78023	PV1050-SAC	75
77632	STS-B-S/S	70	77796	MHS-1800FPV	69	77893	SACPL-60/1500	98	78024	PV1200-SAC	75
77632	STS-B-S/S	94	77797	MHS-2100FPV	69	77894	SACPL-72/1800	77	78025	PV1350-SAC	75
77632	STS-B-S/S	110	77798	MHS-2400FPV	69	77894	SACPL-72/1800	84	78026	PV1500-SAC	75
77632	STS-B-S/S	110	77799	MHS-600FPV-S/S	69	77894	SACPL-72/1800	91	78027	PV1800-SAC	75
77633	STHDPM2-S/S	70	77800	MHS-750FPV-S/S	69	77894	SACPL-72/1800	98	78028	PV1500-2SAC	75
77633	STHDPM2-S/S	94	77801	MHS-900FPV-S/S	69	77895	SACPL2-60/1500	77	78029	PV1800-2SAC	75
77633	STHDPM2-S/S	110	77802	MHS-1050FPV-S/S	69	77895	SACPL2-60/1500	84	78030	PV2100-2SAC	75
77634	STHDMK2-S/S	70	77803	MHS-1200FPV-S/S	69	77895	SACPL2-60/1500	91	78031	PV2400-2SAC	75
77634	STHDMK2-S/S	94	77804	MHS-1350FPV-S/S	69	77895	SACPL2-60/1500	98	78032	PV3000-2SAC	75
77634	STHDMK2-S/S	110	77805	MHS-1500FPV-S/S	69	77896	SACPL2-72/1800	77	78033	RV600-SAC	82
77635	STGK2	70	77806	MHS-1800FPV-S/S	69	77896	SACPL2-72/1800	84	78034	RV750-SAC	82
77635	STGK2	70	77807	MHS-2100FPV-S/S	69	77896	SACPL2-72/1800	91	78035	RV900-SAC	82
77635	STGK2	92	77808	MHS-2400FPV-S/S	69	77896	SACPL2-72/1800	98	78036	RV1050-SAC	82
77635	STGK2	94	77866	SAC2-TIP-TL	78	77897	SACPL2-84/2100	77	78037	RV1200-SAC	82
77635	STGK2	110	77866	SAC2-TIP-TL	80	77897	SACPL2-84/2100	84	78038	RV1350-SAC	82
77635	STGK2	110	77866	SAC2-TIP-TL	85	77897	SACPL2-84/2100	91	78039	RV1500-SAC	82
77664	PTS-18R	165	77866	SAC2-TIP-TL	87	77897	SACPL2-84/2100	98	78040	RV1800-SAC	82
77665	PTS-24R	165	77866	SAC2-TIP-TL	92	77898	SACPL2-96/2400	77	78041	RV1500-2SAC	82
77666	PTS-30R	165	77866	SAC2-TIP-TL	94	77898	SACPL2-96/2400	84	78042	RV1800-2SAC	82
77667	PTS-36R	165	77866	SAC2-TIP-TL	98	77898	SACPL2-96/2400	91	78043	RV2100-2SAC	82
77668	PTS-42R	165	77866	SAC2-TIP-TL	100	77898	SACPL2-96/2400	98	78044	RV2400-2SAC	82
77669	PTS-48R	165	77868	SSTHDPM	70	77899	SACPL2-120/3000	77	78045	RV3000-2SAC	82
77670	PTS-54R	165	77868	SSTHDPM	92	77899	SACPL2-120/3000	84	78080	P-CARK-V24/600	76
77671	PTS-60R	165	77868	SSTHDPM	110	77899	SACPL2-120/3000	91	78081	P-CARK-V30/750	76
77672	PTS-72R	165	77869	CSTHDPM	92	77899	SACPL2-120/3000	98	78082	P-CARK-V36/900	76
77680	PTS-RR21	165	77870	SSTHDMK	70	77913	PCAP-24/600	78	78083	P-CARK-V42/1050	76
77681	PTS-RR27	165	77870	SSTHDMK	91	77914	PCAP-30/750	78	78084	P-CARK-V48/1200	76
77682	PTS-RR33	165	77870	SSTHDMK	110	77915	PCAP-36/900	78	78085	P-CARK-V54/1350	76
77683	PTS-RR39	165	77871	CSTHDMK	92	77916	PCAP-42/1050	78	78086	P-CARK-V60/1500	76
77684	PTS-RR45	165	77882	SACRKN	41	77917	PCAP-48/1200	78	78087	P-CARK-V72/1800	76
77685	PTS-RR51	165	77882	SACRKN	78	77918	PCAP-54/1350	78	78093	P-CARK2-V60/1500	76
77686	PTS-RR57	165	77882	SACRKN	80	77919	PCAP-60/1500	78	78094	P-CARK2-V72/1800	76

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
78095	P-CARK2-V84/2100	76	78362	PCAP-72/1800-S/S	80	78397	SACRH-S/S	100	78577	CART-30/750-S/S	86
78096	P-CARK2-V96/2400	76	78363	RCAP-24/600-S/S	87	78398	SACRHL-S/S	80	78577	CART-30/750-S/S	91
78097	P-CARK2-V120/3000	76	78364	RCAP-30/750-S/S	87	78398	SACRHL-S/S	87	78577	CART-30/750-S/S	93
78106	R-CARK-V24/600	83	78365	RCAP-36/900-S/S	87	78398	SACRHL-S/S	94	78577	CART-30/750-S/S	98
78107	R-CARK-V30/750	83	78366	RCAP-42/1050-S/S	87	78398	SACRHL-S/S	100	78577	CART-30/750-S/S	99
78108	R-CARK-V36/900	83	78367	RCAP-48/1200-S/S	87	78399	SACKRP-S/S	80	78578	CART-36/900-S/S	41
78109	R-CARK-V42/1050	83	78368	RCAP-54/1350-S/S	87	78399	SACKRP-S/S	87	78578	CART-36/900-S/S	46
78110	R-CARK-V48/1200	83	78369	RCAP-60/1500-S/S	87	78399	SACKRP-S/S	94	78578	CART-36/900-S/S	77
78111	R-CARK-V54/1350	83	78370	RCAP-72/1800-S/S	87	78399	SACKRP-S/S	100	78578	CART-36/900-S/S	79
78112	R-CARK-V60/1500	83	78371	SACPL-24/600-S/S	79	78401	SACRKT-S/S	80	78578	CART-36/900-S/S	84
78113	R-CARK-V72/1800	83	78371	SACPL-24/600-S/S	86	78401	SACRKT-S/S	87	78578	CART-36/900-S/S	86
78119	R-CARK2-V60/1500	83	78371	SACPL-24/600-S/S	93	78401	SACRKT-S/S	94	78578	CART-36/900-S/S	91
78120	R-CARK2-V72/1800	83	78371	SACPL-24/600-S/S	99	78401	SACRKT-S/S	100	78578	CART-36/900-S/S	93
78121	R-CARK2-V84/2100	83	78372	SACPL-30/750-S/S	79	78456	SSFRB	30	78578	CART-36/900-S/S	98
78122	R-CARK2-V96/2400	83	78372	SACPL-30/750-S/S	86	78462	LSTMPK2-S/S	12	78578	CART-36/900-S/S	99
78123	R-CARK2-V120/3000	83	78372	SACPL-30/750-S/S	93	78472	CRB-W16	18	78579	CART-42/1050-S/S	41
78142	STS-G	35	78372	SACPL-30/750-S/S	99	78473	CRB-W22	18	78579	CART-42/1050-S/S	46
78142	STS-G	35	78373	SACPL-36/900-S/S	79	78474	CRB-W28	18	78579	CART-42/1050-S/S	77
78142	STS-G	64	78373	SACPL-36/900-S/S	86	78475	CRB-W34	18	78579	CART-42/1050-S/S	79
78142	STS-G	66	78373	SACPL-36/900-S/S	93	78476	CRB-W40	18	78579	CART-42/1050-S/S	84
78142	STS-G	70	78373	SACPL-36/900-S/S	99	78477	CRB-W46	18	78579	CART-42/1050-S/S	86
78142	STS-G	92	78374	SACPL-42/1050-S/S	79	78478	CRB-W52	18	78579	CART-42/1050-S/S	91
78142	STS-G	110	78374	SACPL-42/1050-S/S	86	78479	CRB-W58	18	78579	CART-42/1050-S/S	93
78142	STS-G	110	78374	SACPL-42/1050-S/S	93	78480	CRB-W64	18	78579	CART-42/1050-S/S	98
78142	STS-G	115	78374	SACPL-42/1050-S/S	99	78481	CRB-W70	18	78579	CART-42/1050-S/S	99
78162	MHS-600V-SAC	89	78375	SACPL-48/1200-S/S	79	78488	EZPIT-212	19	78580	CART-48/1200-S/S	77
78163	MHS-750V-SAC	89	78375	SACPL-48/1200-S/S	86	78489	EZPIT-218	19	78580	CART-48/1200-S/S	79
78164	MHS-900V-SAC	89	78375	SACPL-48/1200-S/S	93	78490	EZPIT-224	19	78580	CART-48/1200-S/S	84
78165	MHS-1050V-SAC	89	78375	SACPL-48/1200-S/S	99	78491	EZPIT-230	19	78580	CART-48/1200-S/S	86
78166	MHS-1200V-SAC	89	78376	SACPL-54/1350-S/S	79	78492	EZPIT-236	19	78580	CART-48/1200-S/S	91
78167	MHS-1350V-SAC	89	78376	SACPL-54/1350-S/S	86	78493	EZPIT-242	19	78580	CART-48/1200-S/S	93
78168	MHS-1500V-SAC	89	78376	SACPL-54/1350-S/S	93	78494	EZPIT-248	19	78580	CART-48/1200-S/S	98
78169	MHS-1800V-SAC	89	78376	SACPL-54/1350-S/S	99	78495	EZPIT-254	19	78580	CART-48/1200-S/S	99
78170	MHS-1500V-2SAC	89	78377	SACPL-60/1500-S/S	79	78496	EZPIT-260	19	78580	CART-48/1200-S/S	41
78171	MHS-1800V-2SAC	89	78377	SACPL-60/1500-S/S	86	78497	EZPIT-272	19	78580	CART-48/1200-S/S	46
78172	MHS-2100V-2SAC	89	78377	SACPL-60/1500-S/S	93	78507	EZPTMPK	20	78581	CART-54/1350-S/S	77
78173	MHS-2400V-2SAC	89	78377	SACPL-60/1500-S/S	99	78508	EZPTCK	20	78581	CART-54/1350-S/S	79
78174	MHS-3000V-2SAC	89	78378	SACPL-72/1800-S/S	79	78509	EZPTCKHD	20	78581	CART-54/1350-S/S	84
78316	MHS-600BTV-SAC-S/S	96	78378	SACPL-72/1800-S/S	86	78510	EZPTSR	20	78581	CART-54/1350-S/S	86
78317	MHS-750BTV-SAC-S/S	96	78378	SACPL-72/1800-S/S	93	78511	EZPTSK	20	78581	CART-54/1350-S/S	91
78318	MHS-900BTV-SAC-S/S	96	78378	SACPL-72/1800-S/S	99	78512	EZPTSKHD	20	78581	CART-54/1350-S/S	93
78319	MHS-1050BTV-SAC-S/S	96	78379	SACPL2-60/1500-S/S	79	78513	CST1HDM-W	92	78581	CART-54/1350-S/S	98
78320	MHS-1200BTV-SAC-S/S	96	78379	SACPL2-60/1500-S/S	86	78514	CST1HDM-S	92	78581	CART-54/1350-S/S	99
78321	MHS-1350BTV-SAC-S/S	96	78379	SACPL2-60/1500-S/S	93	78515	CST1HDM-B	92	78582	CART-60/1500-S/S	41
78322	MHS-1500BTV-SAC-S/S	96	78379	SACPL2-60/1500-S/S	99	78516	CST1HDM-G	92	78582	CART-60/1500-S/S	46
78323	MHS-1800BTV-SAC-S/S	96	78380	SACPL2-72/1800-S/S	79	78517	SST1HDM-W	70	78582	CART-60/1500-S/S	77
78324	MHS-1500BTV-2SAC-S/S	96	78380	SACPL2-72/1800-S/S	86	78517	SST1HDM-W	92	78582	CART-60/1500-S/S	79
78325	MHS-1800BTV-2SAC-S/S	96	78380	SACPL2-72/1800-S/S	93	78517	SST1HDM-W	110	78582	CART-60/1500-S/S	84
78326	MHS-2100BTV-2SAC-S/S	96	78380	SACPL2-72/1800-S/S	99	78517	SST1HDM-W	115	78582	CART-60/1500-S/S	86
78327	MHS-2400BTV-2SAC-S/S	96	78381	SACPL2-84/2100-S/S	79	78518	SST1HDM-S	70	78582	CART-60/1500-S/S	91
78328	MHS-3000BTV-2SAC-S/S	96	78381	SACPL2-84/2100-S/S	86	78518	SST1HDM-S	92	78582	CART-60/1500-S/S	93
78329	PV600-SAC-S/S	75	78381	SACPL2-84/2100-S/S	93	78518	SST1HDM-S	110	78582	CART-60/1500-S/S	98
78330	PV750-SAC-S/S	75	78381	SACPL2-84/2100-S/S	99	78518	SST1HDM-S	111	78582	CART-60/1500-S/S	99
78331	PV900-SAC-S/S	75	78382	SACPL2-96/2400-S/S	79	78518	SST1HDM-S	115	78583	CART-72/1800-S/S	41
78332	PV1050-SAC-S/S	75	78382	SACPL2-96/2400-S/S	86	78519	SST1HDM-B	70	78583	CART-72/1800-S/S	46
78333	PV1200-SAC-S/S	75	78382	SACPL2-96/2400-S/S	93	78519	SST1HDM-B	92	78583	CART-72/1800-S/S	77
78334	PV1350-SAC-S/S	75	78382	SACPL2-96/2400-S/S	99	78519	SST1HDM-B	110	78583	CART-72/1800-S/S	79
78335	PV1500-SAC-S/S	75	78383	SACPL2-120/3000-S/S	79	78519	SST1HDM-B	115	78583	CART-72/1800-S/S	84
78336	PV1800-SAC-S/S	75	78383	SACPL2-120/3000-S/S	86	78537	MHS-600V-SAC-S/S	89	78583	CART-72/1800-S/S	86
78337	PV1500-2SAC-S/S	75	78383	SACPL2-120/3000-S/S	93	78538	MHS-750V-SAC-S/S	89	78583	CART-72/1800-S/S	91
78338	PV1800-2SAC-S/S	75	78383	SACPL2-120/3000-S/S	99	78539	MHS-900V-SAC-S/S	89	78583	CART-72/1800-S/S	93
78339	PV2100-2SAC-S/S	75	78384	CSTHDMK-S/S	94	78540	MHS-1050V-SAC-S/S	89	78583	CART-72/1800-S/S	98
78340	PV2400-2SAC-S/S	75	78385	CTS-W-S/S	94	78541	MHS-1200V-SAC-S/S	89	78583	CART-72/1800-S/S	99
78341	PV3000-2SAC-S/S	75	78386	CTS-S-S/S	94	78542	MHS-1350V-SAC-S/S	89	78584	CART-72/1800-S/S	42
78342	RV600-SAC-S/S	82	78387	CTS-B-S/S	12	78543	MHS-1500V-SAC-S/S	89	78584	CART-72/1800-S/S	47
78343	RV750-SAC-S/S	82	78387	CTS-B-S/S	94	78544	MHS-1800V-SAC-S/S	89	78584	CART-72/1800-S/S	77
78344	RV900-SAC-S/S	82	78388	CTS-G-S/S	94	78545	MHS-1500V-2SAC-S/S	89	78584	CART-72/1800-S/S	79
78345	RV1050-SAC-S/S	82	78389	CSTHDPM-S/S	94	78546	MHS-1800V-2SAC-S/S	89	78584	CART-72/1800-S/S	84
78346	RV1200-SAC-S/S	82	78390	CST1HDM-W-S/S	94	78547	MHS-2100V-2SAC-S/S	89	78584	CART-72/1800-S/S	86
78347	RV1350-SAC-S/S	82	78391	CST1HDM-S-S/S	94	78548	MHS-2400V-2SAC-S/S	89	78584	CART-72/1800-S/S	91
78348	RV1500-SAC-S/S	82	78392	CST1HDM-B-S/S	94	78549	MHS-3000V-2SAC-S/S	89	78584	CART-72/1800-S/S	93
78349	RV1800-SAC-S/S	82	78393	CST1HDM-G-S/S	94	78576	CART-24/600-S/S	41	78584	CART-72/1800-S/S	98
78350	RV1500-2SAC-S/S	82	78394	SST1HDM-W-S/S	70	78576	CART-24/600-S/S	46	78584	CART-72/1800-S/S	100
78351	RV1800-2SAC-S/S	82	78394	SST1HDM-W-S/S	94	78576	CART-24/600-S/S	77	78585	CART-72/1800-S/S	42
78352	RV2100-2SAC-S/S	82	78394	SST1HDM-W-S/S	110	78576	CART-24/600-S/S	79	78585	CART-72/1800-S/S	47
78353	RV2400-2SAC-S/S	82	78395	SST1HDM-S-S/S	70	78576	CART-24/600-S/S	84	78585	CART-72/1800-S/S	77
78354	RV3000-2SAC-S/S	82	78395	SST1HDM-S-S/S	94	78576	CART-24/600-S/S	86	78585	CART-72/1800-S/S	79
78355	PCAP-24/600-S/S	80	78395	SST1HDM-S-S/S	110	78576	CART-24/600-S/S	91	78585	CART-72/1800-S/S	84
78356	PCAP-30/750-S/S	80	78396	SST1HDM-B-S/S	70	78576	CART-24/600-S/S	93	78585	CART-72/1800-S/S	86
78357	PCAP-36/900-S/S	80	78396	SST1HDM-B-S/S	94	78576	CART-24/600-S/S	98	78585	CART-72/1800-S/S	91
78358	PCAP-42/1050-S/S	80	78396	SST1HDM-B-S/S	110	78576	CART-24/600-S/S	99	78585	CART-72/1800-S/S	93
78359	PCAP-48/1200-S/S	80	78397	SACRH-S/S	80	78577	CART-30/750-S/S	77	78585	CART-72/1800-S/S	98
78360	PCAP-54/1350-S/S	80	78397	SACRH-S/S	87	78577	CART-30/750-S/S	79	78585	CART-72/1800-S/S	100
78361	PCAP-60/1500-S/S	80	78397	SACRH-S/S	94	78577	CART-30/750-S/S	84	78586	CART-72/1800-S/S	42

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
78586	CART2-84/2100-S/S	47	78919	CCMK	61	79231	CCKHDR-S/S	59	79532	MBCBL	117
78586	CART2-84/2100-S/S	77	78920	CCMKHD	55	79231	CCKHDR-S/S	61	79533	MBCMKK	117
78586	CART2-84/2100-S/S	79	78920	CCMKHD	59	79231	CCKHDR-S/S	68	79534	MBCEC	117
78586	CART2-84/2100-S/S	84	78920	CCMKHD	61	79232	CCKHDS	115	79535	STLP	117
78586	CART2-84/2100-S/S	86	78920	CCMKHD	68	79232	CCKTS	59	79536	MBCDBK	116
78586	CART2-84/2100-S/S	91	78920	CCMKHD	115	79232	CCKTS	61	79536	MBCDBK	117
78586	CART2-84/2100-S/S	93	78921	CCMK-S/S	59	79233	CCKHDS	59	79573	YT-P*	49
78586	CART2-84/2100-S/S	98	78921	CCMK-S/S	61	79233	CCKHDS	61	79574	YT-C*	49
78586	CART2-84/2100-S/S	100	78922	CCMKHD-S/S	59	79233	CCKHDS	68	79582	SSTHK	70
78586	SSTHK-S/S	70	78922	CCMKHD-S/S	61	79234	CCKTS-S/S	59	79582	SSTHK	110
78587	CART2-96/2400-S/S	42	78922	CCMKHD-S/S	68	79234	CCKTS-S/S	61	79586	SSTHK-S/S	110
78587	CART2-96/2400-S/S	47	78923	EZP1MPK-S/S	17	79236	HDRGEK	122	79617	YACART-18/450-P	49
78587	CART2-96/2400-S/S	77	78933	LSTMPK-S/S	12	79288	ESS-S-S/S	106	79618	YACART-24/600-P	49
78587	CART2-96/2400-S/S	79	79009	HDRBK	122	79289	PFC-P-S/S	59	79619	YACART-30/750-P	49
78587	CART2-96/2400-S/S	84	79010	HDR24	122	79378	MSR2-S/S	169	79620	YACART-36/900-P	49
78587	CART2-96/2400-S/S	86	79011	HDR30	122	79378	MSR2-S/S	170	79621	YACART-42/1050-P	49
78587	CART2-96/2400-S/S	91	79012	HDR36	122	79380	PMSMK2	172	79622	YACART-48/1200-P	49
78587	CART2-96/2400-S/S	93	79013	HDR42	122	79431	MSTHD-W	64	79623	YTAC	51
78587	CART2-96/2400-S/S	98	79014	HDR48	122	79431	MSTHD-W	66	79647	FMS-600V	62
78587	CART2-96/2400-S/S	100	79015	HDR54	122	79431	MSTHD-W	71	79648	FMS-750V	62
78588	CART2-120/3000-S/S	42	79016	HDR60	122	79431	MSTHD-W	110	79649	FMS-900V	62
78588	CART2-120/3000-S/S	47	79017	HDRS72*	122	79432	MSTHD-S	64	79650	FMS-1050V	62
78588	CART2-120/3000-S/S	77	79018	HDRS84*	122	79432	MSTHD-S	66	79651	FMS-1200V	62
78588	CART2-120/3000-S/S	79	79019	HDRR24	122	79432	MSTHD-S	71	79652	FMS-1350V	62
78588	CART2-120/3000-S/S	84	79020	HDRR30	122	79432	MSTHD-S	110	79653	FMS-1500V	62
78588	CART2-120/3000-S/S	86	79021	HDRR36	122	79433	MSTHD-B	64	79654	FMS-1800V	62
78588	CART2-120/3000-S/S	91	79022	HDRR42	122	79433	MSTHD-B	66	79655	HSAS8SS-S/S	34
78588	CART2-120/3000-S/S	93	79023	HDRR48	122	79433	MSTHD-B	71	79677	YT-HDP*	53
78588	CART2-120/3000-S/S	98	79024	HDRR54	122	79433	MSTHD-B	110	79728	YT-HD*	53
78588	CART2-120/3000-S/S	100	79025	HDRR60	122	79434	MSTDB	71	79795	YSTS-Y	51
78634	CART2-66/1650-S/S	42	79026	HDRRS72*	122	79435	MSTAM	64	79796	YSTS-P	51
78634	CART2-66/1650-S/S	47	79027	HDRRS84*	122	79435	MSTAM	66	79797	YSTDOS-GR	55
78635	CART2-78/1950-S/S	42	79056	PSTS-S-S/S	35	79435	MSTAM	110	79798	YSTDOS-BL	55
78635	CART2-78/1950-S/S	47	79057	STS-G-S/S	35	79436	MST-MBL	71	79805	YTAHD-36/900	55
78635	CART2-78/1950-S/S	77	79057	STS-G-S/S	35	79437	MST-MBR	71	79806	YTAHD-42/1050	55
78635	CART2-78/1950-S/S	79	79057	STS-G-S/S	64	79454	SST1HDM-G-S/S	70	79807	YTAHD-48/1200	55
78635	CART2-78/1950-S/S	84	79057	STS-G-S/S	66	79494	MBC-18	116	79808	YTAHD-54/1350	55
78635	CART2-78/1950-S/S	86	79057	STS-G-S/S	70	79495	MBC-24	116	79809	YTAHD-60/1500	55
78635	CART2-78/1950-S/S	91	79057	STS-G-S/S	110	79496	MBC-30	116	79810	YTAHD-72/1800	55
78635	CART2-78/1950-S/S	93	79057	STS-G-S/S	110	79497	MBC-36	116	79811	YACART-18/450-TC	49
78635	CART2-78/1950-S/S	98	79060	DWVP96	110	79498	MBC-42	116	79812	YACART-24/600-TC	49
78635	CART2-78/1950-S/S	100	79062	CDWB96	111	79499	MBC-48	116	79813	YACART-30/750-TC	49
78639	CART2-114/2850-S/S	42	79063	MDWS-96	109	79500	MBC-54	116	79814	YACART-36/900-TC	49
78639	CART2-114/2850-S/S	47	79069	SST1HDM-G	70	79501	MBC-60	116	79815	YACART-42/1050-TC	49
78640	CART2-126/3150-S/S	42	79069	SST1HDM-G	92	79502	MBC-72	116	79816	YACART-48/1200-TC	49
78640	CART2-126/3150-S/S	47	79069	SST1HDM-G	94	79503	MBC-84	116	79817	YACART-36/900-HDP	53
78642	SACPL2-78/1950-S/S	79	79069	SST1HDM-G	110	79504	MBDS-18	117	79818	YACART-42/1050-HDP	53
78642	SACPL2-78/1950-S/S	86	79069	SST1HDM-G	115	79505	MBDS-24	117	79819	YACART-48/1200-HDP	53
78642	SACPL2-78/1950-S/S	93	79072	HDRBK-HD	122	79506	MBDS-30	117	79820	YACART-54/1350-HDP	53
78642	SACPL2-78/1950-S/S	99	79200	SPFC	66	79507	MBDS-36	117	79821	YACART-60/1500-HDP	53
78649	MHS-1950V-2SAC-S/S	89	79200	SPFC	68	79508	MBDS-42	117	79822	YACART-72/1800-HDP	53
78656	PV1950-2SAC-S/S	75	79200	SPFC	70	79509	MBDS-48	117	79829	YACART-36/900-HDTC	53
78663	RV1950-2SAC-S/S	82	79200	SPFC	91	79510	MBDS-54	117	79830	YACART-42/1050-HDTC	53
78789	SB4	137	79200	SPFC	98	79511	MBDS-60	117	79831	YACART-48/1200-HDTC	53
78789	SB4	139	79201	SPFC-S/S	66	79512	MBDS-72	117	79832	YACART-54/1350-HDTC	53
78789	SB4	141	79201	SPFC-S/S	68	79513	MBDS-84	117	79833	YACART-60/1500-HDTC	53
78789	SB4	144	79201	SPFC-S/S	70	79514	MBRD-18	116	79834	YACART-72/1800-HDTC	53
78790	SB5	137	79201	SPFC-S/S	94	79514	MBRD-18	117	79835	YTACHD	55
78790	SB5	139	79201	SPFC-S/S	100	79515	MBRD-24	116	79836	YST-Y	51
78790	SB5	141	79206	USPB	105	79515	MBRD-24	117	79837	YST-P	51
78790	SB5	144	79206	USPB	106	79516	MBRD-30	116	79838	YST-S	51
78791	PATLK	36	79206	USPB2	105	79516	MBRD-30	117	79839	YSTDH-GR	55
78794	PATHK	36	79206	USPB2	106	79517	MBRD-36	116	79840	YSTDH-S	55
78808	EST-P-S/S	17	79207	UHPB	105	79517	MBRD-36	117	79841	YSTDH-BL	55
78809	EST-W-S/S	17	79207	UHPB	106	79518	MBRD-42	116	79842	YSTDH-BK	55
78810	EST-G-S/S	17	79224	CCKL	59	79518	MBRD-42	117	79843	YSTMB	51
78812	EZP1P12-S/S	17	79224	CCKL	61	79519	MBRD-48	116	79844	YSTDDBK	51
78838	CFG-212	14	79225	CCKHDL	59	79519	MBRD-48	117	79845	YSTGBK	51
78839	CFG-218	14	79225	CCKHDL	61	79520	MBRD-54	116	79846	YSTLBK	51
78840	CFG-224	14	79225	CCKHDL	68	79520	MBRD-54	117	79847	YSTTBK-W	51
78841	CFG-230	14	79225	CCKHDL	115	79521	MBRD-60	116	79848	YSTPMK	51
78842	CFG-236	14	79226	CCKL-S/S	59	79521	MBRD-60	117	79849	YSTDHMB	55
78843	CFG-242	14	79226	CCKL-S/S	61	79522	MBRD-72	116	79850	YSTDHDBK	55
78844	CFG-248	14	79227	CCKHDL-S/S	59	79522	MBRD-72	117	79851	YSTDHGBK	55
78845	CFG-254	14	79227	CCKHDL-S/S	61	79523	MBRD-84	116	79852	YSTDHDLBK	55
78846	CFG-260	14	79227	CCKHDL-S/S	68	79523	MBRD-84	117	79853	YSTDHDBK-W	55
78847	CFG-272	14	79228	CCKR	59	79524	MBCKM	117	79854	YSTPHDMK	55
78848	EZP1PL-S/S	17	79228	CCKR	61	79525	MBCBC	117	79855	YSTTBK-B	51
78849	ESTAK-EST-S/S	17	79229	CCKHDR	59	79526	MBCB	117	79856	YSTDHDBK-B	55
78849	ESTAK-EST-S/S	35	79229	CCKHDR	61	79527	MBADB	117	79857	YSTANK	51
78849	ESTAK-SS	106	79229	CCKHDR	68	79528	MBCBM	117	79858	YSTANKHD	55
78850	LS-SW-S/S	12	79229	CCKHDR	115	79529	MBCM-1	117	79936	CBS18SF	113
78919	CCMK	51	79230	CCKR-S/S	59	79530	MBCM-2	117	79937	CBS24SF	113
78919	CCMK	59	79230	CCKR-S/S	61	79531	MBCTA	117	79938	CBS30SF	113

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
79939	CBS36SF	113	82196	EZSB1050-1500C	136	82358	EZCSK-1350	137	82844	MHS-CARK-V42/1050-S/S MVECKS/S	90
79940	CBS42SF	113	82197	EZSB1200-1500C	136	82359	EZCSK-1350	139	82844	MHS-CARK-V42/1050-S/S MVECKS/S	97
79941	CBS48SF	113	82198	EZSB1350-1500C	136	82359	EZCSK-1500	137	82845	MHS-CARK-V48/1200-S/S MVECKS/S	90
79942	CBS54SF	113	82199	EZSB1500-1500C	136	82359	EZCSK-1500	139	82845	MHS-CARK-V48/1200-S/S MVECKS/S	97
79943	CBS60SF	113	82200	EZSB1800-1500C	136	82360	EZCSK-1800	137	82846	MHS-CARK-V54/1350-S/S MVECKS/S	90
79944	CBS72SF	113	82201	EZSB600-1200I	138	82360	EZCSK-1800	139	82846	MHS-CARK-V54/1350-S/S MVECKS/S	97
79945	CBS84SF	113	82202	EZSB750-1200I	138	82361	EZBS-1200	141	82847	MHS-CARK-V60/1500-S/S MVECKS/S	90
79946	CBS96SF	113	82203	EZSB900-1200I	138	82362	EZBS-1500	141	82847	MHS-CARK-V60/1500-S/S MVECKS/S	97
79947	CBSBLD18F	113	82204	EZSB1050-1200I	138	82364	MESBK-PS	105	82848	MHS-CARK-V72/1800-S/S MVECKS/S	90
79947	CBSBLD18F	115	82205	EZSB1200-1200I	138	82364	MESBK-PS	106	82848	MHS-CARK-V72/1800-S/S MVECKS/S	97
79948	CBSBLD24F	113	82206	EZSB1350-1200I	138	82363	SHIM-LDKIT	137	82849	MHS-CARK-V60/1500-S/S MVECKS/S	90
79948	CBSBLD24F	115	82207	EZSB1500-1200I	138	82363	SHIM-LDKIT	139	82849	MHS-CARK-V60/1500-S/S MVECKS/S	97
79949	CBSBLD30F	113	82208	EZSB1800-1200I	138	82393	SHIM-LDKIT	141	82850	MHS-CARK-V72/1800-S/S MVECKS/S	90
79949	CBSBLD30F	115	82209	EZSB600-1500I	138	82394	SHIM-MDKIT	144	82850	MHS-CARK-V72/1800-S/S MVECKS/S	97
79950	CBSBLD36F	113	82210	EZSB750-1500I	138	82397	IBS-M1200	144	82851	MHS-CARK-V84/2100-S/S MVECKS/S	90
79950	CBSBLD36F	115	82211	EZSB900-1500I	138	82398	IBS-M1500	144	82851	MHS-CARK-V84/2100-S/S MVECKS/S	97
79951	CBSBLD42F	113	82212	EZSB1050-1500I	138	82689	USP18/450	105	82852	MHS-CARK-V96/2400-S/S MVECKS/S	90
79951	CBSBLD42F	115	82213	EZSB1200-1500I	138	82690	USP24/600	105	82852	MHS-CARK-V96/2400-S/S MVECKS/S	97
79952	CBSBLD48F	113	82214	EZSB1350-1500I	138	82691	USP30/750	105	82853	MHS-CARK-V120/3000-S/S MVECKS/S	90
79952	CBSBLD48F	115	82215	EZSB1500-1500I	138	82692	USP36/900	105	82853	MHS-CARK-V120/3000-S/S MVECKS/S	97
79953	CBSBLD54F	113	82216	EZSB1800-1500I	138	82693	USP42/1050	105	82876	P-CARK2-V78/1950-S/S PV2ECKSS	76
79953	CBSBLD54F	115	82281	EZBMK-600	141	82694	USP48/1200	105	82887	UHSBK-M	105
79954	CBSBLD60F	113	82281	EZBMK-600	144	82695	USP54/1350	105	82888	USPK-SS-M	106
79954	CBSBLD60F	115	82282	EZBMK-750	141	82696	USP56/1400	105	82889	UHSBK-SS-M	106
79955	CBSBLD72F	113	82282	EZBMK-750	144	82697	USP60/1500	105	82890	UMBK-M	105
79955	CBSBLD72F	115	82283	EZBMK-900	141	82698	USP64/1600	105	82891	UMBK-SS-M	106
79956	CBSBLD84F	113	82283	EZBMK-900	144	82699	USP72/1800	105	82892	MESPKL-SS	106
79956	CBSBLD84F	115	82284	EZBMK-1050	141	82700	USP80/2000	105	82893	MUPSBBK-SS	106
79957	CBSBLD96F	113	82284	EZBMK-1050	144	82701	USP84/2100	105	82894	MESPKR-SS	106
79957	CBSBLD96F	115	82285	EZBMK-1200	141	82702	USP88/2200	105	82895	MMTMSBK-SS	105
81045	C-PSA	105	82285	EZBMK-1200	144	82703	USP94/2400	105	82896	MUPSBBK	106
81250	RIBBK	137	82286	EZBMK-1350	141	82704	USP98/2500	105	82897	UST-P-MT	105
81250	RIBBK	139	82286	EZBMK-1350	144	82707	UTV450-S/S	103	82898	UST-S-MT	105
81250	RIBBK	141	82287	EZBMK-1500	141	82708	UTV600-S/S	103	82899	UST-W-MT	105
81250	RIBBK	144	82287	EZBMK-1500	144	82709	UTV750-S/S	103	82900	UST-G-MT	105
81315	DRXH-24-420	149	82288	EZBMK-1800	141	82710	UTV900-S/S	103	82901	UST-P-MT-SS	106
81316	DRXH-24-520	149	82288	EZBMK-1800	144	82711	UTV1050-S/S	103	82902	UST-S-MT-SS	106
81317	DRXH-24-435	149	82289	MPSTA-S/S	106	82712	UTV1200-S/S	103	82903	UST-W-MT-SS	106
81318	DRXH-24-535	149	82342	PTPK-MT-S/S	106	82713	UTV1350-S/S	103	82904	UST-G-MT-SS	106
81319	DRXH-30-420	149	82343	PTPK-MT	105	82714	UTV1400-S/S	103	82932	YTP-18/450	51
81320	DRXH-30-520	149	82344	EZRMKM	137	82715	UTV1500-S/S	103	82933	YTP-24/600	51
81321	DRXH-30-435	149	82344	EZRMKM	139	82716	UTV1600-S/S	103	82934	YTP-30/750	51
81322	DRXH-30-535	149	82345	EZWPBK-600	137	82717	UTV1800-S/S	103	82935	YTP-36/900	51
81323	DRXH-36-420	149	82345	EZWPBK-600	139	82718	UTV2000-S/S	103	82936	YTP-42/1050	51
81324	DRXH-36-520	149	82345	EZWPBK-600	141	82719	UTV2100-S/S	103	82937	YTP-48/1200	51
81325	DRXH-36-435	149	82345	EZWPBK-600	144	82720	UTV2200-S/S	103	82949	YTA-18/450	51
81326	DRXH-36-535	149	82346	EZWPBK-750	137	82721	UTV2400-S/S	103	82950	YTA-24/600	51
81327	DRXH-42-420	149	82346	EZWPBK-750	139	82722	UTV2500-S/S	103	82951	YTA-30/750	51
81328	DRXH-42-520	149	82346	EZWPBK-750	141	82810	SCU60-S/S	106	82952	YTA-36/900	51
81329	DRXH-42-435	149	82346	EZWPBK-750	144	82811	SCUHD-S/S	106	82953	YTA-42/1050	51
81330	DRXH-42-535	149	82347	EZWPBK-900	137	82812	SCU60	105	82954	YTA-48/1200	51
81331	DRXH-48-420	149	82347	EZWPBK-900	139	82813	SCUHD	105	83099	YTCHD-900	52
81332	DRXH-48-520	149	82347	EZWPBK-900	141	82815	P-CARK-V24/600-S/S PVECKS/S	76	83100	YTCHD-1050	52
81333	DRXH-48-435	149	82347	EZWPBK-900	144	82816	P-CARK-V30/750-S/S PVECKS/S	76	83101	YTCHD-1200	52
81334	DRXH-48-535	149	82348	EZWPBK-1050	137	82817	P-CARK-V36/900-S/S PVECKS/S	76	83102	YTCHD-1350	52
81335	DRXH-54-420	149	82348	EZWPBK-1050	139	82818	P-CARK-V42/1050-S/S PVECKS/S	76	83103	YTCHD-1500	52
81336	DRXH-54-520	149	82348	EZWPBK-1050	141	82819	P-CARK-V48/1200-S/S PVECKS/S	76	83105	YTCHD-1800	52
81337	DRXH-54-435	149	82348	EZWPBK-1050	144	82820	P-CARK-V54/1350-S/S PVECKS/S	76	83106	YTPHD-36/900	55
81338	DRXH-54-535	149	82349	EZWPBK-1200	137	82821	P-CARK-V60/1500-S/S PVECKS/S	76	83107	YTPHD-42/1050	55
81339	DRXH-60-420	149	82349	EZWPBK-1200	139	82822	P-CARK-V72/1800-S/S PVECKS/S	76	83108	YTPHD-48/1200	55
81340	DRXH-60-520	149	82349	EZWPBK-1200	141	82823	P-CARK2-V60/1500-S/S PV2ECKSS	76	83109	YTPHD-54/1350	55
81341	DRXH-60-435	149	82349	EZWPBK-1200	144	82824	P-CARK2-V72/1800-S/S PV2ECKSS	76	83110	YTPHD-60/1500	55
81342	DRXH-60-535	149	82350	EZWPBK-1350	137	82825	P-CARK2-V84/2100-S/S PV2ECKSS	76	83112	YTPHD-72/1800	55
81343	DRXH-72-420	149	82350	EZWPBK-1350	139	82826	P-CARK2-V96/2400-S/S PV2ECKSS	76	83120	YTHD-900S	52
81344	DRXH-72-520	149	82350	EZWPBK-1350	141	82827	P-CARK2-V120/3000-S/S PV2ECKSS	76	83121	YTHD-1050S	52
81345	DRXH-72-435	149	82350	EZWPBK-1350	144	82828	R-CARK-V24/600-S/S RVECKS/S	83	83122	YTHD-1200S	52
81346	DRXH-72-535	149	82351	EZWPBK-1500	137	82829	R-CARK-V30/750-S/S RVECKS/S	83	83123	YTHD-1350S	52
81896	MESPKR	105	82351	EZWPBK-1500	139	82830	R-CARK-V36/900-S/S RVECKS/S	83	83124	YTHD-1500S	52
82174	QMTBK-GCN	105	82351	EZWPBK-1500	141	82831	R-CARK-V42/1050-S/S RVECKS/S	83	83126	YTHD-1800S	52
82174	QMTBK-GCN	106	82351	EZWPBK-1500	144	82832	R-CARK-V48/1200-S/S RVECKS/S	83	83134	YTHD-TC-900S	52
82175	QMTBK-WS-MT	105	82352	EZWPBK-1800	137	82833	R-CARK-V54/1350-S/S RVECKS/S	83	83135	YTHD-TC-1050S	52
82175	QMTBK-WS-MT	106	82352	EZWPBK-1800	139	82834	R-CARK-V60/1500-S/S RVECKS/S	83	83136	YTHD-TC-1200S	52
82182	QMTPSBK-CN	105	82352	EZWPBK-1800	141	82835	R-CARK-V72/1800-S/S RVECKS/S	83	83137	YTHD-TC-1350S	52
82185	EZSB600-1200C	136	82352	EZWPBK-1800	144	82836	R-CARK2-V60/1500-S/S RV2ECKSS	83	83138	YTHD-TC-1500S	52
82186	EZSB750-1200C	136	82353	EZCSK-600	137	82837	R-CARK2-V72/1800-S/S RV2ECKSS	83	83140	YTHD-TC-1800S	52
82187	EZSB900-1200C	136	82353	EZCSK-600	139	82838	R-CARK2-V84/2100-S/S RV2ECKSS	83	83223	YTC-450	48
82188	EZSB1050-1200C	136	82354	EZCSK-750	137	82839	R-CARK2-V96/2400-S/S RV2ECKSS	83	83224	YTC-600	48
82189	EZSB1200-1200C	136	82354	EZCSK-750	139	82840	R-CARK2-V120/3000-S/S RV2ECKSS	83	83225	YTC-750	48
82190	EZSB1350-1200C	136	82355	EZCSK-900	137	82841	MHS-CARK-V24/600-S/S MVECKS/S	90	83226	YTC-900	48
82191	EZSB1500-1200C	136	82355	EZCSK-900	139	82841	MHS-CARK-V24/600-S/S MVECKS/S	97	83227	YTC-1050	48
82192	EZSB1800-1200C	136	82356	EZCSK-1050	137	82842	MHS-CARK-V30/750-S/S MVECKS/S	90	83228	YTC-1200	48
82193	EZSB600-1500C	136	82356	EZCSK-1050	139	82842	MHS-CARK-V30/750-S/S MVECKS/S	97	83229	YT-450S	48
82194	EZSB750-1500C	136	82357	EZCSK-1200	137	82843	MHS-CARK-V36/900-S/S MVECKS/S	90	83230	YT-600S	48
82195	EZSB900-1500C	136	82357	EZCSK-1200	139	82843	MHS-CARK-V36/900-S/S MVECKS/S	97	83231	YT-750S	48

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
83232	YT-900S	48	88367	DRXM-30-420	148	90620	PTEZHD-1800	164	91407	SKPU-DUAL-200x20x15.2	174
83233	YT-1050S	48	88368	DRXM-30-520	148	90621	PTEZHD-2100	164	91432	CBSPI8	115
83234	YT-1200S	48	88369	DRXM-30-435	148	90631	CRDF18	118	91433	CBSPI24	115
83241	YT-TC-450S	48	88370	DRXM-30-535	148	90632	CRDF24	118	91434	CBSPI30	115
83242	YT-TC-600S	48	88371	DRXM-36-420	148	90633	CRDF30	118	91435	CBSPI36	115
83243	YT-TC-750S	48	88372	DRXM-36-520	148	90634	CRDF36	118	91436	CBSPI42	115
83244	YT-TC-900S	48	88373	DRXM-36-435	148	90635	CRDF42	118	91437	CBSPI48	115
83245	YT-TC-1050S	48	88374	DRXM-36-535	148	90636	CRDF48	118	91438	CBSPI54	115
83246	YT-TC-1200S	48	88375	DRXM-42-420	148	90637	CRDF54	118	91444	FMSC2	64
83661	PTMA-900-3	171	88376	DRXM-42-520	148	90638	CRDF60	118	91444	FMSC2	64
83662	PTMA-1050-3	171	88377	DRXM-42-435	148	90641	CBC3R	118	91495	CBS18SC	113
83663	PTMA-1200-3	171	88378	DRXM-42-535	148	90795	PTEZHD-1400	164	91496	CBS24SC	113
83664	PTMA-1350-3	171	88379	DRXM-48-420	148	90796	PTEZHD-1600	164	91497	CBS30SC	113
83665	PTMA-1600-3	171	88380	DRXM-48-520	148	90797	PTEZHD-2000	164	91498	CBS36SC	113
83666	PTMA-1800-3	171	88381	DRXM-48-435	148	90803	PTEZHD-MBK	164	91499	CBS42SC	113
83667	PTMA-900-1	171	88382	DRXM-48-535	148	90804	PTEZHD-PBK	164	91500	CBS48SC	113
83668	PTMA-1050-1	171	88383	DRXM-54-420	148	90805	PTEZHD-DCK	164	91501	CBS54SC	113
83669	PTMA-1200-1	171	88384	DRXM-54-520	148	90806	PTEZHD-WRBK	164	91527	CBSBLD18C	115
83670	PTMA-1350-1	171	88385	DRXM-54-435	148	90807	PTEZHD-JBBK	164	91527	CBSBLD18C	113
83671	PTMA-1600-1	171	88386	DRXM-54-535	148	91090		57	91528	CBSBLD24C	115
83672	PTMA-1800-1	171	88387	DRXM-60-420	148	91091		57	91528	CBSBLD24C	113
83673	PTMA-750-2	171	88388	DRXM-60-520	148	91092		57	91529	CBSBLD30C	115
83674	PTMA-1050-2	171	88389	DRXM-60-435	148	91222	SKPU-150x12x15.2	175	91529	CBSBLD30C	113
83675	PTMA-1200-2	171	88390	DRXM-60-535	148	91223	SKPU-150x19x15.2	175	91530	CBSBLD36C	115
83676	PTMA-1350-2	171	88391	DRXM-72-420	148	91224	SKPU-200x12x15.2	175	91530	CBSBLD36C	113
83677	PTMA-1600-2	171	88392	DRXM-72-520	148	91225	SKPU-200x19x15.2	175	91531	CBSBLD42C	115
83678	PTMA-1800-2	171	88393	DRXM-72-435	148	91234	SKPU-300x25x7.6	175	91531	CBSBLD42C	113
83679	SES-T800	172	88394	DRXM-72-535	148	91254	CRB-UHT-400	18	91532	CBSBLD48C	115
83680	SES-T1000	172	90151	MHP-6108	26	91255	CRB-UHT-550	18	91532	CBSBLD48C	113
83681	SES-T1200	172	90152	MHP-6120	26	91256	CRB-UHT-700	18	91533	CBSBLD54C	115
83682	SES-T1400/VR1000	172	90181	MSTHD-SS-W	66	91257	CRB-UHT-850	18	91533	CBSBLD54C	113
83682	SES-T1400/VR1000	172	90181	MSTHD-SS-W	71	91258	CRB-UHT-1000	18	91534	CBSBLD60C	115
83683	SES-T1600	172	90181	MSTHD-W-S/S	64	91259	CRB-UHT-1150	18	91534	CBSBLD60C	113
83684	SES-T1800	172	90181	MSTHD-W-S/S	110	91260	CRB-UHT-1300	18	91535	CBSBLD72C	115
83685	SE6-R800	172	90182	MSTHD-S-S/S	57	91261	CRB-UHT-1450	18	91535	CBSBLD72C	113
83686	SE6-R1000	172	90182	MSTHD-S-S/S	64	91263	CRB-UHT-1750	18	91536	CBSBLD84C	115
83687	SE6-R1200	172	90182	MSTHD-S-S/S	110	91288	SKPU-100x10x7.6	175	91536	CBSBLD84C	113
83688	SE6-R1400	172	90182	MSTHD-SS-S	66	91289	SKPU-100x12x7.6	175	91537	CBSBLD96C	115
83689	SE6-R1600	172	90182	MSTHD-SS-S	71	91290	SKPU-100x16x7.6	175	91537	CBSBLD96C	113
83690	SE6-R1800	172	90183	MSTHD-B-S/S	57	91291	SKPU-100x19x7.6	175	91595	DVCR-CLR-EX73	126
83690	SE6-R1800	172	90183	MSTHD-B-S/S	64	91292	SKPU-100x25x7.6	175	91596	DVCR-CLR-EX60	126
83691	SES-VR800	172	90183	MSTHD-B-S/S	110	91293	SKPU-100x10x15.2	175	91597	DVCR-CLR-ADT	126
83692	SES-VR1200	172	90183	MSTHD-SS-B	66	91294	SKPU-100x12x15.2	175	91602	DVC-CLR1-AU	126
83693	SES-VR1400	172	90183	MSTHD-SS-B	71	91295	SKPU-100x16x15.2	175	91603	DVCR-CLR-BC1AU	126
83694	SES-VR1600	172	90184	MSTHD-G-S/S	57	91296	SKPU-100x19x15.2	175	91604	DVCR-CLR-BC2	126
83695	SES-VR1800	172	90184	MSTHD-G-S/S	64	91297	SKPU-100x25x15.2	175	91605	DVCR-CLR-BTR1	126
83715	N6D3T-24-9-A45	137	90184	MSTHD-G-S/S	110	91298	SKPU-150x10x7.6	175	91606	DVCR-CLR-TC2	126
83716	N6D3T-30-11-A45	137	90184	MSTHD-SS-G	66	91299	SKPU-150x16x7.6	175	91607	DVCR-CLR-TC3	126
83717	N6D3T-36-13-A45	137	90184	MSTHD-SS-G	71	91300	SKPU-150x25x7.6	175	91608	DVCR-CLR-TC1	126
83718	N6D3T-42-15-A45	137	90185	PTMAFMKT	172	91301	SKPU-150x10x15.2	175	91768	RBVP-SD-N	159
83719	N6D3T-48-17-A45	137	90186	PTMAFMKR	172	91302	SKPU-150x16x15.2	175	91769	RBVP-SD-S-600	159
83720	N6D3T-54-19-A45	137	90187	PTMAFMKHDR	172	91303	SKPU-150x25x15.2	175	91770	RBVP-SD-S-750	159
83721	N6D3T-60-21-A45	137	90188	PTMAEKT	172	91304	SKPU-200x10x7.6	175	91771	RBVP-SD-S-900	159
83722	N6D3T-72-25-A45	137	90189	PTMAEKR	172	91305	SKPU-200x16x7.6	175	91772	RBVP-SD-S-1050	159
83734	PTMAHD-1800-3	171	90190	PTMAEKVR	172	91306	SKPU-200x25x7.6	175	91773	RBVP-SD-S-1200	159
83735	PTMAHD-2000-3	171	90191	PTMAEKHOT	172	91307	SKPU-200x10x15.2	175	91774	RBVP-SD-S-1350	159
83736	PTMAHD-2400-3	171	90192	PTMAEKHDR	172	91308	SKPU-200x16x15.2	175	91775	RBVP-SD-S-1500	159
83737	PTMAHD-1800-1	171	90193	PTMAEKHDVR	172	91309	SKPU-200x25x15.2	175	91776	RBVP-SD-S-1800	159
83738	PTMAHD-2000-1	171	90194	PTMAAK	172	91310	SKPU-250x10x7.6	175	91777	RBVP-SD-S-2000	159
83739	PTMAHD-2400-1	171	90195	PTMAAKHD	172	91311	SKPU-250x12x7.6	175	91778	RBVP-SD-S-2200	159
83740	PTMAHD-1800-2	171	90197	PTMAORK	172	91312	SKPU-250x16x7.6	175	91779	RBVP-SD-S-2400	159
83741	PTMAHD-2000-2	171	90264	ESBK-ATEX	17	91313	SKPU-250x19x7.6	175	91780	RBVP-SD-S-2600	159
83742	PTMAHD-2400-2	171	90265	PTEZ-450	164	91314	SKPU-250x25x7.6	175	91781	RBVP-SD-S-2800	159
83743	SE6-T1800	172	90266	PTEZ-600	164	91315	SKPU-250x10x15.2	175	91782	RBVP-HD-N	159
83744	SE6-T2000	172	90267	PTEZ-750	164	91316	SKPU-250x12x15.2	175	91783	RBVP-HD-S-900	159
83745	SE6-T2200/R650	172	90268	PTEZ-900	164	91317	SKPU-250x16x15.2	175	91784	RBVP-HD-S-1050	159
83745	SE6-T2200/R650	172	90269	PTEZ-1050	164	91318	SKPU-250x19x15.2	175	91785	RBVP-HD-S-1200	159
83746	SE6-R2000	172	90270	PTEZ-1200	164	91319	SKPU-250x25x15.2	175	91786	RBVP-HD-S-1350	159
83747	SE6-R2200	172	90283	SKPU-150x12x7.6	175	91320	SKPU-300x10x7.6	175	91787	RBVP-HD-S-1500	159
83748	SE6-VR1800	172	90284	SKPU-150x20x7.6	175	91321	SKPU-300x12x7.6	175	91788	RBVP-HD-S-1600	159
83749	SE6-VR2000	172	90285	SKPU-200x12x7.6	175	91322	SKPU-300x16x7.6	175	91789	RBVP-HD-S-1800	159
83750	SE6-VR2200	172	90286	SKPU-200x20x7.6	175	91323	SKPU-300x19x7.6	175	91790	RBVP-HD-S-2000	159
83785	PTMA-750-3	171	90537	CBCS18	118	91325	SKPU-300x10x15.2	175	91791	RBVP-HD-S-2200	159
83786	PTMA-750-1	171	90538	CBCS24	118	91326	SKPU-300x12x15.2	175	91792	RBVP-HD-S-2400	159
83788	4.5" STEEL ROLLER - PTM 650	172	90539	CBCS30	118	91327	SKPU-300x16x15.2	175	91793	RBVP-HD-S-2500	159
84086	CBSHD-1500P	115	90540	CBCS36	118	91328	SKPU-300x19x15.2	175	91794	RBVP-HD-S-2600	159
84087	CBSHD-1800P	115	90541	CBCS42	118	91329	SKPU-300x25x15.2	175	91795	RBVP-HD-S-2800	159
84088	CBSHD-2100P	115	90542	CBCS48	118	91400	SKPU-DUAL-150x12x7.6	174	91796	RBVP-HD-S-3000	159
84089	CBSHD-2400P	115	90543	CBCS54	118	91401	SKPU-DUAL-150x20x7.6	174	91797	RBVP-HD-S-3200	159
87895	MESPLB	105	90544	CBCS60	118	91402	SKPU-DUAL-200x12x7.6	174	91798	YTR-18S	48
88363	DRXM-24-420	148	90616	PTEZHD-1050	164	91403	SKPU-DUAL-200x20x7.6	174	91799	YTR-24S	48
88364	DRXM-24-520	148	90617	PTEZHD-1200	164	91404	SKPU-DUAL-150x12x15.2	174	91800	YTR-30S	48
88365	DRXM-24-435	148	90618	PTEZHD-1350	164	91405	SKPU-DUAL-150x20x15.2	174	91801	YTR-36S	48
88366	DRXM-24-535	148	90619	PTEZHD-1500	164	91406	SKPU-DUAL-200x12x15.2	174	91802	YTR-42S	48

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
91803	YTR-48S	48	108847	EBC-2-NC	134	A1591	HXFHD2100L-S/S	31	A2318	HBP1200-B-TP	155
91804	YT-R*	49	108848	CEBC-1-NC	134	A1592	HXFHD2400M-S/S	31	A2319	HBP1400-B-TP	155
91805	YCART-18/450-R	49	108849	CEBC-2-NC	134	A1593	HXFHD2400L-S/S	31	A2320	HBP1500-B-TP	155
91806	YCART-24/600-R	49	108850	PBC-1-NC	134	A1594	HVHD1800M-S/S	32	A2321	HBP1600-B-TP	155
91807	YCART-30/750-R	49	108851	PBC-2-NC	134	A1595	HVHD1800L-S/S	32	A2322	HBP1800-B-TP	155
91808	YCART-36/900-R	49	A1854	CBD-M-S/S	160	A1596	HVHD1800LL-S/S	32	A2323	HBP2000-B-TP	155
91809	YCART-42/1050-R	49	A1856	CBD-L-S/S	160	A1597	HVHD2100M-S/S	32	A2324	HBP2400-B-TP	155
91810	YCART-48/1200-R	49	68171	EZIB600-1200L-LP	140	A1598	HVHD2100L-S/S	32	A2325	HBP2200-B-TP	155
91816	YTHDR-36S	52	68172	EZIB750-1200L-LP	140	A1599	HVHD2100LL-S/S	32	A2326	HBP2500-B-TP	155
91817	YTHDR-42S	52	68173	EZIB900-1200L-LP	140	A1600	HVHD2400M-S/S	32	A2330	HBP-LA-TP	155
91818	YTHDR-48S	52	68174	EZIB1050-1200L-LP	140	A1601	HVHD2400L-S/S	32	A2396	HVHD2600M	32
91819	YTHDR-54S	52	68175	EZIB1200-1200L-LP	140	A1602	HVHD2400LL-S/S	32	A2397	HVHD2600LL	32
91820	YTHDR-60S	52	68176	EZIB1350-1200L-LP	140	A1603	PVHD1800-S/S	58	A2461	HVHD2600L	32
91821	YTHDR-72S	52	68177	EZIB1500-1200L-LP	140	A1604	PVHD2100-S/S	58	A2462	HVHD2600M-S/S	32
91822	YT-HDR*	53	68178	EZIB1800-1200L-LP	140	A1605	PVHD2400-S/S	58	A2463	HVHD2600L-S/S	32
91823	YCART-36/900-HDR	53	68179	EZIB600-1500L-LP	140	A1610	RVHD2400-S/S	60	A2464	HVHD2600LL-S/S	32
91824	YCART-42/1050-HDR	53	68180	EZIB750-1500L-LP	140	A1613	PPHD2100-S/S	59	A2465	HVHD3000M-S/S	32
91825	YCART-48/1200-HDR	53	68181	EZIB900-1500L-LP	140	A1620	SB1400A	120	A2466	HVHD3000L-S/S	32
91826	YCART-54/1350-HDR	53	68182	EZIB1050-1500L-LP	140	A1626	RVHD1800-S/S	60	A2467	HVHD3000LL-S/S	32
91827	YCART-60/1500-HDR	53	68183	EZIB1200-1500L-LP	140	A1628	RVHD2100-S/S	60	A2474	HBP-TP-900 S/S	154
91828	YCART-72/1800-HDR	53	68184	EZIB1350-1500L-LP	140	A1629	RPHD2100-S/S	61	A2475	HBP-TP-1050 S/S	154
93089	PTS-SR	166	68185	EZIB1500-1500L-LP	140	A1775	PPHD2400-S/S	59	A2476	HBP-TP-1200 S/S	154
103244	CBS-450-BT	113	68186	EZIB1800-1500L-LP	140	A1776	SB2400	121	A2477	HBP-TP-1400 S/S	154
103245	CBS-600-BT	113	68187	EZIB600-1200M-LP	143	A1781	PPHD1800-S/S	59	A2478	HBP-TP-1500 S/S	154
103246	CBS-750-BT	113	68188	EZIB750-1200M-LP	143	A1783	HPHD2000-S/S	37	A2479	HBP-TP-1600 S/S	154
103247	CBS-900-BT	113	68189	EZIB900-1200M-LP	143	A1784	CBD-ST-XL-FR-B	161	A2480	HBP-TP-1800 S/S	154
103248	CBS-1050-BT	113	68190	EZIB1050-1200M-LP	143	A1838	SB1500A	120	A2481	HBP-TP-2000 S/S	154
103249	CBS-1200-BT	113	68191	EZIB1200-1200M-LP	143	A1996	BP2000MF	153	A2482	HBP-TP-2200 S/S	154
103250	CBS-1350-BT	113	68192	EZIB1350-1200M-LP	143	A2033	SB1500	121	A2483	HBP-TP-2400 S/S	154
103255	CBSHD-1500-BT	113	68193	EZIB1500-1200M-LP	143	A2046	PVHD2000-S/S	58	A2484	HBP-TP-2500 S/S	154
103256	CBSHD-1800-BT	113	68194	EZIB1800-1200M-LP	143	A2063	HPHD1800-S/S	37	A2492	HBP900-PL-TP-S/S	155
103257	CBSHD-2100-BT	113	68195	EZIB600-1500M-LP	143	A2120	PPHD2000-S/S	59	A2492	HBP900-PL-TP-S/S	157
103258	CBSHD-2400-BT	113	68196	EZIB750-1500M-LP	143	A2138	CBD-ST-XL-S/S	161	A2493	HBP1050-PL-TP-S/S	155
103602	RPA1200	73	68197	EZIB900-1500M-LP	143	A2189	HBP-SC-TP-S/S	155	A2493	HBP1050-PL-TP-S/S	157
103603	RPA1350	73	68198	EZIB1050-1500M-LP	143	A2189	HDSTCK-S/S	37	A2494	HBP1200-PL-TP-S/S	155
103604	RPA1500	73	68199	EZIB1200-1500M-LP	143	A2215	CBD-ST-CS-S/S	161	A2494	HBP1200-PL-TP-S/S	157
103605	RPA1800	73	68200	EZIB1350-1500M-LP	143	A2218	CBD-ST-L-FR-B	161	A2495	HBP1400-PL-TP-S/S	155
103606	RPA1950	73	68201	EZIB1500-1500M-LP	143	A2237	HBP1050-B	153	A2495	HBP1400-PL-TP-S/S	157
103607	RPA2100	73	68202	EZIB1800-1500M-LP	143	A2283	HBP900-TP	154	A2496	HBP1500-PL-TP-S/S	155
103608	RPA2400	73	A0012	WCB	120	A2284	HBP1050-TP	154	A2496	HBP1500-PL-TP-S/S	157
103971	DVC-SUB-U-AU	126	A0012	WCB	121	A2285	HBP1200-TP	154	A2497	HBP1600-PL-TP-S/S	155
105603	RBPMBK	163	A0151	HBP2600-PL-TP	157	A2286	HBP1400-TP	154	A2497	HBP1600-PL-TP-S/S	157
105605	RBPFK-S	163	A0223	HBP750-B	153	A2287	HBP1500-TP	154	A2498	HBP1800-PL-TP-S/S	155
105606	RBPFK-M	163	A0224	HBP900-B	153	A2288	HBP1600-TP	154	A2498	HBP1800-PL-TP-S/S	157
105607	RBPFK-L	163	A0316	SB1200A	120	A2289	HBP1800-TP	154	A2499	HBP2000-PL-TP-S/S	155
105608	RBPFK-XL	163	A0317	SB1800	121	A2290	HBP2000-TP	154	A2499	HBP2000-PL-TP-S/S	157
105613	RBPRET	163	A0334	SB1050	121	A2291	HBP2200-TP	154	A2500	HBP2200-PL-TP-S/S	155
105614	RBPRET-XL	163	A0407	SB750A	120	A2292	HBP2400-TP	154	A2500	HBP2200-PL-TP-S/S	157
105621	RBPSR-S	163	A0408	SB750	121	A2293	HBP2500-TP	154	A2501	HBP2400-PL-TP-S/S	155
105622	RBPSR-M	163	A0435	SB1050A	120	A2294	HBP900-PL-TP	155	A2501	HBP2400-PL-TP-S/S	157
105623	RBPSR-L	163	A0612	BP800-1050MF-S/S MAIN FRAME	153	A2294	HBP900-PL-TP	157	A2502	HBP2500-PL-TP-S/S	155
105624	RBPSR-XL	163	A0613	BP800-1050-PL-S/S	153	A2295	HBP1050-PL-TP	155	A2502	HBP2500-PL-TP-S/S	157
105629	PSR-S-F	162	A0614	BP-LA-S/S	153	A2295	HBP1050-PL-TP	157	A2504	HBP900-MF-TP-S/S	155
105630	PSR-M-F	162	A0615	BP-MB-S/S	153	A2296	HBP1200-PL-TP	155	A2505	HBP1050-MF-TP-S/S	155
105631	PSR-L-F	162	A0616	BP-SC-S/S	153	A2296	HBP1200-PL-TP	157	A2506	HBP1200-MF-TP-S/S	155
105632	PSR-XL-F	162	A0617	BP-TL-S/S	153	A2297	HBP1400-PL-TP	155	A2507	HBP1400-MF-TP-S/S	155
108456	CBSC-450-BT	113	A0620	BP1200-1400MF-S/S MAIN FRAME	153	A2297	HBP1400-PL-TP	157	A2508	HBP1500-MF-TP-S/S	155
108457	CBSC-600-BT	113	A0621	BP1200-1400-PL-S/S	153	A2298	HBP1500-PL-TP	155	A2509	HBP1600-MF-TP-S/S	155
108458	CBSC-750-BT	113	A0646	BP1500-1600MF-S/S MAIN FRAME	153	A2298	HBP1500-PL-TP	157	A2510	HBP1800-MF-TP-S/S	155
108459	CBSC-900-BT	113	A0647	BP1500-1600-PL-S/S	153	A2299	HBP1600-PL-TP	155	A2511	HBP2000-MF-TP-S/S	155
108460	CBSC-1050-BT	113	A0682	BP450-750MF-S/S MAIN FRAME	153	A2299	HBP1600-PL-TP	157	A2512	HBP2200-MF-TP-S/S	155
108461	CBSC-1200-BT	113	A0683	BP450-750-PL-S/S	153	A2300	HBP1800-PL-TP	155	A2513	HBP2400-MF-TP-S/S	155
108462	CBSC-1350-BT	113	A0696	SB900	121	A2300	HBP1800-PL-TP	157	A2514	HBP2500-MF-TP-S/S	155
108463	CBSCHD-1500-BT	113	A0827	SB1400	121	A2301	HBP2000-PL-TP	155	A2515	HBP-LA-TP-S/S	155
108464	CBSCHD-1800-BT	113	A0863	SB1200	121	A2301	HBP2000-PL-TP	157	A2518	HDSTKD	37
108465	CBSCHD-2100-BT	113	A0886	SB600	121	A2302	HBP2400-PL-TP	155	A2519	HDSTKD-S/S	37
108466	CBSCHD-2400-BT	113	A0887	SB600A	120	A2302	HBP2400-PL-TP	157	A2527	RPHD2100	61
108467	CBSCHD-2400-BT	113	A0912	SB900A	120	A2303	HBP2200-PL-TP	155	A2590	HPHD2400-S/S	37
108468	CBS72SC	113	A1155	HBP-MB-TP-S/S	155	A2303	HBP2200-PL-TP	157	A2596	FLSCM-CP-S/S	173
108469	CBS54SC	113	A1155	HBP-MB-TP-S/S	157	A2304	HBP2500-PL-TP	155	A2629	CBD-ST-TB-S/S	161
108470	CBS96SC	113	A1357	SB1800A	120	A2304	HBP2500-PL-TP	157	A2671	UNB73	37
109370	DVC-SUB-N-AU	126	A1436	FLSC2000-S/S	173	A2305	HBP900-MF-TP	155	A2704	RM2C-AP-S/S	174
109434	EZAI-600	136	A1437	FLSC-TP-S/S	173	A2306	HBP1050-MF-TP	155	A2803	PPHD2100	59
109435	EZAI-750	136	A1438	FLSC-CP-S/S	173	A2307	HBP1200-MF-TP	155	A2825	CRDLBLK-RH-S/S	80
109436	EZAI-900	136	A1439	FLSC2000-CB-S/S	173	A2308	HBP1400-MF-TP	155	A2825	CRDLBLK-RH-S/S	87
109437	EZAI-1050	136	A1440	FLSC2000-MC-S/S	173	A2309	HBP1500-MF-TP	155	A2825	CRDLBLK-RH-S/S	100
109438	EZAI-1200	136	A1535	SB-MB-S/S	121	A2310	HBP1600-MF-TP	155	A2826	CRDLBLK-LH-S/S	87
109439	EZAI-1350	136	A1536	SB-UC38-S/S	121	A2311	HBP1800-MF-TP	155	A2826	CRDLBLK-LH-S/S	100
109440	EZAI-1500	136	A1546	BP1800MF-S/S MAIN FRAME	153	A2312	HBP2000-MF-TP	155	A2826	CRDLBLK-LH-S/S	100
109441	EZAI-1800	136	A1547	BP1800-PL-S/S	153	A2313	HBP2400-MF-TP	155	A2829	MR-1500PG	132
109467	EST-P	16	A1575	RPHD1800-S/S	61	A2314	HBP2200-MF-TP	155	A2830	MR-1600PG	132
109468	EST-S	16	A1588	HXFHD1800M-S/S	31	A2315	HBP2500-MF-TP	155	A2831	MR-1800PG	132
109469	EST-B	16	A1589	HXFHD1800L-S/S	31	A2316	HBP900-B-TP	155	A2832	MR-2100PG	132
108846	EBC-1-NC	134	A1590	HXFHD2100M-S/S	31	A2317	HBP1050-B-TP	155	A2833	MR-2400PG	132

INDEX By Item Code

Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #	Item Code	Ordering Number	Page #
A2834	MR-2600PG	132		PTM-2600-3	168						
A2835	MR-3000PG	132		PTM-2600-3-S/S	169						
A2836	MR-450PG	132		PTM-3000-1	168						
A2837	MR-600PG	132		PTM-3000-1-S/S	169						
A2838	MR-750PG	132		PTM-3000-2	168						
A2839	MR-900PG	132		PTM-3000-2-S/S	169						
A2840	MR-1050PG	132		PTM-3000-3	168						
A2841	MR-1200PG	132		PTM-3000-3-S/S	169						
A2842	SMR-CCB-L73	78		PTM-750-1	168						
A2842	SMR-CCB-L73	85		PTM-750-1-S/S	169						
A2842	SMR-CCB-L73	98		PTM-750-2	168						
A2842	SMR-CCB-L73	132		PTM-750-2-S/S	169						
A2843	SMR-CCB-R73	78		PTM-750-3	168						
A2843	SMR-CCB-R73	85		PTM-750-3-S/S	169						
A2843	SMR-CCB-R73	98		PTM-900-1	168						
A2843	SMR-CCB-R73	132		PTM-900-1-S/S	169						
A2844	SMR-CCB-L60	132		PTM-900-2	168						
A2845	SMR-CCB-R60	132		PTM-900-2-S/S	169						
A2988	EZP1P24-S/S	17		PTM-900-3	168						
A3041	EZP1P30-S/S	17		PTM-900-3-S/S	169						
A3119	EZP1P36-S/S	17									
B0092	CBD-ST-MC	161									
B0536		57									
G1211	HEX NUT	35									
G1211	HEX NUT	71									
G1211	HEX NUT	92									
G2309	MST LOCK PIN SS	111									
GN812	UST	105									
GN812	UST	106									
GR298		57									
U8393	PBC1 Case	134									
U8394	PBC2 Case	134									
	PTM-1050-1	168									
	PTM-1050-1-S/S	169									
	PTM-1050-2	168									
	PTM-1050-2-S/S	169									
	PTM-1050-3	168									
	PTM-1050-3-S/S	169									
	PTM-1200-1	168									
	PTM-1200-1-S/S	169									
	PTM-1200-2	168									
	PTM-1200-2-S/S	169									
	PTM-1200-3	168									
	PTM-1200-3-S/S	169									
	PTM-1350-1	168									
	PTM-1350-1-S/S	169									
	PTM-1350-2	168									
	PTM-1350-2-S/S	169									
	PTM-1350-3	168									
	PTM-1350-3-S/S	169									
	PTM-1500-1	168									
	PTM-1500-1-S/S	169									
	PTM-1500-2	168									
	PTM-1500-2-S/S	169									
	PTM-1500-3	168									
	PTM-1500-3-S/S	169									
	PTM-1600-1	168									
	PTM-1600-1-S/S	169									
	PTM-1600-2	168									
	PTM-1600-2-S/S	169									
	PTM-1600-3	168									
	PTM-1600-3-S/S	169									
	PTM-1800-1	168									
	PTM-1800-1-S/S	169									
	PTM-1800-2	168									
	PTM-1800-2-S/S	169									
	PTM-1800-3	168									
	PTM-1800-3-S/S	169									
	PTM-2000-1	168									
	PTM-2000-1-S/S	169									
	PTM-2000-2	168									
	PTM-2000-2-S/S	169									
	PTM-2000-3	168									
	PTM-2000-3-S/S	169									
	PTM-2400-1	168									
	PTM-2400-1-S/S	169									
	PTM-2400-2	168									
	PTM-2400-2-S/S	169									
	PTM-2400-3	168									
	PTM-2400-3-S/S	169									
	PTM-2600-1	168									
	PTM-2600-1-S/S	169									
	PTM-2600-2	168									
	PTM-2600-2-S/S	169									



Partners in Productivity

10 Solent Circuit
Norwest NSW 2153

Phone: +61 2-8818-2000 Fax: +61 2-8824-6333

Toll Free: 1300 098 435

E-mail: salesau@flexco.com

www.flexco.com