


Product Ordering Information

Belt Driven Brush Cleaner



Belt Driven Brush Cleaner

Belt Width		Ordering Number	Item Code	Wt. Lbs.
in.	mm			
24	600	BDBC-24	93119	331.7
30	750	BDBC-30	93120	349.1
36	900	BDBC-36	93121	366.2
42	1050	BDBC-42	93122	383.0
48	1200	BDBC-48	93123	400.0
54	1350	BDBC-54	93124	417.5
60	1500	BDBC-60	93125	434.4
72	1800	BDBC-72	93126	468.9

Lead time: 1 working day

Optional Mounting Brackets (Pair)


Description	Ordering Number	Item Code	Wt. Lbs.
Drop Bracket Kit (incl. 2)	MBCDBK	79536	28.9

Lead time: 1 working day

Replacement Brushes

Belt Width		Ordering Number	Item Code	Wt. Lbs.
in.	mm			
24	600	MBRD-24	79515	13.5
30	750	MBRD-30	79516	17.1
36	900	MBRD-36	79517	20.5
42	1050	MBRD-42	79518	23.7
48	1200	MBRD-48	79519	26.8
54	1350	MBRD-54	79520	30.7
60	1500	MBRD-60	79521	33.9
72	1800	MBRD-72	79522	41

Lead time: 1 working day






Specifications & Guidelines

Belt Driven Brush Cleaner

Specifications


Belt Speed	Up to 700 fpm (3.5 m/s)
Vertical Clearance	24.5" (622mm)
Horizontal Clearance	28.38" (720mm)
Temperature Range	-20°F to 180°F (-30°C to 82°C)
Maximum Chevron or Cleat Height	1/2" (13mm)
Bristle Length	3-1/4" (83mm)
Overall Diameter	12" (305mm)
Shaft Length (Brush and Roller)	Belt Width plus 42" (1067mm)
Shaft Diameter	1" (25mm)
CEMA Cleaner Rating	Class 4



Belt Width		Roller Length "A"		Shaft Length "B"	
in.	mm	in.	mm	in.	mm
24	600	30	750	54	1350
30	750	36	900	60	1500
36	900	42	1050	66	1650
42	1050	48	1200	72	1800
48	1200	54	1350	78	1950
54	1350	60	1500	84	2100
60	1500	66	1650	90	2250
72	1800	78	1950	102	2550

Replacement Parts

Belt Driven Brush Cleaner



Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
1	18" (450mm) Brush Drum Shaft	BDBCR-BS-24	93135	27.4
	24" (600mm) Brush Drum Shaft	BDBCR-BS-30	93136	30.2
	30" (750mm) Brush Drum Shaft	BDBCR-BS-36	93137	32.9
	36" (900mm) Brush Drum Shaft	BDBCR-BS-42	93138	35.7
	42" (1050mm) Brush Drum Shaft	BDBCR-BS-48	93139	38.4
	48" (1200mm) Brush Drum Shaft	BDBCR-BS-54	93140	41.2
	54" (1350mm) Brush Drum Shaft	BDBCR-BS-60	93141	43.9
2	60" (1500mm) Brush Drum Shaft	BDBCR-BS-72	93142	46.6
	24" (600mm) Replacement Brush Drum	MBRD-24	79515	13.5
	30" (750mm) Replacement Brush Drum	MBRD-30	79516	17.1
	36" (900mm) Replacement Brush Drum	MBRD-36	79517	20.5
	42" (1050mm) Replacement Brush Drum	MBRD-42	79518	23.7
	48" (1200mm) Replacement Brush Drum	MBRD-48	79519	26.8
	54" (1350mm) Replacement Brush Drum	MBRD-54	79520	30.7
3	60" (1500mm) Replacement Brush Drum	MBRD-60	79521	33.9
	72" (1800mm) Replacement Brush Drum	MBRD-72	79522	41.0
	24" (600mm) Replacement Roller	BDBCR-HDR-24	93127	79.5
	30" (750mm) Replacement Roller	BDBCR-HDR-30	93128	91.0
	36" (900mm) Replacement Roller	BDBCR-HDR-36	93129	102.6
	42" (1050mm) Replacement Roller	BDBCR-HDR-42	93130	113.3
	48" (1200mm) Replacement Roller	BDBCR-HDR-48	93131	124.7
4	54" (1350mm) Replacement Roller	BDBCR-HDR-54	93132	136.2
	60" (1500mm) Replacement Roller	BDBCR-HDR-60	93133	147.6
	72" (1800mm) Replacement Roller	BDBCR-HDR-72	93134	170.5
	Support Spacer Kit	BDBDR-SPACER	93370	1.7
5	Drive Guard Kit	BDBDR-GUARD	93371	20.6
6	Brush Shaft Bearing/Drive Hardware	BDBCR-B-HW	93372	8.0
7	Roller Shaft Bearing/Drive Hardware	BDBCR-R-HW	93373	23.3
8	Adjustment Arm Kit	BDBCR-ADJARM	93374	8.5
9	Brush Lock Kit	BDBCR-BL	93375	1.5
10	Replacement V-Belt	BDBCR-VBELT	93376	0.3
11	Brush Cleaner Drop Brackets* (2)	MBCDBK	79536	28.9

*Hardware included.