




# Product Handbook

## Conveyor Belt Splicing Systems

January 2024



2525 Wisconsin Avenue, Downers Grove, Illinois 60515

Phone: 1-630-971-0150 Fax: 1-630-971-1180

Customer Experience: 1-800-541-8028

[www.flexco.com](http://www.flexco.com)

Patents: [www.flexco.com/patents](http://www.flexco.com/patents)

# Table of Contents

<b>CLIPPER® WIRE HOOKS</b> .....	<b>5-20</b>
Clipper® Wire Hook Fastening System Overview .....	5
General Hook Information .....	6
Clipper Hook and Pin Selection Chart .....	7
Clipper Carded Hooks .....	8-15
Unibar® Hooks .....	16-17
Hinge Pins .....	18-20
<b>CLIPPER® G SERIES™ LACING</b> .....	<b>21-29</b>
Clipper® G Series™ Lacing Overview .....	21
Clipper® G Series™ Lacing .....	22
Clipper® Maintenance Lacers, Clipper® Mobile Splicing Center .....	23-25
Clipper® Specialty Lacers .....	26
Clipper® Production Lacers .....	27-29
<b>CLIPPER® LAUNDRY PATCH FASTENER</b> .....	<b>30-32</b>
Clipper® Laundry Patch Fastener Overview .....	30
Patch Fasteners, Production Lacers .....	31-32
<b>ALLIGATOR® CONVEYOR BELT LACING</b> .....	<b>33-36</b>
Alligator® Lacing Fastening System Overview .....	33
Steel Lacing .....	34
316 Stainless Lacing .....	35
Hinge Pins .....	36
<b>ALLIGATOR® TRANSMISSION BELT LACING</b> .....	<b>37</b>
<b>ALLIGATOR® STAPLE BELT FASTENERS</b> .....	<b>38-42</b>
Alligator® Fastening System Overview .....	38
No. 62, No. 125, No. 187 Staple Fasteners .....	39
Hinge Pins .....	40
Installation Tools .....	41-42
MegAlloy® Staple Fasteners .....	42
<b>ALLIGATOR® RIVET FASTENERS</b> .....	<b>43-45</b>
Alligator® Rivet Fastening System Overview .....	43
Rivet Fasteners, Hinge Pins, Installation Tools .....	44-45
<b>ALLIGATOR® NON-METALLIC FASTENERS</b> .....	<b>46-48</b>
Alligator® Non-Metallic Fastening System Overview .....	46
Fasteners, Hinge Pins .....	47
Installation Tools .....	47-48
Spiral Lacing .....	48
<b>ALLIGATOR® V-BELT FASTENERS</b> .....	<b>49-50</b>
Alligator® V-Belt Fastening System Overview .....	49
Fasteners, Tools .....	50
<b>LIGHT-DUTY BELT MAINTENANCE TOOLS</b> .....	<b>51-52</b>
<b>BELT FABRICATION TOOLS</b> .....	<b>53-60</b>
Novitool® Overview .....	53
Aero® Splice Press .....	54
Aero® 325 Splice Press, Mobile Splicing Center .....	55-56
Amigo™ 625 Monolithic Press .....	57
Amigo™ Monolithic Press .....	58
Ply 130™ Separator .....	59
Pun M™ Punch Press .....	60

## Table of Contents (continued)

<b>FGP FOOD GRADE PRIMARY CLEANER</b> .....	<b>61-64</b>
FGP Food Grade Primary Cleaner Overview.....	61
FGP Food Grade Primary Cleaner Specifications.....	62
FGP Food Grade Primary Cleaner.....	63
FGP Food Grade Primary Cleaner Replacement Parts.....	64
<b>FGP-ES FOOD GRADE PRIMARY CLEANER WITH EXTERNAL SPRING</b> .....	<b>65-68</b>
FGP-ES Food Grade Primary Cleaner Overview.....	65
FGP-ES Food Grade Primary Cleaner Specifications.....	66
FGP-ES Food Grade Primary Cleaner.....	67
FGP-ES Food Grade Primary Cleaner Replacement Parts.....	68
<b>FGS FOOD GRADE SECONDARY CLEANER</b> .....	<b>69-73</b>
FGS Food Grade Secondary Cleaner Overview.....	69
FGS Food Grade Secondary Cleaner Specifications.....	70
FGS Food Grade Secondary Cleaner.....	71
FGS Food Grade Precleaner Replacement Blades.....	72
FGS Food Grade Precleaner Replacement Parts.....	73
<b>SEGMENTED TRANSFER PLATES</b> .....	<b>74-77</b>
Segmented Transfer Plates Solutions Overview.....	74
Segmented Transfer Plates.....	75-76
Segmented Transfer Plates Replacement Parts.....	77
<b>HITCH GUARD</b> .....	<b>78-79</b>
Hitch Guard Overview.....	78
Hitch Guard.....	79
<b>ROLLER CONVEYOR TRANSFER PLATES</b> .....	<b>80-81</b>
Roller Conveyor Transfer Plates Overview.....	80
Roller Conveyor Transfer Plates.....	81
<b>BELT EDGE PROTECTOR</b> .....	<b>82-83</b>
Belt Edge Protector Overview.....	82
Belt Edge Protector.....	83
<b>TATCH-A-CLEAT® BELT CLEATS</b> .....	<b>84-87</b>
General Cleat Information Overview.....	84
Mechanical Cleats.....	85-86
Bondable Cleats.....	87
<b>FLEXCO® BOLT HINGED FASTENERS</b> .....	<b>88-93</b>
Flexco® Bolt Hinged Fastening System Overview.....	88
No. 375X Fasteners.....	89
No. 550.....	90
Hinge Pins.....	91
Installation Tools.....	92-93
<b>FLEXCO® RIVET HINGED FASTENERS</b> .....	<b>94-106</b>
Flexco® Rivet Hinged Fastening System Overview.....	94
Flexco® R2 Medium-Duty Rivet Hinged Fasteners.....	95
Fasteners.....	96-97
Rivets, Hinge Pins.....	98-102
Installation Tools.....	103-106

## Table of Contents (continued)

<b>FLEXCO® SOLID PLATE FASTENERS</b> .....	<b>107-112</b>
Flexco® Solid Plate Fastening System Overview .....	107
Fasteners .....	108
Installation Tools .....	109-110
Rip Repair .....	111
Extra Bolts and Nuts .....	112
<b>FLEXCO® RIVET PLATE FASTENERS</b> .....	<b>113-118</b>
Flexco® Rivet Solid Plate Fastening System Overview .....	113
Fasteners, Rivets .....	114-115
Installation Tools .....	116-118
<b>FLEXCO® FXC™ STEEL CORD BELT FASTENERS</b> .....	<b>119-121</b>
Flexco® FXC Steel Cord Belt Fastener System Overview .....	119
Flexco® FXC Steel Cord Belt Fasteners .....	120-121
<b>HEAVY-DUTY BELT MAINTENANCE AND SAFETY TOOLS</b> .....	<b>122-131</b>
Tools and Accessories .....	122
Belt Cutters .....	123-127
Belt Clamps, Belt Skiver .....	128-130
Belt Lifter .....	131
<b>BELT CONVEYOR PRODUCTS</b> .....	<b>132-134</b>
Belt Positioner™, PTEZ™ Belt Trainer .....	132
Belt Plows .....	133
Skirt Clamps .....	134
<b>TOOL REPAIR SERVICE</b> .....	<b>135</b>
<b>MEASUREMENT CONVERSIONS</b> .....	<b>136</b>
<b>INDEX</b> .....	<b>137-170</b>
By Ordering Number .....	137-159
By Item Code .....	160-170




## How Clipper® Hooks Work

The Clipper® Hook design incorporates a double-staggered grip pattern that gives wire hooks exceptional holding power without degrading the integrity of the belt carcass. The points of the fastener pass through the belt carcass and are formed over, locking the carcass between them.

This low profile splice is highly compatible with conveyor components and compliant with the need for reduced operating noise. Additional splice strength and consistency of splice installation is obtained through precision machine application.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Package and Parts Handling</li> <li>• Food Processing</li> <li>• Checkout Counters</li> <li>• Commercial Laundries</li> <li>• Filter Media</li> <li>• Agriculture</li> </ul>	<p>Depending on the application, Clipper® Hooks can be installed with on-site maintenance lacers such as the Roller Lacer®, Roller Lacer® Gold Class™, or Microlacer®, Production Lacers for high volume lacing (Pro 400, Pro 600, Pro 6000, or Electric Hydraulic Lacers), or Specialty Lacers such as the Plier-Tape Lacer, Vice Lacer, Baler Belt Lacer. Please contact Flexco to discuss your application.</p>	<ul style="list-style-type: none"> <li>• Hooks</li> <li>• Hinge Pin</li> <li>• Installation Tool</li> </ul>
How to Specify the Correct Clipper® Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Measure your Belt Thickness (PIW).</li> <li>2. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>3. Using the selection chart on page 6, identify possible hook choices.</li> <li>4. Narrow selections by selecting desired wire diameter. <ul style="list-style-type: none"> <li>• Larger wire diameter provides greater strength and abrasion resistance.</li> <li>• Smaller wire diameter provides less noise and less wear on conveyor components.</li> </ul> </li> <li>5. If multiple choices remain, select either carded or Unibar® style fastener.</li> </ol>	<p><b>Galvanized Steel.</b> For basic applications, galvanized steel is recommended.</p> <p><b>Stainless Steel.</b> Type 430 and Type 316 Stainless Steel offers more resistance than steel to abrasion, acids, chemicals, rusting, and magnetic attraction.</p> <p><b>High Tensile.</b> Added abrasion resistance and fastener retention strength.</p> <p><b>Specialty Metal.</b></p> <ul style="list-style-type: none"> <li>• Coated Steel</li> <li>• Rectangular High Tensile</li> <li>• Monel®</li> <li>• Inconel®</li> <li>• Phosphor Bronze</li> <li>• Hastelloy</li> </ul>	<p><b>DSS DuraStainless™</b> - stainless spring steel core with filled nylon coating for superior abrasion resistance, flat belts only.</p> <p><b>DL Duralink™</b> - braided stainless cable with filled nylon coating for superior abrasion resistance, crowned pulley or troughed belts.</p> <p><b>NY Nylosteel</b> - spring steel core with nylon coating for use with galvanized or high tensile fasteners, flat belts only.</p> <p><b>NYS Nylostainless</b> - stainless spring steel core with nylon coating for use with stainless steel fasteners, flat belts only.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - braided stainless cable with nylon coating for applications with stainless fasteners, crowned pulley or troughed belts.</p>


Please see page 7 for Clipper Fastener selection chart.



# General Hook Information

## HOW TO SELECT THE PROPER HOOK SIZE

1. Measure the belt thickness and pulley diameter.
2. Determine the possible options that could be used, based on the chart on page 6.
3. Select the proper hook from the specification chart.
4. If hook specifications overlap into more than one size, select the fastener which best meets your needs. **NOTE:** If maximum strength is of primary importance, choose the hook with the largest diameter wire. If low profile is needed select the hook with the smallest diameter wire.
5. Select the type of metal which best fits your application requirements.



## SPECIAL LENGTH CARDS

Clipper® hooks can be ordered in special length cards or Unibar® strips for specific applications. This eliminates time consuming card cutting by hand.

All special length cards are shipped without pins.

Please call Customer Service for pricing and lead times.

## FASTENER MATERIAL CHARACTERISTICS

METAL	MAGNETIC	ABRASION RESISTANCE	CHEMICAL RESISTANCE	RUST RESISTANCE	SPARKING/ NON-SPARKING	AVAILABLE CLIPPER SIZES
Galvanized	Yes	Good	Poor	Good	Sparking	25, 1, 2-7
Coated Steel	Yes	Good	Poor	Poor	Sparking	U2-U3
Steel	Yes	Good	Poor	Poor	Sparking	U4-U7
High Tensile Steel	Yes	Good to Excellent	Fair	Good	Sparking	1, 2-7
Rectangular High Tensile Steel	Yes	Good to Excellent	Fair	Good	Sparking	4-1/2
Stainless Rectangular High Tensile	Yes	Good to Excellent	Fair to Good	Good	Sparking	U3
430 Stainless Steel	Yes	Good	Fair to Good	Good	Sparking	1, 2-7, UX-1, U2SP - U7
316L Stainless Steel	Slightly	Good	Good to Excellent	Excellent	Sparking	25, 30, 36, 1, 2-7, UX-1, UCM36, UA2, UA3
Monel® 400	Slightly	Fair	Excellent	Excellent	Sparking	25, 1, 2-4
Phosphor Bronze	No	Good	Poor	Good	Non-sparking	2-4
Hastelloy C-22	No	Good	Excellent	Excellent	Sparking	36, UCM

# Clipper® Hook and Pin Selection Chart



FASTENER AND PIN SIZE SELECTION CHART														
Minimum Pulley Diameter	Wire Diameter	Hinge Pin Size	Belt Thickness											
			Up to .047" 3/64"	.063" 1/16"	.093" 3/32"	.125" 1/8"	.156" 5/32"	.187" 3/16"	.219" 7/32"	.25" 1/4"	.281" 9/32"	.313" 5/16"	.343" 11/32"	.39" 25/64"
			1.2 mm	1.6 mm	2.4 mm	3.2 mm	4.0 mm	4.8 mm	5.6 mm	6.4 mm	7.1 mm	7.9 mm	9.0 mm	10.0 mm
15/16" 24 mm	.025"	.065"/1.7 mm	25SP*											
	.025"	.065"/1.7 mm	25											
	.036" x .027"	.065"/1.7 mm	UCM36SL XSP											
	.036" x .027"	.065"/1.7 mm		UCM36SL SP										
2" 51 mm	.025"	.065"/1.7 mm		25LP*										
	.036" x .027"	.065"/1.7 mm	UCM36 XSP											
	.030"	.065"/1.7 mm		30*										
	.036" x .027"	.065"/1.7 mm		UCM36 SP*										
	.036" x .027"	.065"/1.7 mm		36 SP*										
	.040"	.065"/1.7 mm		1 XSP*										
	.030"	.065"/1.7 mm		30P*										
	.040"	.065"/1.7 mm		UX-1 SP*										
	.036" x .027"	.065"/1.7 mm		UCM36*										
	.036" x .027"	.065"/1.7 mm			36*									
	.040"	.065"/1.7 mm			1 SP*									
	.036" x .027"	.065"/1.7 mm				UCM36 LP*								
	.040"	.065"/1.7 mm				1*								
	.040"	.065"/1.7 mm				UX-1*								
	.047"	.093"/2.4 mm				UA2								
	.054"	.093"/2.4 mm				U2 SP								
	.054"	.093"/2.4 mm				2SP								
.054"	.093"/2.4 mm					U2								
.054"	.093"/2.4 mm					2								
.047"	.093"/2.4 mm					UA3								
3" 76 mm	.054"	.093"/2.4 mm				U3-1								
	.054"	.093"/2.4 mm				3-1								
	.054"	.093"/2.4 mm					U3-2							
	.054"	.093"/2.4 mm						3						
	.054"	.093"/2.4 mm						U3						
4" 102 mm	.054"	.109"/2.8 mm							4-2					
	.054"	.125"/3.2 mm								4 1/2-3				
	.054"	.109"/2.8 mm								4				
	.054"	.109"/2.8 mm								U4				
	.054"	.125"/3.2 mm									4 1/2			
5" 127 mm	.054"	.125"/3.2 mm									5			
	.054"	.125"/3.2 mm									U5			
6" 152 mm	.054"	.156"/4.0 mm										6		
	.054"	.156"/4.0 mm										U6		
7" 175 mm	.054"	.156"/4.0 mm											7	
	.054"	.156"/4.0 mm											U7	


\*Long Leg available. Allow for 1" (25 mm) larger minimum pulley diameter.

Hook Abbreviations: SL – Short Leg LL – Long Leg XSP – Extra Short Point SP – Short Point LP – Long Point

## FOR BELTS WITH MECHANICAL FASTENER RATINGS UP TO:

Hook Series	PIW	kN/m
# 25	60	10.3
# 36	75	12.9
# 1 (40)	75	12.9
Regular (54)	125	21.5
4 1/2 RHTX	200	34.4

**Note:** Fastener ratings are subject to many variables including belt composition, age, speed, cycles, etc. These ratings are conservative and are intended to serve as a general guide in determining the appropriate fastener for the application.



# Clipper® Regular (54) Series Carded Hooks

## FASTENERS

### GALVANIZED - 12" LENGTHS

2-7	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS</b>						
	2SP	2SPG	02168	1.2	84	12	144
	2	2G	02154	1.2	84	12	144
	3-1	3-1G	02196	1.3	84	12	144
	3	3G	02182	1.3	84	12	144
	3-4-1/2	3-4-1/2G	02206	1.3	84	12	144
	4	4G	02216	1.4	84	12	144
	4-2	4-2G	02232	1.4	84	12	144
	4-1/2	4-1/2G	02300	1.5	84	12	144
	5-3	5-3G	02339	1.8	84	12	144
	5	5G	02323	1.8	84	12	144
	6	6G	02348	2.2	84	12	144
	7	7G	02363	2.3	84	12	144
<b>WITH PINS</b>							
	2SP	2SPGNY	02169	1.2	84	12	144
	2	2GNY	02155	1.2	84	12	144
	3-1	3-1GNY	02197	1.3	84	12	144
	3	3GNY	02183	1.3	84	12	144
	3-4-1/2	3-4-1/2GNY	02210	1.3	84	12	144
	4	4GNY	02217	1.4	84	12	144
	4-2	4-2GNY	02233	1.4	84	12	144
	4-1/2	4-1/2GW	02301	1.4	84	12	144
	5	5GW	18227	1.8	84	12	144
	6	6GW	18228	2.2	84	12	144
	7	7GW	02365	2.3	84	12	144

NOTE: For Regular (54) Series Carded Hooks, wire diameter = .054" (1.4 mm).

For extra pin material see pages 18-20.

### HIGH TENSILE - WITHOUT PINS - 12" LENGTHS

2-6	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
		2SP	2SPHT	02173	1.2	84	12
	2	2HT	02161	1.2	84	12	144
	3-1	3-1HT	02198	1.3	84	12	144
	3	3HT	02189	1.3	84	12	144
	3	3HT-WIDE	05362	1.3	84	12	144
	4	4HT	02223	1.4	84	12	144
	4-2	4-2HT	02295	1.4	84	12	144
	4-1/2-3	4-1/2-3HT	02316	1.4	84	12	144
	4-1/2	4-1/2HT	02307	1.5	84	12	144
	5-3	5-3HT	02342	1.8	84	12	144
	5	5HT	02330	1.8	84	12	144
	6	6HT	02355	2.2	84	12	144

### RECTANGULAR HIGH TENSILE - WITHOUT PINS - 12" LENGTHS

4-1/2	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
		4-1/2-3	4-1/2-3RHTX	02432	2.3	84	12
	4-1/2	4-1/2RHTX	02429	2.3	84	12	144

#### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel


Stock Items (non-shaded) standard lead time is 3 working days.

Made To Order Items (shaded) extended lead time, minimum order may apply.

Special Metals and Special Length Cards are available. Request quote for price and delivery.



# Clipper® Regular (54) Series Carded Hooks



## FASTENERS

### 430 STAINLESS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
							WITHOUT PINS
2-7	2SP	2SPS	02170	1.2	84	12	144
	2	2S	02157	1.2	84	12	144
	3-1	3-1S	02195	1.3	84	12	144
	3	3S	02185	1.3	84	12	144
	4	4S	02219	1.4	84	12	144
	4-2	4-2S	02234	1.4	84	12	144
	4-1/2	4-1/2S	02303	1.5	84	12	144
	5-3	5-3S	02341	1.8	84	12	144
	5	5S	02326	1.8	84	12	144
	6	6S	02351	2.2	84	12	144
	7	7S	02367	2.3	84	12	144
	WITH PINS						
	2SP	2SPSNYS	02171	1.2	84	12	144
	2	2SNYS	02158	1.2	84	12	144
3	3SNYS	02186	1.3	84	12	144	
4	4SNYS	02220	1.4	84	12	144	
4-2	4-2SNYS	02294	1.4	84	12	144	
4-1/2	4-1/2-SW	02304	1.5	84	12	144	
5	5SW	02327	1.8	84	12	144	
6	6SW	02352	2.2	84	12	144	
7	7SW	02368	2.3	84	12	144	

NOTE: For Regular (54) Series Carded Hooks, wire diameter = .054" (1.4 mm).

For extra pin material see pages 18-20.

### 316L STAINLESS - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
2-7	2SP	2SPSS	02172	1.2	84	12	144
	2	2SS	02159	1.2	84	12	144
	3-1	3-1SS	02397	1.3	84	12	144
	3	3SS	02187	1.3	84	12	144
	4	4SS	02221	1.4	84	12	144
	4-1/2	4-1/2SS	02305	1.5	84	12	144
	5	5SS	02328	1.8	84	12	144
	6	6SS	02353	2.2	84	12	144
	7	7SS	02370	2.3	84	12	144

### BRONZE - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
2-4	2SP	2SPB	02175	1.2	84	12	144
	2	2B	02164	1.2	84	12	144
	3	3B	02193	1.3	84	12	144
	4	4B	02227	1.4	84	12	144

### MONEL® - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
2-4-1/2	3	3M	02191	1.3	84	12	144
	4	4M	02225	1.4	84	12	144
	4-1/2	4-1/2M	02310	1.5	84	12	144



# Clipper® Point-of-Purchase Baler Hooks

## POINT-OF-PURCHASE FASTENERS\*


BELT WIDTH	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	PINS PER BOX	MIN. ORDER QTY.
<b>#4½ RECTANGULAR HIGH TENSILE</b>							
4"	4-1/2RHTX(26)W-8	01831	1.1	26	8	4	50
6½"	4-1/2RHTX(41)W-4	01846	1.1	41	4	2	50
7"	4-1/2RHTX(45)W-4	01847	1.1	45	4	2	50
<b>#4½ - 3 POINT RECTANGULAR HIGH TENSILE</b>							
7"	4-1/2-3RHTX(45)W-4	01848	1.1	45	4	2	50
<b>#4½ - 4 POINT RECTANGULAR HIGH TENSILE</b>							
6½"	4-1/2-4RHTX(42)W-4	01849	1.1	42	4	2	50
<b>#3 - 4½ GALVANIZED</b>							
4"	3-4-1/2G(26)W-8	01853	1.1	26	8	4	50
6½"	3-4-1/2G(42)W-4	01854	1.1	42	4	2	50
10"	3-4-1/2G(67)-10POP	02209	1.3	67	10	0	25


For extra pin material see pages 18-20.

\* **NOTE:** Point-of-Purchase Baler hooks are made to order (shaded) and have a three week lead time. Boxes include pre-cut Duralink™ Pins as indicated.

### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel

 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available.  
Request quote for price and delivery.

# Clipper® 1 (40) Series Carded Hooks



## FASTENERS

### GALVANIZED - 6" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS</b>						
	1XSP (1D)	1XSPG6	02118	0.6	50	24	144
	1SP (1A)	1SPG6	02267	0.6	50	24	144
	1	1G6	02072	0.6	50	24	144
	1LLXSP (1DLL)	1LLXSPG6	02119	0.6	50	24	144
	1LLSP (1ALL)	1LLSPG6	02268	0.6	50	24	144
	1LL	1LLG6	02073	0.6	50	24	144
	<b>WITH PINS</b>						
	1XSP (1D)	1XSPG6NY	02120	0.6	50	24	144
1SP (1A)	1SPG6NY	02269	0.6	50	24	144	
1	1G6NY	02075	0.6	50	24	144	
1LL	1LLG6NY	02076	0.6	50	24	144	

NOTE: For 1 (40) Series Carded Hooks, wire diameter = .040" (1.0 mm).


For extra pin material see pages 18-20.

### GALVANIZED - 12" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS</b>						
	1XSP (1D)	1XSPG12	02139	0.6	96	12	144
	1SP (1A)	1SPG12	02283	0.6	96	12	144
	1	1G12	02100	0.6	96	12	144
	1LLXSP (1DLL)	1LLXSPG12	02140	0.6	96	12	144
	1LLSP (1ALL)	1LLSPG12	02284	0.6	96	12	144
	1LL	1LLG12	02101	0.6	96	12	144
	<b>WITH PINS</b>						
	1XSP (1D)	1XSPG12NY	02141	0.6	96	12	144
1SP (1A)	1SPG12NY	02285	0.6	96	12	144	
1	1G12NY	02102	0.6	96	12	144	
1LL	1LLG12NY	02103	0.6	96	12	144	

### HIGH TENSILE - WITHOUT PINS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>6" LENGTHS</b>						
	1XSP (1D)	1XSPHT6	02133	0.6	50	24	144
	1SP (1A)	1SPHT6	02278	0.6	50	24	144
	1	1HT6	02089	0.6	50	24	144
	1LL	1LLHT6	02090	0.6	50	24	144
	<b>12" LENGTHS</b>						
	1XSP (1D)	1XSPHT12	02149	0.6	96	12	144
	1SP (1A)	1SPHT12	02113	0.6	96	12	144
	1	1HT12	02242	0.6	96	12	144
1LLXSP (1DLL)	1LLXSPHT12	02150	0.6	96	12	144	
1LLSP (1ALL)	1LLSPHT12	02114	0.6	96	12	144	
1LL	1LLHT12	02243	0.6	96	12	144	



# Clipper<sup>®</sup> 1 (40) Series Carded Hooks

## FASTENERS

### 430 STAINLESS - 6" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>WITHOUT PINS</b>							
	1XSP (1D)	1XSPS6	02126	0.6	50	24	144	
	1SP (1A)	1SPS6	02272	0.6	50	24	144	
	1	1S6	02079	0.6	50	24	144	
	1LL	1LLS6	02080	0.6	50	24	144	
	<b>WITH PINS</b>							
	1XSP (1D)	1XSPS6NYS	02128	0.6	50	24	144	
	1SP (1A)	1SPS6NYS	02274	0.6	50	24	144	
	1	1S6NYS	02081	0.6	50	24	144	
1LL	1LLS6NYS	02082	0.6	50	24	144		

NOTE: For 1 (40) Series Carded Hooks wire diameter = .040" (1.0 mm).


For extra pin material see pages 18-20.


### 430 STAINLESS - 12" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>WITHOUT PINS</b>							
	1XSP (1D)	1XSPS12	02143	0.6	96	12	144	
	1SP (1A)	1SPS12	02287	0.6	96	12	144	
	1	1S12	02104	0.6	96	12	144	
	1LLXSP (1DLL)	1LLXSPS12	02144	0.6	96	12	144	
	1LLSP (1ALL)	1LLSPS12	02288	0.6	96	12	144	
	1LL	1LLS12	02105	0.6	96	12	144	
	<b>WITH PINS</b>							
	1XSP (1D)	1XSPS12NYS	02145	0.6	96	12	144	
1SP (1A)	1SPS12NYS	02289	0.6	96	12	144		
1	1S12NYS	02106	0.6	96	12	144		

### 316L STAINLESS - WITHOUT PINS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>6" LENGTHS</b>							
	1XSP (1D)	1XSPSS6	02130	0.6	50	24	144	
	1SP (1A)	1SPSS6	02275	0.6	50	24	144	
	1	1SS6	02083	0.6	50	24	144	
	1LL	1LLSS6	02084	0.6	50	24	144	
	<b>12" LENGTHS</b>							
	1XSP (1D)	1XSPSS12	02146	0.6	96	12	144	
	1SP (1A)	1SPSS12	02110	0.6	96	12	144	
	1	1SS12	02239	0.6	96	12	144	
1LLXSP (1DLL)	1LLXSPSS12	02147	0.6	96	12	144		
1LLSP (1ALL)	1LLSPSS12	02111	0.6	96	12	144		
1LL	1LLSS12	02240	0.6	96	12	144		

 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available.  
Request quote for price and delivery.

# Clipper® 36, 30, & AP Series Hooks



## FASTENERS

### 316L STAINLESS - WITHOUT PINS - 12" LENGTHS

36	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	36SP	36SPSS	02382	0.8	120	12	144
36LLSP	36LLSPSS	02383	1.0	120	12	144	
36	36SS	02378	0.8	120	12	144	
36LL	36LLSS	02379	0.8	120	12	144	
36LLLP	36LLLPSS	02386	0.8	120	12	144	

**NOTE: For 36 Series Hooks**  
wire diameter = .036" x .027"  
(0.9 mm x 0.7 mm).

**For 30 Series Hooks**  
wire diameter = .030" (0.8 mm).

**For AP Series Hooks,**  
wire diameter = .047" (1.2 mm).

For extra pin material see pages 18-20.

### HASTELLOY - WITHOUT PINS - 12" LENGTHS

36	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	36SP	36SPH	02384	0.8	120	12	144
36LLSP	36LLSPH	02385	1.0	120	12	144	
36	36H	02380	0.8	120	12	144	
36LL	36LLH	02381	1.0	120	12	144	

#### CLIPPER® ORDERING NUMBER REFERENCE


<b>XSP</b>	Extra Short Point
<b>SP</b>	Short Point
<b>LP</b>	Long Point
<b>XLP</b>	Extra Long Point
<b>LL</b>	Long Leg
<b>SL</b>	Short Leg
<b>G</b>	Galvanized
<b>HT</b>	High Tensile
<b>RHTX</b>	Rectangular Wire
<b>S</b>	430 Stainless Steel
<b>SS</b>	316 Stainless Steel

### 316L STAINLESS – WITHOUT HINGE PINS – 12" LENGTHS

30	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	30SS	18180	1.0	120	24	288
30PSS	18181	1.0	120	24	288	
30LSS	18182	1.2	120	24	288	
30LPSS	18183	1.3	120	24	288	

### AP CARDED HOOKS LOW PROFILE 316 STAINLESS – WITHOUT HINGE PINS – 12" LENGTHS

4-6	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	4APSS	18904	1.4	84	12	144
5APSS	18905	1.5	84	12	144	
6APSS	18906	1.8	84	12	144	
6APPSS	18907	1.9	84	12	144	



# Clipper® 25 Series Hooks

## FASTENERS

### GALVANIZED - 6" LENGTHS

25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS</b>						
	25	25G6	01746	0.8	85	48	288
	25LP	25LPG6	01985	0.8	85	48	288
25LL	25LLG6	01748	0.8	85	24	144	
<b>WITH PINS</b>							
25	25G6NY	01752	0.8	85	48	288	
25LP	25LPG6NY	01987	0.8	85	48	288	
25LL	25LLG6NY	01754	0.8	85	24	144	

NOTE: For 25 Series Hooks, wire diameter = .025" (.64 mm).

For extra pin material see pages 18-20.

### GALVANIZED - 12" LENGTHS

25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS - 12 Cards/Box</b>						
	25	25G12	01810	0.8	179	12	144
	25LP	25LPG12	02006	0.8	179	12	144
25LL	25LLG12	01811	1.1	179	12	144	
<b>WITH PINS - 12 Cards/Box</b>							
25	25G12NY	01813	0.8	179	12	144	
25LP	25LPG12NY	02008	0.8	179	12	144	
25LL	25LLG12NY	01814	1.1	179	12	144	

### CLIPPER® ORDERING NUMBER REFERENCE


XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel


### 316L STAINLESS - 6" LENGTHS

25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS</b>						
	25	25SS6	01764	0.8	85	48	288
	25LP	25LPSS6	01990	0.8	85	48	288
25LL	25LLSS6	01766	0.8	85	24	144	
<b>WITH PINS</b>							
25	25SS6NYS	01772	0.8	85	48	288	
25LP	25LPSS6NYS	01993	0.8	85	48	288	
25LL	25LLSS6NYS	01774	0.8	85	24	144	

### 316L STAINLESS - 12" LENGTHS


25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS - 12 Cards/Box</b>						
	25	25SS12	01817	0.8	179	12	144
	25LP	25LPSS12	02010	0.8	179	12	144
25LL	25LLSS12	01818	0.8	179	12	144	
<b>WITH PINS - 12 Cards/Box</b>							
25	25SS12NYS	01821	0.8	179	12	144	
25LP	25LPSS12NYS	02012	0.8	179	12	144	

 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.

# Clipper® 25 Series Hooks




## PRECUT #25 HOOKS (with Pins)

NOTE: #25 Hooks are available with Long Point. Contact Customer Service for information.

For extra pin material see pages 18-20.

25 SERIES	GALVANIZED					NYLOSTEEL PINS		NYLON PLUS PINS		
	BELT WIDTH in.	mm.	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	ORDERING NUMBER (BOX)	ITEM CODE	ORDERING NUMBER (BOX)	ITEM CODE
11/32	8.5	0.2	3 & 4	200	69	25G11/32NY	01805			
7/16	11	0.2	4 & 5	200	87.5	25G7/16NY	01833			
1/2	12.5	0.2	5 & 6	200	100	25G1/2NY	01837	25G1/2NP	01839	
5/8	16	0.3	7 & 8	200	125	25G5/8NY	01841			
3/4	19	0.3	8 & 9	200	150	25G3/4NY	01859	25G3/4NP	01862	
7/8	22.5	0.4	10 & 11	200	175	25G7/8NY	01864	25G7/8NP	01867	
1	25.5	0.5	12 & 13	200	200	25G1NY	01871			
1-1/4	32	0.6	15 & 16	200	250	25G1-1/4NY	01884			
1-1/2	38.5	0.7	19 & 20	200	300	25G1-1/2NY	01891			
1-3/4	44.5	0.8	22 & 23	200	350	25G1-3/4NY	01911			
1-7/8	48	0.9	24 & 25	200	375	25G1-7/8NY	01917	25G1-7/8NP	01924	
2	51	0.9	26 & 27	200	400	25G2NY	01926	25G2NP	01936	
2-1/4	57.5	1.1	30 & 31	200	450	25G2-1/4NY	01939			
2-1/2	63.5	1.1	33 & 34	200	500	25G2-1/2NY	01946			
2-3/4	70	1.3	37 & 38	200	550	25G2-3/4NY	01954			
3	76.5	1.4	39 & 40	200	600	25G3NY	01963			
3-1/4	83	0.8	42 & 43	100	325	25G3-1/4NY	01828			
3-1/2	89	0.8	46 & 47	100	350	25G3-1/2NY	01786	25G3-1/2NP	01795	
4	102	1.0	54 & 55	100	400	25G4NY	01732	25G4NP	01739	
4-1/2	115	1.2	61 & 62	100	450	25G4-1/2NY	01798			


25 SERIES	316L STAINLESS STEEL					NYLOSTEEL PINS		NYLON PLUS PINS		
	BELT WIDTH in.	mm.	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	ORDERING NUMBER (BOX)	ITEM CODE	ORDERING NUMBER (BOX)	ITEM CODE
5/8	16	0.3	7 & 8	200	125	25SS5/8NYS	01845			
3/4	19	0.3	8 & 9	200	150	25SS3/4NYS	01861			
1	25.5	0.5	12 & 13	200	200	25SS1NYS	01879			
1-1/4	32	0.6	15 & 16	200	250	25SS1-1/4NYS	01887			
1-1/2	38.5	0.7	19 & 20	200	300	25SS1-1/2NYS	01898	25SS1-1/2NP	01771	
1-7/8	48	0.9	24 & 25	200	375	25SS1-7/8NYS	01920			
2	51	0.9	26 & 27	200	400	25SS2NYS	01933			
2-1/4	57.5	1.1	30 & 31	200	450	25SS2-1/4NYS	01941			
2-1/2	63.5	1.1	33 & 34	200	500	25SS2-1/2NYS	01949	25SS2-1/2NP	01952	
2-3/4	70	1.3	37 & 38	200	550	25SS2-3/4NYS	01958			
3	76.5	1.4	39 & 40	200	600	25SS3NYS	01970	25SS3NP	01977	
3-1/2	89	0.8	46 & 47	100	350	25SS3-1/2NYS	01793			
4	102	1.0	54 & 55	100	400	25SS4NYS	01744			



See pages 30-32 for Clipper® Laundry Patch System.

### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel



# Clipper® Unibar® Hooks

## 430 STAINLESS - WITHOUT PINS

UX-1, U2SP-U7	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>6" STRIPS - 24 STRIPS PER BOX</b>							
	UX-1SP	UX1SPS6	01183	0.7	44	24	144	
	UX-1	UX1S6	01178	0.7	44	24	144	
	U3-1	U3-1S6	01143	1.3	38	24	144	
	U3-2	U3-2S6	01230	1.3	38	24	144	
	U3	U3S6	01254	1.3	38	24	144	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	UX-1SP	UX1SPS12	01184	0.7	96	12	144	
	UX-1	UX1S12	01179	0.8	96	12	144	
UX-1LLSP	UX1LLSPS12	01338	1.0	96	12	144		
UX-1LL	UX1LLS12	01336	1.0	96	12	144		
U2SP	U2SPS12	18851	1.2	84	12	144		
U2	U2S12	18400	1.2	84	12	144		
U3	U3S12	01255	1.3	84	12	144		
U3-1	U3-1S12	01144	1.3	84	12	144		
U3-2	U3-2S12	01231	1.3	84	12	144		
U4	U4S12	01283	1.7	84	12	144		
U5	U5S12	01305	1.8	84	12	144		
U6	U6S12	18404	1.9	84	12	144		
U7	U7S12	01294	2.0	84	12	144		
<b>24" STRIPS - 10 STRIPS PER BOX</b>								
UX-1SP	UX1SPS24	01355	1.3	188	10	240		
UX-1	UX1S24	01356	1.3	188	10	240		
UX-1LLSP	UX1LLSPS24	01359	1.4	188	10	240		
UX-1LL	UX1LLS24	01360	1.4	188	10	240		
U2SP	U2SPS24	18854	2.0	162	10	240		
U2	U2S24	18477	2.0	162	10	240		
U3-1	U3-1S24	01363	2.2	162	10	240		
U3-2	U3-2S24	01361	2.2	162	10	240		
U3	U3S24	18478	2.2	162	10	240		
U4	U4S24	18479	2.5	162	10	240		
U5	U5S24	01351	2.8	162	10	240		
U6	U6S24	05414	3.0	162	10	240		

## COATED STEEL™ - WITHOUT PINS

U1-U5	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>6" STRIPS - 24 STRIPS PER BOX</b>							
	U3-1	U3-1C6	01137	1.3	38	24	144	
	U3-2	U3-2C6	01125	1.3	38	24	144	
	U3	U3C6	01250	1.3	38	24	144	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	U2SP	U2SPC12	18850	1.2	84	12	144	
	U2	U2C12	18370	1.2	84	12	144	
	U3-1	U3-1C12	01138	1.3	84	12	144	
	U3-2	U3-2C12	01126	1.4	84	12	144	
U3	U3C12	01251	1.3	84	12	144		
U4	U4C12	01279	1.7	84	12	144		
U5	U5C12	01301	1.8	84	12	144		
U6	U6C12	18374	1.9	84	12	144		
<b>24" STRIPS - 10 STRIPS PER BOX</b>								
U2	U2C24	18453	2.0	162	10	240		
U3-1	U3-1C24	01364	2.2	162	10	240		
U3-2	U3-2C24	01362	2.2	162	10	240		
U3	U3C24	18454	2.2	162	10	240		
U4	U4C24	18455	2.5	162	10	240		
U5	U5C24	01352	2.8	162	10	240		


## STAINLESS RECTANGULAR HIGH TENSILE - WITHOUT PINS

U3	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	U3-1	U3-1RHTS12	05338	1.3	84	12	144	
	U3-2	U3-2RHTS12	05339	1.4	84	12	144	
	U3	U3-RHTS12	05340	1.3	84	12	144	
<b>24" STRIPS - 10 STRIPS PER BOX</b>								
U3-1	U3-1RHTS24	05341	2.2	162	10	240		
U3-2	U3-2RHTS24	05342	2.2	162	10	240		
U3	U3-RHTS24	05343	2.2	162	10	240		


**NOTE:** For U2SP-U7 Hooks, wire diameter = .054" (1.4 mm).  
 For UX1 Hooks, wire diameter = .040" (1.0 mm).  
 For UCM-36 Hooks, wire diameter = .036" x .027" (0.9 mm x 0.7 mm).

**HOOK SIZE EXPLANATION:**  
 U3-1 = #3 Leg with #1 point  
 U3-2 = #3 Leg with #2 point  
 U2 = #2 Leg with #2 point

For extra pin material see pages 18-20.







## 316L STAINLESS - WITHOUT PINS

UCM36, UX-1, U2-U5	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>6" STRIPS - 24 STRIPS PER BOX</b>							
	UX-1SP	UX1SPSS6	01193	0.7	44	24	144	
	UX-1	UX1SS6	01188	0.8	44	24	144	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	UCM36 SLXSP	UCM36SLXSPSS12	01315	0.8	120	12	144	
	UCM36 SLSP	UCM36SLSPSS12	01313	0.8	120	12	144	
	UCM36 XSP	UCM36XSPSS12	01312	0.8	120	12	144	
	UCM36 SP	UCM36SPSS12	01314	0.8	120	12	144	
	UCM36	UCM36SS12	01309	1.0	120	12	144	
UCM36LP	UCM36LPSS12	01317	0.9	120	12	144		
UCM36LLSP	UCM36LLSPSS12	01318	0.9	120	12	144		
UCM36LL	UCM36LLSS12	01308	1.0	120	12	144		
UX-1SP	UX1SPSS12	01194	0.7	96	12	144		
UX-1	UX1SS12	01189	0.8	96	12	144		
UX-1LLSP	UX1LLSPSS12	01342	1.0	96	12	144		
UX-1LL	UX1LLSS12	01340	1.0	96	12	144		
UA2	UA2SS12	01292	1.1	120	12	144		
UA3	UA3SS12	01293	1.1	120	12	144		
U2	U2SS12	18427	1.2	84	12	144		
U3	U3SS12	01258	1.6	84	12	144		
U4	U4SS12	18429	1.8	84	12	144		
U5	U5SS12	18430	1.8	84	12	144		
U6	U6SS12	18431	1.9	84	12	144		
<b>24" STRIPS - 10 STRIPS PER BOX</b>								
UX-1SP	UX1SPSS24	01354	1.0	188	10	240		
UX-1	UX1SS24	01353	0.8	188	10	240		
UX-1LLSP	UX1LLSPSS24	01358	1.0	188	10	240		
UX-1LL	UX1LLSS24	01357	1.0	188	10	240		
U2	U2SS24	18507	2.0	162	10	240		
U3	U3SS24	18508	2.1	162	10	240		
U4	U4SS24	18509	2.2	162	10	240		
<b>24" STRIPS - 12 STRIPS PER BOX</b>								
UCM36 SLXSP	UCM36SLXSPSS24	01319	1.3	234	12	288		
UCM36 SLSP	UCM36SLSPSS24	01320	1.3	234	12	288		
UCM36 XSP	UCM36XSPSS24	01321	1.4	234	12	288		
UCM36 SP	UCM36SPSS24	01322	1.4	234	12	288		
UCM36	UCM36SS24	01323	1.4	234	12	288		
UCM36LP	UCM36LPSS24	01385	1.4	234	12	288		
UCM36LLSP	UCM36LLSPSS24	01324	1.6	234	12	288		
UCM36LL	UCM36LLSS24	01325	1.6	234	12	288		

For extra pin material see pages 18-20.

### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel


## COATED STEEL™ - WITH PINS

U2-U6	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX
	<b>12" STRIPS - 12 STRIPS PER BOX</b>						
U2	U2C12NP	18540	1.2	84	12	144	
U3	U3C12NP	18541	1.4	84	12	144	
U4	U4C12NP	18542	1.6	84	12	144	
U5	U5C12NP	18543	1.9	84	12	144	
U6	U6C12NP	18544	2.1	84	12	144	

**Stock Items** (non-shaded) standard lead time is 3 working days.

**Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.




# Clipper® Hinge Pins

## HINGE PIN SPECIFICATIONS

Pin Diameter	.065" (1/16") 1.7 mm (previously #25)	.093" (3/32") 2.4 mm (previously #13)	.109" (7/64") 2.8 mm (previously #12)	.125" (1/8") 3.2 mm (previously #11)	.156" (5/32") 4.0 mm (previously #9)
Clipper® Hook Size	25's, 36's, 1's, UCM36's, UX-1's	2, 3, U2SP, U2 U3-1, U3-2, U3	4 & U4	4½, 5, U5	6, 7, U6 & U7

Hinge Pin Types	Abbreviation	Pin Wear Factor	Hook Wear Factor	Rigidity	Magnetic	Flexibility	Food Grade Material	Composition
Nylosteel	NY	Good	Good	Good	Yes	Good	No	Nylon & music wire
Nylostainless	NYS	Good	Good	Good	Slightly	Good	Yes	Nylon & 300SS spring wire
Nylon Covered Cable	NCS	Good	Good	Average	Slightly	Good	Yes	Nylon & 300SS cable
Music Wire	MW	Good	Poor	Excellent	Yes	Poor	No	High-carbon spring-tempered steel
Cold-Rolled Steel	Smooth - SM Notched - N	Average	Fair	Excellent	Yes	Fair to Poor	No	Mild cold-rolled steel
Stainless Steel	Smooth - SMS Notched - NS	Average	Fair	Excellent	Slightly	Fair to Poor	Yes	302 or 300 stainless steel
Duralink™	DL	Excellent	Excellent	Average	Slightly	Good	No	Wear-resistant nylon & 300SS cable
Bare Stainless Cable	SMSC	Average	Fair	Average	Slightly	Good	Yes	300SS cable
DuraStainless™	DSS	Excellent	Excellent	Good	Slightly	Good	No	Wear resistant nylon & 300SS spring wire
Nylon Plus	NP	Good	Excellent	Fair	No	Excellent	Yes	Nylon

## PINPAK™ 100




(100 ft. of hinge pin with dispenser)

PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.	PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.	PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>NYLOSTEEL</b>				<b>NYLOSTAINLESS</b>				<b>NYLON COVERED CABLE</b>			
.053	NY053-C	18700	1.6	.053	NYS053-C	18701	1.6	.053			
.065	NP065-C	02598	1.6	.065	NYS065-C	02649	1.6	.065	NCS065-C	02751	1.7
.079	NP079-C	02872	1.8	.079	NYS079-C	18721	1.8	.079			
.093	NP093-C	02867	2.0	.093	NYS093-C	02670	2.0	.093	NCS093-C	02767	1.7
.109	NP109-C	02861	2.1	.109	NYS109-C	02664	2.1	.109			
.125	NP125-C	02864	2.2	.125	NYS125-C	02658	2.2	.125	NCS125-C	02762	3.0
.156	NP156-C	02873	2.5	.156	NYS156-C	02652	2.5	.156	NCS156-C	02756	3.3
<b>NYLON PLUS</b>				<b>DURALINK™</b>				<b>DURASTAINLESS™</b>			
.053	NP053-C	02863	1.6	.065	DL065-C	02726	1.8	.065	DSS065-C	02826	1.8
.065	NP065-C	02854	1.6	.093	DL093-C	02743	2.1	.093	DSS093-C	02830	2.1
.079	NP079-C	02872	1.8	.109	DL109-C	02737	2.2	.109	DSS109-C	02834	2.2
.093	NP093-C	02867	2.0	.125	DL125-C	02732	2.3				
.109	NP109-C	02861	2.1								
.125	NP125-C	02864	2.2								
.156	NP156-C	02873	2.5								




# Clipper® Hinge Pins



## NYLON COVERED LEADER ASSEMBLIES

PIN DIAMETER	ORDERING NUMBER	ITEM CODE	PIN LENGTH	LEADER LENGTH
<b>NYLON COVERED CABLE</b>				
.065	NCS065X10FT-W/10FT	05021	10	10
.065	NCS065X25FT-W/5FT	05022	25	5
.093	NCS093X5FT-W/5FT	05194	5	5
.093	NCS093X10FT-W/10FT	05023	10	10
.093	NCS093X15FT-W/2FT	05195	15	2
.093	NCS093X25FT-W/5FT	05024	25	5
.093	NCS093X25FT-W/10FT	05025	25	10
.093	NCS093X50FT-W/4FT	05196	50	4
<b>DURALINK™</b>				
.065	DL065X25FT-W/5FT	05193	25	5
.093	DL093X10FT-W/10FT	05020	10	10
.093	DL093X25FT-W/5FT	05019	25	5

Other sizes can be custom ordered.



## 12" PRE-CUT PINS

(24 pins per package)

PIN DIAMETER	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
<b>NYLOSTEEL</b>			<b>NYLOSTAINLESS</b>		<b>NYLON PLUS</b>	
.065	NY065-12	02592	NYS065-12	02644	NP065-12	02847
.093	NY093-12	02625	NYS093-12	02668	NP093-12	02865
.109	NY109-12	02619	NYS109-12	02662	NP109-12	02859
.125	NY125-12	02611	NYS125-12	02656	NP125-12	02833
.156	NY156-12	02600	NYS156-12	02650	NP156-12	02832

## HINGE PIN TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Pin and Cable Cutter	APC-1	50004
Pin and Cable Stripper	CABLE STRIPPER	03241


## .065" PRE-CUT PINS

BELT WIDTH		PINS/PACKAGE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
in.	mm.	<b>NYLOSTEEL</b>			<b>NYLOSTAINLESS</b>	
5/8"	16	100			NYS065-5/8-100	02632
3/4"	19	100	NY065-3/4-100	02576		
7/8"	22.5	100	NY065-7/8-100	02574		
1"	25.5	100	NY065-1-100	02577	NYS065-1-100	02637
1 1/4"	32	100	NY065-1-1/4-100	02578	NYS065-1-1/4-100	02633
1 1/2"	38.5	100	NY065-1-1/2-100	02579	NYS065-1-1/2-100	02634
1 3/4"	44.5	100	NY065-1-3/4-100	02580		
1 7/8"	48	100	NY065-1-7/8-100	02581	NYS065-1-7/8-100	02635
2"	51	100	NY065-2-100	02582	NYS065-2-100	02638
2 1/4"	57.5	100	NY065-2-1/4-100	02583	NYS065-2-1/4-100	02639
2 1/2"	63.5	100	NY065-2-1/2-100	02584	NYS065-2-1/2-100	02640
2 3/4"	70	100	NY065-2-3/4-100	02585		
3"	76.5	100	NY065-3-100	02586	NYS065-3-100	02641
3 1/4"	83	50	NY065-3-1/4-50	02587	NYS065-3-1/4-50	02636
3 1/2"	87	50	NY065-3-1/2-50	02588		
4"	102	50	NY065-4-50	02589	NYS065-4-50	02642
4 1/2"	115	50	NY065-4-1/2-50	02590		
6"	152	24	NY065-6-24	02591	NYS065-6-24	02643

**Stock Items** (non-shaded) standard lead time is 3 working days.

**Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available.  
Request quote for price and delivery.



# Clipper® Hinge Pins

## HINGE PINS IN COILS

(25 ft. minimum)

PIN DIAMETER	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
<b>NYLOSTEEL</b>			<b>NYLOSTAINLESS</b>		<b>NYLON COVERED CABLE</b>	
.053	NY053	02594	NYS053	02645	NCS065	02750
.065	NY065	02597	NYS065	02648		
.079	NY079	02595	NYS079	02646		
.093	NY093	02627	NYS093	02669		
.109	NY109	02621	NYS109	02663	NCS125	02761
.125	NY125	02613	NYS125	02657	NCS156	02755
.156	NY156	02606	NYS156	02651		
<b>DURALINK™</b>			<b>DURASTAINLESS™</b>			
.065	DL065	02725	DSS065	02727		
.079	DL079	04316				
.093	DL093	02742	DSS093	02744		
.109	DL109	02736	DSS109	02738		
.125	DL125	02731				
<b>SMOOTH STEEL</b>			<b>NOTCHED STEEL</b>		<b>SMOOTH SS</b>	
.040					SMS040	02772
.054	SM054	02771	N054	02775	SMS054	02779
.093	SM093	02773	N093	02777	SMS093	02781
<b>NOTCHED SS</b>			<b>NYLON PLUS</b>		<b>BARE SS CABLE</b>	
.053/.054	NS054	02783	NP053	02868	SMSC065	02769
.065			NP065	02853		
.079			NP079	02869		
.093	NS093	02784	NP093	02866		
.109			NP109	02860	SMSC093	02770
.125			NP125	02870		
.156			NP156	02871		

**NOTE:** For coils less than 25 ft., call Flexco Customer Service.


### MUSIC WIRE

PIN DIAMETER	DESCRIPTION	ORDERING NUMBER	ITEM CODE
.043"	Per Foot	MW043	02787
.054"	Per Foot	MW054	02788
.072"	12 Foot Lengths	MW072	02789
.090"	12 Foot Lengths	MW090	02791
.090"	100 Foot Lengths	MW090-100	02790

### STRIPPED LEADERS


DESCRIPTION	ORDERING NUMBER	ITEM CODE
.093 x 123" Nylosteel with 63" Stripped Leader	NY093-123	02629
.093 x 246" Nylosteel with 63" Stripped Leader	NY093-246	02630
.093 x 100' Nylosteel with 63" Stripped Leader	NY093-100	02631
.093 x 123" DuraStainless™ with 63" Stripped Leader	DSS093-123	04093
.093 x 246" DuraStainless™ with 63" Stripped Leader	DSS093-246	04094

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.

Request quote for price and delivery.



## How Clipper® G Series™ Lacing Works

Clipper® G Series™ Lacing is precision-stamped belt lacing from 316L stainless steel, ensuring a consistent 4.00 mm pitch over the entire length of the lace. The staggered leg geometry features four alternating point levels between the top and bottom of the lace which provides varying points of penetration


versus a continuous line, increasing the strength and durability of the splice.

G Series is machine-applied for consistent compression, resulting in a uniform and flat splice, even with belts that are prone to belt wave. Corrugated stainless steel hinge pins prevent migration during use.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Food Manufacturing</li> <li>Agriculture Equipment</li> <li>Package and Parts Handling</li> <li>Filter Media</li> <li>Slider Bed Systems</li> </ul>	Clipper G Series Lacing can be installed with the Pro 600 or 6000 production lacers, Roller Lacer®, Roller Lacer® Gold Class™, or with a Clipper® Microlacer®.	<ul style="list-style-type: none"> <li>G Series Lacing</li> <li>Hinge Pin</li> <li>Installation Tool</li> <li>G Series Face Strip or Comb</li> </ul>
How to Specify the Correct G Series™ Lacing	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Measure your Belt Thickness.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Stainless Steel.</b> Type 316 Stainless Steel offers more resistance than galvanized steel to abrasion, acids, chemicals, rusting, and magnetic attraction.</p>	<p><b>CSSP Corrugated Stainless Steel</b> - for all sizes of G Series belt lacing.</p>

### Fastener and Pin Size Selection Chart

Minimum Pulley Diameter	Material Thickness		Hinge Pin Size		Belt Thickness					
	in.	mm	in.	mm	.059" (1.5 mm)	.078" (2.0 mm)	.098" (2.5 mm)	.118" (3.0 mm)	.138" (3.5 mm)	.197" (5.0 mm)
1.6" (40 mm)	.019	.50	.047	1.20	G005A					
	.029	.75	.055	1.40		G005				
2.0" (50 mm)	.019	.50	.047	1.20		G006A				
	.029	.75	.055	1.40			G006			
3.0" (75 mm)	.039	1.0	.079	2.00				G008		



# Clipper® G Series™ Lacing

## LACING


### AISI 316 STAINLESS LACING WITH PINS


	SIZE	ORDERING NUMBER	ITEM CODE	WT. PER BOX LBS.	STRIPS PER BOX	STRIP LENGTH	
						in.	mm
						G005A	G005A-SS-300W-12/BX
G005A-SS-600W-8/BX	05493	0.97	8	24"	600		
G005A-SS-900W-8/BX	05494	1.46	8	36"	900		
G005A-SS-1200W-8/BX	05495	1.94	8	48"	1200		
G005A-SS-1500W-8/BX	05496	2.34	8	60"	1500		
G005	G005-SS-300W-12/BX	05497	0.71	12	12"	300	
	G005-SS-600W-8/BX	05498	1.15	8	24"	600	
	G005-SS-900W-8/BX	05499	1.74	8	36"	900	
	G005-SS-1200W-8/BX	05500	2.34	8	48"	1200	
	G005-SS-1500W-8/BX	05501	2.82	8	60"	1500	
G006A	G006A-SS-300W-12/BX	05502	0.71	12	12"	300	
	G006A-SS-600W-8/BX	05503	0.93	8	24"	600	
	G006A-SS-900W-8/BX	05504	1.41	8	36"	900	
	G006A-SS-1200W-8/BX	05505	1.90	8	48"	1200	
	G006A-SS-1500W-8/BX	05506	2.43	8	60"	1500	
G006	G006-SS-300W-12/BX	05507	0.93	12	12"	300	
	G006-SS-600W-8/BX	05508	1.23	8	24"	600	
	G006-SS-900W-8/BX	05509	1.83	8	36"	900	
	G006-SS-1200W-8/BX	05510	2.43	8	48"	1200	
	G006-SS-1500W-8/BX	05511	2.99	8	60"	1500	
G008	G008-SS-300W-12/BX	05544	1.85	12	12"	300	
	G008-SS-600W-8/BX	05545	2.47	8	24"	600	
	G008-SS-900W-8/BX	05546	3.66	8	36"	900	
	G008-SS-1200W-8/BX	05547	4.85	8	48"	1200	
	G008-SS-1500W-8/BX	05548	6.00	8	60"	1500	

### HINGE PIN IN 30M COIL

#### CORRUGATED STAINLESS STEEL CABLE

PIN DIAMETER (MM)	ORDERING NUMBER	ITEM CODE	WT. LBS.
1.4	CSSP1.4X30M	04373	1.0
2.5	CSSP2.5X30M	04436	2.54

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.

# Clipper® Maintenance Lacers




## ROLLER LACER® GOLD CLASS™

(Face strips sold separately)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
24"	600	RL-G24	03985	50.0
36"	900	RL-G36	03986	58.0
48"	1200	RL-G48	03987	66.0
60"	1500	RL-G60	03988	74.0

NOTE: Includes carding paper remover and scissors.



## CLIPPER® FACE STRIPS

ROLLER LACER® GOLD CLASS™ (Includes one Lacer Pin)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 36, UCM 36</b>				
24"	600	FSGOLD36-24	04038	4.3
36"	900	FSGOLD36-36	04039	5.4
48"	1200	FSGOLD36-48	04040	6.4
60"	1500	FSGOLD36-60	04041	7.6
<b>HOOK SIZE 1, UX-1</b>				
24"	600	FSGOLD1-24	04034	4.3
36"	900	FSGOLD1-36	04035	5.4
48"	1200	FSGOLD1-48	04036	6.4
60"	1500	FSGOLD1-60	04037	7.6
<b>HOOK SIZE 2 – 4, U2SP – U3</b>				
24"	600	FSGOLD2-24	04042	4.3
36"	900	FSGOLD2-36	04043	5.4
48"	1200	FSGOLD2-48	04044	6.4
60"	1500	FSGOLD2-60	04045	7.6
<b>HOOK SIZE 4-1/2 – 7, U4 – U7</b>				
24"	600	FSGOLD4-1/2-24	04046	4.3
36"	900	FSGOLD4-1/2-36	04047	5.4
48"	1200	FSGOLD4-1/2-48	04048	6.4
60"	1500	FSGOLD4-1/2-60	04049	7.6

## G SERIES™ FACE STRIPS

ROLLER LACER® GOLD CLASS™ (Includes one Lacer Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	24"	600	FSGOLDG-601	04363	1.02
	36"	900	FSGOLDG-901	04364	1.28
	48"	1200	FSGOLDG-1201	04365	1.40
	60"	1500	FSGOLDG-1501	04366	1.65
G008	24"	600	FSGOLDGXL-601	04461	1.02
	36"	900	FSGOLDGXL-901	04462	1.28
	48"	1200	FSGOLDGXL-1201	04463	1.40
	60"	1500	FSGOLDGXL-1501	04464	1.65

## G SERIES™ REPLACEMENT LACER PINS

ROLLER LACER® GOLD CLASS™

HOOK SIZE	ORDERING NUMBER	ROLLER LACER GOLD CLASS	ITEM CODE	WT. LBS.
G005(A) - G006(A)	LPGOLD1/36-24	RL-G24	04006	0.4
	LPGOLD1/36-36	RL-G36	04007	0.5
	LPGOLD1/36-48	RL-G48	04008	0.6
	LPGOLD1/36-60	RL-G60	04009	0.7
G008	LPGOLDREG-24	RL-G24	04010	0.4
	LPGOLDREG-36	RL-G36	04011	0.5
	LPGOLDREG-48	RL-G48	04012	0.6
	LPGOLDREG-60	RL-G60	04013	0.7

## CLIPPER® REPLACEMENT LACER PINS

ROLLER LACER® GOLD CLASS™


BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 1, 36, or 30</b>				
24"	600	LPGOLD1/36-24	04006	0.4
36"	900	LPGOLD1/36-36	04007	0.5
48"	1200	LPGOLD1/36-48	04008	0.6
60"	1500	LPGOLD1/36-60	04009	0.7
<b>HOOK SIZE 2 – 4, 4-1/2 – 7</b>				
24"	600	LPGOLDREG-24	04010	0.4
36"	900	LPGOLDREG-36	04011	0.5
48"	1200	LPGOLDREG-48	04012	0.6
60"	1500	LPGOLDREG-60	04013	0.7

NOTE: For repair parts see page 24.

## COMMON REPAIR PARTS

ROLLER LACER® GOLD CLASS™ & MANUAL ROLLER LACER®

DESCRIPTION/ORDERING NUMBER	ITEM CODE	WT. LBS.
Guide Block Replacement Kit For Serial Number 3,500 – 50,000	03433	1.00
Guide Block Replacement Kit For Serial Number greater than 50,000	03897	1.00
Face Strip Knobs	03817	.50
Urethane Strip – Priced Per Foot	03274	1.0
RL Carrying Strap	04051	1.0
Nut Driver for Roller Lacer Gold Class	04068	1.0
Handle Cover Kit Rlr-Lacer-Gold-Hndl-Covr-Kit	56748	2.0




# Clipper® Maintenance Lacers

## MANUAL ROLLER LACER®

(Face strips sold separately)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
24"	600	RL-24	03370	38.0
36"	900	RL-36	03371	47.0
48"	1200	RL-48	03372	55.0
60"	1500	RL-60	03375	63.0
72"	1800	RL-72	04055	71.0

NOTE: Includes carding paper remover and scissors.



## CLIPPER® FACE STRIPS

MANUAL ROLLER LACER® (Includes one Lacer Pin)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 30</b>				
24"	600	FSMAN30-24	04064	1.3
36"	900	FSMAN30-36	04065	1.6
48"	1200	FSMAN30-48	04066	2.1
60"	1500	FSMAN30-60	04067	2.6
72"	1800	FSMAN30-72	04972	3.1
<b>HOOK SIZE 36, UCM36</b>				
24"	600	FSMAN36-24	04020	1.3
36"	900	FSMAN36-36	04021	1.6
48"	1200	FSMAN36-48	04022	2.1
60"	1500	FSMAN36-60	04023	2.6
72"	1800	FSMAN36-72	04084	3.1
<b>HOOK SIZE 1, UX-1</b>				
24"	600	FSMAN1-24	04015	1.3
36"	900	FSMAN1-36	04016	1.6
48"	1200	FSMAN1-48	04017	2.1
60"	1500	FSMAN1-60	04018	2.6
72"	1800	FSMAN1-72	04085	3.1
<b>HOOK SIZE 2-4, U2SP-U3</b>				
24"	600	FSMAN2-24	04025	1.3
36"	900	FSMAN2-36	04026	1.6
48"	1200	FSMAN2-48	04027	2.1
60"	1500	FSMAN2-60	04028	2.6
72"	1800	FSMAN2-72	04086	3.1
<b>HOOK SIZE 4-1/2-7, U4-U7</b>				
24"	600	FSMAN4-1/2-24	04030	1.3
36"	900	FSMAN4-1/2-36	04031	1.6
48"	1200	FSMAN4-1/2-48	04032	2.1
60"	1500	FSMAN4-1/2-60	04033	2.6
72"	1800	FSMAN4-1/2-72	04087	3.1

## CLIPPER® REPLACEMENT LACER PINS

MANUAL ROLLER LACER®

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 1, 36, or 30</b>				
24"	600	LPMAN1/36-24	03997	0.4
36"	900	LPMAN1/36-36	03998	0.5
48"	1200	LPMAN1/36-48	03999	0.6
60"	1500	LPMAN1/36-60	04000	0.7
72"	1800	LPMAN1/36-72	04088	0.8
<b>HOOK SIZE 2-4, 4-1/2-7</b>				
24"	600	LPMANREG-24	04002	0.4
36"	900	LPMANREG-36	04003	0.5
48"	1200	LPMANREG-48	04004	0.6
60"	1500	LPMANREG-60	04005	0.7
72"	1800	LPMANREG-72	04089	0.8

## G SERIES™ FACE STRIPS

MANUAL ROLLER LACER® (Includes one Lacer Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	24"	600	FSMANG-601	04359	1.02
	36"	900	FSMANG-901	04360	1.28
	48"	1200	FSMANG-1201	04361	1.40
	60"	1500	FSMANG-1501	04362	1.65
	72"	1800	FSMANG-1801	04453	1.80
G008	24"	600	FSMANGXL-601	04456	1.02
	36"	900	FSMANGXL-901	04457	1.28
	48"	1200	FSMANGXL-1201	04458	1.40
	60"	1500	FSMANGXL-1501	04459	1.65
	72"	1800	FSMANGXL-1801	04460	1.80

## G SERIES™ REPLACEMENT LACER PINS

MANUAL ROLLER LACER®

HOOK SIZE	ORDERING NUMBER	MANUAL ROLLER LACER	ITEM CODE	WT. LBS.
G005(A) - G006(A)	LPMAN1/36-24	RL-24	03997	0.4
	LPMAN1/36-36	RL-36	03998	0.5
	LPMAN1/36-48	RL-48	03999	0.6
	LPMAN1/36-60	RL-60	04000	0.7
	LPMAN1/36-72	RL-72	04088	0.8
G008	LPMANREG-24	RL-24	04002	0.4
	LPMANREG-36	RL-36	04003	0.5
	LPMANREG-48	RL-48	04004	0.6
	LPMANREG-60	RL-60	04005	0.7
	LPMANREG-72	RL-72	04089	0.8

## ALLIGATOR FACE STRIPS

MANUAL ROLLER LACER® (Includes one Lacer Pin)

LACING SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
00	24"	600	GFSAG00-24	18244	1.3
	36"	900	GFSAG00-36	18245	1.6
	48"	1200	GFSAG00-48	19037	2.1
1 & 7	24"	600	GFSAM1&7-24	19701	1.3
	36"	900	GFSAM1&7-36	19702	1.6
	48"	1200	GFSAM1&7-48	19703	2.1
	60"	1500	GFSAM1&7-60	19704	2.6


## ALLIGATOR REPLACEMENT LACER PINS

MANUAL ROLLER LACER®

LACING SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
00	36	900	GFSAGP00-36	18230	0.5
1 & 7	24	600	GFSAGP1&7-24	18272	0.4
	36	900	GFSAGP1&7-36	18273	0.5
	48	1200	GFSAGP1&7-48	18250	0.6
	60	1500	GFSAGP1&7-60	18231	0.7



# Clipper® Maintenance Lacers




## MICROLACER®

(Face strips sold separately)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
14"	350	MICROLACER	03368	27.0

**NOTE:** Includes carding paper remover and scissors.



## CLIPPER® FACE STRIPS

(Includes one Lacer Pin)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
30	FSMAN30-MICRO	04063	2.3
36, UCM36	FSMAN36-MICRO	04019	2.3
1, UX-1	FSMAN1-MICRO	04014	2.3
2-4, U2-U3,	FSMAN2-MICRO	04024	2.3
4-1/2-7, U4-U7	FSMAN4-1/2-MICRO	04029	2.3

## CLIPPER® REPLACEMENT LACER PINS

HOOK SIZE	ORDERING NUMBER	ITEM CODE	PIN DIA.
1/36	LPMAN1/36-MICRO	03996	0.67
2-7	LPMANREG-MICRO	04001	0.106

## G SERIES™ FACE STRIP

MICROLACER® (Includes one Lacer Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	14"	350	FSMANG-351-MICRO	04358	0.5
G008	14"	350	FSMANGXL-350-MICRO	04455	0.5

## G SERIES™ REPLACEMENT LACER PINS

MICROLACER®

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
G005(A) - G006(A)	LPMAN1/36-MICRO	03996	0.2
G008	LPMANREG-MICRO	04001	0.5


## ALLIGATOR FACE STRIPS


MICROLACER® (Includes one Lacer Pin)

LACING SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
00	14	350	GFSAA00-14	18243	2.3
1&7	14	350	GFSAA1&7-14	18248	2.3

## COMMON REPAIR PARTS


DESCRIPTION/ORDERING NUMBER	ITEM CODE	WT. LBS.
Guide Block Replacement Kit For Serial Number 3,500 – 50,000	03433	1.00
Guide Block Replacement Kit For Serial Number greater than 50,000	03897	1.00
Face Strip Knobs	03817	.50
Urethane Strip – Priced Per Foot	03274	.10

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.

Request quote for price and delivery.




# Clipper® Specialty Lacers

## LW95 LACERS

(Laces all Clipper Hooks. Laces up to 6" in one operation. Includes Lacing Assembly Kit)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.	RETAINER INCLUDED
2-7, U2-U7	LW95	03074	31.0	HRREGLW95
1, UX-1	1LW95	03076	31.0	HR1LW95
25	25XLW	03075	31.0	HR25LW95
REPLACEMENT HOOK RETAINERS				
2-7, U2-U7	HR2LW95	03085	0.6	
1, UX-1	HR1LW95	03081	0.5	
25	HR25LW95	03827	1.0	
30, 36, UCM36	HR36LW95	03119	0.5	


LW95 Lacer



## WISE LACERS

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
2-7,U2-U7	R-4	03018	1.0
2-7,U2-U7	R-7	03019	2.0
2-7,U2-U7	R-10	03020	3.0
1, UX-1, UX-1SP	1VL-7	03236	2.0
25	25VL-7	03814	3.0
30, 36, UCM36	36VL-7	03238	1.0

Vise Lacer




## BALER BELT LACER™

(Laces all Clipper Baler Hooks, RHTX, 2-7)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
7"	175	BBL-7	03434	51.0
10"	250	BBL-10	03435	51.0

Baler Belt Lacer




## LEVER LACER

(For thin belts or tapes up to 2" wide)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25	25LEVER	03014	5.0
36	36LEVER	04223	5.0

Lever Lacer




## PLIER-TAPE LACER


(For thin belts or tapes up to 2" wide)

ORDERING NUMBER	ITEM CODE	WT. LBS.
PTL25	18015	3.5
PTL30	18017	3.7
PTL1	18016	3.6

Plier-Tape Lacer




# Clipper® Production Lacers




## #12 SPEED LACER

(Includes #2-7 Retainer)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12"	300	12LACER	03167	177.0
CHAIN DRIVE ATTACHMENT				
12LACER-CHAIN			03225	24.0



#12 Speed Lacer



Electric Hydraulic Lacer

## CLIPPER® HOOK RETAINER FOR #12 SPEED LACER

(Includes one Lacer Pin)

DESCRIPTION	HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
Acusteel	25	HR25-12	03822	1.8
Acusteel	30,36,UCM36	HR36-12	03170	1.5
Acusteel	1,UX-1	HR1-12	03168	1.5
Acusteel	2-7,U2-U7	HR2-12	03211	1.5

## 12" LACER PIN FOR #12 SPEED LACER


HOOK SIZE	ORDERING NUMBER	ITEM CODE
25,30,36,1	LP1/36-12	03169
2-7	LP2-12	03222

## ELECTRIC HYDRAULIC POWER LACERS

(Includes #2-7 Retainer)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
115 V, 60HZ				
12"	300	EH-12-115V-60HZ	03037	355.0
25"	625	EH-25-115V-60HZ	03038	560.0
38"	950	EH-38-115V-60HZ	03039	875.0
100 V, 60HZ				
12"	300	EH-12-100V-60HZ	04233	355.0
25"	625	EH-25-100V-60HZ	04231	560.0
38"	950	EH-38-100V-60HZ	04232	875.0
100 V, 50HZ				
12"	300	EH-12-100V-50HZ	04243	355.0
25"	625	EH-25-100V-50HZ	04244	560.0
38"	950	EH-38-100V-50HZ	04245	875.0
230 V, 50/60HZ, 3 Phase				
25"	625	EH-25-230V3PH-50/60HZ	04259	560.0
38"	950	EH-38-230V3PH-50/60HZ	04260	875.0

NOTE: Please specify type of electrical plug connection required.

 Stock Items (non-shaded) carried in factory inventory.

 Made To Order Items (shaded) have added lead time.

Non-Listed Items are available.  
Request quote for price and delivery.

## ELECTRIC HYDRAULIC LACER COVER

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12"	300	Cover-12	03452	3.0
25"	625	Cover-25	03453	4.0
38"	950	Cover-38	03519	5.0


## CLIPPER® REPLACEMENT LACER PINS FOR POWER LACER

BELT WIDTH		ORDERING NUMBER	ITEM CODE
in.	mm		
<b>HOOK SIZE 25, 36, 1</b>			
12"	300	LP1/36-12	03169
25"	625	LP1/36-25	03162
38"	950	LP1/36-38	03163
<b>HOOK SIZE 2-7</b>			
12"	300	LP2-12	03222
25"	625	LP2-25	03054
38"	950	LP2-38	03156

## CLIPPER® HOOK RETAINER FOR POWER LACERS

(Includes one Lacer Pin)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 25</b>				
12"	300	HR25-12	03822	1.8
25"	625	HR25-25	03823	3.3
38"	950	HR25-38	03824	4.2
<b>HOOK SIZE 30, 36, UCM36</b>				
12"	300	HR36-12	03170	1.5
25"	625	HR36-25	03154	3.3
38"	950	HR36-38	03155	4.2
<b>HOOK SIZE 1, UX-1</b>				
12"	300	HR1-12	03168	1.5
25"	625	HR1-25	03143	3.3
38"	950	HR1-38	03150	4.2
<b>HOOK SIZE 2-7, U2-U7</b>				
12"	300	HR2-12	03211	1.5
25"	625	HR2-25	03051	3.3
38"	950	HR2-38	03148	4.2




# Clipper® Production Lacers

## AMU 4000 AND 6000\* LACERS AND COMBS

\*Formerly Referred to as Pro 600 and Pro 6000 Lacers

ORDERING NUMBER	ITEM CODE	WEIGHT LBS.
115 V, 60HZ, Single Phase		
AMU4000-115V1PH-60HZ	05773	295.0
AMU6000-115V1PH-60HZ	05774	305.0
400 V, 50/60HZ, Three Phase		
AMU6000-400V3PH-50/60HZ	05775	305.0



AMU-4000

## COMBS FOR AMU4000/6000 LACERS

(Includes Gauge Pins)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	<b>HOOK SIZE 25</b>		
24"	600	P6CLPR25M-24	03526	10.1
36"	900	P6CLPR25M-36	03538	13.0
48"	1200	P6CLPR25M-48	03551	15.5
60"	1500	P6CLPR25M-60	03531	18.5
in.	mm	<b>HOOK SIZE 36, UCM36, 30</b>		
24"	600	P6CLPR36M-24	03524	10.1
36"	900	P6CLPR36M-36	03537	13.0
48"	1200	P6CLPR36M-48	03539	15.5
60"	1500	P6CLPR36M-60	03529	18.5
in.	mm	<b>HOOK SIZE 1, UX1</b>		
24"	600	P6CLPR1M-24	03534	10.1
36"	900	P6CLPR1M-36	03535	13.0
48"	1200	P6CLPR1M-48	03550	15.5
60"	1500	P6CLPR1M-60	03528	18.5
in.	mm	<b>HOOK SIZE 2-7, U2-U7</b>		
24"	600	P6CLPR2M-24	03533	10.1
36"	900	P6CLPR2M-36	03536	13.0
48"	1200	P6CLPR2M-48	03532	15.5
60"	1500	P6CLPR2M-60	03527	18.5

## G SERIES™ COMBS FOR AMU4000/6000 LACERS

(Includes one Gauge Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	24"	600	P6CLPRGM-601	04410	10.1
	36"	900	P6CLPRGM-901	04411	13.0
	48"	1200	P6CLPRGM-1201	04412	15.5
	60"	1500	P6CLPRGM-1501	04413	18.5


## REPLACEMENT PARTS

DESCRIPTION	ITEM CODE	WT. LBS.
Linear Bearing	19200	2.0
Brass Bushing	19300	5.0

## REPLACEMENT LACER PINS FOR AMU4000/6000 (PRO600/6000) COMBS

BELT WIDTH		ITEM CODE				WT. LBS.
in.	mm	<b>FOR COMB NUMBER P6C25/36</b>				
		1.5 mm	1.8 mm x 1.5 mm	2.0 mm x 1.5 mm		
24"	600	03729	03734	03743		0.2
36"	900	03727	03735	03742		0.2
48"	1200	03728	03736	03741		0.2
60"	1500	19358	03737	03740		0.2
		<b>FOR COMB NUMBER P6C1</b>				
		1.8 mm	2.0 mm	2.5 mm x 2.0 mm	3.0 mm x 2.0 mm	
24"	600	03710	19361	19362	03722	0.2
36"	900	03709	03714	03721	03733	0.2
48"	1200	03708	03711	03723	03732	0.2
60"	1500	19378	03712	03716	03731	0.2
		<b>FOR COMB NUMBER P6C2</b>				
		2.5 mm	3.5 mm x 3.0 mm	4.0 mm x 3.0 mm		
24"	600	19364	19365	19366		0.3
36"	900	03726	03719	03720		0.3
48"	1200	19368	19370	19371		0.3
60"	1500	19373	19375	19376		0.3

# Clipper® Production Lacers



## ARK150\* LACERS AND COMBS

\*Formerly Referred to as Pro 200 Lacers

ORDERING NUMBER	ITEM CODE	WT. LBS.
115 V, 60HZ, Single Phase		
ARK-W/FOOT-PUMP	18036	70.0
ARK150-115V1PH-60HZ	03707	80.0


## ADAPTERS FOR ARK150 (PRO200) LACER

(Includes 1.5 and 2.0 mm Gauge Pins)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25	P2CLPR25	03650	4.3
36, 30	P2CLPR36	03591	4.3
1	P2CLPR1	03651	4.8
2-7	P2C2	18043	5.2

## REPLACEMENT LACER PINS FOR ARK150 (PRO200) LACER

FOR COMB NUMBER	DIAMETER (mm)	ITEM CODE	WT. LBS.
P2C25/36	1.5	19340	.1
P2C25/36	1.8 x 1.5	03739	.1
P2C25/36	2.0 x 1.5	03744	.1
P2C1	1.8	03713	.1
P2C1	2.0	19341	.1
P2C1	2.5 x 2.0	19342	.1
P2C1	3.0 x 2.0	19343	.1
P2C2	2.5	19339	.3
P2C2	3.5 x 3.0	03717	.3
P2C2	4.0 x 3.0	03718	.3



ARK150 with Foot Pump

## ADAPTERS FOR PRO-400 LACER-14"

(Includes 1.5 and 2.0 mm Gauge Pins)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25	P4CLPR25	03649	7.3
36, 30	P4CLPR36	03140	7.5
1	P4CLPR1	03525	7.5
2-7	P4C2	18052	8.0

## REPLACEMENT LACER PINS FOR PRO-400 LACER

FOR COMB NUMBER	DIAMETER (mm)	ITEM CODE	WT. LBS.
P4C25/36	1.5	19395	.1
P4C25/36	1.8 x 1.5	03738	.1
P4C25/36	2.0 x 1.5	03745	.1
P4C1	1.8	03715	.1
P4C1	2.0	19350	.1
P4C1	2.5 x 2.0	19380	.1
P4C1	3.0 x 2.0	19351	.1
P4C2	2.5	19349	.3
P4C2	3.5 x 3.0	03725	.3
P4C2	4.0 x 3.0	03724	.3

## REPLACEMENT PARTS


DESCRIPTION	ITEM CODE	WT. LBS.
Return Springs	19100	1.0
Adapter Spring Kit	19194	5.0

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.

Request quote for price and delivery.



## How Clipper® Patch Fasteners Work

Clipper® Laundry Patch Fasteners are manufactured from double-flattened wire which increases the holding ability as well as the transverse stability of the individual hooks, providing a flat and even splice area. The hook points are horizontally-cut, ensuring that they are bent accurately down towards the belt edge, which is especially important for thin belts used in laundry feeder and folding machine applications.


Available in either galvanized or 316L stainless steel, the hooks are integrated into the polyester patch material and are pre-cut to belt widths with leading and trailing ends. The patch is available with a custom logo if desired. Corrugated Perlon hinge pins are included with each box of fasteners, are corrosion-free, and provide lubrication to the splice joint.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Commercial Laundries</li> </ul>	Clipper Patch Fastener Hooks can be installed with the Pro 120 on-site maintenance lacer or the Pro 150 production lacer.	<ul style="list-style-type: none"> <li>Patch Fastener Hooks</li> <li>Hinge Pin</li> <li>Installation Tool</li> </ul>
How to Specify the Correct Clipper® Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Measure your Belt Thickness.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>Choose the fastener width that is appropriate for your specifications.</li> </ol>	<p><b>Galvanized Steel.</b> For basic applications, galvanized steel is recommended.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel offers more resistance than galvanized steel to abrasion, acids, chemicals, rusting, and magnetic attraction.</p>	<b>CP Corrugated Perlon.</b>

### Fastener and Pin Size Selection Chart

Minimum Pulley Diameter	Wire Diameter		Hinge Pin Size		Belt Thickness
	in.	mm	in.	mm	.078" (2.0 mm)
15/16" (25 mm)	.024	0.62	.055	1.40	25SP

# Clipper® Laundry Patch Fasteners



## FASTENERS

### #25 SHORT-POINT GALVANIZED ON PATCH with Corrugated Perlon Hinge Pins

25SP	PATCH WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX
	in.	mm					
	1.38	35	25SP-G-035W-P	05512	0.66	15 + 16	200
	1.57	40	25SP-G-040W-P	05513	0.79	19 + 20	200
	1.89	48	25SP-G-048W-P	05514	0.88	24 + 25	200
	1.97	50	25SP-G-050W-P	05515	0.93	26 + 27	200
	2.24	57	25SP-G-057W-P	05516	1.01	30 + 31	200
	2.48	63	25SP-G-063W-P	05517	1.06	33 + 34	200
	2.95	75	25SP-G-075W-P	05518	1.28	39 + 40	200
	3.54	90	25SP-G-090W-P	05519	0.79	46 + 47	100
	3.94	100	25SP-G-100W-P	05520	0.88	54 + 55	100
	4.53	115	25SP-G-115W-P	05521	0.97	61 + 62	100

Patch with customer logo available for +10% upcharge (one color only). Minimum order 10 boxes. 8 week lead time.

### CORRUGATED PERLON HINGE PINS (PRE-CUT)

PATCH WIDTH	PINS PER PACKAGE	ORDERING NUMBER	ITEM CODE
1.38	35	CP1.4-035-100/BX	04385
1.57	40	CP1.4-040-100/BX	04386
1.89	48	CP1.4-048-100/BX	04387
1.97	50	CP1.4-050-100/BX	04388
2.24	57	CP1.4-057-100/BX	04389
2.48	63	CP1.4-063-100/BX	04390
2.95	75	CP1.4-075-100/BX	04391
3.54	90	CP1.4-090-50/BX	04392
3.94	100	CP1.4-100-50/BX	04393
4.53	115	CP1.4-115-50/BX	04394

### #25 SHORT-POINT GALVANIZED ON PATCH LOW TEMPERATURE with Corrugated Perlon Hinge Pins

25SP	PATCH WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX
	in.	mm					
	1.38	35	25SP-G-035W-TPU1	05805	0.66	15 + 16	200
	1.57	40	25SP-G-040W-TPU1	05806	0.79	19 + 20	200
	1.89	48	25SP-G-048W-TPU1	05807	0.88	24 + 25	200
	1.97	50	25SP-G-050W-TPU1	05808	0.93	26 + 27	200
	2.24	57	25SP-G-057W-TPU1	05809	1.01	30 + 31	200
	2.48	63	25SP-G-063W-TPU1	05810	1.06	33 + 34	200
	2.95	75	25SP-G-075W-TPU1	05811	1.28	39 + 40	200
	3.54	90	25SP-G-090W-TPU1	05812	0.79	46 + 47	100
	4.53	115	25SP-G-115W-TPU1	05813	0.97	61 + 62	100

Patch with customer logo available for +10% upcharge (one color only). Minimum order 10 boxes. 8 week lead time.

### #25 SHORT-POINT 316L STAINLESS STEEL ON PATCH with Corrugated Perlon Hinge Pins


25SP	PATCH WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX
	in.	mm					
	1.38	35	25SP-SS-035W-P	05522	0.66	15 + 16	200
	1.57	40	25SP-SS-040W-P	05523	0.79	19 + 20	200
	1.89	48	25SP-SS-048W-P	05524	0.88	24 + 25	200
	1.97	50	25SP-SS-050W-P	05525	0.93	26 + 27	200
	2.24	57	25SP-SS-057W-P	05526	1.01	30 + 31	200
	2.48	63	25SP-SS-063W-P	05527	1.06	33 + 34	200
	2.95	75	25SP-SS-075W-P	05528	1.28	39 + 40	200
	3.54	90	25SP-SS-090W-P	05529	0.79	46 + 47	100
	3.94	100	25SP-SS-100W-P	05530	0.88	54 + 55	100
	4.53	115	25SP-SS-115W-P	05531	0.97	61 + 62	100


Patch with customer logo available for +10% upcharge (one color only). Minimum order 10 boxes. 8 week lead time.

### #25 SHORT-POINT 316L STAINLESS STEEL ON PATCH LOW TEMPERATURE with Corrugated Perlon Hinge Pins


25SP	PATCH WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX
	in.	mm					
	1.57	40	25SP-SS-040W-TPU1/19+20/100	05817	0.79	19 + 20	200
	1.89	48	25SP-SS-048W-TPU1/24+25/100	05814	0.88	24 + 25	200
	1.97	50	25SP-SS-050W-TPU1/26+27/100	05815	0.93	26 + 27	200
	4.53	115	25SP-SS-115W-TPU1/61+62 H/50	05816	0.97	61 + 62	100

Patch with customer logo available for +10% upcharge (one color only). Minimum order 10 boxes. 8 week lead time.

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available. Request quote for price and delivery.




# Clipper® Laundry Patch Fasteners

## CLIPPER® PRODUCTION LACERS

### ARK150-WNP LACER (FORMALLY PRO150)

(Does not include adapter)

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>115 VOLT; SINGLE PHASE; 60 HZ</b>		
ARK150-WNP-115V1PH-60HZ	05772	370.3



### ADAPTER FOR ARK150-WNP (PRO150) LACER


(Includes 1.6 mm gauge pin)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25 PATCH	P150CLPR25SPP115V	04377	4.3
25 PATCH	P150CLPR25SPP230V	04415	4.3

### AHP-WNP-HAND PUMP LACER (FORMALLY PRO120)

(Does not include adapter or temperature controller - purchase separately)

ORDERING NUMBER	ITEM CODE	WT. LBS.
AHP120-WNP-HAND	04374	35.1



### ADAPTER FOR AHP120-WNP-HAND LACER

(Includes 1.6 mm gauge pin)


HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25 PATCH	P120CLPR25SPP	04376	4.3


### TEMPERATURE CONTROLLER FOR AHP 120-WNP-HAND LACER

ORDERING NUMBER	ITEM CODE	WT. LBS.
PRO-120TC-115V-60HZ	04378	6.0
PRO-120TC-230V1PH-50/60HZ	04953	6.0

### CLIPPER BELT CLAMPS

ORDERING NUMBER	ITEM CODE	WT. LBS.
6IN-LAUNDRY-TAPE CLAMP	05858	2.0

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.





## How Alligator® Lacing Works

Hammer applied Alligator® Lacing utilizes a design with teeth that are formed so that when they are driven parallel to the length of the belt, the vital longitudinal carcass fibers are not severed.

The compression fit of the connecting bar provides a strong, vise-like hold on the belt

and distributes belt tension evenly across the entire belt width. The one-piece fastener strip also ensures that there are no loose pieces to work themselves out of the belt and into the conveyed product. The flat splice obtained with a continuous strip of lacing also helps with hinge pin insertion.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Manufacturing Assembly Lines</li> <li>Food, Package, and Parts Handling</li> <li>Checkout Counters</li> <li>Agricultural Equipment</li> </ul>	Requires only a hammer; no special tools needed. Unique, patented clips and round gauge rod act as an "extra" pair of hands.	<ul style="list-style-type: none"> <li>Fasteners</li> <li>Hinge Pin</li> <li>Hammer</li> </ul>
How to Specify the Correct Alligator® Lacing	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Determine Belt Tension (PIW).</li> <li>Measure your Belt Thickness.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> Standard fastener material.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel</p>	<p><b>H Steel Corrugated</b> - for all sizes of Alligator belt lacing.</p> <p><b>SH Stainless Steel Corrugated</b> - for all sizes of Alligator belt lacing.</p> <p><b>RH Rocker Hinge Pin</b> - for transmission belt lacing, two-piece pin to reduce friction and wear on loops and lacing.</p> <p><b>NC Nylon Covered Steel Cable</b> - for easier hinge pin insertion.</p> <p><b>NCS Nylon Covered Stainless Cable</b> - for greater corrosion resistance.</p>

### Alligator® Lacing Selection Chart

Lacing Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter		Approx. Corrugated Hinge Pin Diameter	
	PIW	kN/m	in.	mm	in.	mm	in.	mm
00	25	4.3	Up thru 1/16	Up thru 1.6	1	25	3/64	1.2
1	45	7.8	1/16-3/32	1.6-2.4	1-1/2	38	1/16	1.6
7	50	8.7	3/32-9/64	2.4-3.6	2	51	1/16	1.6
15	65	11.4	1/8-5/32	3.2-4.0	2-1/2	64	3/32	2.4
20	95	16.6	5/32-3/16	4.0-4.8	3	76	7/64	2.8
25	100	17.5	3/16-7/32	4.8-5.6	4	102	1/8	3.2
27	100	17.5	7/32-9/32	5.6-7.1	5	127	1/8	3.2
35	150	26.0	9/32-5/16	7.1-7.9	7	178	9/64	3.6
45	165	28.0	5/16-3/8	7.9-9.5	9	229	3/16	4.8
55	175	30.0	3/8-7/16	9.5-11.1	12	305	13/64	5.2
65	200	35.0	7/16-1/2	11.1-12.7	14	356	13/64	5.2



# Alligator® Conveyor Belt Lacing

## FASTENERS

### STEEL LACING WITH STEEL CORRUGATED HINGE PIN

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	
	<b>00</b>			<b>1A</b>			<b>1B</b>			<b>7</b>			<b>15</b>			
12"	300	00-12	10050	.2	1A-12	10070	.5		7-12	10090	.7	15-12	10482	1.0		
14"	350	00-14	10051	.5	1A-14	10071	.7	<b>Note:</b> Size 1A and 1B Alligator lacing has been modified to allow for complete interchangeability.  For machine applied lacing, order the corresponding 1A size.	7-14	10091	.9	15-14	10110	1.2		
16"	400	00-16	10052	.5	1A-16	10072	.8		7-16	10092	1.0	15-16	10111	1.4		
18"	450	00-18	10053	.5	1A-18	10073	.8		7-18	10093	1.1	15-18	10112	1.5		
20"	500	00-20	10054	.6	1A-20	10074	1.0		7-20	10094	1.2	15-20	10113	1.6		
22"	550	00-22	10055	.6	1A-22	10075	1.0		7-22	10095	1.3	15-22	10114	1.8		
24"	600	00-24	10056	.7	1A-24	10076	1.1		7-24	10096	1.4	15-24	10115	2.0		
26"	650								7-26	10097	1.5	15-26	10116	2.2		
28"	700								7-28	10098	1.6	15-28	10117	2.3		
30"	750	00-30	10059	.9	1A-30	10079	1.3		7-30	10099	1.7	15-30	10118	2.4		
32"	800								7-32	10100	1.9	15-32	10119	2.6		
36"	900	00-36	10061	1.0	1A-36	10081	1.6		7-36	10101	2.0	15-36	10120	2.7		
42"	1050	00-42	10062	1.2	1A-42	10082	2.0		7-42	10102	2.2	15-42	10121	3.4		
48"	1200	00-48	10063	1.3	1A-48	10083	2.0		7-48	10103	2.7	15-48	10122	3.8		
60"	1500	00-60	10065	1.7	1A-60	10085	2.7		7-60	10105	3.4	15-60	10124	4.8		
	<b>20</b>			<b>25</b>			<b>27</b>			<b>35</b>			<b>45</b>			
12"	300	20-12	10483	1.3	25-12	10484	1.5		27-12	10485	1.7	35-12	10486	2.8	45-12	10487
14"	350	20-14	10130	1.6	25-14	10150	1.9	27-14	10165	2.1	35-14	10180	3.3	45-14	10196	4.0
16"	400	20-16	10131	1.8	25-16	10151	1.9	27-16	10166	2.3	35-16	10181	3.7	45-16	10197	4.6
18"	450	20-18	10132	2.0	25-18	10152	2.2	27-18	10167	2.6	35-18	10182	4.1	45-18	10198	5.1
20"	500	20-20	10133	2.2	25-20	10153	2.4	27-20	10168	3.0	35-20	10183	4.6	45-20	10199	5.6
22"	550	20-22	10134	2.3	25-22	10154	2.7	27-22	10169	3.1						
24"	600	20-24	10135	2.5	25-24	10155	2.9	27-24	10170	3.4	35-24	10185	5.5	45-24	10201	6.8
26"	650				25-26	10156	3.1	27-26	10171	3.8						
28"	700	20-28	10137	3.0	25-28	10157	3.5	27-28	10172	3.9						
30"	750	20-30	10138	3.2	25-30	10158	3.6	27-30	10173	4.2	35-30	10188	6.8	45-30	10204	8.5
32"	800	20-32	10139	3.4				27-32	10174	4.7						
36"	900	20-36	10140	3.8	25-36	10160	4.3	27-36	10175	5.0	35-36	10190	8.2	45-36	10206	10.1
42"	1050	20-42	10141	4.6	25-42	10161	5.1	27-42	10176	5.9	35-42	10191	9.6	45-42	10207	11.8
48"	1200	20-48	10142	5.0	25-48	10162	5.7	27-48	10177	6.6	35-48	10192	11.0	45-48	10208	13.4
54"	1350	20-54	10143	5.4	25-54	10163	6.5									
60"	1500	20-60	10144	6.3	25-60	10164	7.1	27-60	10179	8.2	35-60	10194	13.6	45-60	10210	16.8
	<b>55</b>			<b>65</b>												
12"	300	55-12	10488	4.8	65-12	10489	5.7									
14"	350															
16"	400															
18"	450	55-18	10214	7.2	65-18	10232	8.8									
20"	500	55-20	10215	7.9												
24"	600	55-24	10217	9.6	65-24	10235	11.5									
30"	750	55-30	10220	11.8	65-30	10238	14.6									
36"	900	55-36	10222	14.0	65-36	10240	17.3									
42"	1050	55-42	10223	16.6												
48"	1200	55-48	10224	19.2	65-48	10242	23.0									
60"	1500				65-60	10244	28.8									

Any lengths over 60" are sold by the set.


- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.

### ALLIGATOR® LACING

**CARTON CONTENTS:**

- 4 Sets Lacing
- 4 Hinge Pins
- 1 Gauge Pin
- Required number of clips



## FASTENERS

### 316 STAINLESS LACING WITH 300 SERIES STAINLESS CORRUGATED HINGE PINS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	
in.	mm	<b>00S</b>			<b>1S</b>			<b>1BS</b>			<b>7S</b>			<b>15S</b>			
12"	300	00S-12	10528	.2	1S-12	10545	.5	<b>Note:</b> Size 1S and 1BS Alligator lacing has been modified to allow for complete interchangeability. For machine applied lacing, order the corresponding 1S size.	7S-12	10562	.7	15S-12	10491	1.1			
14"	350	00S-14	10529	.5	1S-14	10546	.5		7S-14	10563	.9	15S-14	10579	1.1			
16"	400	00S-16	10530	.4	1S-16	10547	.8		7S-16	10564	1.0	15S-16	10580	1.4			
18"	450	00S-18	10531	.5	1S-18	10548	.9		7S-18	10565	1.1	15S-18	10581	1.5			
20"	500	00S-20	10532	.7	1S-20	10549	1.0		7S-20	10566	1.2	15S-20	10582	1.7			
24"	600	00S-24	10534	.7	1S-24	10551	1.1		7S-24	10568	1.4	15S-24	10584	2.0			
28"	700								7S-28	10570	1.6	15S-28	10586	2.1			
30"	750	00S-30	10537	.8	1S-30	10554	1.4		7S-30	10571	1.8	15S-30	10587	2.5			
36"	900	00S-36	10539	1.0	1S-36	10556	1.7		7S-36	10573	2.1	15S-36	10589	2.9			
42"	1050	00S-42	10540	1.0	1S-42	10557	2.0		7S-42	10574	2.5	15S-42	10590	3.5			
48"	1200	00S-48	10541	1.4	1S-48	10558	2.1		7S-48	10575	2.7	15S-48	10591	3.9			
54"	1350				1S-54	10559	3.1										
60"	1500	00S-60	10543	1.7	1S-60	10560	2.8	7S-60	10577	3.7	15S-60	10593	4.8				
		<b>20S</b>			<b>25S</b>			<b>27S</b>			<b>35S</b>			<b>45S</b>			
12"	300	20S-12	10492	1.4	25S-12	10493	1.5	27S-12	10494	1.8	35S-12	10495	2.9	45S-12	10496	3.4	
14"	350	20S-14	10595	1.6	25S-14	10611	1.8	27S-14	10627	2.1	35S-14	10643	3.4				
16"	400	20S-16	10596	1.8	25S-16	10612	2.0	27S-16	10628	2.4	35S-16	10644	3.9				
18"	450	20S-18	10597	2.0	25S-18	10613	2.2	27S-18	10629	2.7	35S-18	10645	4.2	45S-18	10661	5.2	
20"	500	20S-20	10598	2.2	25S-20	10614	2.5	27S-20	10630	3.0	35S-20	10646	4.7	45S-20	10662	5.5	
24"	600	20S-24	10600	2.6	25S-24	10616	3.0	27S-24	10632	3.1	35S-24	10648	5.6	45S-24	10664	7.0	
30"	750	20S-30	10603	3.3	25S-30	10619	3.7	27S-30	10635	4.5	35S-30	10651	7.0	45S-30	10667	8.2	
36"	900	20S-36	10605	3.9	25S-36	10621	4.5	27S-36	10637	5.3	35S-36	10653	8.4	45S-36	10669	10.4	
42"	1050				25S-42	10622	4.9	27S-42	10638	6.2	35S-42	10654	10.2	45S-42	10670	11.9	
48"	1200	20S-48	10607	5.2	25S-48	10623	5.8	27S-48	10639	7.1	35S-48	10655	11.1				
60"	1500	20S-60	10609	6.6	25S-60	10625	7.4	27S-60	10641	8.7	35S-60	10657	14.0				
		<b>55S</b>															
18"	450	55S-18	10677	7.3													
24"	600	55S-24	10680	9.7													
30"	750	55S-30	10683	12.0													
36"	900	55S-36	10685	16.8													
48"	1200	55S-48	10687	19.2													



# Alligator® Conveyor Belt Lacing

## EXTRA HINGE PINS



### STEEL (H) CORRUGATED HINGE PINS – PACKAGES OF 10 PINS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	For 00			For 1 or 7			For 15			For 20		
6	150	00H6	10030	.1	1&7H6	10031	.1						
12	300	00H12	11075	.1	1&7H12	11092	.1	15H12	10033	.2	20H12	10034	.3
18	450	00H18	11078	.1	1&7H18	11095	.2	15H18	11126	.4	20H18	11142	.4
24	600	00H24	11081	.1	1&7H24	11098	.2	15H24	11129	.5	20H24	11145	.6
30	750	00H30	11084	.2	1&7H30	11101	.3	15H30	11132	.6	20H30	11148	.7
36	900	00H36	11086	.2	1&7H36	11103	.3	15H36	11134	.8	20H36	11150	.9
48	1200	00H48	11088	.2	1&7H48	11105	.5	15H48	11136	1.1	20H48	11152	1.2
60	1500	00H60	11090	.3	1&7H60	11107	.5	15H60	11138	1.2	20H60	11154	1.5
		For 25 or 27			For 35			For 45			For 55 or 65		
12	300	25&27H12	10035	.4	35H12	10037	.6	45H12	10038	.9			
18	450	25&27H18	11157	.7	35H18	11187	1.0						
24	600	25&27H24	11160	.8	35H24	11190	1.3	45H24	11205	1.7	55&65H24	11220	2.8
30	750	25&27H30	11163	1.1	35H30	11193	1.5						
36	900	25&27H36	11165	1.2	35H36	11195	1.8	45H36	11210	2.6	55&65H36	11225	4.3
48	1200	25&27H48	11167	1.8	35H48	11197	2.5	45H48	11212	3.8	55&65H48	11227	5.6
60	1500	25&27H60	11169	2.4	35H60	11199	3.2	45H60	11214	4.4	55&65H60	11229	7.4

### STAINLESS (SH) CORRUGATED HINGE PINS – 300 SERIES – PACKAGES OF 10 PINS


BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	For 00			For 1 or 7			For 15			For 20		
12	300				1&7SH12	11846	.1						
18	450				1&7SH18	11849	.2	15SH18	11878	.4			
24	600	00SH24	11831	.1	1&7SH24	11852	.2	15SH24	11881	.5	20SH24	11906	.5
30	750				1&7SH30	11855	.3	15SH30	11884	.7	20SH30	11909	.7
36	900	00SH36	11836	.2	1&7SH36	11857	.4	15SH36	11886	.8	20SH36	11911	.9
48	1200	00SH48	11838	.2	1&7SH48	11859	.4	15SH48	11888	.9	20SH48	11913	1.2
60	1500	00SH60	11840	.3	1&7SH60	11861	.5	15SH60	11890	1.0			
		For 25 or 27			For 35			For 45			For 55 or 65		
12	300	25&27SH12	11925	.4	35SH12	11950	.7						
18	450	25&27SH18	11928	.7									
24	600	25&27SH24	11931	.9	35SH24	11956	1.2				55&65SH24	11998	2.8
30	750	25&27SH30	11934	1.2									
36	900	25&27SH36	11936	1.4	35SH36	11961	2.0	45SH36	11982	2.8			
48	1200	25&27SH48	11938	1.7	35SH48	11963	2.6	45SH48	11984	4.3			
60	1500	25&27SH60	11940	2.0									

### EXTRA CLIPS

6 CLIPS PER PACKAGE

FASTENER SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
1, 7	1 & 7 CLIP	13256	.03
15, 20	15 & 20 CLIP	13250	.03
25, 27	25 & 27 CLIP	13252	.04
35	35 CLIP	13253	.04
45	45 CLIP	13254	.04

# Alligator<sup>®</sup> Transmission Belt Lacing



## FASTENERS

STRIP LENGTH		ORDERING NUMBER	ITEM CODE	SETS/ BOX	WT. LBS.	ORDERING NUMBER	ITEM CODE	SETS/ BOX	WT. LBS.
in.	mm	<b>STEEL</b>			<b>STAINLESS (TYPE 316)</b>				
6"	150	00	10000	6	.2	00S	10512	6	.2
6"	150	1A	10001	6	.3	1AS	10513	6	.3
6"	150	7	10002	6	.5	7S-TRANS	10514	6	.5
12"	300	15	10003	4	.9	15S	10515	4	.9
12"	300	20	10004	4	1.2	20S	10516	4	1.2
12"	300	25D	10005	4	1.4	25DS	10517	4	1.5
12"	300	27K	10008	4	1.7	27KS	10519	4	1.8
12"	300	35N	10011	4	2.7	35NS	10521	4	2.8
12"	300	45U	10012	4	3.3	45US	10522	4	3.4
12"	300	55W	10013	4	4.7	55WS	10523	4	5.0
12"	300	65X	10014	4	5.8				

## ECONOMY PACKAGES – 12" STRIPS

ORDERING NUMBER	ITEM CODE	SETS/ BOX	WT. LBS.
<b>STEEL LACING (WITH PINS)</b>			
15E	10020	10	3.2
20E	10021	10	4.2
25E	10022	10	4.8
27E	10023	10	5.8
35E	10024	10	8.3


## TRANSMISSION BELT LACING

### CARTON CONTENTS:

Fastener Sets as indicated above:  
 Sizes #00, 1 and 7 are 6" strips.  
 Sizes #15 through 65 are 12" strips.


Rocker Hinge Pins (Sizes 00, 1A, 7, 00S, 1AS and 7S come with Corrugated Hinge Pins.)

1 Gauge Pin



## ROCKER HINGE PINS (EXTRA-20/PACKAGE) FOR TRANSMISSION BELT LACING


ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>STEEL (RH)</b>		<b>STAINLESS (SRH)</b>		
15RH12	12375	20SRH12	12388	.3
20RH12	12376	25SRH12	12389	.3
27RH12	12378			.4
35RH12	12379			.5
45RH12	12380			.6
55&65RH12	12381			.8
				1.3



**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.



## How Alligator® Staple Fasteners Work

Designed for light and medium duty synthetic carcass belting, the Alligator® Staple fastener utilizes high tensile, stainless steel staple attachment, in conjunction with an extended plate design. This design separates the point of fastener penetration from the line of belt flexing to eliminate splice fatigue at the point of belt attachment.

Staple fasteners are furnished in strips with a bridge between each fastener plate. This strip design minimizes the chance of individual parts dislodging into the conveyed product. The one piece design provides a

stronger splice, greater resistance to impact damage, and a smoother, unrippled joint that simplifies hinge pin insertion.

Staples are hammer driven through the fastener and belt, working between the carcass fibers without severing them. The staples are then clinched cross-wise to the belt, so that belt tension does not pull against the staples to unclinch them.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Package and Parts Handling</li> <li>• Cased Goods</li> <li>• Food</li> <li>• Wood</li> <li>• Agricultural Products</li> </ul>	<p>A portable, lightweight application tool is easily carried to the job for on-site installation. The tool holds belt and fastener while staples are set with a hammer and a staple driver.</p>	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Hinge Pin</li> <li>• Installation Tool</li> <li>• Staple Driver</li> <li>• 1 lb. Hammer</li> </ul>
How to Specify the Correct Alligator® Staple Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> Standard fastener material.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction, and corrosion from acids and chemicals.</p> <p>Type 430 Magnetic Stainless Steel (Sizes 62 and 125).</p> <p><b>MegAlloy®.</b> (Sizes 125 and 187) For superior resistance to wear and abrasion.</p>	<p><b>NC Nylon Covered Steel Cable</b> - for use with steel fasteners, flat or troughed belts.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - for applications with stainless fasteners, flat or troughed belts.</p> <p><b>SP Steel Spring Wire</b> - for use with steel fasteners in abrasive or gritty material applications, flat belts only.</p> <p><b>SS Stainless Steel Spring Wire</b> - for use with stainless fasteners, flat belts only.</p>

### Alligator® Staple Fasteners Selection Chart

Fastener Size	Operating Tension Range		Belt Thickness Range		Min. Pulley Diameter		Approx. Hinge Pin Diameter	
	PIW	kN/m	in.	mm	in.	mm	in. (nylon-steel)	mm (nylon-steel)
RS62	100	17	1/16-1/8	1.5-3.2	2	50	nylon .080, steel .080	nylon 2.0, steel 2.0
RS125	160	28	1/8-3/16	3.2-4.8	3	75	nylon .141, steel .141	nylon 3.6, steel 3.6
RS187	200	35	3/16-1/4	4.8-6.4	4	102	nylon .203, steel .187	nylon 5.2, steel 4.7

# Alligator® Staple Fasteners



## FASTENERS

### CARTON CONTENTS:

- 4 Fastener Sets
- 4 Hinge Pins
- Required Amount of Retaining Washers

### STEEL

RS62	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
	WITH NYLON COVERED STEEL CABLE PINS (NC)				
12"	300	RS62J12/300NC	54476	1.3	
16"	400	RS62J16/400NC	54477	1.8	
18"	450	RS62J18/450NC	54478	2.0	
20"	500	RS62J20/500NC	54479	2.2	
24"	600	RS62J24/600NC	54480	2.7	
30"	750	RS62J30/750NC	54481	3.4	
36"	900	RS62J36/900NC	54482	4.0	
42"	1050	RS62J42NC	54485	4.7	
48"	1200	RS62J48NC	54483	5.4	
60"	1500	RS62J60NC	54484	6.7	
72"	1800	RS62J72NC	54769	7.4	

### STAINLESS (TYPE 316)

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS62J12/300SP	54486	1.3
RS62J18/450SP	54487	2.0
RS62J20/500SP	54492	2.2
RS62J24/600SP	54488	2.7
RS62J30/750SP	54493	3.4
RS62J36/900SP	54489	4.0
RS62J42SP	54502	4.7
RS62J48SP	54490	5.4
RS62J60SP	54491	6.7
RS62J72SP	54429	7.4

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS62SJ12/300SS	54494	1.3
RS62SJ18/450SS	54495	2.0
RS62SJ20/500SS	54496	2.2
RS62SJ24/600SS	54497	2.7
RS62SJ30/750SS	54498	3.4
RS62SJ36/900SS	54499	4.0
RS62SJ42SS	54503	4.7
RS62SJ48SS	54500	5.4
RS62SJ60SS	54501	6.7

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS62SJ12/300NCS	54505	1.3
RS62SJ18/450NCS	54506	2.0
RS62SJ24/600NCS	54507	2.7
RS62SJ30/750NCS	54504	3.4
RS62SJ36/900NCS	54508	4.0
RS62SJ48NCS	54509	5.4
RS62SJ60NCS	54510	6.7
RS62SJ72NCS	55024	7.4

### STEEL

RS125	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
	WITH NYLON COVERED STEEL CABLE PINS (NC)				
4"	100	RS125J4NC*	54513	1.6	
10"	250	RS125J10NC	54514	1.7	
12"	300	RS125J12/300NC	54515	1.9	
14"	350	RS125J14NC	54516	2.3	
16"	400	RS125J16/400NC	54517	2.5	
18"	450	RS125J18/450NC	54518	2.8	
20"	500	RS125J20/500NC	54519	3.2	
24"	600	RS125J24/600NC	54520	3.7	
30"	750	RS125J30/750NC	54521	4.5	
36"	900	RS125J36/900NC	54522	5.5	
42"	1050	RS125J42NC	54523	6.6	
48"	1200	RS125J48NC	54524	7.4	
60"	1500	RS125J60NC	54525	9.3	
72"	1800	RS125J72NC	54573	10.9	

### STAINLESS (TYPE 316)

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS125J16/400SP	54528	2.7
RS125J18/450SP	54529	3.0
RS125J20/500SP	54530	3.4
RS125J24/600SP	54531	4.0
RS125J30/750SP	54532	4.9
RS125J36/900SP	54533	6.0
RS125J42SP	54536	7.1
RS125J48SP	54534	7.8
RS125J60SP	54535	10.2
RS125J72SP	54580	11.9

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS125SJ12/300SS	54537	1.9
RS125SJ14SS	54538	2.5
RS125SJ16/400SS	54539	2.8
RS125SJ18/450SS	54540	3.0
RS125SJ20/500SS	54541	3.5
RS125SJ24/600SS	54542	3.9
RS125SJ30/750SS	54543	4.9
RS125SJ36/900SS	54544	5.9
RS125SJ42SS	54547	7.1
RS125SJ48SS	54548	8.0
RS125SJ60SS	54546	10.1
RS125SJ72SS	54460	11.8

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS125SJ10NCS	54549	1.5
RS125SJ12/300NCS	54550	1.9
RS125SJ14NCS	54551	2.3
RS125SJ16/400NCS	54552	2.5
RS125SJ18/450NCS	54553	2.8
RS125SJ20/500NCS	54554	3.3
RS125SJ24/600NCS	54555	3.8
RS125SJ30/750NCS	54556	4.8
RS125SJ36/900NCS	54557	5.5
RS125SJ42NCS	54560	6.3
RS125SJ48NCS	54558	7.6
RS125SJ60NCS	54559	9.4
RS125SJ72NCS	54568	11.0

\*10 Sets per Box

### STEEL

RS187	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
	WITH NYLON COVERED STEEL CABLE PINS (NC)				
4"	100	RS187J4NC*	54587	2.3	
12"	300	RS187J12/300NC	54588	2.6	
16"	400	RS187J16/400NC	54589	3.7	
18"	450	RS187J18/450NC	54590	4.1	
20"	500	RS187J20/500NC	54591	4.8	
24"	600	RS187J24/600NC	54592	5.5	
30"	750	RS187J30/750NC	54593	6.8	
36"	900	RS187J36/900NC	54594	8.1	
42"	1050	RS187J42NC	54595	9.5	
48"	1200	RS187J48NC	54596	9.9	
60"	1500	RS187J60NC	54597	11.9	
72"	1800	RS187J72NC	54456	13.9	

### STAINLESS (TYPE 316)

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS187J18/450SP	54598	4.5
RS187J20/500SP	54599	5.1
RS187J24/600SP	54601	5.9
RS187J30/750SP	54603	7.4
RS187J36/900SP	54604	9.0
RS187J42SP	54605	10.1
RS187J48SP	54602	11.5
RS187J60SP	54586	14.4
RS187J72SP	54426	16.3

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS187SJ12/300SS	54765	3.4
RS187SJ16/400SS	54613	4.0
RS187SJ18/450SS	54606	4.5
RS187SJ20/500SS	54624	5.1
RS187SJ24/600SS	54607	5.9
RS187SJ30/750SS	54608	7.6
RS187SJ36/900SS	54609	8.9
RS187SJ42SS	54610	9.7
RS187SJ48SS	54611	11.8
RS187SJ60SS	54612	13.8
RS187SJ72SS	55059	15.8

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS187SJ12/300NCS	54616	2.8
RS187SJ16/400NCS	54614	3.9
RS187SJ18/450NCS	54615	4.3
RS187SJ20/500NCS	54621	4.9
RS187SJ24/600NCS	54617	5.5
RS187SJ30/750NCS	54618	7.1
RS187SJ36/900NCS	54619	8.4
RS187SJ42NCS	54622	8.9
RS187SJ48NCS	54620	11.3
RS187SJ60NCS	54715	13.3
RS187SJ72NCS	54625	15.3

\*10 Sets per Box

## MAGNETIC STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS62MJ24/600MS	54473	2.7
RS125MJ24/600MS	54566	3.8

NOTE: Plate, Staples, and Hinge Pins are all Magnetic Stainless Steel.

- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

**STAPLE LENGTHS**  
 RS62 = .37" (9.4 mm)  
 RS125 = .45" (11.4 mm)  
 RS187 = .52" (13.2 mm)

## ALLIGATOR STAPLE (BULK PACKAGING)

FASTENER SIZE	COMMON BELT WIDTHS AVAILABLE	STANDARD NUMBER OF SETS AVAILABLE
62 (Steel and Stainless)	36", 48", 60", 72"	TBD based on belt width
125 (Steel and Stainless)	12", 24", 18", 30", 36", 48", 60", 72"	55 sets (110 strips)
72" available in Magnetic Stainless		
187 (Steel and Stainless)	16", 24", 18", 30", 36", 48", 60", 72"	36 sets (72 strips)

NOTE: Other widths may be available upon request.



# Alligator® Staple Fasteners

## HINGE PINS (EXTRA)



### COILS

### PACKAGES OF 10 PINS


	COILS				ORDERING			PACKAGES OF 10 PINS			ORDERING			PACKAGES OF 10 PINS		
	COIL LENGTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE
<b>For 62</b>	Foot		<b>NC62</b> NYLON COVERED STEEL CABLE		<b>NCS62</b> NYLON COVERED STAINLESS CABLE			<b>SP62</b> STEEL SPRING WIRE PINS			<b>SS62</b> 300 SERIES STAINLESS SPRING WIRE PINS					
	10'	3	NC62-X	54002	0.1	NCS62-X	54005	0.1	12"	300	SP62-12/300	54111	0.2	SS62-12/300	54148	0.2
	100'	30	NC62-C	54003	1.0	NCS62-C	54006	1.0	16"	400	SP62-16/400	54112	0.3	SS62-16/400	54149	0.3
									18"	450	SP62-18/450	54113	0.3	SS62-18/450	54150	0.3
									20"	500	SP62-20	54114	0.3	SS62-20	54151	0.3
									24"	600	SP62-24/600	54115	0.4	SS62-24/600	54152	0.4
									30"	750	SP62-30/750	54116	0.5	SS62-30/750	54153	0.5
									36"	900	SP62-36/900	54117	0.6	SS62-36/900	54154	0.6
									42"	1050	SP62-42	54118	0.7	SS62-42	54155	0.7
									48"	1200	SP62-48	54119	0.8	SS62-48	54156	0.8
								54"	1350	SP62-54	54120	1.0	SS62-54	54157	1.0	
								60"	1500	SP62-60	54121	1.0	SS62-60	54158	1.0	
								72"	1800	SP62-72	54123	1.1	SS62-72	54164	1.1	
<b>For 125</b>			<b>NC1</b> NYLON COVERED STEEL CABLE		<b>NCS1</b> NYLON COVERED STAINLESS CABLE			<b>SP1</b> STEEL SPRING WIRE PINS			<b>SS1</b> 300 SERIES STAINLESS SPRING WIRE PINS					
	10'	3	NC1-X	50661	0.2	NCS1-X	50665	0.2	16"	400	SP1-16/400	50173	0.6	SS1-16/400	50413	0.6
	100'	30	NC1-C	50662	1.7	NCS1-C	50666	1.7	18"	450	SP1-18/450	50174	0.7	SS1-18/450	50414	0.7
									20"	500	SP1-20	50175	0.8	SS1-20	50415	0.8
									24"	600	SP1-24/600	50176	1.0	SS1-24/600	50416	1.0
									30"	750	SP1-30/750	50178	1.2	SS1-30/750	50418	1.2
									36"	900	SP1-36/900	50179	1.4	SS1-36/900	50419	1.4
									42"	1050	SP1-42	50180	1.7	SS1-42	50420	1.7
									48"	1200	SP1-48	50181	1.9	SS1-48	50421	1.9
									60"	1500	SP1-60	50183	2.4	SS1-60	50423	2.4
								72"	1800	SP1-72	50165	2.8	SS1-72	50429	2.8	
<b>For 187</b>			<b>NC187</b> NYLON COVERED STEEL CABLE		<b>NCS187</b> NYLON COVERED STAINLESS CABLE			<b>SP2</b> STEEL SPRING WIRE PINS			<b>SS2</b> 300 SERIES STAINLESS SPRING WIRE PINS					
	10'	3	NC187-X	50669	0.2	NCS187-X	50673	0.2	18"	450	SP2-18/450	50426	1.3	SS2-18/450	50439	1.3
	100'	30	NC187-C	50670	4.8	NCS187-C	50674	4.8	20"	500	SP2-20	50427	1.4	SS2-20	50440	1.4
									24"	600	SP2-24/600	50428	1.7	SS2-24/600	50441	1.7
									30"	750	SP2-30/750	50430	2.1	SS2-30/750	50443	2.1
									36"	900	SP2-36/900	50431	2.5	SS2-36/900	50444	2.5
									42"	1050	SP2-42	50432	2.9	SS2-42	50445	2.9
									48"	1200	SP2-48	50433	3.4	SS2-48	50446	3.4
									60"	1500	SP2-60	50435	4.2	SS2-60	50448	4.2
									72"	1800	SP2-72	50477	5.0	SS2-72	50437	5.0

NC AND NCS PIN MATERIAL IS OFFERED IN 10 FOOT (3 METER) COILS ("X") OR 100 FOOT (30 METER) REELS ("C").

## COMPLETE TOOL KITS

Each kit includes an Installation Tool, Staple Setting Plate, Belt Skiver, Belt Nippers, and a 1 lb. Hammer. Packaged in a durable plastic tool box.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
6" Installation Kit	RSTK4-6	54634	20.5
12" Installation Kit	RSTK4-12	54635	27.7
Extra Tool Box	TOOL BOX STK	50009	5.4



## INTRODUCTORY KIT

Each kit includes: 1 RSC187-4 Application Tool, four Joints, RS125-18 Staple Fasteners, and six feet Nylon-covered Hinge Pin (NC) material.

ORDERING NUMBER	ITEM CODE	WT. LBS.
RSAS-1	54633	7.5

- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.
- Non-Listed Items** are available. Request quote for price and delivery.



# Alligator® Staple Fasteners





## INSTALLATION TOOLS

### ALLIGATOR® RSC187

(For sizes no. 62, No. 125, and no. 187)

Includes Staple Driver

ORDERING NUMBER	ITEM CODE	WT. LBS.
RSC187	54626	1.3
RSC187-4	54627	4.0
RSC187-6	54628	5.6
RSC187-12	54629	12.8
RSC187-18	54713	15.8
RSC187-24	54631	20.0
RSC187-30	54714	25.5
RSC187-36	54632	30.0
RSC187-48	54636	41.7



### ALLIGATOR® GOLD CLASS PLUS INSTALLATION TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
24" Alligator Gold Class Plus Installation Tool	RS-GOLD-DA	55590	63.0

#### REPLACEMENT PARTS

Guide Block	ST7-5	55554	8.4
Cam Lever	ST8-CAM	55592	0.1

#### TOOL REPAIR


Gold Class Plus Tool Repair	55590RPR		N/A
-----------------------------	----------	--	-----

**NOTE:** Contact Customer Experience to request a tool repair. Additional charges may apply depending on the extent of the repair. Flexco Customer Experience will advise prior to any work.

### STAPLE GUIDE BLOCK

(Includes Cam Lever Spring)

ORDERING NUMBER	ITEM CODE	WT. LBS.
ST5-5	50016	.2



### ALLIGATOR® QUAD STAPLE DRIVER

(DRIVES FOUR STAPLES AT ONE TIME)

ORDERING NUMBER	ITEM CODE	WT. LBS.
ST6-9	50201	.5




### ALLIGATOR® GOLD CLASS POWER DRIVER

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Power Driver	RS-GOLD-DRIVER	55541	14.0

#### TOOL REPAIR


Gold Class Driver Tool Repair	55541RPR		N/A
-------------------------------	----------	--	-----

**NOTE:** Contact Customer Experience to request a tool repair. Additional charges may apply depending on the extent of the repair. Flexco Customer Experience will advise prior to any work.



### STAPLE SETTING PLATE

ORDERING NUMBER	ITEM CODE	WT. LBS.
ST-28	50249	5.0



12" x 3"

### HINGE PIN RETAINING WASHERS-316SS

FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	OUTSIDE DIAMETER	INSIDE DIAMETER	WT. LBS.
62	62-RET-50	54030	1/4"	.10	.1
125	125-RET-50	50053	5/16"	.16	.1
187	187-RET-50	50075	3/8"	.22	.1




### BELT NIPPERS

ORDERING NUMBER	ITEM CODE	WT. LBS.
BN-1	50003	.8




### ALLIGATOR® HINGE PIN CUTTER

ORDERING NUMBER	ITEM CODE	WT. LBS.
APC-1	50004	.5



### ROUGH-TOP BELT SKIVER



DESCRIPTION/ ORDERING NUMBER	ITEM CODE	WT. LBS.
RTBS Rough Top Skiver	03239	.3



### HINGE PIN BENDER

(For use with spring wire pins)

ORDERING NUMBER	ITEM CODE	WT. LBS.
PB1	50077	.4



### ALLIGATOR® BELT GRINDER

ORDERING NUMBER	ITEM CODE	WT. LBS.
RB-1	30867	.7




# Alligator® Staple Fasteners | MegAlloy® Staple Fasteners

## REPLACEMENT PARTS

### FOR RSC187

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Cam Lever Spring	ST5-3	50015	.1
Staple Driver	ST3-9	50200	.3
Mounting Bolt	ST3-13	50226	.1
Cam Locating Pin	ST3-14	50227	.1
Clamp Bar*	ST3-15-6	50231	.1
Anvil with Dowel Pins (Short)*	ST4-21	50238	.7
Anvil with Dowel Pins (Long)*	ST4-21H	50239	.7
ReadySet Staple Guide Block for RSC187 (yellow)	ST5-5	50016	.2
Cam Lever Assembly (Short)	ST4-8	50243	.1
Cam Lever Assembly (Long)*	ST4-8H	50244	.1
Comb 125/187 (Green)	ST4-16	50248	.3
Comb 62/125 (Yellow)	ST5-16	54010	.3

\*NOTE: ST3-15-6 Clamp Bar, ST4-21H Anvil with Dowel Pins (Long) and ST4-8H Cam Lever Assembly (Long) are for multiple stage C187 tools that are six (6) inches or longer. For single stage C187 tools, order ST4-21 Anvil with Dowel Pins (Short) and the ST4-8 Cam Lever Assembly (Short).



## MEGALLOY® STAPLE FASTENERS

### MEGALLOY® FASTENERS

(Includes 16-6" fastener strips with staples. Hinge pins not included)

ORDERING NUMBER	ITEM CODE	WT. LBS.
125MA	50270	1.9
187MA	50272	2.6

### INSTALLATION TOOLS STAPLE DISPENSER

ORDERING NUMBER	ITEM CODE	WT. LBS.	FOR SIZE
C150	50025	1.3	125 & 187

### EXTRA STAPLES FOR MEGALLOY® FASTENERS

FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
125	S125	50144	990	.9
187	S187	50146	990	1.0


### REPLACEMENT PARTS FOR ALLIGATOR® C187 INSTALLATION TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Cam Lever Spring	ST3-3	50188	.1
Staple Guide Block -Green*	ST4-5	50240	.2

\*For MegAlloy® only

**NOTE:** When ordering MegAlloy® Fasteners or bulk ordering lacing with special staple lengths, you must use a green guide block (ST4-5, #50240) with your installation tool. When using loose staples you can order a staple dispenser to speed your installation of this product.

- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.
- Non-Listed Items** are available. Request quote for price and delivery.



## How Alligator® Rivet Fasteners Work


The Alligator® Rivet Fastener system uses the self-setting rivet technology that Flexco developed for the underground mining market. The patented rivets work between the carcass fibers, without severing them, leaving the entire belt carcass intact. The fasteners and rivets of this system are constructed from durable, abrasion-resistant stainless steel for long life.

Because the rivets are self-setting, fasteners are installed quickly from the top side of the belt. Rivets are driven through the fastener plates and the belt, passing between the carcass fibers. The specially-shaped head of each pilot nail works in conjunction with the application tool's anvil plate to set the rivets.

Applications	Installation Method	What You Need for Installation
Hay Baling	Fasteners are installed in one simple procedure with self-setting rivets, using a portable fixture and hammer.	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Rivets</li> <li>• Hinge Pin</li> <li>• Installation Tool</li> <li>• 1 lb. Hammer</li> </ul>
How to Specify the Correct Alligator® Rivet Fastener	Fastener Metal Selection	Hinge Pin Selection
Fits most round hay balers. Contact Customer Service for more information.	<b>Stainless Steel.</b> Type 300 Series Stainless Steel.	<b>Steel Corrugated</b> - the standard metal pin. Corrugations retain pin within the splice. <b>Stainless Steel Spring Wire</b> - resists wear and corrosion.

### Alligator® Rivet Fastener Selection Chart

Operating Tension Range		Belt Thickness Range		Pulley Diameter		Approx. Hinge Pin Diameter	
PIW	kN/m	in.	mm	in.	mm	in.	mm
300	52	13/64-15/64	5.1-6.0	3-1/2	88	.140	3.6





# Alligator<sup>®</sup> Rivet Fasteners

## FASTENERS

### (300 SERIES STAINLESS PLATES)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	UNIT OF MEASURE*
in.	mm	WITH STEEL CORRUGATED HEAT-TREATED HINGE PINS		
4	100	ARJ4/100	15000	Package
6	150	ARJ6/150	14983	Package
6.8	173	ARJ6.8/173	14979	Package
7	175	ARJ7/175	15001	Package
10	250	ARJ10/250	15002	Package
14	350	ARJ14/350	15003	Package
WITH 300 SERIES STAINLESS SPRING WIRE HINGE PINS				
6	150	ARJ6/150SSI	14995	Package

**NOTE:** Each package includes fasteners, rivets and hinge pins for 2 complete splices.  
\*Minimum 10 pack order quantity.



### HAND APPLICATOR TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Tool	ART-7	15004	6.9
14" (350 mm) Installation Tool	ART-14	15005	10.1



### MULTIPLE RIVET INSTALLATION TOOL

Includes tool with guide block, pneumatic punch and hand punch

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Kit	MART-7	15025	9.1
14" (350 mm) Installation Kit	MART-14	15026	12.4
REPLACEMENT PARTS			
Pneumatic Punch	AR1P	15027	.2

**NOTE:** When using the pneumatic punch, air pressure not to exceed 85 psi.

## LOW PROFILE FASTENERS

### (300 SERIES STAINLESS PLATES)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	UNIT OF MEASURE
in.	mm	WITH STEEL CORRUGATED HEAT-TREATED HINGE PINS		
6.8	173	ARLPJ6.8/173-8STS FASTENERS	15093	Package
7	175	ARLPJ7/175-8STS FASTENERS	15101	Package

### COMPLETE TOOL KITS - HAND APPLICATOR TOOL

Each kit includes an Installation Tool, Belt Hand Skiver, 1 lb. Hammer, and 2 packages of Alligator Rivet Fasteners. Packaged in a durable plastic tool box.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Kit	ARTK-7	15006	14.5
14" (350 mm) Installation Kit	ARTK-14	15015	18.5

### COMPLETE TOOL KITS - MULTIPLE RIVET INSTALLATION TOOL


Each kit includes a multiple rivet installation tool, guide block with screws, two pneumatic punches, hand punch and air hammer. Packaged in a durable plastic tool box.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Kit	MARTK-7	15032	16.5
14" (350 mm) Installation Kit	MARTK-14	15033	19.7

**NOTE:** When using the pneumatic punch, air pressure not to exceed 85 psi.

- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.
- Non-Listed Items** are available. Request quote for price and delivery.


# Alligator® Rivet Fasteners



## REPLACEMENT HINGE PINS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	QTY. PKG.	ORDERING NUMBER	ITEM CODE	QTY. PKG.
in.	mm	ARSH STEEL CORRUGATED HEAT-TREATED HINGE PIN			ARSS1 300 SERIES STAINLESS SPRING WIRE PIN		
4"	100	ARSH4/100	14990	9	ARSS1-4/100	15007	9
6"	150	ARSH6/150	14991	8	ARSS1-6/150	15017	8
6.8"	173	ARSH6.8/173	15098	8	ARSS1-6.8/173	15104	8
7"	175	ARSH7/175	14992	8	ARSS1-7/175	15008	8
10"	250	ARSH10/250	14993	4	ARSS1-10/250	15009	4
14"	350	ARSH14/350	14994	4	ARSS1-14/350	15010	4

NOTE: For nylon covered hinge pins, NC1 or NCS1, see page 39.



## TOOL REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Pneumatic Punch	AR1P	15027	.20
Hand Punch	AR1H	15036	0.2
Guide Block 7"	MARGB-7	15028	1.0
Guide Block 14"	MARGB-14	15029	1.6
Cam Lever Assembly	ART7-7	15012	.1
Cam Lever Spring	ST5-3	50015	.1
Clamp Bar 7"	ART7-5	15013	.8
Clamp Bar 14"	ART14-5	15014	1.3
Guide Block Post	MART-GBPWS	15031	.1
Guide Block Knob	MART-GBK	15030	.3
Felt Washers (2 per Package)	MART-GBFW	15035	.1


## EXTRA RIVETS (TYPE 430)

DESCRIPTION	ORDERING NUMBER	ITEM CODE
15/PKG.	AR3-15	15011



## ALLIGATOR® BELT GRINDER

ORDERING NUMBER	ITEM CODE	WT. LBS.
RB-1	30867	.7



## BALER BELT SKIVER

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Baler Belt Skiver	SKIVER-BALERBELT-7IN	04989

## REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
5 Replacement Blades	BLADE-KIT-5-BALER-SKIVER	04990
5 Replacement Shims	SHIM-KIT-5-BALER-SKIVER	04991
Bench Mounting Kit	BENCH-MOUNT-KIT-BALER-SKIVER	04994





## How Alligator® Non-Metallic Fasteners Work

Alligator® Non-Metallic Fasteners are made up of two distinct product lines, the Alligator® Plastic Rivet System and the Alligator® Spiral Lace Fastener System.

The **Alligator® Plastic Rivet Fasteners** were developed to bring the many advantages of mechanical belt fasteners to those applications where metal belt fasteners could not be used. They are external, cover-mounted fasteners employing a one-piece, integrated design with rivets molded into the top plates of the fasteners. These rivets pass through pre-punched holes

and are formed over through our Spin-Set™ technology, compressing the fastener plates and finishing the splice. Fastener operating temperature range is 20°F - 180°F).

The **Alligator® Spiral Lace Fastener** system was designed for small pulley, low-profile applications. The fastener is constructed of polyester webbing, spirals, and hinge pins. It is installed by either insertion between the plies, ply stepping, or finger splicing. Maximum operating temperature is 320°F.

Applications	Installation Method		What You Need for Installation	
<ul style="list-style-type: none"> <li>• Baggage Handling</li> <li>• Food Processing</li> <li>• X-Ray Equipment</li> <li>• Pharmaceutical</li> <li>• Indexing Conveyors</li> <li>• Mail Sortation</li> </ul>	Alligator® Plastic Rivet	Alligator® Spiral Lace	Alligator® Plastic Rivet	Alligator® Spiral Lace
	Pass through pre-punched holes and are Spin-Set™, compressing the fastener plates and finishing the splice.	<ul style="list-style-type: none"> <li>• Ply Insertion</li> <li>• Ply Stepping</li> <li>• Finger Splice</li> <li>• Finger-Step Splice</li> </ul>	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Hinge Pin</li> <li>• Belt Punch</li> <li>• Templet</li> <li>• Curling Bit</li> <li>• Comb Assembly</li> <li>• MDT-1</li> <li>• Installation Tool</li> </ul>	<ul style="list-style-type: none"> <li>• Spiral Lace</li> <li>• Hinge Pin</li> <li>• Adhesive Enhancer</li> <li>• Film/Foil</li> <li>• Splicing Press</li> </ul>
How to Specify the Correct Alligator® Non-Metallic Fastener	Fastener Selection		Hinge Pin Selection	
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	Alligator® Plastic Rivet	Alligator® Spiral Lace	Alligator® Plastic Rivet	Alligator® Spiral Lace
	Nylon.	Polyester.	Nylon.	Polyester.

### Alligator® Plastic Rivet Fastener Selection Chart

Fastener Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter		Approx. Hinge Pin Diameter	
	PIW	kN/m	in.	mm	in.	mm	in.	mm
APF-100	40	7	Up thru 3/32	Up thru 2.4	1-1/2	38	.096	2.5
APF-150	65	11	1/16-1/8	1.6-3.2	3	75	.136	3.5

### Alligator® Spiral Lace Fastener Selection Chart

Fastener Size	Approx. Belt Thickness Range		Min. Pulley/Nose Bar		Approx. Operating Tension		Max. Operating Temperature		Approx. Pin Dia.	
	in.	mm	in.	mm	PIW	kN/m	Degrees F	Degrees C	in.	mm
ASL50	1/16-1/8	1.6-3.2	25/64-19/32	10-15	50	8.7	300	150	.031	0.8
ASL60	3/32-9/64	2.4-3.6	1-3/16	30	50	8.7	300	150	.035	.9
ASL90	1/8-3/16	3.2-4.6	1-31/32	50	50	8.7	300	150	.047	1.2


# Alligator® Non-Metallic Fasteners



## PLASTIC RIVET

**FASTENERS** Includes Fasteners & Hinge Pin to make one splice.

	BELT WIDTH		DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm				
<b>100</b>	24	600	White	APF100W-50	80013	0.44
	48	1200	White	APF100W-100	80014	0.63
	24	600	Black	APF100B-50	80017	0.44
	48	1200	Black	APF100B-100	80018	0.63
	24	600	Blue	APF100BLUE-50	80023	0.44
	48	1200	Blue	APF100BLUE-100	80024	0.63
<b>150</b>	24	600	White	APF150W-50	80011	0.56
	48	1200	White	APF150W-100	80012	1.00
	24	600	Black	APF150B-50	80015	0.56
	48	1200	Black	APF150B-100	80016	1.00
	24	600	Blue	APF150BLUE-50	80026	0.56
	48	1200	Blue	APF150BLUE-100	80027	1.00



## BULK FASTENERS

Recloseable plastic pail contains 500 fasteners - no Hinge Pins.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
White	APF100W-500	80019	1.35
Black	APF100B-500	80021	1.35
Blue	APF100BLUE-500	80025	1.35
White	APF150W-500	80020	2.14
Black	APF150B-500	80022	2.14
Blue	APF150BLUE-500	80028	2.14



BULK FASTENERS

## HINGE PINS

FASTENER SIZE	LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	Foot	Meter			
APF100	10	3	NL250-X	80203	0.22
APF100	100	30	NL250-C	80204	2.20
APF150	10	3	NL350-X	80201	0.08
APF150	100	30	NL350-C	80202	0.80

## INSTALLATION TOOLS

### MOTOR DRIVEN INSTALLATION TOOL

(Required for Installation)

Does not include Comb Assembly or Template. Purchase separately.

VOLTAGE	ORDERING NUMBER	ITEM CODE	WT. LBS.
110V	MDT-1	80110	31.0




MDT-1



S100B

### CURLING BIT (Required for Installation)

FASTENER SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
APF100	S100B	80075	0.06
APF150	S150B	80076	0.06



PCA7

### COMB ASSEMBLY (Required for Installation)

Includes Gauge Pin

LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12	300	PCA7-300	80099	5.0
24	600	PCA7-600	80100	9.0
Clamp Knob Assembly			80150	0.1

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) have added lead time.


Non-Listed Items are available.

Request quote for price and delivery.



# Alligator® Non-Metallic Fasteners

## TEMPLATES




100T

LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in	mm			
<b>FOR APF100 FASTENERS</b>				
12	300	100T-300	80042	0.70
24	600	100T-600	80043	1.38
36	900	100T-900	80044	1.81
48	1200	100T-1200	80045	2.50
<b>FOR APF150 FASTENERS</b>				
12	300	150T-300	80038	0.69
24	600	150T-600	80039	1.25
36	900	150T-900	80040	1.81
48	1200	150T-1200	80041	2.38

## BELT PUNCH

FASTENER SIZE	HOLE DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.
APF100	.130	A100P	80078	0.06
APF150	.156	A150P	80079	0.06



A100P

## PLASTIC RIVET LUBE

ORDERING NUMBER	ITEM CODE	WT. LBS.	PKG. QTY.
PRL4	80090	0.38	1

## ALLIGATOR® SPIRAL LACE FASTENERS (Hinge Pin included)

LENGTH		ORDERING NUMBER	ITEM CODE	WT LBS.	ORDERING NUMBER	ITEM CODE	WT LBS.
Foot	Meter						
<b>WHITE – SINGLE WEB</b>					<b>BLACK – SINGLE WEB</b>		
10	3	ASL50/3	19460	0.6	ASLB50/3	04261	0.6
33	10				ASLB50/10	04262	N/A
100	30	ASL50/30	04281	N/A	ASLB50/30	04176	5.7
10	3	ASL60/3	19461	0.7	ASLB60/3	19486	0.7
33	10	ASL60/10	19462	2.2	ASLB60/30	05463	6.4
100	30	ASL60/30	19463	6.4	ASLB90/3	19485	0.9
10	3	ASL90/3	19466	0.9	ASLB90/30	19491	6.8
33	10	ASL90/10	19467	2.4			
100	30	ASL90/30	19468	6.8			
10	3	ASL160/3	19483	1.1			
100	30	ASL160/30	03913	7.5			
10	3	ASL190/3	19484	1.1			
33	10	ASL190/10	03892	3.3			
<b>WHITE – DOUBLE WEB</b>					<b>BLACK – DOUBLE WEB</b>		
10	3	ASL60D/3	19476	1.0			
33	10	ASL60D/10	19477	2.5			
100	30	ASL60D/30	19478	6.8			
10	3	ASL90D/3	19479	1.2	ASLB90D/3	19489	1.2
33	10	ASL90D/10	19480	2.8	ASLB90D/10	19490	2.8
100	30	ASL90D/30	19481	7.5	ASLB90D/30	19494	7.5
<b>TAN – SINGLE WEB</b>					<b>BLUE – SINGLE WEB</b>		
10	3	ASL60H/3	04467	1.5	ASLBLUE50/3	04416	0.6
<b>TAN – DOUBLE WEB</b>					<b>BLUE – DOUBLE WEB</b>		
10	3	ASL80H/3	19470	1.5	ASLBLUE60/3	04417	1.0
10	3	ASL80H/3	19470	1.5	ASLBLUE90/3	04418	1.0

## REPLACEMENT HINGE PINS


Bulk Hinge Pin material - 100' / coil

ORDERING NUMBER	ITEM CODE	WT. LBS.
ASLHP60C	19473	0.5
ASLHP90C	19474	0.6
ASLHP80C	19475	0.6

## LEADER PINS

Note: Custom lengths available.

DESCRIPTION	ORDERING NUMBER	ITEM CODE
(15-foot pin with 3-foot leader)	POLY035X15FT-W/3FT	05200
(15-foot pin with 3-foot leader)	POLY047X15FT-W/3FT	05201




**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.






## How Alligator® V-Belt Fasteners Work

The Alligator® V-Belt Fastening System is designed to grip the ends of a v-belt without interfering with the sheaves (pulleys) that the belt passes around.

Staples or nails are driven through the fastener and belt and folded over. They

are then hammered tight against the bottom plate of the fastener clinching the belt between the fastener plates. There is nothing that protrudes beyond the sides of the belt that would interfere with the sheaves.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Power Transmission</li> <li>• Agricultural Harvesting</li> <li>• Manufacturing</li> </ul>	<p>These fasteners are inserted into a holder/tool along with the belt end. The staples/nails are driven through the splice and when complete, the entire assembly is removed from the holder. Insert the hinge and the belt is ready to be run.</p>	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Hinge Pin</li> <li>• Staples/Nails</li> <li>• Holder/Tool</li> <li>• Rocker Pin Tools</li> <li>• 1 lb. Hammer</li> </ul>
How to Specify the Correct Alligator® V-Belt Fastener	Fastener Metal Selection	Hinge Pin Selection
<p>The fastener size is determined by the belt size that you use. Simply choose the fastener that corresponds to your belt, A312, B437, or C531.</p>	<p><b>Steel.</b> Standard fastener material.</p>	<p>Rocker Pins are included with the fasteners.</p>



# Alligator® V-Belt Fasteners and V-Belt

## FASTENERS

ORDERING NUMBER	ITEM CODE	SETS PER BOX	WT. LBS.
A312*	70020	10	.3
B437	70023	10	.5
BB4	70028	10	.4
C531	70030	10	1.2
D750	70034	10	2.1

\*A312 Fasteners are installed with staples, all others installed with nails.

## V-BELT CONVENTIONAL

LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
Foot	Meter			
20'	6	AV20	70170	1.8
100'	30	AV100	70171	9.0
250'	76	AV250	70172	22.5
20'	6	BV20	70174	2.6
100'	30	BV100	70175	13.0
250'	76	BV250	70176	32.5
100'	30	CV100	70178	22.0
250'	76	CV250	70179	55.0
<b>DOUBLE V – SOLD BY THE FOOT IN 25' INCREMENTS</b>				
25' Min.		BB	70015	0.2

## INSTALLATION TOOLS & PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Piercing Tool	B43760	70045	1.4
	C62560	70046	2.5
	D75060	70047	3.5
V-Belt Cutter	C62520	70050	2.0
Cutter Blade Only	C62523	70051	.02
Tightener	B43750	70056	.9
	C53150	70057	2.1
	D75050	70058	4.5
Rocker Pin Tool	B43740	70060	.1
	C62540	70061	.1
Holder	A31255	70064	.1
	B43755	70065	.2
	BB455	70066	.2
	C53155	70067	.3

## SPARE PARTS

FOR FASTENER NUMBER	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
A312	Staples–Pkg. of 25	A31274	70110	.1
B437	Nails –			
	Steel–Pkg. of 100	B43774	70111	.2
	Monel–Pkg. of 25	B43774M	70112	.1
	Steel–Pkg. of 100	C53174	70113	.3
D750	Steel–Pkg. of 100	D75074	70114	.4

**Stock Items** (non-shaded) carried in factory inventory.


**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.


# Light-Duty Belt Maintenance Tools

## CLIPPER® 845LD SERIES ALUMINUM BELT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete for belts up to 1/2" (12 mm) thick	36"	900	845836LD	32275	29.0
	48"	1200	845848LD	32276	35.0
	60"	1500	845860LD	32277	40.0
	72"	1800	845872LD	32278	46.0
Wrench Assembly (handle)			820/840VVA	32272	2.0
Cutter Blade Kit			845-CBK	32279	0.5
Optional Squaring Device			840SD	32274	2.0
36" Chain Replacement Kit			840-36CL	03772	1.92
48" Chain Replacement Kit			840-48CL	03773	2.40
60" Chain Replacement Kit			840-60CL	03774	3.00
72" Chain Replacement Kit			840-72CL	03775	3.75




845LD Belt Cutter




900 Series\* Belt Cutter

## 900 SERIES BELT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete for belts up to 1.5" (38 mm)	24"	600	900924	04200	39.4
	36"	900	900936	04143	39.4
	48"	1200	900948	04144	48.0
	60"	1500	900960	04145	54.0
	72"	1800	900972	04146	60.3
	84"	2130	900984	04147	86.0
Replacement Blade Kit			900CBK	04149	0.15



14" Belt Cutter



#25 Belt Cutter

## 14" BELT CUTTER


(For Belts up to 3/8" thick)

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete	14"	350	Cutter-14	03230	29.0
14" Replacement Blade			Blade-14	03450	0.6
14" Replacement Nylon Block			Block-14	03451	0.2
10" Replacement Blade			Blade-10	03009	0.5
10" Replacement Nylon Block			Block-10	03010	0.2
6" Replacement Nylon Block			Block-6	03008	0.2

## #25 BELT CUTTER

(For Belts and Tapes up to 1/8" thick)

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
#25 Belt Cutter	6"	125	Cutter-25-6	04101	4.0
#25 Rotary Blade (6" Model)			Blade-25-6	04102	0.1



Smart Clamp™  
Light-Duty Belt Clamps

## SMART CLAMP™ LIGHT-DUTY BELT CLAMPS

(For Belts up to 5/16" thick)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Complete SmartClamp™ Set*	SMARTCLAMP	04073	45.0

\*Patent pending




Baler Belt Skiver

## BALER BELT SKIVER

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Baler Belt Skiver	SKIVER-BALERBELT-7IN	04989

## LASER BELT SQUARE

DESCRIPTION	ITEM CODE
Laser Belt Square	04305
<b>REPLACEMENT PARTS</b>	
Target (each)	04306
Door Battery Box Assembly	04307




Laser Belt Square

# Light-Duty Belt Maintenance Tools

## PLASTIC HOOK GAUGE

(For proper hook and pin size selection)

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Clipper-HookGauge	03129	0.1




## CARDING PAPER REMOVER

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Carding Paper Remover	03128	0.1



## ROUGH-TOP BELT SKIVER

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
RTBS Rough Top Skiver	03239	0.3



## UNIBAR® WIRE CUTTERS


DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Cutter-Unibar Wire	03445	0.5



## SILVER INK BELT MARKING PEN

Sold Individually

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
M-4	01350	0.1



## LACING ACCESSORY KIT

(Includes Hook Gauge, Carding Paper Remover, Scissors and Rough-Top Belt Skiver)

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Lacing Accessory Kit	03132	1.0

## SCISSORS

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Clipper Scissors	03244	0.3




Binder

## TAPE BINDERS

DESCRIPTION	QUART (0.95 LITER)		GALLON (3.79 LITER)	
	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
Non-Flammable Binder	Binder-QT	03671	Binder-GAL	03672
Quick Dry Binder	QDBinder-Quart	03704		


## ALLIGATOR® BELT GRINDER

ORDERING NUMBER	ITEM CODE	WT. LBS.
RB-1	30867	.7




## CARD CUTTER

ORDERING NUMBER	ITEM CODE	WT. LBS.
GC-1	18100	.3
EXTRA BLADES (50/Package)		
GCB-50	18101	.8




## ALLIGATOR® HINGE PIN CUTTER

ORDERING NUMBER	ITEM CODE	WT. LBS.
APC-1	50004	.5



## BELT NIPPERS

ORDERING NUMBER	ITEM CODE	WT. LBS.
BN-1	50003	.8




## LAUNDRY TAPE CLAMP

ORDERING NUMBER	ITEM CODE	WT. LBS.
4IN-LAUNDRY-TAPE CLAMP	05857	2.62
6IN-LAUNDRY-TAPE CLAMP	05858	2.62


## SMART LOCK™


(Kit includes 20 Smart Locks and 5' of .109" Duralink® cable. Compatible Hook sizes 2-7)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Smart-Lock-Kit	Smart Lock	03442	0.2
Individual Smart Locks	Smart Lock	03441	—



Smart Locks

 Stock Items (non-shaded) carried in factory inventory.

 Made To Order Items (shaded) allow one week for production.

In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available.

Request quote for price and delivery.



## Novitool® General Information

The Novitool® line of belt fabrication equipment is designed to enhance productivity in the workshop and on-site. Intended for use with light and medium weight thermoplastic conveyor belting, each splicing press, ply-separator, and punch employs market-driven innovations.

The quality build and contemporary design of Novitool® products are recognized worldwide. Experienced belt fabricators will appreciate the simplicity of operation and premium finished results, which are standards of all Novitool® products.


Product	Features	Benefits
<b>Aero® Press</b>	<ul style="list-style-type: none"> <li>• Program time, temperature &amp; pressure in one control</li> <li>• Recipe storage/retrieval</li> <li>• Independent top &amp; bottom heating</li> <li>• Top &amp; bottom cooling</li> <li>• Transport case included</li> </ul>	<ul style="list-style-type: none"> <li>• 8-12 Minute Splicing Times</li> <li>• All-in-One Simplicity</li> <li>• No External Controller</li> <li>• No External Water Tanks</li> <li>• Lightweight and Portable</li> </ul>
<b>Aero® 325</b>	<ul style="list-style-type: none"> <li>• Belt Templates</li> </ul>	<ul style="list-style-type: none"> <li>• Ability to Splice Narrow Belts That Drive Live Rollers</li> <li>• 18-22 Minute Splicing Times</li> </ul>
<b>Amigo™ Homogenous/Monolithic Press</b>	<ul style="list-style-type: none"> <li>• Integrated belt cutter</li> <li>• Contactless heating element</li> <li>• Pre-heat setting</li> <li>• Digital temperature and time control</li> <li>• Interchangeable splice templates</li> <li>• Single Phase 115v or 230v</li> </ul>	<ul style="list-style-type: none"> <li>• Fast splicing time – under 1 minute</li> <li>• Produces high quality splice</li> <li>• Tight pitch control</li> <li>• Safety Features               <ul style="list-style-type: none"> <li>– Integrated cutter</li> <li>– Shielded heat zone during splice</li> <li>– Heating element stored when not in use</li> </ul> </li> </ul>
<b>Ply 130™ Ply Separator</b>	<ul style="list-style-type: none"> <li>• One Adjustment for Splitting Position</li> <li>• One Adjustment for Splitting Depth</li> <li>• Easy to Read Position Rulers</li> <li>• Shielded Rollers and Cutting Blade</li> <li>• Robust Rigid Construction</li> </ul>	<ul style="list-style-type: none"> <li>• Easy to Determine Splitting Position</li> <li>• Excellent Splitting Repeatability</li> <li>• Split Films Down to .014" (35 mm)</li> <li>• Ideal for Thin, Lightweight Urethanes</li> <li>• Safe Operation with Shielded Components</li> </ul>
<b>Pun M™ Mobile Punch</b>	<ul style="list-style-type: none"> <li>• No External Power Required</li> <li>• Single Movement Belt Clamping</li> <li>• 11,000 lb (50 kN) Punching Force</li> <li>• Open Ended Rigid Construction</li> <li>• Adjustable Stroke for Punching Depth</li> </ul>	<ul style="list-style-type: none"> <li>• Portable for On-site or Workshop Use</li> <li>• Easy One Hand Belt Clamping</li> <li>• Finger and Finger-Over-Finger Punching</li> <li>• No Belt Width Limitations</li> <li>• Simple, Single Lever Punching Action</li> </ul>
<b>Pun M™ NDX Mobile Punch</b>	<ul style="list-style-type: none"> <li>• Single hand crank to punch and automatic indexing</li> <li>• Durable single blade</li> <li>• Blade guard assists to release belt from blade</li> </ul>	<ul style="list-style-type: none"> <li>• Eliminates misindexing</li> <li>• Precise cut, long blade life, easy to replace</li> <li>• Protects operator from blade</li> </ul>

# Novitool® Belt Fabrication Tools

## AERO® SPLICE PRESS (WITHOUT CORDS\*)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS. (including case)
in.	mm			
12	325	AERO-325	09552	98.00
12	325	AERO-325-END-BELT-CLAMP	09600	98.00
24	625	AERO-625	09000	135.30
36	925	AERO-925	09001	171.32
48	1225	AERO-1225	09002	206.53
60	1525	AERO-1525	09003	279.86
72	1835	AERO-1835	09004	315.48
84	2135	AERO-2135	09005	360.20

\*Cords sold separately.



Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) have added lead time.

Non-Listed Items are available.  
Request quote for price and delivery.

## AERO® ACCESSORIES

ORDERING NUMBER	ITEM CODE	WT. LBS.
AERO-SPLICE-TAPE-66X101	08468	1.8
ROLLER-SLIDER-FIXTURE	09372	0.77

## AERO® PRESS STAND

(For sizes 24", 36", 48"/625, 925, 1225 mm)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
AERO WORKSHOP STAND	AERO-STD-CW-G3-625-1225	09458	315.5
AERO STAND RETROFIT KIT	AERO-STD-CW-G3-625-1225-KIT	09459	40.0
CABLE FOR STAND	AERO-G3-UMBILICAL-EXT-CABLE	09015	4.0

## AERO® POWER COMPATIBILITY AND POWER CORDS FOR 325, 625, 925, 1225, 1525, 1835, AND 2135

POWER	COUNTRY	325	625	925	1225	1525	1835	2135	PLUG END	ORDERING NUMBER	ITEM CODE
1ph 110V, 15A	USA	F	R	N/A	N/A	N/A	N/A	N/A		AERO-G3-CBL-110V1PH-N5-15	09006
1ph 110V, 20A	USA	F	R	R	R	N/A	N/A	N/A		AERO-G3-CBL-110V1PH-N5-20	09007
1ph 110V, 20A	N/A	F	R	R	R	N/A	N/A	N/A	N/A	AERO-G3-CBL-110V1PH	09364
1ph 230V, 30A	USA	F	F	F	F	F	R	R		AERO-G3-CBL-230V1PH-NL6-30	09010
1ph 230V, 30A	N/A	F	F	F	F	F	R	R	N/A	AERO-G3-CBL-230V1PH	09365
3ph 230V, 20A	USA	F	F	F	F	R	R	R		AERO-G3-CBL-230V3PH-NL15-20	09011
3ph 230V, 16A	N/A	F	F	F	F	R	R	R	N/A	AERO-G3-CBL-230V3PH	09366
3ph 230V, 30A	USA	F	F	F	F	F	R	R		AERO-G3-CBL-230V3PH-L15-30	09020
3ph 440V, 460V, 30A	N/A	N/A	N/A	N/A	N/A	F	F	F	N/A	AERO-G3-CBL-400V460V3PH	09367
3ph 460V	USA	N/A	N/A	N/A	N/A	F	F	F		AERO-G3-CBL-460V3PH-L16-30	09014

(F= full power operation, R= reduced power operation)

## SILICONE PRESS PADS AND CLOTHS

LENGTH			COMPATIBLE WITH	SILICONE CLOTHS				SILICONE PADS			
				THICKNESS		ORDERING NUMBER	ITEM CODE	THICKNESS		ORDERING NUMBER	ITEM CODE
in.	mm	M	in.	mm	in.			mm			
12	325		Aero-325	0.020	0.5	AERO-S30.5-325	09585	0.12	3.0	AERO-SI3-325	09586
24	625		Aero-625	0.020	0.5	AERO-S30.5-625	09358	0.12	3.0	AERO-SI3-625	09352
36	925		Aero-925	0.020	0.5	AERO-S30.5-925	09359	0.12	3.0	AERO-SI3-925	09353
48	1225		Aero-1225	0.020	0.5	AERO-S30.5-1225	09360	0.12	3.0	AERO-SI3-1225	09354
60	1525		Aero-1525	0.020	0.5	AERO-S30.5-1525	09361	0.12	3.0	AERO-SI3-1525	09355
72	1835		Aero-1835	0.020	0.5	AERO-S30.5-1835	09362	0.12	3.0	AERO-SI3-1835	09356
84	2135		Aero-2135	0.020	0.5	AERO-S30.5-2135	09363	0.12	3.0	AERO-SI3-2135	09357
		25		0.020	0.5	AERO-SI0.5-230-25M-SILICONE	09664				

Note: The highlighted items above are sold in sets of two.

# Novitool® Belt Fabrication Tools


## AERO® 325 SPLICE PRESS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS. (including case)
Aero® 325 Splice Press	AERO-325	09552	98.0
Aero® 325 Splice Press with End Belt Clamps	AERO-325-END-BELT-CLAMPS	09600	98.0



Aero® 325 Splice Press

## POWER CABLE


ORDERING NUMBER	ITEM CODE	MARK	PLUG
AERO-G3-CBL-110V1PH-NS-15	09006	cETL	



Aero® 325 with End Belt Clamps

## BELT TEMPLATES


RECIPE (Starting Parameters)	ORDERING NUMBER & COMPATIBLE BELT MFR	ITEM CODE
Pressure: 2.0 Top Splice Temp: 175°C Bottom Splice Temp: 175°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-77MM-VNOTCHED-TMPLT 77mm Intelligrated IntelliQ belt	09593
Pressure: 2.0 Top Splice Temp: 175 to 185°C Bottom Splice Temp: 175 to 185°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-45MM-PWRTRANS-TMPLT 45mm Wide, Flat: Ammeraal Beltech Rapplon Forbo TU 60A-42 FBRC/FSTR Black Gates TPU F160 Habasit TF-102T Nitta Carryflex (CFTG) RedDrive45 Yongli UT45K-B and UU40K-B	09594
Pressure: 0.5 Top Splice Temp: 175°C Bottom Splice Temp: 160°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-CFTG-60SG-30-TMPLT 30mm Wide Nitta CFTG Profiled	09601
Pressure: 2.0 Top Splice Temp: 180°C Bottom Splice Temp: 180°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-CFTG-18SG-40-TMPLT 40mm Wide Nitta CFTG Profiled	09707
Pressure: 2.0 Top Splice Temp: 180°C Bottom Splice Temp: 180°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-77MM-VGUIDE-TMPLT 77mm Intelligrated IntelliQ Gen 2	09660
Pressure: 1.3 to 1.5 Top Splice Temp: 180°C to 185°C Bottom Splice Temp: 180°C to 185°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-100MM-ARP-TMPLT 100mm Ammeraal, Chiorino, Forbo, Habasit	09605
Pressure: 2.0 Top Splice Temp: 185°C Bottom Splice Temp: 185°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-33MM-SDI-X4-TMPLT 33mm Wide Forbo, Chiorino	09604
Pressure: 2.0 Top Splice Temp: 175°C to 185°C Bottom Splice Temp: 175°C to 185°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-CFTG-40FS-30-TMPLT 30mm Wide, Flat Nitta CFTG	101780




# Novitool<sup>®</sup> Belt Fabrication Tools

## AERO<sup>®</sup> 325 BELT TEMPLATES

RECIPE (Starting Parameters)	ORDERING NUMBER & COMPATIBLE BELT MFR	ITEM CODE
Pressure: 2.0 Top Splice Temp: 175°C Bottom Splice Temp: 175°C Dwell Time: 4:00 Cool Down Temp: 70°C	AERO-325-77MM-VNOTCHED-INO-TMP  77 mm INO Live Clear Guide	109171
Pressure: 1.5 Top Splice Temp: 185°C Bottom Splice Temp: 165°C Dwell Time: 2:30 Cool Down Temp: 70°C	AERO-325-CFTG-60SGNF-70-TMPLT  70 mm Wide Guided, Nitta CFTG (order 111055 for NDX)	109637



109171



109637







# Novitool® Belt Fabrication Tools

## AMIGO™ 625 MONOLITHIC PRESS

### AMIGO™ 625 PRESS AND CABLE ORDERING INFORMATION

	ORDERING NUMBER	ITEM CODE	PLUG END
<b>Press</b>			
24.5 (625 mm)	AMIGO-625-SPLICEPRESS	09726	
<b>Cables</b>			
115 volt; single phase; 10 amp	AMIGO-1000-CABLE-1X115-IEC520	08585	
230 volt; single phase; 5.5 amp	AMIGO-1000-CABLE-1X230-IEC1620	08586	

**Note:** Press, cable, and templates are all purchased separately.

### AMIGO™ OPTIONAL ACCESSORIES

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Skiving Tool	RTBS Rough Top Skiver	03239
Replacement Blades for Amigo	AMIGO-1000-BLADES-5	08587
High – Low Temp Friction Tape for Flat Belts	AMIGO-FRICTIONTAPE-33X25	08604

### AMIGO™ RETURN SIDE KITS

ORDERING NUMBER	ITEM CODE	MAXIMUM BELT WIDTH
AMIGO-625-RETURN-SIDE-KIT	107323	614mm (24.17")
AMIGO-RS-GUARD-ADAPTER-KIT*	107321	614mm (24.17")

\*Contact Flexco Customer Service with your Amigo Serial Number to determine if this kit is required.

Amigo Return Side is not compatible with the following belt templates: 09736, 09737, 09739.



### AMIGO™ 625 TEMPLATES

BELT MANUFACTURER	BELT STYLE	BELT TYPE	ORDERING NUMBER	ITEM CODE
Volta	SuperDrive™	FMW & FMB	AMIGO-625-TMPLT-08592	09731
		FHW & FHB		
Intralox®	ThermoDrive®	8140 Dual Lug	AMIGO-625-TMPLT-08593	09730
Ammeraal Beltech	Soliflex CB	TPU		
Intralox®	ThermoDrive®	8050	AMIGO-625-TMPLT-08594	09732
		8026		
Mafdel	DEL/DRIVE	DD25	AMIGO-625-TMPLT-08595	09733
Habasit	Cleandrive™	CD.M50.S-UA.CB	AMIGO-625-TMPLT-08597	09735
		CD.M50.S-UA.WB		
		CD.M25.S-UA.CB		
		CD.M25.S-UA.WB		
		Flat	AMIGO-625-TMPLT-08596	09734
Gates® TPU	PosiClean®	PC10	AMIGO-625-TMPLT-08710	09736
UBR	1" Purclean	PC20		
Forbo	Fullseal	PS2 & PB3	AMIGO-625-TMPLT-08776	09737
Forbo	Fullseal	PD1 U30 & PD2 U34		
Beltservice Corporation	ProClean Center Drive Lug	PCCDB	AMIGO-625-TMPLT-08788	09738
Forbo	Fullseal	PCCD-MD		
Habasit	CD M40	CD40- U34	AMIGO-626 TMPLT-08847	09739
Gates® TPU	CenterClean®	L-UA W		
UBR	Center Drive Purclean	CC40	AMIGO-625-TMPLT-105844	105844
Yongli Belting	HygienePro™	CD3BLSS	AMIGO-625-TMPLT-105873	105871
		U400		
Cog-veyor Systems Inc.	Cog-veyor	UBM	AMIGO-625-TMPLT-109228	109226*
		UWM		
		PBH		
		PWH		
Gates® TPU	PosiLace™	PC20	AMIGO-625-TMPLT-105873	105871
UBR	Hinge Lace	CC40		
Ammeraal Beltech	Soliflex FB/mini FB	FC12	AMIGO-625-TMPLT-105844	105844
Ammeraal Beltech	Soliflex FB/mini FB	N/A		
Beltservice Corporation	ProClean 1" & 2" Pitch Drive Bar	TPU	AMIGO-625-TMPLT-105873	105871
UBR	2" Purclean	PCPD2B		
Volta	DualDrive™	FMW & FMB	AMIGO-625-TMPLT-109228	109226*
		FHW & FHB		
		FMB & FHB		
Volta	Mini DualDrive™	FMB & FHB	AMIGO-625-TMPLT-105873	105871
		FMB & FHB		
Volta	Mini SuperDrive™	FMB & FHB	AMIGO-625-TMPLT-105873	105871
Volta	Hinge Splice	M (2.5-5mmH)	AMIGO-625-TMPLT-105873	105871
Yongli	HygienePro(TM)	U200	AMIGO-625-TMPLT-105844	105844
Daisler	REOclean	REO-T50	AMIGO-625-TMPLT-105873	105871
		REO-T25		
Daisler	REOclean	AT40	AMIGO-625-TMPLT-109228	109226*

\*Must be spliced using the Return Side Kit 107323.



Amigo™ 625 Monolithic Press

-  **Stock Items** (non-shaded) carried in factory inventory.
-  **Made To Order Items** (shaded) have added lead time.
- Non-Listed Items** are available. Request quote for price and delivery.

# Novitool® Belt Fabrication Tools

## AMIGO™ MONOLITHIC PRESS



Amigo™ Monolithic Press

### AMIGO™ PRESS AND CABLE ORDERING INFORMATION

	ORDERING NUMBER	ITEM CODE	PLUG END
<b>Press</b>			
42" (1065 mm)	AMIGO-1000-SPLICE PRESS	08545	
<b>Cables</b>			
115 volt; single phase	AMIGO-1000-CABLE-1X115-IEC520	08585	
230 volt; single phase	AMIGO-1000-CABLE-1X230-IECL620	08586	
230 volt; single phase	AMIGO-1000-CABLE-1X230-IECBR3	08588	
230 volt; single phase	AMIGO-1000-CABLE-1X230-CEE77	08707	
230 volt; single phase	AMIGO-1000-CABLE-1X230-CH2-16P	08708	
230 volt; single phase	AMIGO-1000-CABLE-1X230-BS1363	08718	
230 volt; single phase	AMIGO-1000-CABLE-1X230-AS3112	08727	

**Note:** Press, cable, and templates are all purchased separately.

### AMIGO™ OPTIONAL ACCESSORIES

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Skiving Tool	RTBS Rough Top Skiver	03239
Replacement Blades for Amigo	AMIGO-1000-BLADES-5	08587
High – Low Temp Friction Tape for Flat Belts	AMIGO-FRICTIONTAPE-33X25	08604

### AMIGO™ RETURN SIDE KITS

ORDERING NUMBER	ITEM CODE	MAXIMUM BELT WIDTH
AMIGO-1000-RETURN-SIDE-KIT	107322	1046mm (41.18")
AMIGO-RS-GUARD-ADAPTER-KIT*	107321	1046mm (41.18")

\*Contact Flexco Customer Service with your Amigo Serial Number to determine if this kit is required.

Amigo Return Side is not compatible with the following belt templates: 08710, 08776, 08847

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available. Request quote for price and delivery.

### AMIGO™ TEMPLATES

BELT MANUFACTURER	BELT STYLE	BELT TYPE	ORDERING NUMBER	ITEM CODE
Volta	SuperDrive™	FMW & FMB	AMIGO-1000-TMPLT-08592	08592
		FHW & FHB		
Intralox®	ThermoDrive™	8140 Dual Lug	AMIGO-1000-TMPLT-08593	08593
Ammeraal Beltech	Soliflex CB	TPU		
Intralox®	ThermoDrive™	8050	AMIGO-1000-TMPLT-08594	08594
		8026		
Mafdel	DEL/DRIVE	DD25		
Habasit	Cleandrive™	CD.M50.S-UA.CB	AMIGO-1000-TMPLT-08595	08595
		CD.M50.S-UA.WB		
		CD.M25.S-UA.CB		
		CD.M25.S-UA.WB		
Forbo	Fullseal	Flat	AMIGO-1000-TMPLT-08596	08596
		PD1 U30 & PD2 U34		
Gates® TPU	PosiClean®	PC10	AMIGO-1000-TMPLT-08597	08597
		PC20		
UBR	1" Purclean	PB3 & PS2	AMIGO-1000-TMPLT-08603	08603
Beltservice Corporation	ProClean Center Drive Lug	PCCDB		
Gates® TPU	CenterClean®	PCCD-MD	AMIGO-1000-TMPLT-08603	08603
Forbo	Fullseal	CC40		
Habasit	CD M40	CD40- U34	AMIGO-1000-TMPLT-08710	08710
UBR	Center Drive PurClean	L-UA WB		
Yongli Belting	HygienePro™	CD3BLSS	AMIGO-1000-TMPLT-08739	08739
Ammeraal	Aeon	U400		
Cog-veyor Sys-tems Inc.	Cog-veyor	Aeon-50	AMIGO-1000-TMPLT-08741	08741
		UBM		
		UVM		
		PBH		
Beltservice Corporation	Magnethane™	PWH	AMIGO-1000-TMPLT-08739	08739
Yongli Belting	HygienePro™	PD1		
		U300	AMIGO-1000-TMPLT-08741	08741
		Flat w/ Spikes		
Gates® TPU	PosiLace™	PC20	AMIGO-1000-TMPLT-08776	08776
		CC40		
		FC12		
UBR	Hinge Lace	N/A	AMIGO-1000-TMPLT-08788	08788
Ammeraal Beltech	Soliflex FB/mini FB	TPU		
Beltservice Corporation	ProClean 1" & 2" Pitch Drive Bar	PCPD2B	AMIGO-1000-TMPLT-08847	08847
UBR	2" Purclean	PCPD1B-MD		
		PS2 & PB3	AMIGO-1000-TMPLT-08849	08849
		FMW & FMB		
		FHW & FHB		
		FMB		
Volta	Mini DualDrive™	FHB	AMIGO-1000-TMPLT-105846	105846
		FHB		
		FMB	AMIGO-1000-TMPLT-105873	105873
		FHB		
Volta	Hinge Splice	REO-T50	AMIGO-1000-TMPLT-105873	105873
		REO-T25		
Ammeraal Beltech	Soliflex PRO/ Soliflex PRO mini	AT40	AMIGO-1000-TMPLT-109228	109228*
Mafdel	PO2-L	POSITIVEBELT		
Mafdel	DD50	DEL/DRIVE		
Yongli	HygienePro(TM)	U200		
Daisler	REOclean	REO-T50		
Daisler	REOclean	REO-T25		
Daisler	REOclean	AT40		

\*Must be spliced using the Return Side Kit 107322.


# Novitool<sup>®</sup> Belt Fabrication Tools

## PLY 130<sup>™</sup> PLY SEPARATOR

ORDERING NUMBER	ITEM CODE	MARK	PLUG	ORDERING NUMBER	ITEM CODE	MARK	PLUG
PLY130-230V+N1PH50HZ-SCHUKO	08800	CE		PLY130-230V1PH60HZ-NEMA-6-30	08808	cETL	
PLY130-400V+NV3PH50HZ-IEC60309	08801	CE		PLY130-230V3PH60HZ-NEMA-L15-20	08809	cETL	
PLY130-115V1PH60HZ-NEMA-5-15	08802	cETL		PLY130-230V3PH60HZ-NEMA-L15-30	08810	cETL	
PLY130-230V1PH60HZ-NEMA-L6-20	08803	cETL		PLY130-460V3PH60HZ-NEMA-L16-20	08811	cETL	
PLY130-230V1PH60HZ-NEMA-L6-30	08804	cETL		PLY130-460V3PH60HZ-NEMA-L16-30	08812	cETL	
PLY130-230V1PH60HZ-NEMA-L6-15	08805	cETL		PLY130-230V1PH50HZ-IEC60309-16	08832	CE	
PLY130-230V1PH60HZ-NEMA-6-15	08806	cETL		PLY130-230V1PH50HZ+N-BS1363-13	08833	CE	
PLY130-230V1PH60HZ-NEMA-6-20	08807	cETL		PLY130-230V3PH60HZ-NEMA-18-20	08834		

## PLY 130<sup>™</sup> BLADES

ORDERING NUMBER	ITEM CODE	WT. LBS.
PLY-BL-BLADE-&-JIG-KIT	08014	2.3
PLY130-BLADE	08490	2.3



Ply 130<sup>™</sup> Separator

## PLY 130<sup>™</sup> STEP CUTTER

LOW VOLUME			HIGH VOLUME		
ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
PLY130-STEP CUT-RETROFIT	08499	4.1	PLY130-SNGL-STEP CUT-BLADE-KIT	08778	2.3
PLY130-STEP CUT	08501	2.7	PLY130-SNGL-STEP CUT-BLADE	08791	2.3
OPTIONAL ITEMS					
PLY130-STEP CUT-BLADES (5)	08497	0.15			
PLY130-STEP CUT-GUIDE-EXT	08498	1.6			
PLY130-STEP CUT-TWRENCH	08500	0.2			


## PLY 130<sup>™</sup> ACCESSORIES

ORDERING NUMBER	ITEM CODE	WT. LBS.
PLY130-CART	08100	112.0
PLY130-STEP CUT-GUIDE-EXT	08498	1.6

## PLY 130<sup>™</sup> SPRINGS

ORDERING NUMBER	ITEM CODE	WT. LBS.
PLY130-GAS-SPRING	08467	0.2
PLY130-GAS-SPRING-400N	08768	0.2

\*PLY130-GAS-SPRING comes with the original unit.



Ply 130<sup>™</sup> Cart


# Novitool® Belt Fabrication Tools

## PUN M™ MOBILE PUNCH

ORDERING NUMBER	ITEM CODE
<b>PUN M*</b>	
PUN-M-300	08016
PUN-M-600	08017
PUN-M-900	08018
<b>PUN M 300 PUNCHBOARDS</b>	
PUN-B-50×20-300	08019
PUN-B-70×15-300	08022
PUN-B-80×20-300	08025
PUN-B-50X18X31BIAS-300	08539
<b>PUN M 600 PUNCHBOARDS</b>	
PUN-B-50×20-600	08020
PUN-B-70×15-600	08023
PUN-B-80×20-600	08026
PUN-B-50×18×31BIAS-600	08540
PUN-B-80×20×113BIAS-600	08439

ORDERING NUMBER	ITEM CODE
<b>PUN M 900 PUNCHBOARDS</b>	
PUN-B-50×20-900	08021
PUN-B-70×15-900	08024
PUN-B-80×20-900	08027
PUN-B-50×18×31BIAS-900	08526
PUN-B-80×20×113BIAS-900	08440
<b>REPLACEMENT PARTS</b>	
PUN-M-NYLONPAD-KIT	08279

\*Punchboards not included with Pun M; purchase separately.  
**Note:** Custom punchboards are available for other finger dimensions. Contact Customer Service for information.




Pun M™ Mobile Punch

## PUN M™ NDX MOBILE FINGER PUNCHES

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Pun M™ NDX Mobile Finger Punch - 114mm	PUN-M-NDX-114MM	09609
Pun M™ NDX Mobile Finger Punch - 114mm	PUN-M-NDX-114MM-ARP-SDI	09720
Pun M™ NDX Mobile Finger Punch - 200mm	PUN-M-NDX-200MM	09663


Pun M™ NDX Mobile Finger Punch - 114 mm



## PUN M™ NDX BELT TYPE COMPATIBILITY

PUNCH MODEL	COMPATIBLE BELT TYPES	ITEM CODE
Pun M NDX 114	IntelliQ Generation 2; IntelliQ Generation 3; RedDrive 77	09609
Pun M NDX 114	ARP - Ammeraal, Chiorino, Forbo, Habasit SDI - Forbo, Chiorino (not Ammeraal); Nitta CFTG-60SG & -18SG	09720
Pun M NDX 200	Forbo UU60A-42 FBRC/FSTR Black; Gates Mectrol F160 Habasit TF-102T; Nitta Carryflex (CFTG); RedDrive45	09663

Pun M™ NDX Mobile Finger Punch - 200 mm



## REPLACEMENT PARTS/ ACCESSORIES

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Replacement Blade Kit, 114mm*	114MM-BLADES-3PK	09665
Replacement Blade Kit, 200mm*	200MM-BLADES-3PK	09666
Nylon Punch Pad, 114mm	NYLON-PUNCH-PAD-114MM	09667
Nylon Punch Pad, 200mm	NYLON-PUNCH-PAD-200MM	09668
Clamp Bar, 77mm Belt, Smooth V-Guide	CLAMP-BAR-77MMBLT-SMOOTH-VGD	09701
Clamp bar used for CFTG-60SG/18SG on 114	CLAMP-BAR-CFTG-SG	09725
Nylon Punch Pad, 200 mm for 30 mm wide belt	NYLON-PUNCH-PAD-200MM-30	102841
Clamp bar used for 70 mm wide belt	CLAMP-BAR-CFTG-60SGNF-70	111055

\* Replacement Blade kits include cut-resistant gloves and hex wrenches for blade replacement.

Stock Items (non-shaded) carried in factory inventory.  
 Made To Order Items (shaded) have added lead time.  
 Non-Listed Items are available.  
 Request quote for price and delivery.



## FGP Food Grade Primary Cleaner General Information

The FGP Food Grade Primary Cleaner from Flexco is easy to install, easy to maintain, and disassembles in a snap for regular cleaning and sanitization. The FGP Primary Cleaner works on any belt from 4" to 60" (100 mm to 1500 mm) and the blade is available in both white and blue FDA approved food grade material.

### Features and Benefits

- Made of FDA approved materials for use in food applications.
- Certified by USDA for use in meat, poultry, and dairy operations.
- Compliant with EU 1934/2004 food contact requirements.
- Simple design limits crevices and opportunities for bacteria growth.
- Snap on/off blade for ease of cleaning and blade replacement.
- Minimal hardware so installation, tensioning, and blade replacement are easy.
- Easily tensioned to minimize blade wear, eliminate belt damage, and maximize cleanability.
- Available in standard blade widths from 12" to 60" (305mm to 1524mm). Can be cut to size.
- C-dimension gauge ensures proper pole location for optimal cleaning.
- Compatible with endless as well as mechanical splices.

### Specifications:

<b>• Temperature Range</b> UHMW: -20°F to 140°F (-29°C to 60°C) Dual Durometer: +32°F to 140°F (0°C to 60°C)	<b>• Blade Height</b> 3.0" (76 mm)	<b>• Blade Hardness</b> UHMW: 63D Shore Hardness Urethane: 85A Shore Hardness	<b>• Blade Material</b> Food-grade UHMW, UHMW with Stainless Steel, or Urethane with PVC
<b>• Pulley Diameter Range</b> 2" (50 mm) to 10.5" (267 mm)	<b>• Blade Width Range</b> 4" - 60" (102-1524 mm)	<b>• Pole/Mounting Material</b> 304 Stainless Steel	



### How to choose the correct size blade for your conveyor:

1. Measure your belt width.
2. Choose the Blade Width that corresponds to your belt width.
3. Measure your conveyor width.
4. Verify the Maximum Conveyor Width shown in the selection chart is larger than your conveyor width. If your conveyor width is larger than the maximum width shown, choose the next larger blade width that accommodates your conveyor width.
5. Blade and/or pole can be cut to user's required length. Pole must be 2" longer than the outside width of conveyor structure at the mounting location.

# FGP Food Grade Primary Cleaner

## FGP FOOD GRADE PRIMARY CLEANER SPECIFICATIONS

Recommended blade width:



### POLE LENGTHS


POLE LENGTH		MINIMUM BLADE WIDTH		MAXIMUM BLADE WIDTH		MAXIMUM CONVEYOR STRUCTURE WIDTH AT CLEANER MOUNTING LOCATION	
in.	mm	in.	mm	in.	mm	in.	mm
24	610	4	102	12	305	22	556
30	813	4	102	18	457	28	708
36	965	18	457	24	610	34	861
42	1067	18	457	30	813	40	1013
48	1219	30	813	36	965	46	1165
54	1372	30	813	42	1067	52	1318
60	1524	30	813	48	1219	58	1470
66	1676	30	813	54	1372	64	1623
72	1829	30	813	60	1524	70	1775

### POLE LOCATION

A		X		Y		C		A		X		Y		C	
in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
2.0	51	0.95	24	2.98	76	3.13	80	6.5	165	3.16	80	3.41	87	4.64	118
2.5	64	1.19	30	3.03	77	3.25	83	7.0	178	3.40	86	3.46	88	4.85	123
3.0	76	1.44	37	3.08	78	3.39	86	7.5	191	3.65	93	3.51	89	5.06	129
3.5	89	1.68	43	3.12	79	3.55	90	8.0	203	3.89	99	3.55	90	5.27	134
4.0	102	1.93	49	3.17	81	3.71	94	8.5	216	4.14	105	3.60	91	5.48	139
4.5	114	2.18	55	3.22	82	3.88	99	9.0	229	4.38	111	3.65	93	5.70	145
5.0	127	2.42	61	3.27	83	4.06	103	9.5	241	4.63	118	3.70	94	5.92	150
5.5	140	2.67	68	3.31	84	4.25	108	10.0	254	4.88	124	3.74	95	6.14	156
6.0	152	2.91	74	3.36	85	4.45	113								

A = Diameter of pulley + lagging thickness + belt thickness  
 C = Centerline of pulley to centerline of cleaner pole.

### POLE LOCATION SPECS



Stock Items (non-shaded) carried in factory inventory.  
 Made To Order Items (shaded) have added lead time.

Non-Listed Items are available.  
 Request quote for price and delivery.


# FGP Food Grade Primary Cleaner

## FGP FOOD GRADE PRIMARY CLEANER

BLADE WIDTH		MAXIMUM CONVEYOR WIDTH		WEIGHT		WHITE BLADE		BLUE BLADE		BLUE METAL DETECTABLE BLADE		BLUE DUAL DUROMETER BLADE	
in.	mm	in.	mm	lbs.	kg.	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
12	305	22	559	6.7	3.0	FGP-W3-12	56009	FGP-BL3-12	56000	FGP-MD3-12	56027	FGP-MDDD3-12	56018
18	457	28	711	7.7	3.5	FGP-W3-18	56010	FGP-BL3-18	56001	FGP-MD3-18	56028	FGP-MDDD3-18	56019
24	610	34	864	8.6	3.9	FGP-W3-24	56011	FGP-BL3-24	56002	FGP-MD3-24	56029	FGP-MDDD3-24	56020
30	762	40	1016	9.5	4.3	FGP-W3-30	56012	FGP-BL3-30	56003	FGP-MD3-30	56030	FGP-MDDD3-30	56021
36	914	46	1168	10.5	4.8	FGP-W3-36	56013	FGP-BL3-36	56004	FGP-MD3-36	56031	FGP-MDDD3-36	56022
42	1067	52	1321	11.5	5.2	FGP-W3-42	56014	FGP-BL3-42	56005	FGP-MD3-42	56032	FGP-MDDD3-42	56023
48	1219	58	1473	12.4	5.6	FGP-W3-48	56015	FGP-BL3-48	56006	FGP-MD3-48	56033	FGP-MDDD3-48	56024
54	1372	64	1626	13.3	6.0	FGP-W3-54	56016	FGP-BL3-54	56007	FGP-MD3-54	56034	FGP-MDDD3-54	56025
60	1524	70	1778	14.2	6.4	FGP-W3-60	56017	FGP-BL3-60	56008	FGP-MD3-60	56035	FGP-MDDD3-60	56026

**Product Notes:**

- Pole length = blade length + 12" on standard cleaners.
- Blade and/or pole can be cut to users required length.
- Pole must be 2" longer than the outside width of the conveyor structure at the mounting location.








Food Grade Primary Cleaner


## FGP OPTIONAL MOUNTING BRACKETS

(BOLT OR WELD)

	DESCRIPTION	ORDERING NUMBER	ITEM CODE
1	Frame Mount	FGP-MOUNT-FRAME	56585
2	Flange Bearing Mount	FGP-MOUNT-FLANGE-BEARING	56586
3	Base Bearing Mount	FGP-MOUNT-BASE-BEARING	56587
4	Two-Piece Mount	FGP-MOUNT-TWO-PIECE	56588
5	Secondary Position Angle Bracket	FGP-SECONDARY-ADAPTER-BRKT	56739



# FGP Food Grade Primary Cleaner



## FGP FOOD GRADE PRIMARY CLEANER REPLACEMENT PARTS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
1	24" (610 mm) Pole	FGPL-24/610	56503	2.7
	30" (762 mm) Pole	FGPL-30/762	56504	3.4
	36" (914 mm) Pole	FGPL-36/914	56505	4.1
	42" (1067 mm) Pole	FGPL-42/1067	56506	4.8
	48" (1219 mm) Pole	FGPL-48/1219	56507	5.5
	54" (1372 mm) Pole	FGPL-54/1372	56508	6.2
	60" (1524 mm) Pole	FGPL-60/1524	56509	6.9
	66" (1676 mm) Pole	FGPL-66/1676	56510	7.6
72" (1829 mm) Pole	FGPL-72/1829	56511	8.3	
2	Torsion Hub Assembly	FGTHUB	56519	0.6
3	Torsion Housing	FGTHSG	56520	0.8
4	Torsion Bushing	FGTBSSG	56521	0.1
5	Pole Bushing	FGPBSG	56522	0.1
6	Thumb Screw	FGPIN	56523	0.1
7	End Plate	FGENDPLT	56524	0.5
8	Jam/Locking Nut	FGHEXNUT	56525	0.1
9	Standoff Kit (8 pc)	FGSTNDOFFKIT/8	56526	0.6
	Standoff (1 pc)	FGSTNDOFFKIT/1	56529	0.1
10	Large O-ring (1 pc)	FGO-RLG/1	56530	0.1
11	Small O-ring (1 pc)	FGO-RSM/1	56567	0.1
12	O-ring Kit (16 pcs. ea. Items 10 & 11)	FGO-RGKIT/32	56528	0.1
13	Hardware Kit	FGHRDWRKIT	56527	1.1
14	"C" Dimension Gauge	FG-C-GAUGE	56568	0.1

## FGP FOOD GRADE PRIMARY CLEANER REPLACEMENT SPRINGS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
16	Torsion Spring 6" (152 mm) to 12" (305 mm) Blades	FGTS-20/500	56500	0.1
	Torsion Spring 13" (330 mm) to 24" (610 mm) Blades	FGTS-36/900	56501	0.1
	Torsion Spring 25" (635 mm) to 48" (1219 mm) Blades	FGTS-60/1500	56502	0.1
	Torsion Spring 49" (1245 mm) to 60" (1524 mm) Blades	FGTS-XL	56577	0.2

## FGP FOOD GRADE PRIMARY CLEANER REPLACEMENT BLADES

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
15	12" (305 mm) Blue Blade	FGB-BL3-12/305	56531	0.5
	18" (457 mm) Blue Blade	FGB-BL3-18/457	56532	0.7
	24" (610 mm) Blue Blade	FGB-BL3-24/610	56533	0.9
	30" (762 mm) Blue Blade	FGB-BL3-30/762	56534	1.2
	36" (914 mm) Blue Blade	FGB-BL3-36/914	56535	1.4
	42" (1067 mm) Blue Blade	FGB-BL3-42/1067	56536	1.6
	48" (1219 mm) Blue Blade	FGB-BL3-48/1219	56537	1.8
	54" (1372 mm) Blue Blade	FGB-BL3-54/1372	56538	2.1
	60" (1524 mm) Blue Blade	FGB-BL3-60/1524	56539	2.3
	12" (305 mm) White Blade	FGB-W3-12/305	56540	0.5
	18" (457 mm) White Blade	FGB-W3-18/457	56541	0.7
	24" (610 mm) White Blade	FGB-W3-24/610	56542	0.9
	30" (762 mm) White Blade	FGB-W3-30/762	56543	1.2
	36" (914 mm) White Blade	FGB-W3-36/914	56544	1.4
	42" (1067 mm) White Blade	FGB-W3-42/1067	56545	1.6
48" (1219 mm) White Blade	FGB-W3-48/1219	56546	1.8	
54" (1372 mm) White Blade	FGB-W3-54/1372	56547	2.1	
60" (1524 mm) White Blade	FGB-W3-60/1524	56548	2.3	
12" (305 mm) Metal Detectable Blade	FGB-MD3-12/305	56558	0.5	
18" (457 mm) Metal Detectable Blade	FGB-MD3-18/457	56559	0.7	
24" (610 mm) Metal Detectable Blade	FGB-MD3-24/610	56560	0.9	
30" (762 mm) Metal Detectable Blade	FGB-MD3-30/762	56561	1.2	
36" (914 mm) Metal Detectable Blade	FGB-MD3-36/914	56562	1.4	
42" (1067 mm) Metal Detectable Blade	FGB-MD3-42/1067	56563	1.6	
48" (1219 mm) Metal Detectable Blade	FGB-MD3-48/1219	56564	1.8	
54" (1372 mm) Metal Detectable Blade	FGB-MD3-54/1372	56565	2.1	
60" (1524 mm) Metal Detectable Blade	FGB-MD3-60/1524	56566	2.3	
12" (305 mm) Dual Durometer Blade	FGB-MDDD3-12/305	56549	0.5	
18" (457 mm) Dual Durometer Blade	FGB-MDDD3-18/457	56550	0.7	
24" (610 mm) Dual Durometer Blade	FGB-MDDD3-24/610	56551	0.9	
30" (762 mm) Dual Durometer Blade	FGB-MDDD3-30/762	56552	1.2	
36" (914 mm) Dual Durometer Blade	FGB-MDDD3-36/914	56553	1.4	
42" (1067 mm) Dual Durometer Blade	FGB-MDDD3-42/1067	56554	1.6	
48" (1219 mm) Dual Durometer Blade	FGB-MDDD3-48/1219	56555	1.8	
54" (1372 mm) Dual Durometer Blade	FGB-MDDD3-54/1372	56556	2.1	
60" (1524 mm) Dual Durometer Blade	FGB-MDDD3-60/1524	56557	2.3	


Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) have added lead time.

Non-Listed Items are available.

Request quote for price and delivery.





## FGP-ES Food Grade Primary Cleaner with External Spring

### General Information

The FGP-ES Food Grade Primary Cleaner with External Spring from Flexco is easy to install, easy to maintain, and disassembles in a snap for regular cleaning and sanitization. The FGP-ES Food Grade Primary Cleaner with External Spring works on any belt from 4" to 60" and the blade is available in both white and blue FDA approved food grade material.

### Features and Benefits


- Made of FDA approved materials for use in food applications.
- Verified by BISSC for use in industrial baking operations.
- Compliant with EU 1934/2004 food contact requirements.
- Simple design limits crevices and opportunities for bacteria growth.
- Snap on/off blade for ease of cleaning and blade replacement.
- Minimal hardware so installation, tensioning, and blade replacement are easy.
- Easily tensioned to minimize blade wear, eliminate belt damage, and maximize cleanability.
- Available in standard blade widths from 12" to 48" (305mm to 1219mm). Can be cut to size.
- Installation gauge ensures proper pole location for optimal cleaning.
- Compatible with endless as well as mechanical splices.
- Includes installation side plates, standoffs and necessary hardware.
- Available with dual tensioners for cleaners with blades above 48" (1219mm).

### Specifications:

<ul style="list-style-type: none"> <li>• <b>Temperature Range</b> UHMW: -20°F to 140°F (-29°C to 60°C) Dual Durometer: +32°F to 140°F (0°C to 60°C)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Blade Height</b> UHMW: 3.0" (76mm) Dual Durometer: 3.0" (76mm)</li> <li>• <b>Blade Length Range</b> 12" to 48" (305mm to 1219mm)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Cleaner Construction Material</b> Solid 304 Stainless Steel</li> <li>• <b>Blade Hardness</b> UHMW: 63D Shore Hardness Urethane: 85A Shore Hardness</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Blade Material</b> Food-grade UHMW, UHMW with Stainless Steel, or Urethane with PVC</li> </ul>
--	---	---	--

### How to choose the correct size Cleaner for your conveyor:

1. Measure your belt width.
2. Choose the Blade Length that corresponds to your belt width.
3. Measure your conveyor outside to outside width.
4. Verify the Maximum Conveyor Width shown in the selection chart is larger than your outside to outside conveyor width. If your conveyor width is larger than the maximum width shown, choose the next larger Blade Length that accommodates your conveyor width.
5. Blade, blade support bar, and shaft can be cut to users required length. Shaft must be 6" longer than the outside width of conveyor structure at the mounting location. For cleaners that are 54", shaft must be 12" longer than the outside width of the conveyor structure at the mounting location.




# FGP-ES Food Grade Primary Cleaner External Spring


## FGP-ES FOOD GRADE PRIMARY CLEANER – EXTERNAL SPRING SPECIFICATIONS

### Recommended blade width:

Belt Width Minus 1" (25mm)



Material Path Plus 3" (76mm)



### POLE LENGTHS


POLE LENGTH		STANDARD BLADE LENGTH		MINIMUM BLADE LENGTH		MINIMUM CONVEYOR WIDTH AT CLEANER MOUNTING LOCATION		MAXIMUM CONVEYOR WIDTH AT CLEANER MOUNTING LOCATION	
in	mm	in	mm	in	mm	in	mm	in	mm
24	610	12	305	9	229	11	279	22	556
30	813	18	457	9	229	14	356	28	708
36	965	24	610	9	229	20	508	34	861
42	1067	30	813	18	457	26	660	40	1013
48	1219	36	965	18	457	32	813	46	1165
54	1372	42	1067	18	457	38	965	52	1318
60	1524	48	1219	18	457	44	1118	58	1470

### POLE LOCATION


A		X		Y		C	
in.	mm	in.	mm	in.	mm	in.	mm
2.0	51	0.95	24	2.98	76	3.13	80
2.5	64	1.19	30	3.03	77	3.25	83
3.0	76	1.44	37	3.08	78	3.39	86
3.5	89	1.68	43	3.12	79	3.55	90
4.0	102	1.93	49	3.17	81	3.71	94
4.5	114	2.18	55	3.22	82	3.88	99
5.0	127	2.42	61	3.27	83	4.06	103
5.5	140	2.67	68	3.31	84	4.25	108
6.0	152	2.91	74	3.36	85	4.45	113
6.5	165	3.16	80	3.41	87	4.64	118
7.0	178	3.40	86	3.46	88	4.85	123
7.5	191	3.65	93	3.51	89	5.06	129
8.0	203	3.89	99	3.55	90	5.27	134
8.5	216	4.14	105	3.60	91	5.48	139
9.0	229	4.38	111	3.65	93	5.70	145
9.5	241	4.63	118	3.70	94	5.92	150
10.0	254	4.88	124	3.74	95	6.14	156

A = Diameter of pulley + lagging thickness + belt thickness  
 C = Centerline of pulley to centerline of cleaner pole.

### POLE LOCATION SPECS



# FGP-ES Food Grade Primary Cleaner External Spring



## FGP-ES FOOD GRADE PRIMARY CLEANER – EXTERNAL SPRING

BLADE WIDTH	MAXIMUM CONVEYOR WIDTH	WEIGHT	WHITE BLADE		BLUE BLADE	
			ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
in.	in.	LBS.				
12	22	13.5	FGPES-A-W3-12/305	106414	FGPES-A-BL3-12/305	106400
			FGPES-B-W3-12/305	106415	FGPES-B-BL3-12/305	106401
18	28	15.1	FGPES-A-W3-18/457	106416	FGPES-A-BL3-18/457	106402
			FGPES-B-W3-18/457	106417	FGPES-B-BL3-18/457	106403
24	34	16.8	FGPES-A-W3-24/610	106418	FGPES-A-BL3-24/610	106404
			FGPES-B-W3-24/610	106419	FGPES-B-BL3-24/610	106405
30	40	18.5	FGPES-A-W3-30/762	106420	FGPES-A-BL3-30/762	106406
			FGPES-B-W3-30/762	106421	FGPES-B-BL3-30/762	106407
36	46	20.2	FGPES-A-W3-36/914	106422	FGPES-A-BL3-36/914	106408
			FGPES-B-W3-36/914	106423	FGPES-B-BL3-36/914	106409
42	52	22.0	FGPES-A-W3-42/1067	106424	FGPES-A-BL3-42/1067	106410
			FGPES-B-W3-42/1067	106425	FGPES-B-BL3-42/1067	106411
48	58	23.7	FGPES-A-W3-48/1219	106426	FGPES-A-BL3-48/1219	106412
			FGPES-B-W3-48/1219	106427	FGPES-B-BL3-48/1219	106413

**Product Notes:**


- Shaft length = blade length + 300 mm on standard cleaners.
- Blade and/or Shaft can be cut to user's required length.
- Shaft must be 50 mm longer than the outside width of the conveyor structure at the mounting location.
- Weights are approximate and are subject to change by manufacturer, Dual durometer blade is not compliant with Health Canada or EU 1935/2004.

## FGP-ES FOOD GRADE PRIMARY CLEANER – EXTERNAL SPRING

BLADE WIDTH	MAXIMUM CONVEYOR WIDTH	WEIGHT	BLUE METAL DETECTABLE BLADE		BLUE DUAL DUROMETER BLADE	
			ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
in.	in.	LBS.				
12	22	13.5	FGPES-A-MD3-12/305	106428	FGPES-A-MDDD3-12/305	106442
			FGPES-B-MD3-12/305	106429	FGPES-B-MDDD3-12/305	106443
18	28	15.1	FGPES-A-MD3-18/457	106430	FGPES-A-MDDD3-18/457	106444
			FGPES-B-MD3-18/457	106431	FGPES-B-MDDD3-18/457	106445
24	34	16.8	FGPES-A-MD3-24/610	106432	FGPES-A-MDDD3-24/610	106446
			FGPES-B-MD3-24/610	106433	FGPES-B-MDDD3-24/610	106447
30	40	18.5	FGPES-A-MD3-30/762	106434	FGPES-A-MDDD3-30/762	106448
			FGPES-B-MD3-30/762	106435	FGPES-B-MDDD3-30/762	106449
36	46	20.2	FGPES-A-MD3-36/914	106436	FGPES-A-MDDD3-36/914	106450
			FGPES-B-MD3-36/914	106437	FGPES-B-MDDD3-36/914	106451
42	52	22.0	FGPES-A-MD3-42/1067	106438	FGPES-A-MDDD3-42/1067	106452
			FGPES-B-MD3-42/1067	106439	FGPES-B-MDDD3-42/1067	106453
48	58	23.7	FGPES-A-MD3-48/1219	106440	FGPES-A-MDDD3-48/1219	106454
			FGPES-B-MD3-48/1219	106441	FGPES-B-MDDD3-48/1219	106455

**Product Notes:**

- Shaft length = blade length + 300 mm on standard cleaners.
- Blade and/or Shaft can be cut to user's required length.
- Shaft must be 50 mm longer than the outside width of the conveyor structure at the mounting location.
- Weights are approximate and are subject to change by manufacturer, Dual durometer blade is not compliant with Health Canada or EU 1935/2004.




"B" Tensioner Shown


Stock Items (non-shaded)

Made To Order Items (shaded) extended lead time, minimum order may apply.

Special Metals and Special Length Cards are available. Request quote for price and delivery.



# FGP-ES Food Grade Primary Cleaner External Spring



## FGP-ES FOOD GRADE PRIMARY CLEANER – EXTERNAL SPRING REPLACEMENT PARTS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS..
1	Blade (See Replacement Blade table)			
2	28" (711 mm) Shaft	FG-SQSB-28/711	103328	7.9
	34" (863 mm) Shaft	FG-SQSB-34/863	103329	9.6
	40" (1016 mm) Shaft	FG-SQSB-40/1016	103330	11.3
	46" (1168 mm) Shaft	FG-SQSB-46/1168	103331	13.0
	52" (1320 mm) Shaft	FG-SQSB-52/1320	103332	14.7
	58" (1473 mm) Shaft	FG-SQSB-58/1473	103333	16.4
3a	End Plate	FGS-MP MOUNTING PLATE	57250	0.8
	End Plate	FGS-FGPES-PM BLANK MNTG PLT	57258	0.8
3b	End Plate - Europe	FGS-FGPES-EU-MP MOUNTING PLATE	57251	0.6
4	Plastic Bushing (Round)	FGPS-BSG-RNG	103335	0.1
5	Set Bolt	BOLT POSITIONING FGS	57252	0.1
8	Plastic Bushing (Square)	FGPS-BSG-SQ	103336	0.1
9	"C" Dimension Gauge	FG-C-GAUGE	56568	0.1
10	Hardware kit	FGPSHWKIT RPL HARDWARE KIT	103687	1.1
11	Locking Lever	FG LEVER KIT	104674	1.0

**Note:** Cleaners with a dual durometer blade use replacement mounting plates 57250 and 57258. All other cleaners use replacement mounting plates 57251 and 57258.

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) have added lead time.


**Non-Listed Items** are available.  
Request quote for price and delivery.

## FGP-ES FOOD GRADE PRIMARY CLEANER – EXTERNAL SPRING REPLACEMENT BLADES

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
1	12" (305 mm) Blue Blade	FGB-BL3-12/305	56531	0.5
	18" (457 mm) Blue Blade	FGB-BL3-18/457	56532	0.7
	24" (610 mm) Blue Blade	FGB-BL3-24/610	56533	0.9
	30" (762 mm) Blue Blade	FGB-BL3-30/762	56534	1.2
	36" (914 mm) Blue Blade	FGB-BL3-36/914	56535	1.4
	42" (1067 mm) Blue Blade	FGB-BL3-42/1067	56536	1.6
	48" (1219 mm) Blue Blade	FGB-BL3-48/1219	56537	1.8
	12" (305 mm) White Blade	FGB-W3-12/305	56540	0.5
	18" (457 mm) White Blade	FGB-W3-18/457	56541	0.7
	24" (610 mm) White Blade	FGB-W3-24/610	56542	0.9
	30" (762 mm) White Blade	FGB-W3-30/762	56543	1.2
	36" (914 mm) White Blade	FGB-W3-36/914	56544	1.4
	42" (1067 mm) White Blade	FGB-W3-42/1067	56545	1.6
	48" (1219 mm) White Blade	FGB-W3-48/1219	56546	1.8
	12" (305 mm) Metal Detectable Blade	FGB-MD3-12/305	56558	0.5
	18" (457 mm) Metal Detectable Blade	FGB-MD3-18/457	56559	0.7
	24" (610 mm) Metal Detectable Blade	FGB-MD3-24/610	56560	0.9
	30" (762 mm) Metal Detectable Blade	FGB-MD3-30/762	56561	1.2
36" (914 mm) Metal Detectable Blade	FGB-MD3-36/914	56562	1.4	
42" (1067 mm) Metal Detectable Blade	FGB-MD3-42/1067	56563	1.6	
48" (1219 mm) Metal Detectable Blade	FGB-MD3-48/1219	56564	1.8	
12" (305 mm) Dual Durometer Blade	FGB-MDDD3-12/305	56549	0.5	
18" (457 mm) Dual Durometer Blade	FGB-MDDD3-18/457	56550	0.7	
24" (610 mm) Dual Durometer Blade	FGB-MDDD3-24/610	56551	0.9	
30" (762 mm) Dual Durometer Blade	FGB-MDDD3-30/762	56552	1.2	
36" (914 mm) Dual Durometer Blade	FGB-MDDD3-36/914	56553	1.4	
42" (1067 mm) Dual Durometer Blade	FGB-MDDD3-42/1067	56554	1.6	
48" (1219 mm) Dual Durometer Blade	FGB-MDDD3-48/1219	56555	1.8	

## FGP-ES FOOD GRADE CLEANER TENSIONERS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.	PRICE
-	"A" Tensioner - Left	FGTC-TWA TENSIONER WELDMENT A	106279	2.3	\$ 692.90
-	"B" Tensioner - Right	FGTC-TWB TENSIONER WELDMENT B	106280	2.3	692.90



## FGS Food Grade Secondary Cleaner General Information

The FGS Food Grade Secondary Cleaner from Flexco is easy to install, easy to maintain, and disassembles in a snap for regular cleaning and sanitization. The FGS Secondary Cleaner works on any belt from 300 mm to 2134 mm and the blade is available in both white and blue FDA approved food grade material.

### Features and Benefits

- Made of FDA approved materials for use in food applications.
- Verified by BISSC for use in industrial baking operations.
- Compliant with EU 1934/2004 food contact requirements.
- Simple design limits crevices and opportunities for bacteria growth.
- Snap on/off blade for ease of cleaning and blade replacement.
- Minimal hardware so installation, tensioning, and blade replacement are easy.
- Easily tensioned to minimize blade wear, eliminate belt damage, and maximize cleanability.
- Available in standard blade widths from 12" to 72" (300 mm to 1800 mm). Can be cut to size.
- Installation gauge ensures proper pole location for optimal cleaning.
- Compatible with endless as well as mechanical splices.
- Includes installation side plates, standoffs and necessary hardware.
- Available with dual tensioners for cleaners with blades above 48" (1220 mm).

### Specifications:

<ul style="list-style-type: none"> <li>• <b>Temperature Range</b> UHMW: -20°F to 140°F (-29°C to 60°C) Dual Durometer: +32°F to 140°F (0°C to 60°C)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Blade Height</b> UHMW: 2.0' (51mm) Dual Durometer: 3.0' (76mm)</li> <li>• <b>Blade Length Range</b> 12" to 72" (305mm to 1829mm)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Cleaner Construction Material</b> Solid 304 Stainless Steel</li> <li>• <b>Blade Hardness</b> UHMW: 63D Shore Hardness Urethane: 85A Shore Hardness</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Blade Material</b> Food-grade UHMW, UHMW with Stainless Steel, or Urethane with PVC</li> </ul>
--	---	---	--

### How to choose the correct size Cleaner for your conveyor:

1. Measure your belt width.
2. Choose the Blade Length that corresponds to your belt width.
3. Measure your conveyor outside to outside width.
4. Verify the Maximum Conveyor Width shown in the selection chart is larger than your outside to outside conveyor width. If your conveyor width is larger than the maximum width shown, choose the next larger Blade Length that accommodates your conveyor width.
5. Blade, blade support bar, and shaft can be cut to users required length. Shaft must be 6" (152mm) longer than the outside width of conveyor structure at the mounting location. For cleaners that are 54" (1372mm), shaft must be 12" (305mm) longer than the outside width of the conveyor structure at the mounting location.





# FGS Food Grade Secondary Cleaner

## FGS FOOD GRADE SECONDARY CLEANER SPECIFICATIONS

### BLADE LENGTHS

BLADE LENGTH		SUPPORT BAR LENGTH		MAXIMUM CONVEYOR WIDTH	
in.	mm	in.	mm	in.	mm
12	305	15	381	20	508
18	457	21	533	26	660
24	610	27	686	32	813
30	762	33	838	38	965
36	914	39	991	44	1118
42	1067	45	1143	50	1270
48	1219	51	1295	56	1422
54	1372	57	1448	64	1626
60	1524	63	1600	70	1778
66	1676	69	1753	76	1930
72	1829	75	1905	82	2083
78	1981	81	2057	88	2235
84	2134	87	2210	94	2388



54" through 84" (1372mm through 2134mm)  
 Length Cleaners  
 2x Tensioning Components  
 3 Swing Arms w/Slotted Blades

# FGS Food Grade Secondary Cleaner





## FGS FOOD GRADE SECONDARY CLEANER

BLADE WIDTH		MAXIMUM CONVEYOR WIDTH		WEIGHT		WHITE BLADE		BLUE BLADE	
in.	mm	in.	mm	LBS.	KGS.	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
12	305	20	508	16.5	7.5	FGS-A-W2-12/305	106320	FGS-A-BL2-12/305	106300
						FGS-B-W2-12/305	106321	FGS-B-BL2-12/305	106301
18	457	26	660	18.5	8.4	FGS-A-W2-18/457	106322	FGS-A-BL2-18/457	106302
						FGS-B-W2-18/457	106323	FGS-B-BL2-18/457	106303
24	610	32	813	20.4	9.3	FGS-A-W2-24/610	106324	FGS-A-BL2-24/610	106304
						FGS-B-W2-24/610	106325	FGS-B-BL2-24/610	106305
30	762	38	965	22.4	10.2	FGS-A-W2-30/762	106326	FGS-A-BL2-30/762	106306
						FGS-B-W2-30/762	106327	FGS-B-BL2-30/762	106307
36	914	44	1118	24.3	11.1	FGS-A-W2-36/914	106328	FGS-A-BL2-36/914	106308
						FGS-B-W2-36/914	106329	FGS-B-BL2-36/914	106309
42	1067	50	1270	26.3	11.9	FGS-A-W2-42/1067	106330	FGS-A-BL2-42/1067	106310
						FGS-B-W2-42/1067	106331	FGS-B-BL2-42/1067	106311
48	1219	56	1422	28.2	12.8	FGS-A-W2-48/1219	106332	FGS-A-BL2-48/1219	106312
						FGS-B-W2-48/1219	106333	FGS-B-BL2-48/1219	106313
54	1372	64	1626	31.3	14.2	FGS-AB-W2-54/1372	106334	FGS-AB-BL2-54/1372	106314
60	1524	70	1778	33.3	15.1	FGS-AB-W2-60/1524	106335	FGS-AB-BL2-60/1524	106315
66	1676	76	1930	35.2	16.0	FGS-AB-W2-66/1676	106336	FGS-AB-BL2-66/1676	106316
72	1828	82	2083	37.2	16.9	FGS-AB-W2-72/1829	106337	FGS-AB-BL2-72/1829	106317
78	1981	88	2235	58.6	26.5	FGS-AB-W2-78/1981	106338	FGS-AB-BL2-78/1981	106318
84	2134	94	2388	63.1	28.6	FGS-AB-W2-84/2134	106339	FGS-AB-BL2-84/2134	106319

**NOTE:** Weights are approximate and are subject to change by manufacturer.

BLADE LENGTH		MAXIMUM CONVEYOR WIDTH		WEIGHT		BLUE METAL DETECTABLE BLADE		BLUE DUAL DUROMETER BLADE	
in.	mm	in.	mm	LBS.	KGS.	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
12	305	20	508	16.5	7.5	FGS-A-MD2-12/305	106340	FGS-A-MDDD3-12/305	106360
						FGS-B-MD2-12/305	106341	FGS-B-MDDD3-12/305	106361
18	457	26	660	18.5	8.4	FGS-A-MD2-18/457	106342	FGS-A-MDDD3-18/457	106362
						FGS-B-MD2-18/457	106343	FGS-B-MDDD3-18/457	106363
24	610	32	813	20.4	9.3	FGS-A-MD2-24/610	106344	FGS-A-MDDD3-24/610	106364
						FGS-B-MD2-24/610	106345	FGS-B-MDDD3-24/610	106365
30	762	38	965	22.4	10.2	FGS-A-MD2-30/762	106346	FGS-A-MDDD3-30/762	106366
						FGS-B-MD2-30/762	106347	FGS-B-MDDD3-30/762	106367
36	914	44	1118	24.3	11.1	FGS-A-MD2-36/914	106348	FGS-A-MDDD3-36/914	106368
						FGS-B-MD2-36/914	106349	FGS-B-MDDD3-36/914	106369
42	1067	50	1270	26.3	11.9	FGS-A-MD2-42/1067	106350	FGS-A-MDDD3-42/1067	106370
						FGS-B-MD2-42/1067	106351	FGS-B-MDDD3-42/1067	106371
48	1219	56	1422	28.2	12.8	FGS-A-MD2-48/1219	106352	FGS-A-MDDD3-48/1219	106372
						FGS-B-MD2-48/1219	106353	FGS-B-MDDD3-48/1219	106373
54	1372	64	1626	31.3	14.2	FGS-AB-MD2-54/1372	106354	FGS-AB-MDDD3-54/1372	106374
60	1524	70	1778	33.3	15.1	FGS-AB-MD2-60/1524	106355	FGS-AB-MDDD3-60/1524	106375
66	1676	76	1930	35.2	16.0	FGS-AB-MD2-66/1676	106356	FGS-AB-MDDD3-66/1676	106376
72	1828	82	2083	37.2	16.9	FGS-AB-MD2-72/1829	106357	FGS-AB-MDDD3-72/1829	106377
78	1981	88	2235	58.6	26.5	FGS-AB-MD2-78/1981	106358	FGS-AB-MDDD3-78/1981	106378
84	2134	94	2388	63.1	28.6	FGS-AB-MD2-84/2134	106359	FGS-AB-MDDD3-84/2134	106379


**NOTE:** Weights are approximate and are subject to change by manufacturer. Dual durometer blade is not compliant with Health Canada or EU 1935/2004.

 **Stock Items** (non-shaded) carried in factory inventory.  
 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
 Request quote for price and delivery.



# FGS Food Grade Secondary Cleaner



## FGS FOOD GRADE SECONDARY CLEANER REPLACEMENT BLADES

REF	BLADE WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	BLADE WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.
1	<b>Blue Blades</b>				<b>Metal Detectable Blades</b>			
	12" (305 mm) Blue Blade	FGB-BL2-12/305	57100	0.3	12" (305 mm) Metal Detectable Blade	FGB-MD2-12/305	57140	0.3
	18" (457 mm) Blue Blade	FGB-BL2-18/457	57101	0.4	18" (457 mm) Metal Detectable Blade	FGB-MD2-18/457	57141	0.4
	24" (610 mm) Blue Blade	FGB-BL2-24/610	57102	0.6	24" (610 mm) Metal Detectable Blade	FGB-MD2-24/610	57142	0.6
	30" (762 mm) Blue Blade	FGB-BL2-30/762	57103	0.8	30" (762 mm) Metal Detectable Blade	FGB-MD2-30/762	57143	0.8
	36" (914 mm) Blue Blade	FGB-BL2-36/914	57104	0.9	36" (914 mm) Metal Detectable Blade	FGB-MD2-36/914	57144	0.9
	42" (1067 mm) Blue Blade	FGB-BL2-42/1067	57105	1.1	42" (1067 mm) Metal Detectable Blade	FGB-MD2-42/1067	57145	1.1
	48" (1219 mm) Blue Blade	FGB-BL2-48/1219	57106	1.2	48" (1219 mm) Metal Detectable Blade	FGB-MD2-48/1219	57146	1.2
	54" (1372 mm) Blue Blade	FGB-BL2-54/1372	57107	1.4	54" (1372 mm) Metal Detectable Blade	FGB-MD2-54/1372	57147	1.4
	60" (1524 mm) Blue Blade	FGB-BL2-60/1524	57108	1.6	60" (1524 mm) Metal Detectable Blade	FGB-MD2-60/1524	57148	1.6
	66" (1676 mm) Blue Blade	FGB-BL2-66/1676	57109	1.8	66" (1676 mm) Metal Detectable Blade	FGB-MD2-66/1676	57149	1.8
	72" (1828 mm) Blue Blade	FGB-BL2-72/1828	57110	2.0	72" (1828 mm) Metal Detectable Blade	FGB-MD2-72/1828	57150	2.0
	78" (1981 mm) Blue Blade	FGB-BL2-78/1828	57111	2.2	78" (1828 mm) Metal Detectable Blade	FGB-MD2-78/1828	57151	2.2
	84" (2134 mm) Blue Blade	FGB-BL2-84/1828	57112	2.4	84" (1828 mm) Metal Detectable Blade	FGB-MD2-84/1828	57152	2.4
	<b>White Blades</b>				<b>Dual Durometer Blades</b>			
	12" (305 mm) White Blade	FGB-WV2-12/305	57120	0.3	12" (305 mm) Dual Durometer Blade	FGB-MDDD3-12/305	56549	0.5
	18" (457 mm) White Blade	FGB-WV2-18/457	57121	0.4	18" (457 mm) Dual Durometer Blade	FGB-MDDD3-18/457	56550	0.7
	24" (610 mm) White Blade	FGB-WV2-24/610	57122	0.6	24" (610 mm) Dual Durometer Blade	FGB-MDDD3-24/610	56551	0.9
	30" (762 mm) White Blade	FGB-WV2-30/762	57123	0.8	30" (762 mm) Dual Durometer Blade	FGB-MDDD3-30/762	56552	1.2
	36" (914 mm) White Blade	FGB-WV2-36/914	57124	0.9	36" (914 mm) Dual Durometer Blade	FGB-MDDD3-36/914	56553	1.4
	42" (1067 mm) White Blade	FGB-WV2-42/1067	57125	1.1	42" (1067 mm) Dual Durometer Blade	FGB-MDDD3-42/1067	56554	1.6
	48" (1219 mm) White Blade	FGB-WV2-48/1219	57126	1.2	48" (1219 mm) Dual Durometer Blade	FGB-MDDD3-48/1219	56555	1.8
	54" (1372 mm) White Blade	FGB-WV2-54/1372	57127	1.4	54" (1372 mm) Dual Durometer Blade	FGB-MDDD3S-54/1372	57173	2.1
	60" (1524 mm) White Blade	FGB-WV2-60/1524	57128	1.6	60" (1524 mm) Dual Durometer Blade	FGB-MDDD3S-60/1524	57174	2.3
	66" (1676 mm) White Blade	FGB-WV2-66/1676	57129	1.8	66" (1676 mm) Dual Durometer Blade	FGB-MDDD3S-66/1676	57175	2.6
	72" (1828 mm) White Blade	FGB-WV2-72/1828	57130	2.0	72" (1828 mm) Dual Durometer Blade	FGB-MDDD3S-72/1828	57176	2.9
	78" (1828 mm) White Blade	FGB-WV2-78/1828	57131	2.2	78" (1828 mm) Dual Durometer Blade	FGB-MDDD3S-78/1828	57177	3.2
	84" (1828 mm) White Blade	FGB-WV2-84/1828	57132	2.4	84" (1828 mm) Dual Durometer Blade	FGB-MDDD3S-84/1828	57178	3.5



# FGS Food Grade Secondary Cleaner



## FGS FOOD GRADE SECONDARY CLEANER REPLACEMENT PARTS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
2	30" (762 mm) Shaft	FGS-S-30/762	57180	6.6
	36" (914 mm) Shaft	FGS-S-36/914	57181	8.0
	42" (1067 mm) Shaft	FGS-S-42/1067	57182	9.3
	48" (1219 mm) Shaft	FGS-S-48/1219	57183	10.6
	54" (1372 mm) Shaft	FGS-S-54/1372	57184	12.0
	60" (1524 mm) Shaft	FGS-S-60/1524	57185	13.3
	66" (1676 mm) Shaft	FGS-S-66/1676	57186	14.6
	78" (1981 mm) Shaft	FGS-S-78/1981	57187	17.3
	84" (2134 mm) Shaft	FGS-S-84/2134	57188	18.6
	90" (2286 mm) Shaft	FGS-S-90/2286	57189	20.0
	96" (2438 mm) Shaft	FGS-S-96/2438	57190	21.3
	102" (2591 mm) Shaft	FGS-S-102/2591	57191	22.6
	108" (2743 mm) Shaft	FGS-S-108/2743	57192	24.0
	3	18" (457 mm) Blade Support Bar	FGS-B-18/457	57200
24" (610 mm) Blade Support Bar		FGS-B-24/610	57201	1.4
30" (762 mm) Blade Support Bar		FGS-B-30/762	57202	1.7
36" (914 mm) Blade Support Bar		FGS-B-36/914	57203	2.0
42" (1067 mm) Blade Support Bar		FGS-B-42/1067	57204	2.4
48" (1219 mm) Blade Support Bar		FGS-B-48/1219	57205	2.8
54" (1372 mm) Blade Support Bar		FGS-B-54/1372	57206	3.1
60" (1524 mm) Blade Support Bar		FGS-B-60/1524	57207	3.4
66" (1676 mm) Blade Support Bar		FGS-B-66/1676	57208	3.8
72" (1829 mm) Blade Support Bar		FGS-B-72/1829	57209	4.1
78" (1981 mm) Blade Support Bar		FGS-B-78/1981	57210	4.5
84" (2134 mm) Blade Support Bar		FGS-B-84/2134	57211	4.8
90" (2286 mm) Blade Support Bar		FGS-B-90/2286	57212	5.2

## FGS FOOD GRADE SECONDARY CLEANER REPLACEMENT HARDWARE

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
4	End Plate	FGS-MP MOUNTING PLATE	57250	0.2
4	End Plate	FGS-FGPES-PM BLANK MNTG PLT	57258	0.2
4a	End Plate - Europe	FGS-FGPES-EU-MP MOUNTING PLATE	57251	0.2
5	Set Bolt	FGS-PB POSITIONING BOLT	57252	0.1
6	Reaction Torque Arm	FGS-TA TORQUE ARM	57255	2.0
7	Plastic Bushing	FGS-SB SNAP BUSHING	57256	0.1
11	Hardware Kit	FGSHWKIT REPL HARDWARE KIT	57257	1.1
12	Locking Lever	FG LEVER KIT	104674	1.0
	FGS-Blade-Gauge Location	FGS-BLADE-GAUGE	56743	0.1

**Note:** Cleaners with a dual durometer blade use replacement mounting plates 57250 and 57258. All other cleaners use replacement mounting plates 57251 and 57258.


## FGS FOOD GRADE CLEANER TENSIONERS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
-	"A" Tensioner - Left	FGTC-TWA TENSIONER WELDMNT A	106279	2.3
-	"B" Tensioner - Right	FGTC-TWB TENSIONER WELDMNT B	106280	2.3

Stock Items (non-shaded)

Made To Order Items (shaded) extended lead time, minimum order may apply.

Special Metals and Special Length Cards are available. Request quote for price and delivery.



## Segmented Transfer Plates (STP) General Information


Segmented Transfer Plates offer gap protection at transition points. Designed to accommodate belts up to 60" (1500 mm) wide, different segment lengths can be paired together to provide options for offset mounting and accommodate gaps from 4" to 10" (100 mm to 250 mm). The Narrow Gap STP line also provides options for gaps from 1.5" to 3" (38 mm to 75 mm).

### Features and Benefits


- Bright yellow color makes segments easy to monitor for replacement.
- Compatible with both endless and mechanical belt splices.
- Ideal for package handling and airport applications.
- Precision-molded segments ensure accurate fit and long-term protection of gaps.
- HDPE segments have raised ribs that reduce surface friction and serve as visual wear indicators.
- Beveled plastic segments positioned directly on the belt prevent product ingestion and reduce pinch points.

### Segmented Transfer Plate Ordering Specifications:


1. Specify belt width. Mounting bar is 2" longer than specified belt width.
2. Determine transfer size required.
3. Determine mounting bar location and if offset is required.



**For horizontal to horizontal belt applications.**  
Measure distance between pulleys at a point 0.5" to 1.5" below the tops of the pulleys (including belt thickness).



**For waterfall applications.**  
Measure distance from about 45° from the top of the upper pulley to the top point on the lower pulley.



**For belt to chute or slide applications.**  
On pulley side, position no higher than 1/2" below the crown with bridge segment positioned roughly 1/8" to 1/2" above the top of the chute or slide back wall.

# Segmented Transfer Plates

## SEGMENTED TRANSFER PLATES

HORIZONTAL TO HORIZONTAL OR WATERFALL APPLICATIONS – GAPS FROM 4" TO 10" (100 MM TO 250 MM)

TRANSFER WIDTH		MOUNTING BAR OFFSET		BELT WIDTHS					
				24" (610 mm)		36" (914 mm)		42" (1067 mm)	
				DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE
in	mm	in	mm						
4"	102	none		TGB-4/102-2/2-24/610	56100	TGB-4/102-2/2-36/914	56101	TGB-4/102-2/2-42/1067	56181
5"	127	0.5"	13	TGB-5/127-2/3-24/610	56104	TGB-5/127-2/3-36/914	56105	TGB-5/127-2/3-42/1067	56182
6"	152	1.0"	25	TGB-6/152-2/4-24/610	56108	TGB-6/152-2/4-36/914	56109	TGB-6/152-2/4-42/1067	56183
		none		TGB-6/152-3/3-24/610	56112	TGB-6/152-3/3-36/914	56113	TGB-6/152-3/3-42/1067	56184
7"	178	1.5"	38	TGB-7/178-2/5-24/610	56116	TGB-7/178-2/5-36/914	56117	TGB-7/178-2/5-42/1067	56185
		0.5"	13	TGB-7/178-3/4-24/610	56120	TGB-7/178-3/4-36/914	56121	TGB-7/178-3/4-42/1067	56186
8"	203	1.0"	25	TGB-8/203-3/5-24/610	56128	TGB-8/203-3/5-36/914	56129	TGB-8/203-3/5-42/1067	56187
		none		TGB-8/203-4/4-24/610	56132	TGB-8/203-4/4-36/914	56133	TGB-8/203-4/4-42/1067	56188
9"	229	0.5"	13	TGB-9/229-4/5-24/610	56140	TGB-9/229-4/5-36/914	56141	TGB-9/229-4/5-42/1067	56189
10"	254	none		TGB-10/254-5/5-24/610	56148	TGB-10/254-5/5-36/914	56149	TGB-10/254-5/5-42/1067	56190

HORIZONTAL TO HORIZONTAL OR WATERFALL APPLICATIONS – GAPS FROM 4" TO 10" (100 MM TO 250 MM)

TRANSFER WIDTH		MOUNTING BAR OFFSET		BELT WIDTHS			
				48" (1219 mm)		60" (1524 mm)	
				DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE
in	mm	in	mm				
4"	102	none		TGB-4/102-2/2-48/1219	56102	TGB-4/102-2/2-60/1524	56103
5"	127	0.5"	13	TGB-5/127-2/3-48/1219	56106	TGB-5/127-2/3-60/1524	56107
6"	152	1.0"	25	TGB-6/152-2/4-48/1219	56110	TGB-6/152-2/4-60/1524	56111
		none		TGB-6/152-3/3-48/1219	56114	TGB-6/152-3/3-60/1524	56115
7"	178	1.5"	38	TGB-7/178-2/5-48/1219	56118	TGB-7/178-2/5-60/1524	56119
		0.5"	13	TGB-7/178-3/4-48/1219	56122	TGB-7/178-3/4-60/1524	56123
8"	203	1.0"	25	TGB-8/203-3/5-48/1219	56130	TGB-8/203-3/5-60/1524	56131
		none		TGB-8/203-4/4-48/1219	56134	TGB-8/203-4/4-60/1524	56135
9"	229	0.5"	13	TGB-9/229-4/5-48/1219	56142	TGB-9/229-4/5-60/1524	56143
10"	254	none		TGB-10/254-5/5-48/1219	56150	TGB-10/254-5/5-60/1524	56151


## SEGMENTED TRANSFER PLATES


BELT TO CHUTE OR SLIDE APPLICATIONS – GAPS FROM 3" TO 6" (75 MM TO 150 MM)


TRANSFER WIDTH		MOUNTING BAR OFFSET		BELT WIDTHS					
				24" (610 mm)		36" (914 mm)		42" (1067 mm)	
				DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE
in	mm	in	mm						
3"	76	0.5"	12	TGB-3/76-2/B-24/610	56206	TGB-3/76-2/B-36/914	56207	TGB-3/76-2/B-42/1067	56208
4"	102	1.0"	25	TGB-4/102-3/B-24/610	56211	TGB-4/102-3/B-36/914	56212	TGB-4/102-3/B-42/1067	56213
5"	127	1.5"	38	TGB-5/127-4/B-24/610	56216	TGB-5/127-4/B-36/914	56217	TGB-5/127-4/B-42/1067	56218
6"	152	2.0"	51	TGB-6/152-5/B-24/610	56221	TGB-6/152-5/B-36/914	56222	TGB-6/152-5/B-42/1067	56223

BELT TO CHUTE OR SLIDE APPLICATIONS – GAPS FROM 3" TO 6" (75 MM TO 150 MM)

TRANSFER WIDTH		MOUNTING BAR OFFSET		BELT WIDTHS			
				48" (1219 mm)		60" (1524 mm)	
				DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE
in	mm	in	mm				
3"	76	0.5"	12	TGB-3/76-2/B-48/1219	56209	TGB-3/76-2/B-60/1524	56210
4"	102	1.0"	25	TGB-4/102-3/B-48/1219	56214	TGB-4/102-3/B-60/1524	56215
5"	127	1.5"	38	TGB-5/127-4/B-48/1219	56219	TGB-5/127-4/B-60/1524	56220
6"	152	2.0"	51	TGB-6/152-5/B-48/1219	56224	TGB-6/152-5/B-60/1524	56225

 Stock Items (non-shaded) carried in factory inventory.

 Made To Order Items (shaded) have added lead time.

 Non-Listed Items are available. Request quote for price and delivery.

# Segmented Transfer Plates

## SEGMENTED TRANSFER PLATES

HORIZONTAL TO HORIZONTAL OR WATERFALL APPLICATIONS – GAPS FROM 1.5" TO 3" (38 MM TO 75 MM)

TRANSFER WIDTH		MOUNTING BAR OFFSET		BELT WIDTHS					
				24" (610 mm)		36" (914 mm)		42" (1067 mm)	
				DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE
in	mm	in	mm						
1.5"	38	none		TGB-1.5/38-.75/.75-24/610	56227	TGB-1.5/38-.75/.75-36/914	56228	TGB-1.5/38-.75/.75-42/1067	56229
1.75"	44	0.125"	3.2	TGB-1.75/44-1/.75-24/610	56232	TGB-1.75/44-1/.75-36/914	56233	TGB-1.75/44-1/.75-42/1067	56234
2"	51	none		TGB-2/51-1/1-24/610	56237	TGB-2/51-1/1-36/914	56238	TGB-2/51-1/1-42/1067	56239
2.25"	57	0.375"	9.5	TGB-2.25/57-1.5/.75-24/610	56242	TGB-2.25/57-1.5/.75-36/914	56243	TGB-2.25/57-1.5/.75-42/1067	56244
2.5"	64	0.250"	6.4	TGB-2.5/64-1.5/1-24/610	56247	TGB-2.5/64-1.5/1-36/914	56248	TGB-2.5/64-1.5/1-42/1067	56249
3"	76	none		TGB-3/76-1.5/1.5-24/610	56252	TGB-3/76-1.5/1.5-36/914	56253	TGB-3/76-1.5/1.5-42/1067	56254

## HORIZONTAL TO HORIZONTAL OR WATERFALL APPLICATIONS – GAPS FROM 1.5" TO 3" (38 MM TO 75 MM)

TRANSFER WIDTH		MOUNTING BAR OFFSET		BELT WIDTHS			
				48" (1219 mm)		60" (1524 mm)	
				DESCRIPTION	ITEM CODE	DESCRIPTION	ITEM CODE
in	mm	in	mm				
1.5"	38	none		TGB-1.5/38-.75/.75-48/1219	56230	TGB-1.5/38-.75/.75-60/1524	56231
1.75"	44	0.125"	3.2	TGB-1.75/44-1/.75-48/1219	56235	TGB-1.75/44-1/.75-60/1524	56236
2"	51	none		TGB-2/51-1/1-48/1219	56240	TGB-2/51-1/1-60/1524	56241
2.25"	57	0.375"	9.5	TGB-2.25/57-1.5/.75-48/1219	56245	TGB-2.25/57-1.5/.75-60/1524	56246
2.5"	64	0.250"	6.4	TGB-2.5/64-1.5/1-48/1219	56250	TGB-2.5/64-1.5/1-60/1524	56251
3"	76	none		TGB-3/76-1.5/1.5-48/1219	56255	TGB-3/76-1.5/1.5-60/1524	56256


## SEGMENTED TRANSFER PLATE MEASUREMENT, SELECTION AND INSTALLATION TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
GAUGE KEYS	GAUGE KIT STP BRIDGE	56667
	GAUGE KIT STP 4IN-10IN	56668
	GAUGE KIT STP 1.5IN-3IN	56669
	GAUGE KEY STP MASTER SET	56707



## STAINLESS STEEL HARDWARE KIT – WIDTHS UP TO 60" (1524 MM)

TRANSFER WIDTH		MOUNTING BAR OFFSET		BELT WIDTHS	
				60" (1524 mm)	
				DESCRIPTION	ITEM CODE
in	mm	in	mm		
none	none			TG-SBAR-60/1524	56744















**Stock Items** (non-shaded) carried in factory inventory.  
 **Made To Order Items** (shaded) have added lead time.  
**Non-Listed Items** are available.  
 Request quote for price and delivery.

# Segmented Transfer Plates

## SEGMENTED TRANSFER PLATES REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
MOUNTING BRACKET	TG-MTG-BRKT RPL MNTG BRACKET	56600
MOUNTING BRACKET KIT	TGB-1.5-3.0-IN-GAP-MTNG-KIT	56644
MOUNTING KIT PARTS	TGB-1.5-3.0-VERT-SUPPT-BRKT-KT	56645
	TGB-1.5-3.0-ANGLE-BRKT-KT	56646
SUPPORT BARS	TG-BAR-24/610 RPL BAR	56601
	TG-BAR-36/914 RPL BAR	56602
	TG-BAR-42/1067 RPL BAR	56618
	TG-BAR-48/1219 RPL BAR	56603
	TG-BAR-60/1524 RPL BAR	56604
	TGB-EXT-ALUM-BAR-24/610	56639
	TGB-EXT-ALUM-BAR-36/914	56640
	TGB-EXT-ALUM-BAR-42/1067	56641
TGB-EXT-ALUM-BAR-48/1219	56642	
TGB-EXT-ALUM-BAR-60/1524	56643	
END SEGMENTS	TGB-SEG-END-2 2 INCH END SEG	56606
	TGB-SEG-END-3 3 INCH END SEG	56607
	TGB-SEG-END-4 4 INCH END SEG	56608
	TGB-SEG-END-5 5 INCH END SEG	56609
	TGB-SEG-CENTER-75/19MM	56636
CENTER SEGMENTS	TGB-SEG-CENTER-1/25MM	56637
	TGB-SEG-CENTER-1.5/38MM	56638
	TGB-SEG-CENTER-2 2 IN CTR SEG	56611
	TGB-SEG-CENTER-3 3 IN CTR SEG	56612
	TGB-SEG-CENTER-4 4 IN CTR SEG	56613
CENTER SEGMENT – 5 PACK	TGB-SEG-CENTER-5 5 IN CTR SEG	56614
	TGB-SEG-CENTER-2-5PC 5 PCS	56619
	TGB-SEG-CENTER-3-5PC 5 PCS	56620
	TGB-SEG-CENTER-4-5PC 5 PCS	56621
BRIDGE SEGMENT	TGB-SEG-CENTER-5-5PC 5 PCS	56622
	TGB-BRIDGE SEG-CENTER	56628
MOUNTING KIT	TGB-BRIDGE SEG-END	56629
	TG-MTG-BRKT-LONGDROP	56732
	TG-MTG-BRKT-LOWPRO	56733
	TG-MTG-BRKT-DUALSLOT	56734
	TG-MTG-BRKT-XTNGSSLOT	56735
	TGB-MTG-KIT-SOLIDMOUNTREG	56737
	TGB-MTG-BRKT-TOPSLLOT	56746
	TGB-MTG-BRKT-BACKPLATE	56747
	STP-WIDE-FLANGE-BRACKET	101808
	TGB-MTG-KIT-NGWIDFLNG	105953
TG-MTG-KIT-ADJUSTABLE-ARC	106957	
TG-MTG-KIT-ILD	108821	





## Hitch Guard General Information

The Hitch Guard from Flexco is engineered to provide a smooth transition of product, increasing safety at the conveyor hitch, and reducing pinch hazards at the transfer point. The Hitch Guard prevents small objects from becoming lodged in the hitch which can cause longitudinal conveyor belt tears, damage to conveyed products, and costly periods of unscheduled downtime.

Hitch Guards are designed to permit individual segments to release from the support bar so that objects are quickly

dislodged while remaining segments stay secured for continued operation.


Each Hitch Guard comes with a specially designed gauge for proper positioning in the hitch allowing for optimal installation and performance. See the Hitch Guard Ordering Specifications chart below to determine if the Flexco Hitch Guard is appropriate for your conveyor hitch. In specific applications, Hitch Guards can be used similar to STPs for a 3" horizontal transition.

### Features and Benefits

- Bright yellow color makes segments easy to monitor for replacement.
- Compatible with both endless and mechanical belt splices.
- Ideal for package handling and airport applications.
- Precision-molded segments ensure accurate fit and long-term protection of gaps.
- Beveled plastic segments positioned directly on the belt prevent product ingestion and reduce pinch points.

### Hitch Guard Ordering Specifications:

Pulley Diameter (inches) (including belt)	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5
Minimum Gap Required (inches)	0.8	0.5	0.1	0	0	0	0	0	0
Maximum Gap (inches) (mounting plate installed above belt)	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0



# Hitch Guard

## HITCH GUARD


MAXIMUM CONVEYOR WIDTH		UNIVERSAL MOUNTING BRACKET		SCANNER EYE MOUNTING BRACKET	
		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
in	mm				
36"	900	HITCHGD-V3-KIT-36IN	04442	HITCHGD-V1-KIT-36IN	04322
42"	1050	HITCHGD-V3-KIT-42IN	04443	HITCHGD-V1-KIT-42IN	04321
48"	1200	HITCHGD-V3-KIT-48IN	04444	HITCHGD-V1-KIT-48IN	04320
60"	1500	HITCHGD-V3-KIT-60IN	04445	HITCHGD-V1-KIT-60IN	04319
72"	1800	HITCHGD-V3-KIT-72IN	04988	HITCHGD-V1-KIT-72IN	04973


### HITCH GUARD UNIVERSAL MOUNTING REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
CENTER SEGMENT	HITCHGD-V1-CENTER-SEGMENT-3IN	04269
CENTER SEGMENT – 10 PACK	HITCHGD-V1-CENTER-SEG-10PC-PK	04339
RIGHT END SEGMENT	HITCHGD-V1-RIGHT-END-SEGMENT	04311
RIGHT END SEGMENT – 5 PACK	HITCHGD-V1-RIGHT-SEG-5PC-PK	04343
LEFT END SEGMENT	HITCHGD-V1-LEFT-END-SEGMENT	04312
LEFT END SEGMENT – 5 PACK	HITCHGD-V1-LEFT-SEG-5PC-PK	04344
MOUNTING PLATE	HITCHGD-V3-MOUNTING-PLATE	04447
MOUNTING KIT	HITCHGD-V3-MOUNTING-KIT	04446
SUPPORT BAR – 38"	HITCHGD-V1-SUPPORT-BAR-38IN	04341
SUPPORT BAR – 44"	HITCHGD-V1-SUPPORT-BAR-44IN	04309
SUPPORT BAR – 50"	HITCHGD-V1-SUPPORT-BAR-50IN	04342
SUPPORT BAR – 62"	HITCHGD-V1-SUPPORT-BAR-62IN	04310
SUPPORT BAR – 74"	HITCHGD-V1-SUPPORT-BAR-74IN	04974


### HITCH GUARD SCANNER EYE MOUNTING REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
CENTER SEGMENT	HITCHGD-V1-CENTER-SEGMENT-3IN	04269
CENTER SEGMENT – 10 PACK	HITCHGD-V1-CENTER-SEG-10PC-PK	04339
RIGHT END SEGMENT	HITCHGD-V1-RIGHT-END-SEGMENT	04311
RIGHT END SEGMENT – 5 PACK	HITCHGD-V1-RIGHT-SEG-5PC-PK	04343
LEFT END SEGMENT	HITCHGD-V1-LEFT-END-SEGMENT	04312
LEFT END SEGMENT – 5 PACK	HITCHGD-V1-LEFT-SEG-5PC-PK	04344
MOUNTING PLATE	HITCHGD-V1-MOUNTING-PLATE	04308
MOUNTING KIT	HITCHGD-V1-MOUNTING-KIT	04340
SUPPORT BAR – 38"	HITCHGD-V1-SUPPORT-BAR-38IN	04341
SUPPORT BAR – 44"	HITCHGD-V1-SUPPORT-BAR-44IN	04309
SUPPORT BAR – 50"	HITCHGD-V1-SUPPORT-BAR-50IN	04342
SUPPORT BAR – 62"	HITCHGD-V1-SUPPORT-BAR-62IN	04310
SUPPORT BAR – 74"	HITCHGD-V1-SUPPORT-BAR-74IN	04974

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.



## Roller Conveyor Transfer Plates (RCTP) General Information

The Roller Conveyor Transfer Plate maintains product flow and reduces product loss on roller conveyors designed for use with 1.9" diameter rollers spaced on 3" centers. The RCTP keeps product moving to its final destination by floating between two rollers, covering the gap and preventing packages from falling in the spaces between. It also helps prevent workers from reaching into areas between rollers to retrieve parcels and getting caught.

### Features and Benefits


- Bright yellow color makes segments easy to monitor for replacement.
- Compatible with both endless and mechanical belt splices.
- Ideal for package handling and airport applications.
- Precision-molded segments ensure accurate fit and long-term protection of gaps.
- Plastic segments float between rollers, prevent product ingestion and reduce pinch points.



# Roller Conveyor Transfer Plates

## ROLLER CONVEYOR TRANSFER PLATES

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Box of 100 RCTP's	RCTP-1.9R3P-12-100	314112
Pallet of 3,000 RCTP's	RCTP-1.9R3P-12-3000	314002
Leg Notcher & Transfer Plate Cutter	RCTP-LEG-NOTCHER-TP-CUTTER	314011



- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) have added lead time.
- Non-Listed Items** are available.  
Request quote for price and delivery.



## Belt Edge Protector (BEP) General Information

Ideal for parcel and warehousing facilities, Flexco Belt Edge Protectors can help negate product loss and unplanned downtime. The Belt Edge Protectors install just above the edges of a belt. By preventing packages from sliding beneath the belt when side-loaded, Belt Edge Protectors prevent envelopes and packages from becoming jammed beneath the belt, which can cause damage to conveyed products, belt damage, and costly periods of unscheduled downtime.

### Features and Benefits

- Made from recycled, wear resistant UHMW.
- Covers edge of belt and prevents packages from becoming jammed beneath.
- Available in 8' pieces and easily cut to fit any conveyor length.
- Included link plate creates seamless install between pieces.
- Easy to stage and quickly installs to the side wall of the conveyor system.

### How to order:

1. Determine total length of conveyors to be Protected to calculate total number of feet required. For best results, install BEPs along the full length of both belt edges.
2. Determine the number of Protector kits required. Each kit comes with (8) 8' pieces for a total of 64' per kit.
3. Determine how many Install Kits are needed, taking into consideration number of BEP Kits being ordered, number of systems requiring installation, and the number of labor crews working simultaneously..

**NOTE:** Install Kits are required for proper installation. Each Installation Kit comes with drill bits and additional shims needed to properly align BEPs to the belt and fasten them to the conveyor side wall. Install Kits also include an appropriate size wrench for convenient installation.

# Belt Edge Protector


## BELT EDGE PROTECTOR


DESCRIPTION	ORDERING NUMBER	ITEM CODE
Box of 8 BEP pieces and hardware	BEP-8U-KIT	108324
Installation kit of shims and drill bits	BEP-INSTALL	109455

## BELT EDGE PROTECTOR – REPLACEMENT PARTS


DESCRIPTION	ORDERING NUMBER	ITEM CODE
Hardware Kit	BEP-HW	109511
Link Plate Only	BEP-LP	108331



 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.



## Tatch-A-Cleat® General Cleat Information

### Cleat patterns

When choosing cleat installation patterns, you should give major consideration to the type of return support which is available or feasible.

Where conveyor pulley center distances are 15 feet or less, it is often possible to omit return rolls safely.

Where the curved or chevron pattern is used with standard return rolls, cleats

should be arranged so that they provide a set of continuous contacts between cleats and rolls. On drives using pulleys less than 6" in diameter, curved or chevron patterns should not be used.

The ends of cleats mounted in a curved pattern should be tapered to lead smoothly onto return rolls.

### Suggested minimum cleat height for various sized materials and degrees of incline

This chart assumes that material being conveyed has a 30° natural angle of repose. For rounded or free-flowing materials with a natural angle of repose of less than 30°, use the cleat corresponding to the next higher material size. (For example, if your material is 4" high, with a natural angle of repose of less than 30°, and your belt incline is 40°, you would use a 3" cleat — that is, the cleat size corresponding to 5" material.

		Cleat Height				
Size of Material	8"	6"	6"	6"	6"	
	7"	6"	6"	6"	6"	
	6"	4"	4"	6"	6"	
	5"	3"	3"	4"	6"	
	4"	2"	2"	3"	4"	
	3"	1 1/2"	1 1/2"	2"	3"	
	2"	1"	1"	1 1/2"	2"	
	1"	5/8"	5/8"	1"	1 1/2"	
	1/2"	5/8"	5/8"	5/8"	1"	
		30°	40°	50°	60°	

Belt Incline

### Suggested cleat spacing

This chart assumes that material being conveyed has a 20° dynamic angle of repose (30° natural angle of repose) and that cleats are installed at a right angle to the belt edge. For more free-flowing material, use slightly closer cleat spacing.

		Cleat Spacing				
Cleat Height	6"	35"	28"	21"	15 3/4"	
	4"	23"	18 1/2"	13 1/2"	10 1/2"	
	3"	17"	13 1/2"	10"	8"	
	2"	12"	8 1/2"	6 1/4"	5"	
	1 1/2"	8 1/2"	6"	5"	4"	
	1"	5 1/2"	4 1/4"	2 3/4"	2 1/2"	
	5/8"	4"	2 3/4"	2"	1 3/4"	
		30°	40°	50°	60°	

Belt Incline


Type	Cleat Pattern	Return Rolls	Recommended
INTROUGH		SPLIT ROLLS 	Where Cleats are needed only to lock material in place on the conveyor.
STAGGERED		SQUIRREL CAGE 	Where drain-off of liquids presented special problems.
ACROSS BELT WIDTH		SELF-CLEANING 	Where incline is steep and/or material has high flowability — as with large, round or uniformly sized material.
CURVED		STANDARD RETURN ROLLS 	Where increased load capacity is required with a given belt width, trough, and incline.
SPLIT		RUBBER-DISC 	Where drain-off is a problem, and rubber disc-type rolls are available.
CHEVRON		STANDARD RETURN ROLLS 	Where drain-off is a problem, and standard solid return rolls are used.

# Tatch-A-Cleat® Mechanical Cleats

## MODEL "L" CLEATS

10 CLEATS/CARTON – Min. Pulley 2" (50 mm)

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>BLACK – PLATED FASTENER</b>		
L5/8-B	99500	7.3
L1-B	99504	9.3
L1-1/2-B	99508	11.2
L2-B	99512	14.0
L3-B	99516	18.3
<b>BLACK – 302 STAINLESS FASTENER</b>		
L5/8-BS	99501	7.3
L1-BS	99505	9.3
L1-1/2-BS	99509	11.2
L2-BS	99513	14.0
L3-BS	99517	18.3
<b>WHITE – PLATED FASTENER</b>		
L5/8-W	99502	7.3
L1-W	99506	9.3
L1-1/2-W	99510	12.3
L2-W	99514	14.5
L3-W	99518	19.3
<b>WHITE – 302 STAINLESS FASTENER</b>		
L5/8-WS	99503	7.3
L1-WS	99507	9.3
L1-1/2-WS	99511	12.3
L2-WS	99515	14.5
L3-WS	99519	19.3



**NOTE:** Cleats are 24" long.

1/2" screws are furnished "standard" and can be used on belts up to 5/16" (8 mm) thick.

Inserts are on 2" (50 mm) centers.

For belts 5/16" – 7/16" (8 – 11 mm) use a 5/8" screw.

For belts over 7/16" (11 mm) use a 3/4" screw.



**NOTE:** Cleats are 48" long. Ordering numbers followed by the letter T indicate cleat fasteners furnished with flat top nut (ECFT). Standard fasteners include hex nuts. (ECF).

## ECONO-CLEAT®

5 CLEATS/CARTON

ORDERING NUMBER	ITEM CODE	WT. LBS.	MIN. PULLEY	
			in.	mm
<b>ECONO-CLEAT w/FASTENERS &amp; HEX NUTS (ECF, EC4F, EC6F)</b>				
EC1-1/4	99576	12.5	3	75
EC2	99578	15.5	3	75
EC3	99580	22.0	3	75
EC4	99582	33.0	4	100
EC6*	99586	28.3	6	150
<b>ECONO-CLEAT w/FASTENERS &amp; FLAT TOP NUTS (ECFT, EC4FT)</b>				
EC1-1/4-T	99577	12.5	3	75
EC2-T	99579	15.5	3	75
EC3-T	99581	22.0	3	75
EC4-T	99583	33.0	4	100

\*Two 48" Cleats/Carton

## EXTRA FASTENER SETS

123/BAG #10-24 Machine Screws and Washers

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>PLATED</b>		
L1/2-F	99570	1.0
L5/8-F	99522	1.0
L3/4-F	99520	1.3
L1-F	99521	1.3
<b>STAINLESS</b>		
L1/2-FS	99571	1.0
L5/8-FS	99525	1.0
L3/4-FS	99523	1.3

## MODEL "HD" CLEATS

ORDERING NUMBER	ITEM CODE	WT. LBS.	CLEATS/CARTON	MIN. PULLEY	
				in.	mm
<b>WITH PLATED FASTENER</b>					
HD1	99531	11.5	10	3	75
HD2*	99565	9.5	5	4	100
<b>WITH STAINLESS FASTENER</b>					
HD1S	99648	11.8	10	3	75

\*HD2 Cleats may be purchased in bulk quantities. 1-1/4" tapping screws included.

Contact Customer Service for details.

## EXTRA FASTENER SETS TYPE AB 123/BAG

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>PLATED</b>		
HD1-F	99535	2.5
HD1-1/4-F	99536	2.8
<b>STAINLESS</b>		
HD1-FS	99529	2.6



**NOTE:**

1" and 2" Cleats – 24" long  
Model HD Cleats are furnished with Plated 14 x 1 Type AB Fasteners. Specify 1-1/4" screws for belts over 7/16" thick.

## ECONOMY CARTON

12 FT. LENGTHS w/NO FASTENERS - 3 FASTENER SETS PER FOOT REQUIRED

ORDERING NUMBER	ITEM CODE	WT. LBS.	FEET/CTN.	MIN. PULLEY	
				in.	mm
EC1-1/4-C	99597	119.0	240	3	75
EC2-C	99598	125.0	180	3	75
EC3-C	99599	123.0	120	3	75
EC4-C	99601	121.0	72	4	100
EC6-C	99600	126.0	36	6	150

## EXTRA FASTENER SETS

61/BAG

ORDERING NUMBER	ITEM CODE	WT. LBS.	SIZE
<b>FASTENERS FOR 1-1/4", 2" &amp; 3" CLEATS</b>			
ECF	99589	2.8	1/4" x 1-1/4"
ECFS	99593	2.9	
ECFT	99590	2.3	
<b>FASTENERS FOR 4" CLEATS</b>			
EC4F	99591	3.3	1/4" x 1-3/4"
EC4FT	99592	2.3	
<b>FASTENERS FOR 6" CLEATS</b>			
EC6F*	99594	2.0	1/4" x 2"

\*33/Bag

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.

Request quote for price and delivery.

# Tatch-A-Cleat® Mechanical Cleats

## TATCH-A-LUG®

Min. Pulley 2" (50 mm)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
(25 LUGS/CARTON)	LG1-1/2	99541	1.8
	LG2	99543	2.0
(26 EACH)			
Extra Fastener Sets – Plated	LG3/4-F	99546	.3
– Stainless	LG3/4-FS	99547	.3
Economy Carton (100 LUGS)	LG1-1/2-C	99542	6.7
	LG2-C	99544	7.1



## TATCH-A-PEG®

Min. Pulley 2" (50 mm)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
(100 PEGS/CARTON)	PG2	99539	4.3
	PG3	99537	6.9
Extra Fastener Sets – Plated	P1/2-F	99548	.8
(100 / bag)	P3/4-F	99538	1.0




## EXTRA WASHERS

FOR CLEAT:	ORDERING NUMBER	ITEM CODE	WT. LBS.	DIA.
Econo-Cleat®	CW25/100	99690	.1	1/4"
Tatch-A-Lug®, Model "L"	CW1024	99626	.1	13/64"
Tatch-A-Peg®				
<b>BULK WASHERS</b>				
Tatch-A-Lug®, Model "L"	CWS1024	99627	1.0	13/64"
Tatch-A-Peg®				


## TATCH-A-GUIDE®

DESCRIPTION	LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	MIN. PULLEY	
	in.	mm				in.	mm
Plated (10/CTN.)	8"	200	A10	99551	1.0	4	100
	8"	200	B10	99553	1.3	6	150
	9 1/4"	235	C10	99555	3.3	8	200
Stainless	8"	200	A10S	99552	1.0	4	100
	8"	200	B10S	99554	1.3	6	150
	9 1/4"	235	C10S	99556	3.3	8	200
Extra Fasteners Sets (31/BAG)							
Plated	– Size A		G1/2-F	99560	.1		
	– Size B		G5/8-F	99566	.1		
	– Size C		G3/4-F	99572	.3		
Stainless	– Size A		G1/2-FS	99563	.1		
	– Size B		G5/8-FS	99569	.1		
	– Size C		G3/4-FS	99573	.3		



## INSTALLATION TOOLS

DESCRIPTION	ORDERING NUMBER	FOR CLEAT TYPE:	DIA.	ITEM CODE	WT. LBS.
Flexco® Belt Punches	P1P	Model L, Econo-Cleat®, Tatch-A-Lug®, Tatch-A-Peg®, & Tatch-A-Guide®	1/4"	30460	.1
	P3P	Model HD	3/8"	30462	.3
Flexco® Power Punches	HP1	Model L, Econo-Cleat®, Tatch-A-Lug®, Tatch-A-Peg®, & Tatch-A-Guide®	1/4"	30463	.2
	HP3	Model HD	3/8"	30465	.2
Flexco® Bolt Breaker (Two per Package)	110			30474	1.2
Quick Change Chuck	5552			30481	0.4
Alligator® Belt Grinder	RB-1			30867	0.7



## EXTRA FASTENER SETS TYPE AB 123/BAG

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>PLATED</b>		
HD1-F	99535	2.5
HD1-1/4-F	99536	2.8
<b>STAINLESS</b>		
HD1-FS	99529	2.6


# Tatch-A-Cleat® Mechanical Cleats

## RUBBER BONDABLE

### T CLEATS

BUFFED - STANDARD PACK 10' LENGTHS - NITRILE 60 DURO - 1500 lb. TENSILE

WHITE		BLACK		WT./FT.	MIN. ORDER QTY.	HEIGHT	BASE WIDTH	THICKNESS	MIN. PULLEY DIAMETER
ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE						
T-1WNIB	99967	T-1BNIB	99983	.45	100'	1"	2 1/8"	.250"	6"
T-1-1/2WNIB	99968	T-1-1/2BNIB	99984	.57	100'	1 1/2"	2 1/4"	.250"	6"
T-2WNIB	99969	T-2BNIB	99985	.62	100'	2"	2 1/8"	.250"	6"
		T-3BNIB	99987	1.20	100'	3"	2 1/4"	.375"	6"




T CLEAT

### FLANGES

50' LENGTHS - NEOPRENE 45 DURO - 1200 lb. TENSILE, 600% ELONGATION - BLACK ONLY

ORDERING NUMBER	ITEM CODE	WT./FT.	QTY./CTN.	HEIGHT	BASE WIDTH	MIN. PULLEY DIA.	
						FLANGE	CLEAT
FL1BNE	99860	.24	50'	1"	3/4"	6"	4"
FL1-1/2BNE	99861	.48	50'	1 1/2"	1"	8"	5"



FLANGE

### V-GUIDE BUFFED


STANDARD PACK 100' LENGTHS - NEOPRENE 60 DURO - 1500 lb. TENSILE

WHITE		BLACK		WT./FT.	QUANTITY CTN./REEL	SIZE	W1	W2	HEIGHT	MIN. PULLEY DIAMETER
ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE							
AVGWNEB	99832	AVGBNEB	99996	.09	100'	A	1/2"	5/16"	5/16"	4"
		BVGBNEB	99844	.15	100'	B	5/8"	7/16"	7/16"	6"

STANDARD REEL\* NEOPRENE 60 DURO - 1500 lb. TENSILE

OVGWNEB-500	99287	OVGBNEB-500	99301	.05	500'	O	3/8"	1/4"	1/4"	2"
AVGWNEB-500	99288	AVGBNEB-500	99302	.09	500'	A	1/2"	5/16"	5/16"	4"
BVGVNEB-500	99289	BVGBNEB-500	99303	.15	500'	B	5/8"	7/16"	7/16"	6"
CVGWNEB-300	99290	CVGBNEB-300	99304	.25	300'	C	7/8"	17/32"	17/32"	8"

\*White V-guides shipped in 2 pieces on one reel.

 **Made To Order Items**  
Allow 6-8 weeks for delivery.  
Minimum order may apply.

### V-GUIDE UNBUFFED


STANDARD PACK 100' LENGTHS - NEOPRENE 60 DURO - 1500 lb. TENSILE

WHITE		BLACK		WT./FT.	QUANTITY CTN./REEL	SIZE	W1	W2	HEIGHT	MIN. PULLEY DIAMETER
ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE							
		AVGBNE	99855	.09	100'	A	1/2"	5/16"	5/16"	4"

STANDARD REEL\* NEOPRENE 60 DURO - 1500 lb. TENSILE

OVGWNE-500	99280			.05	500'	O	3/8"	1/4"	1/4"	2"
AVGWNE-500	99281	AVGBNE-500	99295	.09	500'	A	1/2"	5/16"	5/16"	4"
BVGVNE-500	99282	BVGBNE-500	99296	.15	500'	B	5/8"	7/16"	7/16"	6"
CVGWNE-300	99283	CVGBNE-300	99297	.25	300'	C	7/8"	17/32"	17/32"	8"



\*White V-guides shipped in 2 pieces on one reel.



V-GUIDE

## BONDABLE CLEAT – TEMPERATURE SERVICE RANGE

FOR CLEAT TYPE:	TEMPERATURE RANGE
<b>RUBBER BONDABLE</b>	
T-Cleat, Scoop Cleats	-40°F to +180°F
V-Guides	-40°F to +210°F
<b>PVC BONDABLE</b>	
T-Cleat, Scoop Cleats, V-Guides	-20°F to +150°F

 **Stock Items** (non-shaded) carried in factory inventory.  
 **Made To Order Items** (shaded) have added lead time.  
**Non-Listed Items** are available.  
Request quote for price and delivery.

**NOTE:** One reel or carton minimum per size and color.

Non Listed Items are available.

Request quote for price and delivery.

**NOTE:** Customized Profiles and Formulations can be quoted.

**NOTE:** Allow for greater pulley diameters if system has reverse bends.



## How Flexco® Bolt Hinged Fasteners Work

Flexco® Bolt Hinged fasteners provide a flexible joint for belts operating over small pulleys. Because the joint is easily separated by simply removing the hinge pin, entire belt sections may be added or eliminated.

Designed as a compression fastener, the Flexco® Bolt Hinged model is fastened to the belt ends with high strength bolts. The bolts compress the plates into the belt cover.

Additional holding capability is provided by the fastener teeth that imbed in the belt without damage to the belt carcass.

This combination distributes the splice tension across the entire plate width while the teeth secure the fastener into the belt carcass to resist pull-out.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Construction Equipment</li> <li>• Road Machinery</li> <li>• Coal, Salt, Potash Mines</li> <li>• Stacking and Stockpiling Belts</li> <li>• Other Applications Involving Smaller Pulleys</li> </ul>	<p>Fasteners can be installed in the shop or on-site with either simple hand tools or power tools.</p>	<ul style="list-style-type: none"> <li>• Fastener Plates</li> <li>• Bolts &amp; Nuts</li> <li>• Templet</li> <li>• Belt Punch</li> <li>• Wrench</li> <li>• Bolt Horn</li> <li>• Flexco Installation Tool</li> <li>• Impact Tool or Carpenter's Brace</li> </ul>
How to Specify the Correct Flexco® Bolt Hinged Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness after skive.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. When using self-cleaning wing pulleys, subtract 20% of the overall diameter to calculate the minimum pulley diameter.</li> <li>5. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, plated steel is recommended.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction, and corrosion from acids and chemicals.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p> <p><b>Everdur®.</b> Spark-free material compared to steel and fully non-magnetic.</p>	<p><b>NC Nylon Covered Steel Cable</b> - for use with steel fasteners.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - for applications with stainless fasteners.</p> <p><b>NAC Nylon Covered Armored Cable</b> - right for many applications, long service life.</p> <p><b>AC Bare Armored Cable</b> - for extendable conveyors.</p> <p><b>ACS Bare Armored Stainless Cable</b> - for applications with stainless fasteners.</p> <p><b>SC Bare Steel Cable</b> - for conveying gritty or abrasive material.</p> <p><b>SSC Bare Stainless Steel Cable</b> - for corrosion resistance.</p> <p><b>NB Nylon Covered Bronze Cable</b> - for non-magnetic joints.</p>

### Flexco® Bolt Hinged Fastener Selection Chart

Fastener Size	Fastener Rating		Belt Thickness Range		Recommended Min. Pulley Diameter			
	For Belt Tension Rating Up To:	For Belt Strength Up To:	Measured After Skive		Operating Tension 75-100% of Fastener Rating		Operating Tension Under 75% of Fastener Rating	
			in.	mm	in.	mm	in.	mm
375X	190	330	1/4-13/32	6-10.5	6	152	4	102
550	300	520	1/4-5/8	6-16	9	230	7	175



# Flexco® Bolt Hinged Fasteners



## FASTENERS

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### STEEL ("J" CARTON – Continuous Strip w/Steel Nuts & Bolts)

375X	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.					
	in.	mm	NC STEEL JOINT WITH NYLON COVERED STEEL CABLE			NCS STEEL JOINT WITH NYLON COVERED STAINLESS CABLE			SC STEEL JOINT WITH BARE STEEL CABLE							
	12"	300	375XJ12NC	40000	2.3	375XJ18NCS	40012	3.3	375XJ24SC	40020	4.0					
14"	350	375XJ14NC	40001	2.6												
16"	400	375XJ16NC	40002	2.9												
18"	450	375XJ18NC	40003	3.3												
20"	500	375XJ20NC	40004	3.8												
24"	600	375XJ24NC	40005	4.0												
26"	650	375XJ26NC	40006	4.5												
30"	750	375XJ30NC	40007	5.1												
36"	900	375XJ36NC	40008	6.3												
42"	1050	375XJ42NC	40009	7.3												
48"	1200	375XJ48NC	40010	8.3												
60"	1500	375XJ60NC	39997	10.2												
72"	1800	375XJ72NC	39995	13.7												
					375XJ36NCS							40015	6.3	375XJ36SC	40023	6.3
					375XJ42NCS							40016	7.3			
					375XJ48NCS	40017	8.3	375XJ48SC	40025	7.7						

### STAINLESS 300 SERIES

("J" CARTON – Continuous Strip w/Stainless Nuts & Bolts)

375X	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	SSC STAINLESS JOINT WITH BARE STAINLESS CABLE			NCS STAINLESS JOINT WITH NYLON COVERED STAINLESS CABLE		
	18"	450				375XSJ18NCS	40035	3.3
24"	600	375XSJ24SSC	40225	4.0	375XSJ24NCS	40036	4.0	
30"	750	375XSJ30SSC	40226	5.1	375XSJ30NCS	40037	5.1	
36"	900	375XSJ36SSC	40227	6.3	375XSJ36NCS	40038	6.3	
42"	1050	375XSJ42SSC	40228	7.3	375XSJ42NCS	40039	7.3	
48"	1200	375XSJ48SSC	40229	8.3	375XSJ48NCS	40040	8.3	
60"	1500	375XSJ60SSC	39907	10.2	375XSJ60NCS	40043	10.2	
72"	1800	375XSJ72SSC	39901	13.7				

### EVERDUR

("J" CARTON – Continuous Strip w/Everdur Nuts & Bolts)

375X	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	NB EVERDUR JOINT WITH NYLON COVERED BRONZE CABLE		
	18"	450	375XEJ18NB	39978	3.5
24"	600	375XEJ24NB	39980	4.3	
30"	750	375XEJ30NB	39982	5.4	
36"	900	375XEJ36NB	39984	6.6	
42"	1050	375XEJ42NB	39986	7.7	

### GAUGE PINS (EXTRA)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	EACH		0.4	10 PER PACKAGE		3.0
18	450				FHGP18	39603	
24	600	FHGP24-1	39624	FHGP24	39605	3.9	
30	750	FHGP30-1	39626	FHGP30	39607	4.8	
36	900	FHGP36-1	39625	FHGP36	39610	5.8	
42	1050	FHGP42-1	39627	FHGP42	39613	6.7	
48	1200	FHGP48-1	39628	FHGP48	39615	7.7	
60	1500	FHGP60-1	39629	FHGP60	39617	9.6	


**Stock Items** (non-shaded) carried in factory inventory.  
**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

### "J" CARTON

#### CARTON CONTENTS:

- |                        |                                    |                                  |
|------------------------|------------------------------------|----------------------------------|
| 2 Strips of fastener   | 1 Gauge Pin                        | —Required amount of clips        |
| 2 Pieces Filler Tubing | 2 Hinge Pin Washers                | for Individual Plate "J" Cartons |
| 1 Hinge Pin            | —Required amount of nuts and bolts |                                  |





# Flexco® Bolt Hinged Fasteners

## FASTENERS

### STEEL ("J" CARTON – Continuous Strip w/Steel Nuts & Bolts)

**NOTE:**

In most cases, fastener strip length is not equal to belt width. Order by belt width.

BELT WIDTH	ORDERING NUMBER		ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.	
	in.	mm	NC STEEL JOINT WITH NYLON COVERED STEEL CABLE	NCS STEEL JOINT WITH NYLON COVERED STAINLESS CABLE	SC STEEL JOINT WITH BARE STEEL CABLE	SSC STEEL JOINT WITH BARE STAINLESS CABLE	NAC STEEL JOINT WITH NYLON COVERED ARMORED CABLE						
<b>CARTON – One Complete Joint</b>													
<b>550</b>	18"	450	550J18NC	40138								3.3	
	20"	500	550J20NC	40046								3.7	
	24"	600	550J24NC	40047	550J24NCS	40059	550J24SC	40066	550J24SSC	40073	550J24NAC	40242	4.3
	26"	650	550J26NC	40048									4.9
	30"	750	550J30NC	40049	550J30NCS	40060	550J30SC	40068	550J30SSC	40074	550J30NAC	40243	5.5
	36"	900	550J36NC	40050	550J36NCS	40061	550J36SC	40069	550J36SSC	40075	550J36NAC	40244	6.5
	42"	1050	550J42NC	40051	550J42NCS	40062	550J42SC	40070	550J42SSC	40076	550J42NAC	40245	7.8
	48"	1200	550J48NC	40052	550J48NCS	40063	550J48SC	40071	550J48SSC	40077	550J48NAC	40246	8.8
	54"	1350	550J54NC	40053							550J54NAC	40247	9.9
	60"	1500	550J60NC	40054									10.5
72"	1800	550J72NC	39929									14.0	

### STAINLESS 300 SERIES

("J" CARTON – Continuous Strip w/Stainless Nuts & Bolts)

BELT WIDTH	ORDERING NUMBER		ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.	
	in.	mm	NCS STAINLESS JOINT WITH NYLON COVERED STAINLESS CABLE	SSC STAINLESS JOINT WITH BARE STAINLESS CABLE			
<b>CARTON – One Complete Joint</b>							
<b>550</b>	18"	450	550SJ18NCS	40164	550SJ18SSC	39675	3.3
	24"	600	550SJ24NCS	40165	550SJ24SSC	39904	4.3
	30"	750	550SJ30NCS	40166	550SJ30SSC	39917	5.5
	36"	900	550SJ36NCS	40167	550SJ36SSC	39935	6.5
	42"	1050	550SJ42NCS	40168	550SJ42SSC	39938	7.8
	48"	1200	550SJ48NCS	40169	550SJ48SSC	39842	8.8
	60"	1500	550SJ60NCS	39939	550SJ60SSC	39855	11.4
	72"	1800	550SJ72NCS	39919	550SJ72SSC	39674	14.0

### BULK FASTENER SETS


Required for Various Belt Widths

		<b>375X</b>		<b>550</b>	
BELT WIDTH	(RECOMMENDED)	(RECOMMENDED)	(RECOMMENDED)	(RECOMMENDED)	(RECOMMENDED)
in.	mm	SETS OF 3-PLATE	SETS OF 2-PLATE	SETS OF 3-PLATE	SETS OF 1-PLATE
12"	300	3	1		7
14"	350	3	2		9
16"	400	5			10
18"	450	5	1		11
20"	500	5	2		7
24"	600	7		2	8
28"	700	7	2	2	10
30"	750	9		2	12
36"	900	11		2	16
	1000	12		2	18
42"	1050	13		2	20
	1200	15		2	24
48"	1350	17		2	28
	1500	18	1	2	32
60"	1900	19		2	32
	1800	22	1	2	39
72"	2100	23		2	40
	2100	25	2	2	48
84"	2400	27		2	48
	2400	30	1	2	55
96"		31		2	56
	3000	37	2	2	71
120"		39		2	72

### MEGALLOY®

("J" CARTON – Individual Plates w/Steel Nuts & Bolts)

BELT WIDTH	ORDERING NUMBER		ITEM CODE	WT. LBS.	
	in.	mm	MA MEGALLOY JOINT WITH BARE STAINLESS CABLE		
<b>CARTON – One Complete Joint</b>					
<b>550</b>	18"	450	550MAJ18SSC	39574	3.3
	24"	600	550MAJ24SSC	39577	4.3
	30"	750	550MAJ30SSC	39580	5.5
	36"	900	550MAJ36SSC	39583	6.5
	42"	1050	550MAJ42SSC	39586	7.8
	48"	1200	550MAJ48SSC	39589	8.8



### BULK FASTENERS

Per container (with bolts & nuts)

Per container (with bolts & nuts)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	SETS/CTN	WT. LBS.	ORDERING NUMBER	ITEM CODE	SETS/CTN	WT. LBS.	DESCRIPTION	ORDERING NUMBER	ITEM CODE	SETS/CTN	WT. LBS.
<b>STEEL</b>					<b>STAINLESS 300 SERIES</b>								
Two-Plate Fastener	375X-2-5SETS	40087	5	1.5	375X-2	40100	25	8.0	Two-Plate Fastener	375XS-2-5SETS	40088	5	1.5
Three-Plate Fastener	375X-3-5SETS	40089	5	2.5	375X-3	40101	18	8.5	Three-Plate Fastener	375XS-3STS	39958	1	.5
Single-Plate Fastener	550-1-5SETS	40086	5	1.5	550-1	40102	50	12.0	Single-Plate Fastener	550S-1STS	39959	1	.3
Three-Plate Fastener	550-3STS	39953	1	.8	550-3	40103	18	13.0					
<b>MEGALLOY</b>					<b>EXTRA CLIPS</b>								
Single-Plate Fastener					550MA-1	40058	50	13.0	#550 Clips (100/Pkg.)	CLIPS (550)	40134	N/A	2.8

NOTE: Non-listed cartons over 60" (1500 mm) are supplied in single plate sets.

# Flexco® Bolt Hinged Fasteners



## HINGE PINS



### PACKAGES OF 10 PINS

### EACH (ONE PIN)

PACKAGES OF 10 PINS					EACH (ONE PIN)			EACH (ONE PIN)			EACH (ONE PIN)		
BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
		<b>NC</b> NYLON COVERED STEEL CABLE (1/4" dia.)			<b>NCS</b> NYLON COVERED STAINLESS CABLE* (1/4" dia.)			<b>NC</b> NYLON COVERED STEEL CABLE (1/4" dia.)			<b>NCS</b> NYLON COVERED STAINLESS CABLE* (1/4" dia.)		
in.	mm												
12"	300	NC-12	40150	.8	NCS-12	40170	.8	NC-12-1	38000	.1			
14"	350	NC-14	40151	1.0				NC-14-1	38001	.1			
16"	400	NC-16	40152	1.2	NCS-16	40172	1.2	NC-16-1	38002	.1			
18"	450	NC-18	40153	1.4	NCS-18	40173	1.4	NC-18-1	38003	.1			
20"	500	NC-20	40154	1.5	NCS-20	40174	1.5	NC-20-1	38004	.2			
24"	600	NC-24	40155	1.7	NCS-24	40175	1.7	NC-24-1	38005	.2	NCS-24-1	38041	.2
26"	650	NC-26	40156	1.8				NC-30-1	38007	.2	NCS-30-1	38043	.2
30"	750	NC-30	40157	2.2	NCS-30	40177	2.2	NC-36-1	38008	.2	NCS-36-1	38044	.2
36"	900	NC-36	40158	2.6	NCS-36	40178	2.6	NC-42-1	38009	.2	NCS-42-1	38045	.3
42"	1050	NC-42	40159	3.1	NCS-42	40179	3.1	NC-48-1	38010	.3	NCS-48-1	38046	.3
48"	1200	NC-48	40160	3.5	NCS-48	40180	3.5	NC-54-1	38011	.3	NCS-54-1	38047	.3
54"	1350	NC-54	40161	3.9	NCS-54	40181	3.9	NC-60-1	38012	.4	NCS-60-1	38048	.4
60"	1500	NC-60	40162	4.3	NCS-60	40182	4.3	NC-72-1	38013	.4	NCS-72-1	38049	.5
72"	1800	NC-72	40163	5.0	NCS-72	40183	5.0						
<b>100 FOOT COILS</b>													
BULK		NC-C	39740	8.6									

<b>For 375X or 550</b>	in.	mm	<b>NAC</b> NYLON COVERED ARMORED CABLE (1/4" dia.)		<b>AC</b> BARE ARMORED CABLE (1/4" dia.)			<b>NAC</b> NYLON COVERED ARMORED CABLE (1/4" dia.)			<b>AC</b> BARE ARMORED CABLE (1/4" dia.)			
	18"	450	NAC-18	40629	1.8	AC-18	40685	1.7	NAC-18-1	38108	.2	AC-18-1	38129	.2
	24"	600	NAC-24	40631	2.4	AC-24	40686	2.3	NAC-24-1	38109	.2	AC-24-1	38130	.2
	26"	650	NAC-26	40632	2.6	AC-26	40687	2.4	NAC-26-1	38110	.2	AC-26-1	38131	.2
	30"	750	NAC-30	40633	3.0	AC-30	40688	2.8	NAC-30-1	38111	.3	AC-30-1	38132	.3
	36"	900	NAC-36	40634	3.6	AC-36	40689	3.4	NAC-36-1	38112	.3	AC-36-1	38133	.3
	42"	1050	NAC-42	40636	4.2	AC-42	40691	3.8	NAC-42-1	38113	.4	AC-42-1	38134	.4
	48"	1200	NAC-48	40637	4.8	AC-48	40692	4.8	NAC-48-1	38114	.4	AC-48-1	38135	.4
	54"	1350	NAC-54	40638	5.4				NAC-54-1	38115	.5	AC-54-1	38136	.5
	60"	1500	NAC-60	40639	6.0				NAC-60-1	38116	.5	AC-60-1	38137	.5
72"	1800	NAC-72	40640	7.2				NAC-72-1	38117	.6	AC-72-1	38138	.6	
in.	mm	<b>SC</b> BARE STEEL CABLE (1/4" dia.)		<b>SSC</b> BARE STAINLESS CABLE* (7/32" dia.)			<b>SC</b> BARE STEEL CABLE (1/4" dia.)			<b>SSC</b> BARE STAINLESS CABLE* (7/32" dia.)				
24"	600	SC-24	40202	2.5	SSC-24	40210	2.2	SC-24-1	38180	.2	SSC-24-1	38199	.2	
26"	650	SC-26	40203	2.6				SC-30-1	38182	.3	SSC-30-1	38201	.3	
30"	750	SC-30	40204	3.1	SSC-30	40211	2.5	SC-36-1	38183	.3	SSC-36-1	38202	.3	
36"	900	SC-36	40205	3.7	SSC-36	40212	3.0	SC-42-1	38184	.4	SSC-42-1	38203	.4	
42"	1050	SC-42	40206	4.3	SSC-42	40213	3.5	SC-48-1	38185	.4	SSC-48-1	38204	.4	
48"	1200	SC-48	40207	4.9	SSC-48	40214	4.0							
in.	mm	<b>ACS</b> BARE ARMORED STAINLESS CABLE* (17/64" dia.)		<b>* 300 SERIES</b>			<b>ACS</b> BARE ARMORED STAINLESS CABLE* (17/64" dia.)			<b>NB</b> NYLON COVERED BRONZE CABLE (1/4" dia.)				
18"	450										NB-18-1	38075	.2	
24"	600										NB-24-1	38077	.2	
30"	750	ACS-30	41354	2.8				ACS-30-1	41380	.2	NB-30-1	38079	.3	
36"	900	ACS-36	41355	3.0				ACS-36-1	41381	.2	NB-36-1	38080	.3	
42"	1050	ACS-42	41356	3.2				ACS-42-1	41382	.2	NB-42-1	38081	.4	
48"	1200	ACS-48	41357	3.5				ACS-48-1	41383	.3				
54"	1350	ACS-54	41358	3.7				ACS-54-1	41384	.3				
60"	1500	ACS-60	41359	4.0				ACS-60-1	41385	.4				

Stock Items (non-shaded) standard lead time is 3 working days.

Made To Order Items (shaded) extended lead time, minimum order may apply.

Special Metals and Special Length Cards are available.  
Request quote for price and delivery.




# Flexco® Bolt Hinged Fasteners

## INSTALLATION TOOLS

### CURVED TEMPLETS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
in.	mm	375X		550	
12"	300	375X-12	30813	512	30799
14"	350	375X-14	30814		
16"	400	375X-16	30815	516	30800
18"	450	375X-18	30816	518	30801
20"	500	375X-20	30817	520	30802
24"	600	375X-24	30818	524	30803
26"	650	375X-26	30819	526	30804
30"	750	375X-30	30820	530	30805
36"	900	375X-36	30821	536	30806
42"	1050	375X-42	30822	542	30807
48"	1200	375X-48	30823	548	30808
54"	1350	375X-54	30824	554	30809
60"	1500	375X-60	30825	560	30810
72"	1800	375X-72	30826	572	30811


**NOTE:** All templates up to and including 72" are curved. For belt widths over 72", straight templet supplied.



### CURVED BELT CUTTERS

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete	30"	750	400430	30914	14.2
	36"	900	400436	30915	16.1
	42"	1050	400442	30916	18.9
	48"	1200	400448	30917	19.0
	60"	1500	400460	30918	23.0
Cutter Base Only	30"	750	430	30950	5.4
	36"	900	436	30951	6.2
	42"	1050	442	30952	7.1
	48"	1200	448	30953	7.9
	60"	1500	460	30954	9.6
Cutter Head Only			400	30919	5.1
Cutter Blade			30023	30909	.2
Cutter Blade (Long)			30023L	30913	.2

**NOTE:** Belt widths over 72" require straight cutters. Please refer to page 123 for straight cutters.



### EXTRA BOLTS & NUTS

100 PER BOX – BOLT DIMENSION IS 1/4" X 1-11/16"









FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	WT. LBS.	FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	WT. LBS.
<b>BOLTS—STEEL</b>			<b>NUTS—STEEL—UNSLOTTED NUTS</b>		
375X	20398	2.1	375X/550	20380	0.9
550	20399	2.4			
<b>BOLTS—STAINLESS</b>			<b>NUTS—STAINLESS—SLOTTED NUTS</b>		
375X/550	20400	2.3	375X/550	20381	0.7
<b>BOLTS—EVERDUR</b>			<b>NUTS—EVERDUR—SLOTTED NUTS</b>		
375X/550	20397	2.4	375X/550	20387	0.8

# Flexco® Bolt Hinged Fasteners




## INSTALLATION TOOLS

### HAND & POWER TOOLS

	DESCRIPTION	FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	BOLT HOLE DIAMETER	WT. LBS.
<b>HAND TOOLS</b>	BOLT BREAKER (Two Per Package) 	375X & 550	110	30474	1/4"	1.2
	PUNCH 	375X & 550	P1P	30460	1/4"	.1
	BORING BIT 	375X & 550	B1B	30468	1/4"	.1
	WRENCH 	375X & 550	100* S1S**	30445 30442	1/4"	.2 .2
<b>POWER TOOLS</b>	POWER PUNCH 	375X & 550	HP1	30463	1/4"	.2
	POWER BORING BIT 	375X & 550	HB1	30471	1/4"	.1
	POWER WRENCH 	375X & 550	H100* HW1**	30446 30447	1/4"	.2 .3
	QUICK CHANGE CHUCK 1/2" DRIVE 	375X & 550	5552	30481		.4
	1/2" IMPACT TOOL		30453	30453		8.9

\* For use with Steel No. 375X or Steel No. 550 nuts.

\*\* For use with Stainless and Everdur No. 375X or Stainless No. 550 slotted nuts only.



### ALIGNING HOLDERS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>375X</b>				
30"	750	AH37530	30836	9.6
36"	900	AH37536	30837	11.4
42"	1050	AH37542	30838	12.9
48"	1200	AH37548	30839	14.5
<b>550</b>				
30"	750	AH530	30840	9.7
36"	900	AH536	30841	11.6
42"	1050	AH542	30842	12.8
48"	1200	AH548	30843	14.4





### FLEXCO-LOK® BELT TAPE 100' PER CARTON FOR USE WITH INDIVIDUAL PLATES

FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	WT. LBS.
375X/550	FL7C	30888	.8

### MISCELLANEOUS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.	INSIDE DIAMETER
Orange Filler Tubing for 375X & 550	(100'/pkg.)	30894	10.0	—
Hinge Pin Retaining Washers (50/Pkg.) — For use with 375X and 550 Nylon Coated hinge pins	310-RET-50	40135	.3	1/4"

 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.



## How Flexco® Rivet Hinged Fasteners Work

Designed for synthetic carcass belting as well as other styles of belt, Flexco® SR™ (Self-Setting Rivet) Fasteners utilize multiple rivet attachment. This provides maximum resistance to pull-out and allows the patented rivets to work between the carcass fibers without severing them, leaving the entire belt carcass intact. It does not rely solely upon the carcass material to resist pull-out.

Because the rivets are self-setting, fasteners are installed quickly from the top side of the belt.

Rivets are driven through the fastener plates and through the belt, passing between the carcass fibers. The specially-shaped head of each pilot nail works in conjunction with the applicator tool's anvil plate to set the rivets.

The same hammer blows that set the rivets also compress the fastener plates into the belt cover. The broad width and heavy gauge of the plates give extended wear life. These plates compress uniformly and are specially coined so there are no high spots or edges to hang up.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Underground Mining</li> <li>Asphalt Plants</li> <li>Aggregate and Ready-mix Plants</li> <li>Log Belts and Similar Applications</li> </ul>	Fastener installed with portable fixture and hammer. Fasteners are installed in one simple procedure with self-setting rivets.	<ul style="list-style-type: none"> <li>Fastener</li> <li>Rivets</li> <li>Hinge Pin</li> <li>Flexco Installation Tool</li> <li>Hammer</li> </ul>
How to Specify the Correct Flexco® Rivet Hinged Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Determine Belt Tension (PIW).</li> <li>Measure your Belt Thickness after skive.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>When using self-cleaning wing pulleys, subtract 20% of the overall diameter to calculate the minimum pulley diameter.</li> <li>Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, plated steel is recommended.</p> <p><b>Stainless Steel.</b> 300 Series Stainless Steel provides extra resistance to abrasion, magnetic attraction and corrosion from acids and chemicals.</p> <p><b>RustAlloy®.</b> Resists corrosion due to mine water or other chemical attack.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p>	<p><b>AC Bare Armored Cable</b> - for extendable conveyors.</p> <p><b>ACS Bare Armored Stainless Cable</b> - for extendable conveyors.</p> <p><b>NAC Nylon Covered Armored Cable</b> - right for many applications, long service life.</p> <p><b>NC Nylon Covered Steel Cable</b> - for use with steel fasteners.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - for applications with stainless fasteners.</p> <p><b>SC Bare Steel Cable</b> - for conveying gritty or abrasive material.</p> <p><b>SSC Bare Stainless Steel Cable</b> - for corrosion resistance.</p>

### Flexco® Rivet Hinged Fastener Selection Chart

Fastener Size	Fastener Rating		Belt Thickness Range		Recommended Min. Pulley Diameter			
	For Belt Tension Rating Up To:	For Belt Strength Up To:	Measured After Skive		Operating Tension 75-100% of Fastener Rating		Operating Tension Under 75% of Fastener Rating	
			in.	mm	in.	mm	in.	mm
R2	330	580	1/8-3/8	3-9.5	5	127	5	127
R5	450	790	7/32-7/16	5.5-11	9	230	7	175
R5-1/2	650	1140	5/16-19/32	8-15	12	300	10	250
R6	800	1400	13/32-11/16	10.5-17.5	18	450	16	400
R6LP	800	1400	5/16-23/32	8-18	18	450	16	400
R8	1500	2630	13/32-11/16	10.5-17.5	18	450	16	400
R9	2000	3500	5/8-1	16-25.5	42	1050	42	1050

# Flexco® R2 Medium-Duty Rivet Hinged Belt Fasteners



## FASTENERS

Order each component separately for a complete splice:  
Fastener Strip + Rivets + Hinge Pin

For R2	STEEL (Continuous Strip)				
	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	12"	300	R2-12/300	41613	2.0
	18"	450	R2-18/450	41614	2.6
	24"	600	R2-24/600	41615	3.4
	30"	750	R2-30/750	41616	4.2
	36"	900	R2-36/900	41617	5.1
	42"	1050	R2-42/1050	41618	5.9
	48"	1200	R2-48/1200	41619	6.9
54"	1350	R2-54/1350	41623	8.1	
60"	1500	R2-60/1500	41624	9.2	
STAINLESS 300 SERIES					
BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	
in.	mm	PACKAGE (Two Fastener Strips)			
12"	300	R2S-12/300	41628	2.0	
18"	450	R2S-18/450	41629	2.6	
24"	600	R2S-24/600	41630	3.4	
30"	750	R2S-30/750	41631	4.2	
36"	900	R2S-36/900	41632	5.1	
42"	1050	R2S-42/1050	41633	5.9	
48"	1200	R2S-48/1200	41634	6.9	
54"	1350	R2S-54/1350	41642	8.1	
60"	1500	R2S-60/1500	41643	9.2	

### NOTE:

In most cases, fastener strip length is not equal to belt width.  
Order by belt width.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.



**RIVET BUCKET**  
(Contains 2000 Rivets)

## RIVETS



Self-setting, pre-assembled with pilot nails

### STEEL

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (100 Rivets)</b>			
SRAA-100	40509	100	.9
SRA-100	40539	100	1.0
SRB-100	40540	100	1.1
<b>BOX (250 Rivets)</b>			
SRAA	40508	250	2.1
SRA	40527	250	2.3
SRB	40528	250	2.5
<b>BUCKET (2000 Rivets)</b>			
SRAA-2M	40424	2000	16.1
SRA-2M	41190	2000	16.6
SRB-2M	41191	2000	18.1
<b>BUCKET WITH WASHERS (2000 Rivets)</b>			
SRAA-W-2M	40315	2000	16.1
SRA-W-2M	40316	2000	16.6
SRB-W-2M	40318	2000	18.1

### STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (250 Rivets)</b>			
SRAA-S	40468	250	2.1
SRA-S	40542	250	2.3
SRB-S	40543	250	2.5
<b>BUCKET (2000 Rivets)</b>			
SRAA-S-2M	40762	2000	16.6
SRA-S-2M	41200	2000	17.1
SRB-S-2M	41201	2000	18.9
<b>BUCKET WITH WASHERS (2000 Rivets)</b>			
SRAA-S-W-2M	40319	2000	16.6
SRA-S-W-2M	40317	2000	17.1
SRB-S-W-2M	40320	2000	18.9

### EVERDUR

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (250 Rivets)</b>			
SRAA-E	40550	250	2.1
SRA-E	40551	250	2.3
SRB-E	40552	250	2.5
SRC-E (for R5 only)	40569	250	2.6
<b>BOX WITH WASHERS (250 Rivets)</b>			
SRAA-E-W	40553	250	2.1
SRA-E-W	40554	250	2.3
SRB-E-W	40555	250	2.5
SRC-E-W (for R5 only)	40570	250	2.6

NOTE: For use in non-magnetic applications with R2 and R5 stainless strips.

### MEGALLOY®

(4 Plate Strips, 10 Strip Per Box)

ORDERING NUMBER	ITEM CODE	WT. LBS.			
R2MA	41709	4.7			
<b>Plates Required for one R2MA Joint</b>					
BELT WIDTH		PLATES REQUIRED	BELT WIDTH		PLATES REQUIRED
in.	mm		in.	mm	
18"	450	20	42"	1050	46
24"	600	26	48"	1200	54
30"	750	32	54"	1350	60
36"	900	40	60"	1500	68

## R2T APPLICATOR TOOL

Use with SR-50 single Rivet Driver

TOOL SIZE		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12"	300	R2T	40455	6.6
<b>REPLACEMENT PARTS</b>				
Gauge Pin Guide		SR26	40479	.04
Anvil Insert (14/Bag)		R2T-AI	40469	.06


## SINGLE RIVET DRIVER TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Driver Tool Complete	SR-50	40510	.8
Drive Rod	SR5-7	40517	.3

## RIVET SET\*

ORDERING NUMBER	ITEM CODE	WT. LBS.
R5S	40348	1.9

\*If no SRTA Application Tool is available, fasteners may be installed with an R5S Flexco Rivet Set.



## FLEXCO® R2 RIVET SELECTION CHART

FASTENER SIZE	BELT THICKNESS RANGE MEASURED AFTER SKIVE		RIVET SIZE
	in.	mm	
R2	1/8-7/32"	3-5.5	SRAA
	3/16-5/16"	5-8	SRA
	9/32-3/8"	7-9.5	SRB

## Rivets Required For One R2 Joint

BELT WIDTH		RIVET REQUIRED
in.	mm	
12	300	24
18	450	40
24	600	52
30	750	64
36	900	80
42	1050	92
48	1200	108
54	1350	120
60	1500	136

NOTE: For hinge pins and retaining washers for R2 see page 100.

NOTE: For Multiple Rivet (MSRT) and Single Rivet (SRTA) Applicator Tools see pages 103 and 104.



# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners

## FASTENERS

Order each component separately for a complete splice: Fastener Strip + Rivets + Hinge Pin

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### STEEL (Continuous Strip)

For R5	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	18"	450	R5-SE-18/450	41314	2.6
24"	600	R5-SE-24/600	41315	3.4	
26"	650	R5-SE-26/650	41409	3.7	
30"	750	R5-SE-30/750	41276	4.2	
36"	900	R5-SE-36/900	41277	5.1	
42"	1050	R5-SE-42/1050	41278	5.9	
48"	1200	R5-SE-48/1200	41279	6.9	
54"	1350	R5-SE-54/1350	41296	7.3	
60"	1500	R5-SE-60/1500	41298	8.5	
72"	1800	R5-SE-72/1800	41316	10.4	

### STAINLESS TYPE 316 (Continuous Strip)

For R5	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	18"	450	R5S-SE-18/450	41326	2.6
24"	600	R5S-SE-24/600	41327	3.4	
30"	750	R5S-SE-30/750	41289	4.2	
36"	900	R5S-SE-36/900	41290	5.1	
42"	1050	R5S-SE-42/1050	41291	5.9	
48"	1200	R5S-SE-48/1200	41292	6.9	
60"	1500	R5S-SE-60/1500	41294	8.5	
72"	1800	R5S-SE-72/1800	41581	10.4	

### RUSTALLOY® (Continuous Strip)\*

For R5	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600	RAR5-SE-24/600	41328	3.4
26"	650	RAR5-SE-26/650	41329	3.6	
30"	750	RAR5-SE-30/750	41283	4.2	
36"	900	RAR5-SE-36/900	41284	5.1	
42"	1050	RAR5-SE-42/1050	41285	5.9	
48"	1200	RAR5-SE-48/1200	41286	6.9	
54"	1350	RAR5-SE-54/1350	41287	7.3	
60"	1500	RAR5-SE-60/1500	41288	8.5	
72"	1800	RAR5-SE-72/1800	41584	10.4	

### MEGALLOY® (4 Plate Strips, 10 Strip Per Box)

For R5	ORDERING NUMBER		ITEM CODE	WT. LBS.	
	R5MA-SE		41067	4.7	
	Plates Required for one R5MA Joint				
	BELT WIDTH		PLATES REQUIRED	BELT WIDTH	
in.	mm		in.	mm	
18"	450	20	48"	1200	54
24"	600	26	54"	1350	60
30"	750	32	60"	1500	68
36"	900	40	72"	1800	82
42"	1050	46			

### STEEL (Continuous Strip)

For R5-1/2	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	18"	450	R5-1/2-SE-18/450	41514	3.9
24"	600	R5-1/2-SE-24/600	41515	5.0	
30"	750	R5-1/2-SE-30/750	41516	6.3	
36"	900	R5-1/2-SE-36/900	41513	7.8	
42"	1050	R5-1/2-SE-42/1050	41509	8.8	
48"	1200	R5-1/2-SE-48/1200	41510	9.9	
54"	1350	R5-1/2-SE-54/1350	41525	11.6	
60"	1500	R5-1/2-SE-60/1500	41511	12.5	
72"	1800	R5-1/2-SE-72/1800	41512	15.5	

### RUSTALLOY® (Continuous Strip)\*

For R5-1/2	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600	RAR5-1/2-SE-24/600	41341	5.0
30"	750	RAR5-1/2-SE-30/750	41342	6.3	
36"	900	RAR5-1/2-SE-36/900	41351	7.5	
42"	1050	RAR5-1/2-SE-42/1050	41391	8.9	
46"	1150	RAR5-1/2-SE-46/1150	41392	9.7	
48"	1200	RAR5-1/2-SE-48/1200	41319	10.1	
54"	1350	RAR5-1/2-SE-54/1350	41393	11.5	
60"	1500	RAR5-1/2-SE-60/1500	41394	12.5	
72"	1800	RAR5-1/2-SE-72/1800	41395	15.4	

### MEGALLOY® (4 Plate Strips, 10 Strip Per Box)

For R5-1/2	ORDERING NUMBER		ITEM CODE	WT. LBS.	
	R5-1/2MA-SE		41450	4.7	
	Plates Required for one R5-1/2MA Joint				
	BELT WIDTH		PLATES REQUIRED	BELT WIDTH	
in.	mm		in.	mm	
18"	450	20	48"	1200	54
24"	600	26	54"	1350	60
30"	750	32	60"	1500	68
36"	900	40	72"	1800	82
42"	1050	46			

### \* 400 SERIES STAINLESS

- Stock Items (non-shaded) standard lead time is 3 working days.
  - Made To Order Items (shaded) extended lead time, minimum order may apply.
- Special Metals and Special Length Cards are available.  
Request quote for price and delivery.



# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners



## FASTENERS

Order each component separately for a complete splice: Fastener Strip + Rivets + Hinge Pin

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### STEEL (Continuous Strip)

For R6	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600	R6-SE-24/600	40408	6.6
30"	750	R6-SE-30/750	40409	8.4	
36"	900	R6-SE-36/900	40399	10.3	
42"	1050	R6-SE-42/1050	40389	11.7	
46"	1150	R6-SE-46/1150	40415	13.2	
48"	1200	R6-SE-48/1200	40390	13.8	
54"	1350	R6-SE-54/1350	40391	14.6	
60"	1500	R6-SE-60/1500	40392	16.2	
72"	1800	R6-SE-72/1800	40393	20.8	
84"	2130	R6-SE-84/2130	40416	28.7	

### RUSTALLOY® (Continuous Strip) \*

For R6	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600			
30"	750				
36"	900				
42"	1050	RAR6-SE-42/1050	41542	11.7	
46"	1150	RAR6-SE-46/1150	41548	13.2	
48"	1200	RAR6-SE-48/1200	41543	13.8	
54"	1350	RAR6-SE-54/1350	41544	14.6	
60"	1500	RAR6-SE-60/1500	41545	16.2	
72"	1800	RAR6-SE-72/1800	41546	20.8	
84"	2130	RAR6-SE-84/2130	41547	28.7	

### RAR6LP LOW PROFILE\*

For R6	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600			
30"	750				
36"	900				
42"	1050	RAR6LP-SE-42/1050	40828	8.4	
46"	1150	RAR6LP-SE-46/1150	40834	9.0	
48"	1200	RAR6LP-SE-48/1200	40829	9.6	
54"	1350	RAR6LP-SE-54/1350	40830	10.1	
60"	1500	RAR6LP-SE-60/1500	40831	10.7	
72"	1800	RAR6LP-SE-72/1800	40832	12.5	
84"	2130	RAR6LP-SE-84/2130	40833	16.4	


### RUSTALLOY® (Continuous Strip) \*

For R8	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	48"	1200	RAR8-SE-48/1200	41712	13.8
54"	1350	RAR8-SE-54/1350	41713	14.6	
60"	1500	RAR8-SE-60/1500	41714	16.2	
72"	1800	RAR8-SE-72/1800	41715	20.8	
84"	2130	RAR8-SE-84/2130	41716	28.7	

### \* 400 SERIES STAINLESS

### STAINLESS 300 SERIES

For R9	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	48"	1200	R9S-SE-48/1200	41737	17.0
54"	1350	R9S-SE-54/1350	41738	19.0	
60"	1500	R9S-SE-60/1500	41739	21.8	
72"	1800	R9S-SE-72/1800	41740	25.8	
84"	2130	R9S-SE-84/2130	41741	30.2	





# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners

## RIVETS

Self-setting, pre-assembled with pilot nails



### STEEL

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (100 Rivets)</b>			
SRA-100	40539	100	.9
SRB-100	40540	100	1.0
SRC-100	40541	100	1.1
<b>BOX (250 Rivets)</b>			
SRA	40527	250	2.3
SRB	40528	250	2.5
SRC	40529	250	2.6
SRC/D	40538	250	2.8
SRD	40530	250	2.9
SRE	40531	250	3.1
SRF	40532	250	3.1
SRG	40533	250	3.2
SRH	40534	250	3.4
SRI	40535	250	3.5
SRJ	40536	250	3.6
SRK	40537	250	3.7
<b>BUCKET (2000 Rivets)</b>			
SRA-2M	41190	2000	16.6
SRB-2M	41191	2000	18.1
SRC-2M	41192	2000	20.2
SRC/D-2M	41193	2000	21.2
SRD-2M	41194	2000	21.9
SRE-2M	41195	2000	23.1
SRF-2M	41196	2000	24.4
SRG-2M	41197	2000	24.9
SRH-2M	41198	2000	25.1
SRI-2M	41199	2000	25.9

### STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (250 Rivets)</b>			
SRA-S	40542	250	2.3
SRB-S	40543	250	2.5
SRC-S	40544	250	2.6
SRC/D-S	40548	250	2.8
SRD-S	40545	250	2.9
SRE-S	40546	250	3.1
SRF-S	40547	250	3.1
SRG-S	40523	250	3.2
SRH-S	40522	250	3.4
SRI-S	40506	250	3.5
SRJ-S	40507	250	3.6
SRK-S	40520	250	3.7
SRL-S	40519	250	4.2
<b>BUCKET (2000 Rivets)</b>			
SRA-S-2M	41200	2000	17.1
SRB-S-2M	41201	2000	18.9
SRC-S-2M	41202	2000	20.6
SRC/D-S-2M	41203	2000	21.3
SRD-S-2M	41204	2000	21.9
SRE-S-2M	41205	2000	22.9
SRF-S-2M	41206	2000	23.5
SRG-S-2M	41207	2000	24.7
SRH-S-2M	41208	2000	25.1
SRI-S-2M	41181	2000	26.3
SRJ-S-2M	41183	2000	27.5
SRK-S-2M	41185	2000	28.7
SRL-S-2M	41781	2000	29.9

### Rivets Required For One R5, R5-1/2 or R6 Joint

BELT WIDTH		RIVETS REQUIRED
in.	mm	
18"	450	100
24"	600	130
30"	750	160
36"	900	200
42"	1050	230
48"	1200	270
54"	1350	300
60"	1500	340
72"	1800	410
84"	2130	480

### Rivets Required For One R8 or R9 Joint

BELT WIDTH		RIVETS REQUIRED
in.	mm	
48"	1200	432
54"	1350	480
60"	1500	544
72"	1800	656
84"	2130	768

### RIVET SELECTION CHART



FASTENER SIZE	BELT THICKNESS RANGE MEASURED AFTER SKIVE		RIVET SIZE
	in.	mm	
R5	7/32-5/16	5.5-8	SRA
	9/32-3/8	7-9.5	SRB
	11/32-7/16	9-11	SRC
	13/32-7/16	10.5-11	SRC/D
R5-1/2 & R6LP	5/16-11/32	8-9	SRB
	5/16-13/32	8-10.5	SRC
	3/8-15/32	9.5-12	SRC/D
	7/16-17/32	11-13.5	SRD
	1/2-19/32	13-15	SRE
	9/16-21/32	14-16.5	SRF*
	5/8-23/32	16-18	SRG*
	13/32-7/16	10.5-11	SRC/D
R6	13/32-1/2	10.5-13	SRD
	15/32-9/16	12-14	SRE
	17/32-5/8	13.5-16	SRF
	19/32-11/16	15-17.5	SRG
R8	13/32-7/16	10.5-11	SRC/D
	13/32-1/2	10.5-13	SRD
	15/32-9/16	12-14	SRE
	17/32-5/8	13.5-16	SRF
R9	19/32-11/16	15-17.5	SRG
	5/8-11/16	16-17.5	SRH
	21/32-3/4	16.5-19	SRI
	23/32-13/16	18-20.5	SRI
	25/32-7/8	20-22	SRJ**
27/32-15/16	21.5-24	SRK**	
29/32-1	23-25.5	SRL**	

\* Applies to RAR6LP only.

\*\* Use with 3/4" diameter hinge pin.

### RIVET SELECTION GAUGE

ORDERING NUMBER	ITEM CODE	WT. LBS.
R2-R8	40329	0.1
R9	108037	0.1





## RAPID LOADER™ RIVET STRIPS

Self-setting, pre-assembled with pilot nails  
(For R5, R5-1/2, R6, BR10)

60 Strips/1200 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
A	Red	CSRLA	40857	13.00
B	White	CSRLB	40858	13.92
C	Blue	CSRLC	40859	14.84
C/D	Orange	CSRLC/D	40860	15.56
D	Green	CSRLD	40861	16.06
E	Purple	CSRLE	40862	16.62
F	Yellow	CSRLF	40863	17.34
G	Black	CSRLG	40864	17.90
<b>STAINLESS (TYPE 430)</b>				
A	Red	CSRLA-S	40978	12.90
B	White	CSRLB-S	40979	13.80
C	Blue	CSRLC-S	40980	14.92
C/D	Orange	CSRLC/D-S	40981	15.31
D	Green	CSRLD-S	40982	15.92
E	Purple	CSRLE-S	40983	16.48
F	Yellow	CSRLF-S	40984	16.94
G	Black	CSRLG-S	40985	17.52

(For R8 and R9)


24 Strips for 768 Rivets/32 Strips for 1024 Rivets


<b>STEEL</b>							
Rivet Qty.	1024	C/D	Orange	CSRL8C/D	41845	13.50	
		D	Green	CSRL8D	41846	14.10	
		E	Purple	CSRL8E	41847	14.70	
		F	Yellow	CSRL8F	41848	15.30	
		G	Black	CSRL8G	41849	16.00	
		768	H	Gray	CSRL8H	41850	12.50
			I	Lt. Blue	CSRL8I	41851	13.10
J	Brown		CSRL8J	41852	13.70		
K	Beige		CSRL8K	41853	14.30		
<b>STAINLESS (TYPE 430)</b>							
Rivet Qty.	1024	C/D	Orange	CSRL8C/D-S	41854	13.50	
		D	Green	CSRL8D-S	41855	14.10	
		E	Purple	CSRL8E-S	41856	14.70	
		F	Yellow	CSRL8F-S	41857	15.30	
		G	Black	CSRL8G-S	41858	16.00	
		768	H	Gray	CSRL8H-S	41859	12.50
			I	Lt. Blue	CSRL8I-S	41860	13.10
J	Brown		CSRL8J-S	41861	13.70		
K	Beige		CSRL8K-S	41862	14.30		



**NOTE:** Use standard rivet selection criteria for rapid loader rivet strips.



 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available.  
Request quote for price and delivery.

## RAPID LOADER™ RIVET STRIPS

**WITH WASHERS**

For use with the Flexco® Pneumatic Single Rivet Driver  
(For R5, R5-1/2, R6, BR10)

60 Strips/1200 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
A	Red	CSRLA-W	40891	13.00
B	White	CSRLB-W	40892	13.92
C	Blue	CSRLC-W	40893	14.84
C/D	Orange	CSRLC/D-W	40895	15.56
D	Green	CSRLD-W	40897	16.06
E	Purple	CSRLE-W	40898	16.62
F	Yellow	CSRLF-W	40899	17.34
G	Black	CSRLG-W	40901	17.90
<b>STAINLESS (TYPE 430)</b>				
A	Red	CSRLA-S-W	40955	12.90
B	White	CSRLB-S-W	40956	13.80
C	Blue	CSRLC-S-W	40957	14.92
C/D	Orange	CSRLC/D-S-W	40958	15.31
D	Green	CSRLD-S-W	40959	15.92
E	Purple	CSRLE-S-W	40961	16.48
F	Yellow	CSRLF-S-W	40969	16.94
G	Black	CSRLG-S-W	40971	17.52

(For R8 and R9)


24 Strips for 768 Rivets/32 Strips for 1024 Rivets

<b>STEEL</b>							
Rivet Qty.	1024	C/D	Orange	CSRL8C/D-W	41879	13.50	
		D	Green	CSRL8D-W	41880	14.10	
		E	Purple	CSRL8E-W	41881	14.70	
		F	Yellow	CSRL8F-W	41882	15.30	
		G	Black	CSRL8G-W	41883	16.00	
		768	H	Gray	CSRL8H-W	41884	12.50
			I	Lt. Blue	CSRL8I-W	41885	13.10
J	Brown		CSRL8J-W	41886	13.70		
K	Beige		CSRL8K-W	41887	14.30		
<b>STAINLESS (TYPE 430)</b>							
Rivet Qty.	1024	C/D	Orange	CSRL8C/D-S-W	41888	13.50	
		D	Green	CSRL8D-S-W	41889	14.10	
		E	Purple	CSRL8E-S-W	41890	14.70	
		F	Yellow	CSRL8F-S-W	41891	15.30	
		G	Black	CSRL8G-S-W	41892	16.00	
		768	H	Gray	CSRL8H-S-W	41893	12.50
			I	Lt. Blue	CSRL8I-S-W	41894	13.10
J	Brown		CSRL8J-S-W	41895	13.70		
K	Beige		CSRL8K-S-W	41896	14.30		
L	Teal		CSRL8L-S-W	41935	14.90		



# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners

## HINGE PINS



### FOR R2 & R5

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.				
		<b>AC</b> BARE ARMORED CABLE (1/4" dia.)			<b>*ACS</b> BARE ARMORED STAINLESS CABLE (17/64" dia.)			<b>NAC</b> NYLON COVERED ARMORED CABLE (1/4" dia.)			<b>NC</b> NYLON COVERED STEEL CABLE (1/4" dia.)			<b>*NCS</b> NYLON COVERED STAINLESS CABLE (1/4" dia.)						
in. mm		EACH (One Pin)			EACH (One Pin)			EACH (One Pin)			EACH (One Pin)			EACH (One Pin)						
12"	300										NC-12-1	38000	.1							
14"	350										NC-14-1	38001	.1							
16"	400										NC-16-1	38002	.1							
18"	450	AC-18-1	38129	.2				NAC-18-1	38108	.2	NC-18-1	38003	.1							
20"	500										NC-20-1	38004	.2							
24"	600	AC-24-1	38130	.2				NAC-24-1	38109	.2	NC-24-1	38005	.2	NCS-24-1	38041	.2				
26"	650	AC-26-1	38131	.2				NAC-26-1	38110	.2										
30"	750	AC-30-1	38132	.3	ACS-30-1	41380	.3	NAC-30-1	38111	.3	NC-30-1	38007	.2	NCS-30-1	38043	.2				
36"	900	AC-36-1	38133	.3	ACS-36-1	41381	.3	NAC-36-1	38112	.3	NC-36-1	38008	.2	NCS-36-1	38044	.2				
42"	1050	AC-42-1	38134	.4	ACS-42-1	41382	.4	NAC-42-1	38113	.4	NC-42-1	38009	.2	NCS-42-1	38045	.3				
48"	1200	AC-48-1	38135	.4	ACS-48-1	41383	.4	NAC-48-1	38114	.4	NC-48-1	38010	.3	NCS-48-1	38046	.3				
54"	1350	AC-54-1	38136	.5	ACS-54-1	41384	.5	NAC-54-1	38115	.5	NC-54-1	38011	.3	NCS-54-1	38047	.3				
60"	1500	AC-60-1	38137	.5	ACS-60-1	41385	.5	NAC-60-1	38116	.5	NC-60-1	38012	.4	NCS-60-1	38048	.4				
72"	1800	AC-72-1	38138	.6	ACS-72-1	41388	.6	NAC-72-1	38117	.6	NC-72-1	38013	.4	NCS-72-1	38049	.5				
PACKAGE (Ten Pins)					PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)			
18"	450	AC-18	40685	1.7				NAC-18	40629	1.7	NC-18	40153	1.3							
24"	600	AC-24	40686	2.3				NAC-24	40631	2.3	NC-24	40155	1.8	NCS-24	40175	1.8				
26"	650	AC-26	40687	2.4				NAC-26	40632	2.4	NC-26	40156	1.8							
30"	750	AC-30	40688	2.8	ACS-30	41354	2.8	NAC-30	40633	2.8	NC-30	40157	2.0	NCS-30	40177	2.0				
36"	900	AC-36	40689	3.4	ACS-36	41355	3.4	NAC-36	40634	3.4	NC-36	40158	2.3	NCS-36	40178	2.3				
42"	1050	AC-42	40691	3.8	ACS-42	41356	3.8	NAC-42	40636	3.8	NC-42	40159	2.6	NCS-42	40179	2.6				
48"	1200	AC-48	40692	4.8	ACS-48	41357	4.8	NAC-48	40637	4.8	NC-48	40160	3.0	NCS-48	40180	3.0				
54"	1350				ACS-54	41358	5.4				NC-54	40161	3.4	NCS-54	40181	3.4				
60"	1500				ACS-60	41359	6.1				NC-60	40162	3.9	NCS-60	40182	3.9				
72"	1800				ACS-72	41363	6.8				NC-72	40163	5.0							
PACKAGE (Ten Pins)					PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)			
100 FOOT COILS					100 FOOT COILS				100 FOOT COILS				100 FOOT COILS				100 FOOT COILS			
		NC-C	39740	8.6			NCS-C	39817	8.6			NC-C	39740	8.6			NCS-C	39817	8.6	

### FOR R2 & R5

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
		<b>SC</b> BARE STEEL CABLE (1/4" dia.)			<b>*SSC</b> BARE STAINLESS CABLE (7/32" dia.)		
in. mm		EACH (One Pin)			EACH (One Pin)		
18"	450						
24"	600	SC-24-1	38180	.2	SSC-24-1	38199	.2
30"	750	SC-30-1	38182	.3	SSC-30-1	38201	.3
36"	900	SC-36-1	38183	.3	SSC-36-1	38202	.3
38"	950						
40"	1000						
42"	1050	SC-42-1	38184	.4	SSC-42-1	38203	.4
44"	1100						
46"	1150						
48"	1200	SC-48-1	38185	.4	SSC-48-1	38204	.4
54"	1350	SC-54-1	38240	.5	SSC-54-1	38211	.5
60"	1500	SC-60-1	38188	.5	SSC-60-1	38205	.5
72"	1800	SC-72-1	38195	.6	SSC-72-1	38222	.6
PACKAGE (Ten Pins)					PACKAGE (Ten Pins)		
18"	450	SC-18	40201	1.8	SSC-18	40209	1.8
24"	600	SC-24	40202	2.3	SSC-24	40210	2.3
30"	750	SC-30	40204	2.9	SSC-30	40211	2.9
36"	900	SC-36	40205	3.4	SSC-36	40212	3.4
38"	950						
40"	1000						
42"	1050	SC-42	40206	4.0	SSC-42	40213	4.0
44"	1100						
46"	1150						
48"	1200	SC-48	40207	4.6	SSC-48	40214	4.6
54"	1350	SC-54	39808	5.1	SSC-54	39811	5.1
60"	1500	SC-60	39802	5.8	SSC-60	39812	5.8

### \*300 SERIES

### HINGE PIN RETAINING WASHERS FOR R2, R5, 1/4" DIAMETER NYLON CABLE HINGE PINS ONLY

50 PER PACKAGE

ORDERING NUMBER	ITEM CODE	WT. LBS.
310-RET-50	40135	.3

NOTE: 1/4" inside diameter



Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available. Request quote for price and delivery.

# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners



## HINGE PINS




### FOR R5

ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>SC932</b> BARE STEEL CABLE (9/32" dia.)			<b>*SSC932</b> BARE STAINLESS CABLE (9/32" dia.)		
EACH (One Pin)			EACH (One Pin)		
SC932-18-1	38348	.4	SSC932-18-1	38349	.4
SC932-24-1	38344	.5	SSC932-24-1	38336	.5
SC932-30-1	38341	.6	SSC932-30-1	38337	.6
SC932-36-1	38342	.7	SSC932-36-1	38338	.7
SC932-40-1	38406	.8	SSC932-38-1	38425	.7
SC932-42-1	38343	.8	SSC932-40-1	38426	.8
SC932-44-1	38405	.9	SSC932-42-1	38339	.8
SC932-46-1	38404	.9	SSC932-44-1	38427	.9
SC932-48-1	38345	.9	SSC932-46-1	38428	.9
SC932-54-1	38355	1.0	SSC932-48-1	38340	.9
SC932-60-1	38351	1.0	SSC932-54-1	38429	1.0
SC932-72-1	38350	1.1	SSC932-60-1	38352	1.0
PACKAGE (Ten Pins)			PACKAGE (Ten Pins)		
SC932-30	38300	5.8	SSC932-30	38320	5.8
SC932-36	38301	7.0	SSC932-36	38321	7.0
SC932-38	38412	7.4	SSC932-38	38420	7.4
SC932-40	38409	7.8	SSC932-40	38417	7.8
SC932-42	38302	8.2	SSC932-42	38322	8.2
SC932-44	38411	8.6	SSC932-44	38419	8.6
SC932-46	38410	8.9	SSC932-46	38418	8.9
SC932-48	38303	9.3	SSC932-48	38323	9.3
SC932-54	38305	9.9	SSC932-54	38325	9.9
SC932-60	38312	10.5	SSC932-60	38317	10.5

### \*300 SERIES

### HINGE PIN RETAINING COLLARS

FOR FASTENER SIZE	FOR PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.
R2 and R5	7/32-9/32	HPRET1	40198	.5
R5-1/2, R6, and R8	23/64-13/32	HPRET2	40199	.5



### SIFT STOP FOAM STRIP

DESCRIPTION	SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
Creates a sealed joint to prevent sifting. These strips can be used with R5-R8.	40 ft (12.2 m)	XPSS-40	37179	.2



### FOR R5 & R5-1/2

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>ACV</b> BARE ARMORED STEEL CABLE (21/64" dia.)			
EACH (One Pin)			
in.	mm		
24"	600	ACV-24-1	37437 .27
30"	750	ACV-30-1	37438 .30
36"	900	ACV-36-1	37439 .32
38"	950		
40"	1000		
42"	1050	ACV-42-1	37440 .43
44"	1100		
46"	1150		
48"	1200	ACV-48-1	37441 .49
52"			
54"	1350		
60"	1500		
72"	1800		
84"	2130		
PACKAGE (Ten Pins)			
24"	600	ACV-24	37442 2.7
30"	750	ACV-30	37443 3.0
36"	900	ACV-36	37444 3.2
38"	950		
40"	1000		
42"	1050	ACV-42	37445 4.3
44"	1100		
46"	1150		
48"	1200	ACV-48	37446 5.0
52"	1350		
54"	1350		
60"	1500		
72"	1800		
84"	2130		


### FOR R5-1/2, R6, & R8

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>AC6</b> BARE ARMORED STEEL CABLE (3/8" dia.)			<b>SC6</b> BARE STEEL CABLE (23/64" dia.)			
EACH (One Pin)			EACH (One Pin)			
in.	mm					
24"	600	AC6-24-1	38164 .7			
30"	750	AC6-30-1	38165 .8			
36"	900	AC6-36-1	38166 1.0			
38"	950	AC6-38-1	38161 1.1	SC6-38-1	38370 1.1	
40"	1000	AC6-40-1	38162 1.1	SC6-40-1	38371 1.2	
42"	1050	AC6-42-1	38167 1.2	SC6-42-1	38376 1.2	
44"	1100	AC6-44-1	38143 1.3	SC6-44-1	38372 1.3	
46"	1150			SC6-46-1	38373 1.4	
48"	1200	AC6-48-1	38168 1.4	SC6-48-1	38377 1.4	
52"						
54"	1350	AC6-54-1	38169 1.5	SC6-54-1	38374 1.5	
60"	1500	AC6-60-1	38170 1.7	SC6-60-1	38375 1.6	
72"	1800	AC6-72-1	38171 2.1	SC6-72-1	38378 2.1	
84"	2130			SC6-84-1	38387 2.5	
PACKAGE (Ten Pins)			PACKAGE (Ten Pins)			
24"	600	AC6-24	40707 6.2			
30"	750	AC6-30	40709 8.1			
36"	900	AC6-36	40710 10.0	SC6-36	38362 10.5	
38"	950	AC6-38	38403 10.2	SC6-38	38365 11.0	
40"	1000	AC6-40	38401 11.0	SC6-40	38366 11.6	
42"	1050	AC6-42	40712 12.0	SC6-42	38363 12.2	
44"	1100	AC6-44	40713 12.3			
46"	1150			SC6-46	38368 13.4	
48"	1200	AC6-48	40714 12.5	SC6-48	38364 14.0	
52"	1350					
54"	1350	AC6-54	40716 14.7	SC6-54	38369 15.8	
60"	1500	AC6-60	40718 16.2	SC6-60	38380 17.6	
72"	1800	AC6-72	40720 19.6	SC6-72	38381 20.9	
84"	2130	AC6-84	40721 25.0	SC6-84	38390 25.0	



# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners

## HINGE PINS



### FOR R5-1/2, R6, & R8

ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>*ACS6</b> BARE ARMORED STAINLESS CABLE (3/8" dia.)			<b>NAC6</b> NYLON COVERED ARMORED CABLE (13/32" dia.)			<b>*NACS6</b> NYLON COVERED ARMORED STAINLESS CABLE (13/32" dia.)		
EACH (One Pin)			EACH (One Pin)					
ACS6-36/900-1	39274	1.0	NAC6-24-1	38144	.7			
ACS6-40-1	39280	1.1	NAC6-30-1	38145	.8			
ACS6-42-1	39275	1.2	NAC6-36-1	38146	1.0			
ACS6-46-1	39281	1.3	NAC6-38-1	40940	1.1			
ACS6-48-1	39276	1.3	NAC6-40-1	40941	1.1			
ACS6-52-1	39282	1.4	NAC6-42-1	38147	1.2			
ACS6-54-1	39277	1.5	NAC6-44-1	40942	1.3			
ACS6-60-1	39278	1.7	NAC6-46-1	40943	1.4			
ACS6-72-1	39279	2.1	NAC6-48-1	38148	1.4			
ACS6-84-1	39283	2.5	NAC6-54-1	38149	1.5			
PACKAGE (Ten Pins)			PACKAGE (Ten Pins)			PACKAGE (Ten Pins)		
ACS6-36/900	39300	10.0	NAC6-24	40654	6.5			
ACS6-40	39307	11.0	NAC6-30	40657	8.3			
ACS6-42	39301	12.0	NAC6-36	40659	10.0			
ACS6-46	39308	12.3	NAC6-38	40681	10.2			
ACS6-48	39302	13.4	NAC6-40	40670	11.0			
ACS6-52	39306	14.0	NAC6-42	40661	11.8			
ACS6-54	39303	15.8	NAC6-44	40680	12.3			
ACS6-60	39304	17.6	NAC6-46	40679	12.9			
ACS6-72	39305	20.9	NAC6-48	40663	13.5	NACS6-48	39250	13.5
ACS6-84	39309	25.0	NAC6-54	40665	15.0	NACS6-54	39251	15.0
			NAC6-60	40667	17.0	NACS6-60	39255	17.0
			NAC6-72	40669	20.1			
			NAC6-84	40671	24.4			

### FOR R9

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	
<b>*NCS962</b> NYLON COVERED STAINLESS CABLE (5/8" dia.)				<b>*NCS975</b> NYLON COVERED STAINLESS CABLE (3/4" dia.)			
EACH (One Pin)				EACH (One Pin)			
in.	mm						
48"	1200	NCS962-48-1	53234	2.2	NCS975-48-1	53255	3.1
54"	1350	NCS962-54-1	53235	2.4	NCS975-54-1	53256	3.5
60"	1500	NCS962-60-1	53236	2.7	NCS975-60-1	53257	4.0
72"	1800	NCS962-72-1	53237	3.3	NCS975-72-1	53258	4.8
84"	2130	NCS962-84-1	53238	3.8	NCS975-84-1	53259	5.6

#### \*300 SERIES

- Stock Items** (non-shaded) standard lead time is 3 working days.
- Made To Order Items** (shaded) extended lead time, minimum order may apply.
- Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.

# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners



## INSTALLATION TOOLS

### Multiple Rivet Applicator Tool

#### MSRT APPLICATOR COMPLETE

Includes two SR700 Multiple Guide Blocks, two SR759 Multiple Drive Rods, two 4 lb. Hammers, Lubricant and one Canvas Carry Bag.

**NOTE:** For installation of R2, R5, R5-1/2, and R6 Fasteners.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30"	750	MSRT-30	41041	63.0
36"	900	MSRT-36	41042	70.0
42"	1050	MSRT-42	41043	77.0
48"	1200	MSRT-48	41044	85.0
60"	1500	MSRT-60	41046	93.0
72"	1800	MSRT-72	41047	100.0
84"	2130	MSRT-84	41048	110.0

#### MSRT8 APPLICATOR COMPLETE

**NOTE:** Installs R6 & RAR8 fasteners only.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
48"	1200	MSRT8-48	41032	95.0
60"	1500	MSRT8-60	41033	110.0
72"	1800	MSRT8-72	41034	125.0
84"	2130	MSRT8-84	41035	138.0

#### MSRT9 APPLICATOR COMPLETE


**NOTE:** Installs R9 fasteners only.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
48"	1200	MSRT9-48	40994	95.0
60"	1500	MSRT9-60	40995	110.0
72"	1800	MSRT9-72	40996	125.0
84"	2130	MSRT9-84	40997	138.0

**NOTE:** Guide blocks cannot be used with rivet sizes J, K and L.

### MULTIPLE RIVET DRIVER COMPONENTS



DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Multiple Guide Block	SR700	41054	3.0
Multiple 5 Prong Drive Rod	SR759	41055	1.0
Multiple Guide Block - For R8	SR800	41050	5.1
8 Prong Drive Rod	SR859-8	41068	1.2
Multiple Guide Block - For R9	SR900	41045	7.0
2 Prong Drive Rod	SR759-2	41058	0.9
Silicone Lubricant (Aerosol)	SL5-1	30932	1.4
Silicone Lubricant (Pump Spray)	SLP5-1	30931	1.4
Four lb. Hammer	4FH	30435	5.3
Six lb. Hammer	6FH	30375	7.3
Canvas Bag	SR-CB	41031	1.3



SR700



SR759



#### ALUMINUM MSRT APPLICATOR COMPLETE

Includes two SR700 Multiple Guide Blocks, two SR759 Multiple Drive Rods, two 4 lb. Hammers, Lubricant and one Canvas Carry Bag.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30"	750	MSRT-30-AL	40771	57.0*
36"	900	MSRT-36-AL	40773	63.0
42"	1050	MSRT-42-AL	40775	69.0
48"	1200	MSRT-48-AL	40776	76.0
60"	1500	MSRT-60-AL	40782	89.0
72"	1800	MSRT-72-AL	40783	105.0
84"	2130	MSRT-84-AL	40784	121.0*
96"	2430	MSRT-96-AL	40785	137.0*

#### ALUMINUM MSRT8 APPLICATOR COMPLETE

**NOTE:** Installs R6, RAR6 & RAR8 fasteners only.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
48"	1200	MSRT8-48-AL	41115	84.0
60"	1500	MSRT8-60-AL	41116	96.0
72"	1800	MSRT8-72-AL	41117	109.0
84"	2130	MSRT8-84-AL	41118	120.0*
96"	2430	MSRT8-96-AL	41119	133.0*

\* Estimated weight

#### ALUMINUM MSRT9 APPLICATOR COMPLETE

**NOTE:** Installs R9 fasteners only.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
48"	1200	MSRT9-48-AL	41812	84.0
60"	1500	MSRT9-60-AL	41813	96.0
72"	1800	MSRT9-72-AL	41814	109.0
84"	2130	MSRT9-84-AL	41815	120.0



# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners

## INSTALLATION TOOLS


### Single Rivet Applicator Tool

#### SRTA APPLICATOR COMPLETE

Includes one SR-50 Driver Tool Complete

**NOTE:** For installation of R2, R5, R5-1/2, and R6 Fasteners.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30"	750	SRTA-30	41213	35.0
36"	900	SRTA-36	41214	41.8
42"	1050	SRTA-42	41215	48.6
48"	1200	SRTA-48	41216	55.8
60"	1500	SRTA-60	41218	69.8
72"	1800	SRTA-72	41219	83.0
84"	2130	SRTA-84	41220	85.2



#### METAL TOOL BOX FOR SR™ and BR™ APPLICATOR TOOLS

DESCRIPTION	ORDERING NUMBER / ITEM CODE	WT. LBS.
36" Tool Box	40988	41.2
42" or 48" Tool Box	40990	48.2
60" Tool Box	40991	73.0



#### SINGLE RIVET DRIVER TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Driver Tool Complete	SR-50	40510	.8
Drive Rod	SR5-7	40517	.3
Collets—Set of Two	SR5-1	40511	.1

#### RIVET SET\*

ORDERING NUMBER	ITEM CODE	WT. LBS.
R5S	40348	1.9


\*If no SRTA Application Tool is available, fasteners may be installed with an R5S Flexco Rivet Set.



#### FLEXCO® BELT GROOVER

(7/16" WIDE GROOVE PATH)

ORDERING NUMBER	ITEM CODE	WT. LBS.
FBG1	31978	1.8
EXTRA BLADES		
HSP3	31980	0.1




**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.



# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners



## REPLACEMENT PARTS – STEEL SR TA, MSRT TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Rivet Guide Locator Assembly	SR747	41056	0.2
Rivet Guide Locator Assembly (R9)	SR947	41069	0.2
Gauge Pin Guide with Spring and Cotter Pin-1 Hole	SR24	40503	0.1
Gauge Pin Guide with Spring and Cotter Pin-3 Hole	SR25	40504	0.1
Stepped Anvil End Plate W/ Clamp Bar Nut-5 Hole	SR22SAE	41960	1.7
Stepped Anvil Middle Plate-5 Hole	SR22SAM	41961	1.7
Stepped Anvil End Plate W/ Clamp Bar Nut-8 Hole	SR27SAE	41962	1.7
Stepped Anvil Middle Plate-8 Hole	SR27SAM	41963	1.7
Anvil Plate Screws (50/Package)	BRPS	40908	0.7
Clamp Bar Tightening Bolt Complete (MSRT9)	SR23	40502	0.2
Guide Block Clamping Screw	SR757	41057	0.1
Clamp Bar Knob	SR-CCBKK	41110	1.5
Clamp Bar Nut w/Screws	SR-CBNS	42085	0.5
Gauge Pin for 30" Tool	SR2-30	40482	0.5
Gauge Pin for 36" Tool	SR2-36	40483	0.6
Gauge Pin for 42" Tool	SR2-42	40484	0.7
Gauge Pin for 48" Tool	SR2-48	40485	0.8
Gauge Pin for 60" Tool	SR2-60	40487	1.0
Gauge Pin for 72" Tool	SR2-72	40488	1.2
Gauge Pin for 84" Tool	SR2-84	40489	1.5

## REPLACEMENT PARTS – ALUMINUM MSRT TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Rivet Guide Locator Assembly	SR747-AL	43022	0.2
Gauge Pin Guide with Spring and Cotter Pin-1 Hole	SR24-AL	43024	0.1
Gauge Pin Guide with Spring and Cotter Pin-3 Hole	SR25-AL	43023	0.1
Stepped Anvil Plate-5 Hole	SR22SAAL	43061	1.7
Stepped Anvil Plate-8 Hole	SR27SAAL	43062	2.5
Anvil Plate Screws (50/Package)	SRPS-AL	43027	0.7
Gauge Pin for 30" Tool	SR2-30-AL	43038	0.5
Gauge Pin for 36" Tool	SR2-36-AL	43039	0.6
Gauge Pin for 42" Tool	SR2-42-AL	43040	0.7
Gauge Pin for 48" Tool	SR2-48-AL	43041	0.8
Gauge Pin for 60" Tool	SR2-60-AL	43042	1.0
Gauge Pin for 72" Tool	SR2-72-AL	43043	1.2
Gauge Pin for 84" Tool	SR2-84-AL	43044	1.5
Gauge Pin for 96" Tool	SR2-96-AL	43045	2.0
Clamp Bar Nut w/Screws	SR91-AL	43029	0.5

## REPLACEMENT CLAMP BAR ASSEMBLY FOR STEEL AND ALUMINUM MSRT TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Cambered Clamp Bar Assembly for 30" Tool	SR9-30-AL	43030	3.8
Cambered Clamp Bar Assembly for 36" Tool	SR9-36-AL	43031	4.1
Cambered Clamp Bar Assembly for 42" Tool	SR9-42-AL	43032	5.3
Cambered Clamp Bar Assembly for 48" Tool	SR9-48-AL	43033	6.2
Cambered Clamp Bar Assembly for 60" Tool	SR9-60-AL	43034	6.8
Cambered Clamp Bar Assembly for 72" Tool	SR9-72-AL	43035	7.5
Cambered Clamp Bar Assembly for 84" Tool	SR9-84-AL	43036	7.9
Cambered Clamp Bar Assembly for 96" Tool	SR9-96-AL	43037	8.5

## PARTS REQUIRED TO SPAN THE ENTIRE WIDTH OF THE ALUMINUM MSRT TOOL

BELT WIDTH		SR700	SR747	SR24	SR25	SR22SA, SR27SA
in.	mm.	MULTIPLE GUIDE BLOCKS	RIVET GUIDE LOCATOR ASSEMBLIES	GAUGE PIN GUIDE	GAUGE PIN GUIDE	ANVIL PLATE COMPLETE
30	750	4	8	3	4	4
36	900	5	10	4	5	5
42	1050	6	12	5	6	6
48	1200	7	14	6	7	7
60	1500	9	18	8	9	9
72	1800	11	22	10	11	11
84	2130	13	26	12	13	13
96	2430	14	28	13	14	14

## PARTS REQUIRED TO SPAN THE ENTIRE WIDTH OF STEEL SR TA OR MSRT TOOLS

BELT WIDTH		SR700	SR747	SR24	SR25	SR22SA, SR27SA
in.	mm.	MULTIPLE GUIDE BLOCKS	RIVET GUIDE LOCATOR ASSEMBLIES	GAUGE PIN GUIDE	GAUGE PIN GUIDE	ANVIL PLATE COMPLETE
30	750	5	10	4	5	5
36	900	6	12	5	6	6
42	1050	7	14	6	7	7
48	1200	8	16	7	8	8
60	1500	10	20	9	10	10
72	1800	12	24	11	12	12
84	2130	14	28	13	14	14




# Flexco® SR™ Scalloped Edge® Rivet Hinged Fasteners

## POWER INSTALLATION TOOLS

### PNEUMATIC SINGLE RIVET DRIVER

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Pneumatic Single Rivet Driver*	PNEUDRIVE1	41992	44.0
5 Rivet Pattern SR™ Steel Guide Blocks	35RD-GB5-4	42000	10.0
8 Rivet Pattern SR™ Steel Guide Blocks (For installation of R8 or R9)	35RD-GB8-4	41998	12.0
BR6 Steel Guide Block	35RD-BR6GB-4	43063	11.0
BR10 Steel Guide Block	35RD-BR10GB-4	43064	14.2
Nose Piece	PDNP	41999	3.1
Nose Piece Safety	PDNPS	42036	0.8
Tool Bumper	PDBUMP	42037	0.4
O-Ring Kit	PDORING	42038	0.2
Handle	PDHANDLE	42039	0.2
HARDWARE Kit-screwa	PDHK	42040	0.6
CYLINDER	PDCYL	42041	1.2
Nose Spring	PDNSS	42042	0.1
Piston Rod	PDPR	42043	1.0
Trigger Valve	PDTVA	42044	0.1
Regulator Kit With Air Hose	FPD-RK	43008	7.8
Stand Alone Air Tank Regulator	SAATR	42016	4.5
Air Regulator	PSRD-RF	42521	3.0
PSRD-RS Regulator Stand	PSRD-RS	105509	2.6
Air Hose Assembly	PSRD-AH	42522	3.8
<b>TOOL REPAIR**</b>			
PNEUDRIVE1 – REFURBISH	41992RPR		N/A

- Works with Standard MSRT and MBRTA Application Tools
- Works with steel guide blocks – sold separately
- Works with Rapid Loader™ Rivet Strips with washers



\*Includes one Pneumatic Single Rivet Driver, one Regulator, one Air Hose, Instruction Manual, and Safety Glasses.

\*\*PLEASE DO NOT SEND REPAIR TOOLS WITH BATTERIES. Due to the US Dept of Transportation rules, Flexco is unable to ship used batteries back to customers and they will be disposed. Contact Customer Experience to request a tool repair. Additional charges may apply depending on the extent of the repair. Flexco Customer Experience will advise prior to any work.


### ELECTRIC POWERED RIVET DRIVER KIT

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Standard Kit *	EPRDSSK-1	42082	25.6
Straight Shank Replacement Drive Rod	EPRDSS-DR	42083	2.0
Step Shank ** Replacement Drive Rod	EPRDVS-DR	41078	2.0

\*Kit includes Driver, two Custom Drive Rods, Convenient Carrying Case.

\*\*For use with previous model: EPRDVS-1.

- For use with standard 110 volt electric
- Works with standard MSRT and MBRTA application tools and guide blocks



### AIR POWERED RIVET DRIVER

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Air Powered Rivet Driver-Complete*	PTRDK	41835	5.0
<b>REPLACEMENT PARTS</b>			
Air Powered Rivet Driver	PTAH	41834	4.5
Retaining Chuck	PTRD-RC	41987	0.3
Drive Rod with Hold Down Spring and Washer	PTRD-DR	41777	1.0
Hold Down Spring and Washer	DR-SW	41836	0.1

\*Includes Air Powered Rivet Driver, Retaining Chuck, and Drive Rod with Hold Down Spring and Washer.

- Requires a minimum 90 psi for operation
- Works with standard MSRT and MBRTA application tools and guide blocks



□ **Stock Items** (non-shaded) standard lead time is 3 working days.

■ **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.



## How Flexco® Bolt Solid Plate Fasteners Work

Strength of this fastener is derived from the compression of the plates, mounted above and below the belt, with high tensile strength bolts. This "compression" distributes the splice tension across the full width of each fastener plate. The holding ability is, thereby, increased by not solely relying upon the bolts to resist pull-out.

Additional strength and resistance to pull-out is obtained from the specially formed teeth on each plate. These teeth imbed deep into the belt carcass, without damaging the carcass fibers.

A tight butt splice is achieved through the exaggerated bolt hole spacing in the templet which forces the belt end together. Flexco® Bolt Solid Plate Fasteners permit natural conformance with troughing or transition idlers.


140, 190 and 2-1/2 size fasteners are specifically designed for thinner belting, allowing increased compression, greater reach-back, and more fastener plates per belt width.

Applications	Installation Method	What You Need for Installation
Higher-tension main haulage belts in <ul style="list-style-type: none"> <li>• Coal</li> <li>• Grain Elevators</li> <li>• Hard-Rock Mining</li> <li>• Foundries</li> <li>• Aggregate Plants</li> <li>• Steel Mills</li> </ul>	Holes are punched in belt quickly and accurately with a templet and boring tool. Fasteners are installed on-site with portable, hand, or power tools.	<ul style="list-style-type: none"> <li>• Fastener Plates</li> <li>• Bolts &amp; Nuts</li> <li>• Templet</li> <li>• Belt Punch</li> <li>• Wrench</li> </ul> <ul style="list-style-type: none"> <li>• Bolt Horn</li> <li>• Flexco Installation Tool</li> <li>• Impact Tool or Carpenter's Brace</li> </ul>
How to Specify the Correct Flexco® Bolt Solid Plate Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness after skive.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. When using self-cleaning wing pulleys, subtract 20% of the overall diameter to calculate the minimum pulley diameter.</li> <li>5. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, steel is recommended.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction and corrosion from acids and chemicals.</p> <p><b>Everdur®.</b> Spark-free material compared to steel and fully non-magnetic.</p> <p><b>Flexco®VP™.</b> Rubber covered steel top plates.</p>	No Hinge Pin Required.

### Flexco® Bolt Solid Plate Fastener Selection Chart

Fastener Size	Fastener Rating		Belt Thickness Range		Recommended Min. Pulley Diameter When installing a 45 degree splice the minimum pulley diameter is reduced by 25%.			
	For Belt Tension Rating Up To:	For Belt Strength Up To:	Measured After Skive		Operating Tension 75-100% of Fastener Rating		Operating Tension Under 75% of Fastener Rating	
	PIW	kN/m	in.	mm	in.	mm	in.	mm
1	150	260	3/16-7/16	5-11	12	300	10	250
140*, 140VP	225	400	3/16-7/16	5-11	14	350	12	300
190, 190VP	375	650	5/16-9/16	8-14	18	450	16	400
1-1/2	300	520	7/16-11/16	11-17	18	450	16	400
2, 2VP	440	770	9/16-13/16	14-21	30	760	28	710
2-1/4	620	1080	9/16-1-3/16	14-30	36	920	34	860
2-1/2	450	790	3/4-1	19-25	42	1050	42	1050
3	560	980	15/16-1-1/4	24-32	48	1220	48	1220

**Note:** When used with extra long bolts the maximum belt thickness is 1-7/8" (48 mm) for No. 2-1/4 and 2" (50 mm) for No. 3.



# Flexco® Bolt Solid Plate Fasteners

## FASTENERS

### "E" BOX 25 FASTENER SETS

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>STEEL</b>		<b>MEGALLOY® TOP &amp; BOTTOM PLATES, STEEL BOLTS &amp; NUTS</b>		<b>STAINLESS – 300 SERIES</b>		<b>EVERDUR</b>		
1E	20002	140EMAP	20364	140ES	20034	140EE	20090	2.9
140E	20000	190EMAP	20365	190ES	20035	190EE	20091	4.6
190E	20001							4.8
1-1/2E	20004	1-1/2EMAP	20366	1-1/2ES	20038	1-1/2EE	20094	5.9
2E	20005	2EMAP	20367	2ES	20039	2EE	20095	8.0
2-1/4E	20006	2-1/4EMAP	20368	2-1/4ES	20040	2-1/4EE	20096	10.8
2-1/4E-LB	20028							11.3
2-1/2*	20007							6.4
3*	20008							7.0
3LB*	20029							7.1

\*10 Fastener Sets

### "E" BOX 25 FASTENER SETS

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>MEGALLOY® TOP PLATES BALANCE STEEL</b>		<b>300 SERIES STAINLESS TOP PLATES, BALANCE STEEL</b>		<b>1/8" RUBBER-COVERED T.P. BALANCE STEEL</b>		
140EMA	20330	140EST	20118			4.0
190EMA	20331	190EST	20119			4.6
1-1/2EMA	20334	1-1/2EST	20122			5.5
2EMA	20335	2EST	20123			7.6
2-1/4EMA	20336	2-1/4EST	20124	2-1/4ERCT	20191	10.3

### "C" BUCKET (100 FASTENER SETS – BOTTOM PLATES PRE-ASSEMBLED)

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>STEEL</b>		<b>MEGALLOY® TOP PLATES BALANCE STEEL</b>		<b>MEGALLOY® TOP &amp; BOTTOM PLATES, STEEL BOLTS &amp; NUTS</b>		<b>STAINLESS - 300 SERIES</b>		<b>EVERDUR</b>
1C	20014	1CMA	20327	140CMA	20340	140CS	20044	10.9
140C	20012	140CMA	20340	190CMA	20341	190CS	20045	15.7
190C	20013	190CMA	20341	1-1/2CMA	20344	1-1/2CS	20048	21.9
1-1/2C	20016	1-1/2CMA	20344	1-1/2CMA	20344	2CS	20049	30.3
2C	20017	2CMA	20345	2CMA	20345			42.3
2-1/4C	20018	2-1/4CMA	20346					32.0
2-1/2L*	20052							34.9
3L*	20053							37.0
3LWLB*	20047							

\*L Buckets are in quantities of 50.

### FLEXCO® VP™ FASTENERS

RUBBER COVERED TOP PLATES BALANCE STEEL				RUBBER COVERED TOP PLATES MEGALLOY® BOTTOM PLATES			
BOX*				BOX*			
ORDERING NUMBER	ITEM CODE	PLATES PER STRIP	STRIPS PER BOX	ORDERING NUMBER	ITEM CODE	PLATES PER STRIP	STRIPS PER BOX
140VP	20057	6	5	140VPMA	20081	6	5
190VP	20056	6	5	190VPMA	20080	6	5
2VP	20058	4	6				
BUCKET				BUCKET			
140VPB	20061	6	16	140VPBMA	20082	6	16
190VPB	20059	6	16	190VPBMA	20080	6	16
2VPB	20083	4	24				

\*Box quantities provide enough fasteners to splice a 36" (900 mm) belt.


### FASTENER SETS

#### REQUIRED FOR VARIOUS BELT WIDTHS

BELT WIDTH	FASTENER SIZE 1, 140 & 190				FASTENER SIZE 1-1/2 & 2 & 2-1/4				FASTENER SIZE 2-1/2 & 3				
	90°		45°		90°		45°		90°		45°		
	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	
12	300	10	9	12	12	8	7	10	9	6	6	7	7
18	450	15	14	20	19	12	11	15	15	9	9	11	11
24	600	20	19	27	26	16	16	21	21	12	12	16	16
30	750	25	24	34	33	20	20	27	27	16	15	21	20
36	900	30	29	41	41	24	24	33	32	19	19	25	25
	1000		33		45		26		36		21		28
42	1050	35	34	48	48	28	28	39	38	22	22	30	29
48	1200	40	39	56	55	32	32	44	44	26	25	35	34
54	1350	45	44	63	62	36	36	50	49	29	28	39	39
60	1500	50	50	70	69	40	40	56	55	32	32	44	43
72	1800	61	60	85	83	49	48	68	67	39	38	53	52

NOTE: Required fastener sets may vary from those listed depending on exact fastener size.





## INSTALLATION TOOLS



### 90° TEMPLETS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	1		140		190		
12"	300	1-12	30516	140-12	30483	190-12	30500	1.3
14"	350	1-14	30517	140-14	30484	190-14	30501	1.5
16"	400	1-16	30518	140-16	30485	190-16	30502	1.7
18"	450	1-18	30519	140-18	30486	190-18	30503	1.9
20"	500	1-20	30520	140-20	30487	190-20	30504	2.1
24"	600	1-24	30521	140-24	30488	190-24	30505	2.6
26"	650	1-26	30522	140-26	30489	190-26	30506	2.6
28"	700	1-28	30523	140-28	30490	190-28	30507	3.0
30"	750	1-30	30524	140-30	30491	190-30	30508	3.3
36"	900	1-36	30525	140-36	30492	190-36	30509	3.9
42"	1050	1-42	30526	140-42	30493	190-42	30510	4.5
48"	1200	1-48	30527	140-48	30494	190-48	30511	4.8
60"	1500	1-60	30529	140-60	30496	190-60	30513	5.9
		1-1/2		2				
12"	300			1-1/2-12	30548	2-12	30564	1.2
18"	450			1-1/2-18	30551	2-18	30567	1.9
20"	500			1-1/2-20	30552	2-20	30568	1.8
24"	600			1-1/2-24	30553	2-24	30569	2.5
30"	750			1-1/2-30	30556	2-30	30572	3.1
36"	900			1-1/2-36	30557	2-36	30573	3.8
42"	1050			1-1/2-42	30558	2-42	30574	4.4
48"	1200			1-1/2-48	30559	2-48	30575	5.2
54"	1350			1-1/2-54	30560	2-54	30576	5.6
60"	1500			1-1/2-60	30561	2-60	30577	6.6
72"	1800			1-1/2-72	30562	2-72	30578	7.2
		2-1/4		2-1/2		3		
20"	500	2-1/4-20	30584	2-1/2-20	30600			2.9
24"	600	2-1/4-24	30585	2-1/2-24	30601	3-24	30616	3.5
30"	750	2-1/4-30	30588	2-1/2-30	30604	3-30	30619	4.4
36"	900	2-1/4-36	30589	2-1/2-36	30605	3-36	30620	5.3
42"	1050	2-1/4-42	30590	2-1/2-42	30606	3-42	30621	6.2
48"	1200	2-1/4-48	30591	2-1/2-48	30607	3-48	30622	7.1
54"	1350	2-1/4-54	30592	2-1/2-54	30608	3-54	30623	7.9
60"	1500	2-1/4-60	30593	2-1/2-60	30609	3-60	30624	8.8
72"	1800	2-1/4-72	30594	2-1/2-72	30610	3-72	30625	10.6

### 45° TEMPLETS\*

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
1		140		190		
1-12-45	30673	140-12-45	30642	190-12-45	30658	1.1
		140-14-45	30643			
1-16-45	30675	140-16-45	30644			
1-18-45	30676	140-18-45	30645	190-18-45	30661	2.3
		140-20-45	30646	190-20-45	30662	
1-24-45	30678	140-24-45	30647	190-24-45	30663	3.0
				190-26-45	30664	
1-30-45	30681	140-30-45	30650	190-30-45	30666	3.7
1-36-45	30682	140-36-45	30651	190-36-45	30667	4.5
1-42-45	30683	140-42-45	30652	190-42-45	30668	5.2
1-48-45	30684	140-48-45	30653	190-48-45	30669	6.0
1-60-45	30686	140-60-45	30655	190-60-45	30671	7.5
		1-1/2		2		
		1-1/2-12-45	30704			
		1-1/2-18-45	30707	2-18-45	30723	2.0
		1-1/2-20-45	30708	2-20-45	30724	
		1-1/2-24-45	30709	2-24-45	30725	3.0
		1-1/2-30-45	30712	2-30-45	30728	3.7
		1-1/2-36-45	30713	2-36-45	30729	5.3
		1-1/2-42-45	30714	2-42-45	30730	5.2
		1-1/2-48-45	30715	2-48-45	30731	6.0
		1-1/2-54-45	30716	2-54-45	30732	
		1-1/2-60-45	30717	2-60-45	30733	7.5
		1-1/2-72-45	30718	2-72-45	30734	

\*NOTE: When installing a 45 degree splice the minimum pulley diameter is reduced by 25%.




### NAILS FOR TEMPLETS

ORDERING NUMBER	ITEM CODE	WT. LBS.	NAILS/PKG. (Approx.)
8D	30437	1.0	90

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.










**Non-Listed Items** are available. Request quote for price and delivery.



# Flexco® Bolt Solid Plate Fasteners

## INSTALLATION TOOLS

### HAND & POWER TOOLS

	DESCRIPTION	FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	BOLT HOLE DIAMETER	WT. LBS.
HAND TOOLS	BOLT HORN 		2BH	30480		.1
	BOLT BREAKER (Two Per Package) 	1,140,190 & RP1	110	30474	1/4"	1.2
		1 1/2, 2, 2 1/4 & RP2	112*	30475	5/16"	1.4
		1,140,190, RP1, 1 1/2, 2, 2 1/4 & RP2	110-112*	30595	1/4", 5/16"	1.9
		2 1/2 & 3	113*	30479	3/8"	2.0
	PUNCH 	1,140,190 & RP1	P1P	30460	1/4"	.1
		1 1/2, 2, 2 1/4 & RP2	P2P	30461	5/16"	.2
		2 1/2 & 3	P3P	30462	3/8"	.3
	BORING BIT 	1,140,190 & RP1	B1B	30468	1/4"	.1
		1 1/2, 2, 2 1/4 & RP2	B2B	30469	5/16"	.1
2 1/2 & 3		B3B	30470	3/8"	.1	
WRENCH 	1,140,190 & RP1	S1S	30442	1/4"	.2	
	1 1/2, 2, 2 1/4 & RP2	S2S	30443	5/16"	.2	
	2 1/2 & 3	S3S	30444	3/8"	.2	
POWER TOOLS	POWER PUNCH 	1,140,190 & RP1	HP1	30463	1/4"	.2
		1 1/2, 2, 2 1/4 & RP2	HP2	30464	5/16"	.2
		2 1/2 & 3	HP3	30465	3/8"	.2
	POWER BORING BIT 	1,140,190 & RP1	HB1	30471	1/4"	.1
		1 1/2, 2, 2 1/4 & RP2	HB2	30472	5/16"	.1
		2 1/2 & 3	HB3	30473	3/8"	.1
	POWER WRENCH 	GREEN 1,140,190 & RP1	HW1	30447	1/4"	.3
		RED 1 1/2, 2, 2 1/4 & RP2	HW2	30448	5/16"	.3
		BLUE 2 1/2 & 3	HW3	30449	3/8"	.4
	QUICK CHANGE CHUCK 1/2" DRIVE 		5552	30481		.4
1/2" IMPACT TOOL		30453	30453		8.9	

\*Sizes 110-112, 112 and 113 are straight bolt breakers – no bend.

### FLEXCO-LOK®

Belt tape 100' per carton

FASTENER SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.	TAPE WIDTH
140, 1	FL7C	30888	.8	7/16"
190	FL11C	30889	1.0	11/16"
1-1/2, 2, 2-1/4				



### CRACKING CHISEL


NUT SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
1, 140 or 190	C1C	30438	1.2
1-1/2, 2, 2-1/4	C2C	30439	1.2
2-1/2-3	C3C	30499	1.6



### FLEXCO® BELT GROOVER

(7/16" wide groove path)

ORDERING NUMBER	ITEM CODE	WT. LBS.
FBG1	31978	1.8
<b>EXTRA BLADES</b>		
HSP3	31980	0.1




### FLEXCO® SILICONE LUBRICANT

ORDERING NUMBER	ITEM CODE	PKG. QTY.	WT. LBS.
SL5-1 (aerosol)	30932	1	1.4
SLP5-1 (pump)	30931	1	1.4



### FLEXCO® BELT IDENTIFICATION TOOL

ORDERING NUMBER	ITEM CODE	WT. LBS.
BT-1	31075	.06



### SETTING PLATE


ORDERING NUMBER	ITEM CODE	WT. LBS.
ST-28	50249	5.0



### ROUTER COUNTERSINKING TOOLS


DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Template Guide	RTG-2	30890	.08
Router Templet	FRT-1	30875	0.7
Router Bit	RT-5/8	30877	0.2

# Flexco® Bolt Solid Plate Fasteners



## RIP REPAIR FASTENERS


ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>STEEL</b>			
RP1E	20010	25	4.7
RP1C	20022	100	19.1
RP2E	20011	25	10.2
RP2C	20023	100	38.7
2-1/4E	20006	25	10.6
2-1/4C	20018	100	43.0
<b>STAINLESS</b>			
RP1ES	20041	25	4.9
RP2ES	20042	25	10.1
2-1/4ES	20040	25	10.7
<b>EVERDUR</b>			
2-1/4EE	20096	25	11.6



2 1/4



RP1



RP2



16

## TURTLE® FASTENER—STEEL

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
16	20206	50	4.3


## RIP REPAIR SELECTION INFORMATION


Belt Thickness		Fastener Size
in.	mm.	
3/8-9/16	10-14	No. 16
1/4-1/2	6-13	RP1
3/8-13/16	10-21	RP2
9/16-1-3/16	14-30	2-1/4

Note: Use extra long bolts for thicker belts.


## RIP REPAIR KITS

DESCRIPTION	QUANTITY	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>1/4" to 1/2" (6 mm to 13 mm) Belt Thickness Range After Skive</b>				
<b>RIP REPAIR KIT COMPLETE</b>		<b>RP1C-RRK</b>	<b>30053</b>	<b>21.4</b>
Includes items as listed below:				
RP1C Fasteners, 100 pcs.	1	RP1C	20022	19.1
2BH Bolt-Horn Assy Tool	1	2BH	30480	.1
110 Bolt Breakers (pair)	1	110	30474	1.2
HP1 Power Punch	1	HP1	30463	.2
HB1 Power Boring Bit	1	HB1	30471	.1
HW1 Power Wrench	2	HW1	30447	.3
5552 Quick Change Chuck	1	5552	30481	.4
<b>3/8" to 13/16" (10 mm to 21 mm) Belt Thickness Range After Skive</b>				
<b>RIP REPAIR KIT COMPLETE</b>		<b>RP2C-RRK</b>	<b>30054</b>	<b>41.0</b>
Includes items as listed below:				
RP2C Fasteners, 100 pcs.	1	RP2C	20023	38.7
2BH Bolt-Horn Assy Tool	1	2BH	30480	.1
112 Bolt Breakers (pair)	1	112	30475	1.2
HP2 Power Punch	1	HP2	30464	.2
HB2 Power Boring Bit	1	HB2	30472	.1
HW2 Power Wrench	2	HW2	30448	.3
5552 Quick Change Chuck	1	5552	30481	.4
<b>15/16" to 1 1/4" (24 mm to 32 mm) Belt Thickness Range After Skive</b>				
<b>RIP REPAIR KIT COMPLETE</b>		<b>3L-RRK</b>	<b>30070</b>	<b>38.1</b>
Includes items as listed below:				
3L Fasteners, 50 pcs.	1	3L	20053	34.9
2BH Bolt-Horn Assy Tool	1	2BH	30480	.1
113 Bolt Breakers (pair)	1	113	30479	2.0
HP3 Power Punch	1	HP3	30465	.2
HB3 Power Boring Bit	1	HB3	30473	.1
HW3 Power Wrench	2	HW3	30449	.4
5552 Quick Change Chuck	1	5552	30481	.4

 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.




# Flexco® Bolt Solid Plate Fasteners

## Exclusive Piloted Bolt Design Simplifies Installation:

The new piloted bolt is currently being phased in to replace standard bolt designs.  
To order the new piloted bolts as they become available, use standard bolt ordering numbers.

### EXTRA BOLTS PER 100

FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	WT. LBS.	ORDERING NUMBER / ITEM CODE	WT. LBS.	ORDERING NUMBER / ITEM CODE	WT. LBS.
	STEEL		STAINLESS - 300 SERIES		EVERDUR	
1 140 & 190 RP1	20398	2.1	20400	2.3	20397	2.4
	20399	2.4				
	20398	2.1				
1-1/2, 2 & RP2 2-1/4 2-1/4 XL	20406	4.1	20407	4.0	20409	4.6
	20410	4.8	20411	4.9	20412	5.4
	20419	6.9				
2-1/2 & 3 2-1/2 & 3 XL	20414	7.2				
	20413	8.5				




### EXTRA NUTS PER 100

FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	WT. LBS.	ORDERING NUMBER / ITEM CODE	WT. LBS.	ORDERING NUMBER / ITEM CODE	WT. LBS.
	STEEL		STAINLESS - 300 SERIES		EVERDUR	
1, 140, 190 & RP1	20377	0.8	20381	0.7	20387	0.8
					1-1/2, 2, 2-1/4, & RP2	20378
2-1/2 & 3	20379	2.2				

### WEDLOK®

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Splice Kit*	2W	20200	4.0
Everdur Splice Kit	2WE	20197	4.0
Stainless Splice Kit	2WS	20201	4.0
Leading End Kit	2WL	20202	3.0
Trailing End Kit	2WT	20203	2.9
Templet Set	T2W	20204	6.3
72" Side Templet	T2WS72	20205	7.6

\*300 Series Stainless Top Plates, Balance Steel.




WEDLOK SPLICE KIT

Stock Items (non-shaded) standard lead time is 3 working days.

Made To Order Items (shaded) extended lead time, minimum order may apply.

Special Metals and Special Length Cards are available.  
Request quote for price and delivery.





## How Flexco® Rivet Solid Plate Fasteners Work

The Flexco® BR™ fastener offers longer service life in demanding, higher-tension applications and is an excellent replacement for vulcanized splicing in a wide range of industries.

Designed for high strength synthetic carcass belting, the fastener is installed with a staggered pattern of rivets to ensure maximum grip on the belt fibers. Working between these fibers without severing them, the strength of the belt is left intact. The specially-shaped head of each pilot nail

works with the installation tool's anvil plate to "self-set" the rivets.


The same hammer blows that drive and set the rivets also tightly compress the fastener plates for the strongest possible splice. The broad width and heavy gauge of the plates give extended wear life. These plates compress uniformly and are specially coined so there are no high spots or edges to hang up.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Sand</li> <li>Gravel</li> <li>Crushed Stone</li> <li>Grain</li> <li>Coal</li> <li>Cement</li> <li>Salt</li> </ul>	<p>Designed for fast, simple installation. All that is needed is a hammer and the portable MBRT tool. Belt ends and fastener strip are held in proper alignment. Upon proper alignment, the rivets can be hammer-driven and set from the top side of belt.</p>	<ul style="list-style-type: none"> <li>Fasteners</li> <li>Rivets</li> <li>Flexco Installation Tool</li> <li>Hammer</li> </ul>
How to Specify the Correct Flexco® Rivet Solid Plate Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Determine Belt Tension (PIW).</li> <li>Measure your Belt Thickness after skive.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>When using self-cleaning wing pulleys, subtract 20% of the overall diameter to calculate the minimum pulley diameter.</li> <li>Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, plated steel is recommended.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p> <p><b>Stainless Steel.</b> Stainless Steel provides extra resistance to abrasion, magnetic attraction and corrosion from acids and chemicals.</p> <p><b>Everdur®.</b> Spark-free material compared to steel and fully non-magnetic.</p>	<p>No Hinge Pin Required.</p>

### Flexco® Rivet Solid Plate Fastener Selection Chart

Fastener Size	Fastener Rating		Belt Thickness Range		Recommended Min. Pulley Diameter			
	For Belt Tension Rating Up To:	For Belt Strength Up To:	Measured After Skive		Operating Tension 75-100% of Fastener Rating		Operating Tension Under 75% of Fastener Rating	
	PIW	kN/m	in.	mm	in.	mm	in.	mm
BR6	400*	700*	3/16-21/32	5-16.5	14	350	12	300
BR10	650	1140	7/32-11/16	5.5-17.5	18	450	16	400
BR14	800	1400	13/32-15/16	10-24	36	920	34	860

\*Contact Flexco Engineering for applications greater than 400 PIW (700 kN/m).



# Flexco® BR™ Rivet Solid Plate Fasteners

## FASTENERS



Order each component separately for a complete splice: Fasteners + Rivets

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### FLEXCO® BR6 FASTENERS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	STEEL		
24	600	BR6-SE-24	40658	4.6
30	750	BR6-SE-30	40682	5.7
36	900	BR6-SE-36	40683	7.0
42	1050	BR6-SE-42	40684	8.0
STAINLESS				
24	600	BR6S-SE-24	40769	4.6
30	750	BR6S-SE-30	40787	5.7
36	900	BR6S-SE-36	40790	6.9
42	1050	BR6S-SE-42	40791	7.8
EVERDUR				
24	600	BR6E-SE-24	42152	5.3
30	750	BR6E-SE-30	42153	6.4
36	900	BR6E-SE-36	42154	7.7
42	1050	BR6E-SE-42	42155	8.7

Each box of BR6 fasteners contains 9-Plate fastener strips. Two splices per box.

### FLEXCO® BR6 MEGALLOY®

ORDERING NUMBER	ITEM CODE	WT. LBS.
BR6MA-SE	41776	5.5

Each box of BR6 MegAlloy contains 45 fastener sets. Ten 9-Plate fastener strips for 60"/1500 mm of splicing.

### FLEXCO® BR10 & BR14 FASTENERS

FASTENER METAL	ORDERING NUMBER	ITEM CODE	WT. LBS.
STEEL	BR-10-SE	40750	8.0
MEGALLOY®	BR-10MA-SE	40752	7.9
STAINLESS	BR-10S-SE	40751	8.1
EVERDUR	BR-10E-SE	40753	7.9
STEEL	BR-14	40755	12.9
MEGALLOY®	BR-14MA	40756	13.1

Each box contains 35 fastener sets. Ten 7-Plate fastener strips.

### ADDITIONAL FASTENER PARTS

DESCRIPTION	PKG. QTY.	ORDERING NUMBER	ITEM CODE	WT. LBS.
Hold Down Clips for BR10	23	BR101	40786	.5
Hold Down Clips for BR14	23	BR141	40788	.4
Black Plastic Retainers	49	BR103	40789	.1

**Stock Items** (non-shaded) standard lead time is 3 working days.

**Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.

### Fasteners and Rivets Required for one BR6 Joint


BELT WIDTH		FASTENER SETS REQUIRED	RIVETS REQUIRED
in.	mm		
24	600	18	108
30	750	22	132
36	900	27	162
42	1050	31	186
48	1200	36	216
60	1500	44	264
72	1800	54	324
84	2130	62	372
96	2430	72	432

### Flexco® Rivet Solid Plate Fasteners And Rivets Required For one BR10 or BR14 Joint and Various Belt Widths


BELT WIDTH	SETS OF BR-10 OR BR-14 FASTENERS REQUIRED		RIVETS NEEDED FOR COMPLETE SPLICE	
	in.	mm	BR-10	BR-14
18	450	10	100	140
24	600	14	140	196
26	650	15	150	210
28	700	16	160	224
30	750	17	170	238
36	900	21	210	294
	1000	23	230	322
42	1050	24	240	336
	1200	27	270	378
48		28	280	392
54	1350	31	310	434
60		35	350	490
72	1800	41	410	574
		42	420	588
	2100	48	480	672

### RIVET SELECTION CHART


FASTENER SIZE	BELT THICKNESS RANGE		RIVET SIZE
	in.	mm	
BR6	3/16 - 9/32	5-7	AA
	1/4 - 11/32	6.5-9	A
	5/16 - 13/32	8-10.5	B
	3/8 - 15/32	9.5-12	C
	7/16 - 17/32	11-13.5	C/D
	1/2 - 19/32	13-15	D
BR10	9/16 - 21/32	14-16.5	E
	7/32-5/16	5.5-8	SRA
	9/32-3/8	7-9.5	SRB
	11/32-7/16	9-11	SRC
	13/32-1/2	10-13	SRD
	15/32-9/16	12-14	SRD
BR14	17/32-5/8	13.5-16	SRE
	19/32-11/16	15-17.5	SRE
	13/32-1/2	10-13	SRD
	15/32-9/16	12-14	SRE
	17/32-5/8	13.5-16	SRE
	19/32-11/16	15-17.5	SRG
	21/32-3/4	16.5-19	SRH
	23/32-13/16	18-20.5	SRI
25/32-7/8	20-22	SRJ	
27/32-15/16	21.5-24	SRK	



BR6



BR10




BR14

### RIVET SELECTION GAUGE

ORDERING NUMBER	ITEM CODE	WT. LBS.
BR6	41829	0.1
BR10-BR14	40381	0.1



# Flexco® BR™ Rivet Solid Plate Fasteners



## RIVETS



Self-setting, pre-assembled with pilot nails

### STEEL

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (100 Rivets)</b>			
SRAA-100	40509	100	.8
SRA-100	40539	100	.9
SRB-100	40540	100	1.0
SRC-100	40541	100	1.1
<b>BOX (250 Rivets)</b>			
SRAA	40508	250	2.2
SRA	40527	250	2.3
SRB	40528	250	2.5
SRC	40529	250	2.6
SRC/D	40538	250	2.8
SRD	40530	250	2.9
SRE	40531	250	3.1
SRF	40532	250	3.1
SRG	40533	250	3.2
SRH	40534	250	3.4
SRI	40535	250	3.5
SRJ	40536	250	3.6
SRK	40537	250	3.7
<b>BUCKET (2000 Rivets)</b>			
SRAA-2M	40424	2000	16.1
SRA-2M	41190	2000	16.6
SRB-2M	41191	2000	18.1
SRC-2M	41192	2000	20.2
SRC/D-2M	41193	2000	21.2
SRD-2M	41194	2000	21.9
SRE-2M	41195	2000	23.1
SRF-2M	41196	2000	24.4
SRG-2M	41197	2000	24.9
SRH-2M	41198	2000	25.1
SRI-2M	41199	2000	25.9

### STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (250 Rivets)</b>			
SRAA-S	40468	250	2.1
SRA-S	40542	250	2.3
SRB-S	40543	250	2.5
SRC-S	40544	250	2.6
SRC/D-S	40548	250	2.8
SRD-S	40545	250	2.9
SRE-S	40546	250	3.1
SRF-S	40547	250	3.1
SRG-S	40523	250	3.2
SRH-S	40522	250	3.4
SRI-S	40506	250	16.7
SRJ-S	40507	250	18.4
SRK-S	40520	250	19.9
SRL-S	40519	250	4.2
<b>BUCKET (2000 Rivets)</b>			
SRAA-S-2M	40762	2000	16.6
SRA-S-2M	41200	2000	17.1
SRB-S-2M	41201	2000	18.9
SRC-S-2M	41202	2000	20.6
SRC/D-S-2M	41203	2000	21.3
SRD-S-2M	41204	2000	21.9
SRE-S-2M	41205	2000	22.9
SRF-S-2M	41206	2000	23.5
SRG-S-2M	41207	2000	24.7
SRH-S-2M	41208	2000	25.1
SRI-S-2M	41181	2000	26.3
SRJ-S-2M	41183	2000	27.5
SRK-S-2M	41185	2000	28.7
SRL-S-2M	41781	2000	29.9

## RAPID LOADER™ RIVET STRIPS

Self-setting, pre-assembled with pilot nails

### FOR FLEXCO® BR6

32 Strips / 768 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
AA	Gray	CBR6AA	40094	10.0
A	Red	CBR6A	41785	10.5
B	White	CBR6B	41786	11.0
C	Blue	CBR6C	41788	11.0
C/D	Orange	CBR6C/D	41792	11.5
D	Green	CBR6D	41793	12.0
E	Purple	CBR6E	41794	12.0
F	Yellow			
<b>STAINLESS (TYPE 430)</b>				
AA	Gray	CBR6AA-S	40096	10.0
A	Red	CBR6A-S	41795	10.0
B	White	CBR6B-S	41796	10.5
C	Blue	CBR6C-S	41797	11.0
C/D	Orange	CBR6C/D-S	41798	11.5
D	Green	CBR6D-S	41799	12.0
E	Purple	CBR6E-S	41800	12.0
F	Yellow			
<b>EVERDUR</b>				
AA	Gray	CBR6AA-E	40563	10.0
A	Red	CBR6A-E	40564	10.5
B	White	CBR6B-E	40565	11.0
C	Blue	CBR6C-E	40031	11.5

### FOR FLEXCO® BR10

60 Strips / 1200 Rivets per Bucket

ORDERING NUMBER	ITEM CODE	WT. LBS.
CSRLA	40857	13.00
CSRLB	40858	13.92
CSRLC	40859	14.84
CSRLC/D	40860	15.56
CSRLD	40861	16.06
CSRLE	40862	16.62
CSRLF	40863	17.34
CSRLA-S	40978	12.90
CSRLB-S	40979	13.80
CSRLC-S	40980	14.92
CSRLC/D-S	40981	15.31
CSRLD-S	40982	15.92
CSRLE-S	40983	16.48
CSRLF-S	40984	16.94

## RAPID LOADER™ RIVET STRIPS

### WITH WASHERS

For use with the Flexco® Pneumatic Single Rivet Driver

### FOR FLEXCO® BR6


32 Strips/768 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
AA	Gray	CBR6AA-W	40095	10.0
A	Red	CBR6A-W	42065	10.5
B	White	CBR6B-W	42066	11.0
C	Blue	CBR6C-W	42067	11.0
C/D	Orange	CBR6C/D-W	42068	11.5
D	Green	CBR6D-W	42069	12.0
E	Purple	CBR6E-W	42070	12.0
F	Yellow			
G	Black			
<b>STAINLESS (TYPE 430)</b>				
AA	Gray	CBR6AA-S-W	40097	10.0
A	Red	CBR6A-S-W	42071	10.0
B	White	CBR6B-S-W	42072	10.5
C	Blue	CBR6C-S-W	42073	11.0
C/D	Orange	CBR6C/D-S-W	42074	11.5
D	Green	CBR6D-S-W	42075	12.0
E	Purple	CBR6E-S-W	42076	12.0
F	Yellow			
G	Black			
<b>EVERDUR</b>				
AA	Gray	CBR6AA-E-W	40566	10.0
A	Red	CBR6A-E-W	40567	10.5
B	White	CBR6B-E-W	40568	11.0
C	Blue	CBR6C-E-W	40080	11.5

### FOR FLEXCO® BR10

60 Strips/1200 Rivets per Bucket

ORDERING NUMBER	ITEM CODE	WT. LBS.
CSRLA-W	40891	13.00
CSRLB-W	40892	13.92
CSRLC-W	40893	14.84
CSRLC/D-W	40895	15.56
CSRLD-W	40897	16.06
CSRLE-W	40898	16.62
CSRLF-W	40899	17.34
CSRLG-W	40901	17.90
CSRLA-S-W	40955	12.90
CSRLB-S-W	40956	13.80
CSRLC-S-W	40957	14.92
CSRLC/D-S-W	40958	15.31
CSRLD-S-W	40959	15.92
CSRLE-S-W	40961	16.48
CSRLF-S-W	40969	16.94
CSRLG-S-W	40971	17.52



# Flexco® BR™ Rivet Solid Plate Fasteners

For Power Installation of Flexco® BR™ Fasteners, see page 106.

## INSTALLATION TOOLS

### Multiple Rivet Applicator Tool

#### MBRTA APPLICATOR TOOL Complete (For BR10 and BR14)

Includes two SR759 Multiple Drive Rods, BR500D Multiple Guide Blocks, one SR-50 Driver Tool, one BR151 Bridge Removal Tool, one Nut Driver, two 4 lb. Hammers, Lubricant and Metal Tool Box.

TOOL WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	MULTIPLE GUIDE BLOCKS INCLUDED
in.	mm				
30	750	MBRTA-30	40927	111.3	4
36	900	MBRTA-36	40928	115.5	5
42	1050	MBRTA-42	40920	125.0	6
48	1200	MBRTA-48	40921	166.6	7
60	1500	MBRTA-60	40922	178.6	9
72	1800	MBRTA-72	40923	192.3	10
84	2130	MBRTA-84	40924	227.8	12
96	2430	MBRTA-96	40925	263.2	14

#### ALUMINUM MBRT6 APPLICATOR Complete (For BR6 only)

Includes one BR359 three prong multiple drive rod, two BR300 multiple guide blocks, one BR151 bridge removal tool, one 4 lb. hammer, and lubricant.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	MULTIPLE GUIDE BLOCKS REQUIRED TO SPAN TOOL WIDTH
in.	mm				
30	750	MBRT6-30-AL	41089	75.0	5
36	900	MBRT6-36-AL	41097	85.0	7
42	1050	MBRT6-42-AL	41098	92.0	8
48	1200	MBRT6-48-AL	41099	106.0	9
60	1500	MBRT6-60-AL	41107	120.0	11
72	1800	MBRT6-72-AL	41123	136.0	13
84	2130	MBRT6-84-AL	41124	156.0	15
96	2430	MBRT6-96-AL	41126	173.0	18

#### ALUMINUM MBRT10 APPLICATOR Complete (For BR10 only)

Includes one SR759 five prong multiple drive rod, two BR500D multiple guide blocks, one BR151 bridge removal tool, one 4 lb. hammer, and lubricant.

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30	750	MBRT10-30-AL	41138	79.0
36	900	MBRT10-36-AL	41139	89.0
42	1050	MBRT10-42-AL	41148	97.0
48	1200	MBRT10-48-AL	41149	105.0
60	1500	MBRT10-60-AL	41152	124.0
72	1800	MBRT10-72-AL	41153	141.0
84	2130	MBRT10-84-AL	41168	161.0
96	2430	MBRT10-96-AL	41179	177.0

#### Aluminum Content

ALUMINUM ALLOY TYPE	PERCENT	
	Mg - Magnesium	Ti - Titanium
5356	5.5	0.2
6005	0.6	0.1
6061	1.0	0.0
7075	2.5	0.0



#### MBRT TOOL COMPONENTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Multiple Guide Block-Blue, BR6	BR300	40882	3.8
Multiple Drive Rod-3 Prong	BR359	41187	1.0
Multiple Guide Block-Yellow, BR10, BR14	BR500D	41016	3.0
Multiple Drive Rod-5 Prong	SR759	41055	.9
BR6 Steel Guide Block*	35RD-BR6GB-4	43063	11.0
BR10 Steel Guide Block*	35RD-BR10GB-4	43064	14.2
Nut Driver	41008	41008	.5
Driver Tool Complete	SR-50	40510	.8
Bridge Removal Tool	BR151	40760	.5
Silicone Lubricant (Aerosol)	SL5-1	30932	1.4
Silicone Lubricant (Pump Spray)	SLP5-1	30931	1.4
Four lb. Hammer	4FH	30435	5.3

\* For use with the Flexco® Pneumatic Single Rivet Driver.



#### ACCESSORY TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Repair Tool Kit Complete	BRR-1014	40794	3.8
Center Block w/Screws	BRR-11	40796	.6
Center Punch	BRR-DP	40793	.1
Flexco Belt Groover	FBG1	31978	1.8
Extra Blades	HSP3	31980	.1

#### METAL TOOL BOX FOR SR™ and BR™ APPLICATOR TOOLS



DESCRIPTION	ORDERING NUMBER/ITEM CODE	WT. LBS.
36" Tool Box	40988	41.2
42" or 48" Tool Box	40990	48.2
60" Tool Box	40991	73.0

# Flexco® BR™ Rivet Solid Plate Fasteners



## MBRTA APPLICATOR TOOL REPLACEMENT PARTS

DESCRIPTION	TOOL WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Clamp Bar Assembly	30"	750	BRP59-30	40800	5.1
	36"	900	BRP59-36	40801	5.7
	42"	1050	BRP59-42	40802	6.3
	48"	1200	BRP59-48	40803	7.0
	60"	1500	BRP59-60	40804	7.9
MBRTA Top Aligning Bar Assembly (Includes two end plates and fasteners)	30"	750	BR-530	41020	4.7
	36"	900	BR-536	41021	5.0
	42"	1050	BR-542	41022	5.3
	48"	1200	BR-548	41023	6.0
	60"	1500	BR-560	41024	7.4
Channel Base Assembly (Includes Channel Base, Anvil plates, End plates, and Gauge Rod Guides)	42"	1050	BRP100-42	40915	51.0
	48"	1200	BRP100-48	40916	58.0
	60"	1500	BRP100-60	40918	72.5
	72"	1800	BRP100-72	40919	87.0
Anvil Plate Assembly (includes screws)			BRP3	40907	.9
Anvil Plate Screws			BRPS	40908	.5
Channel Base Handle			BRP21	40930	.6
Ball Lock Pin w/Chain			BRP31	40960	.1
Hold Down Cam Rods (Includes Two)	30"	750	BRP22-30	40962	.6
	36"	900	BRP22-36	40963	.6
	42"	1050	BRP22-42	40964	.6
	48"	1200	BRP22-48	40965	.6
	60"	1500	BRP22-60	40966	.9
Cam Guide Assembly			BRP26	40970	.1
End Plate Assembly			BRP2	40975	1.9




MBRTA TOOL WITH MULTIPLE RIVET DRIVER


Stock Items (non-shaded) standard lead time is 3 working days.

Made To Order Items (shaded) extended lead time, minimum order may apply.

Special Metals and Special Length Cards are available. Request quote for price and delivery.




# Flexco® BR™ Rivet Solid Plate Fasteners



## ALUMINUM MBRT6/MBRT10 APPLICATOR TOOL – REPLACEMENT PARTS

DESCRIPTION	TOOL WIDTH		BR6/BR10					
	in.	mm	ORDERING NUMBER	ITEM CODE	WT. LBS.			
	BR6 & BR10 Clamp Bar Assembly	30"	750	BRP6-10AL30CB	41915	7.7		
36"		900	BRP6-10AL36CB	41916	8.3			
42"		1050	BRP6-10AL42CB	41917	9.0			
48"		1200	BRP6-10AL48CB	41918	9.7			
60"		1500	BRP6-10AL60CB	41919	10.4			
72"		1800	BRP6-10AL72CB	41920	11.0			
84"		2130	BRP6-10AL84CB	41921	11.6			
96"		2430	BRP6-10AL96CB	41922	12.0			
Aligning Bar Assembly			BR6					
	30"	750	BRP6AL-30AB	41906	4.7			
	36"	900	BRP6AL-36AB	41907	5.0			
	42"	1050	BRP6AL-42AB	41908	5.3			
	48"	1200	BRP6AL-48AB	41909	5.6			
	60"	1500	BRP6AL-60AB	41910	6.2			
	72"	1800	BRP6AL-72AB	41911	6.6			
	84"	2130	BRP6AL-84AB	41912	7.0			
	96"	2430	BRP6AL-96AB	41913	7.4			
						BR10		
				BRP10AL-30AB	41924	4.7		
				BRP10AL-36AB	41925	5.0		
				BRP10AL-42AB	41926	5.3		
				BRP10AL-48AB	41927	5.6		
			BRP10AL-60AB	41928	6.2			
			BRP10AL-72AB	41929	6.6			
			BRP10AL-84AB	41930	7.0			
			BRP10AL-96AB	41931	7.4			



## How Flexco® FXC™ Steel Cord Belt Fasteners Work

The FXC™ is a mechanical fastener system for steel cord belts that can be used for temporary splices or pulling a steel cord belt onto the conveyor system.


This first-of-its-kind mechanical steel cord belt fastener is a custom kit for belts up to ST2500. This product was engineered to allow any site to get a steel cord belt back into operation in as little as half of a workday.

The FXC™ allows customers to get the belt operational while scheduling a vulcanizing crew. Having the FXC™ Steel Cord Belt Fastening System solution at your facility makes repairs quick and convenient to avoid extended downtime.

Applications	Installation Method	Required Details
<ul style="list-style-type: none"> <li>• Copper</li> <li>• Iron Ore</li> <li>• Coal</li> <li>• Cement</li> <li>• Hard Rock</li> <li>• Aggregate</li> <li>• Tunneling/Construction</li> </ul>	<ol style="list-style-type: none"> <li>1. Remove the top and bottom covers and strip the rubber from the belt cords.</li> <li>2. Crimp the ferrules onto the cords of the belt.</li> <li>3. Place the W-blocks and fastener plates onto the steel cords.</li> <li>4. Secure W-blocks and fastener plates with bolts and nuts.</li> <li>5. Break or grind off bolt ends and peen flat.</li> <li>6. Join belt ends together and insert the hinge pin.</li> <li>7. For temporary splice only, cover splice with filler rubber.</li> </ol> <p>For detailed instructions, please see the Installation and Operating Manual.</p>	<ol style="list-style-type: none"> <li>1. Belt Rating: (ST500 to ST2500)</li> <li>2. Cord Diameter (2.5mm to 7.0mm)</li> <li>3. Cord Pitch (11mm to 23mm)</li> <li>4. Total Number of Cords</li> <li>5. Belt Width (No Width Restrictions)</li> </ol> <p>Email <a href="mailto:info@flexco.com">info@flexco.com</a> for more information.</p>
<h3>Ordering Process</h3> <p>Because there are many different steel cord belt constructions, a data sheet is used to collect information so a custom splice kit can be made for a specific belt. See the Required Details box to learn what information contributes to your splice kit build.</p>		<h3>What You Need for Installation</h3> <p>The FXC™ Tool Kit includes a 12-ton power crimper, a necessary tool for installation of this splice. There are also some common tools that need to be supplied by the customer.</p>

# Flexco® FXC™ Steel Cord Belt Fasteners

For additional information, see page 119. For quoting and ordering a temporary splice or belt pull kit, fill out the FXC data sheet and submit to info@flexco.com.



## FULL INSTALLATION TOOL KIT


DESCRIPTION	ORDERING NUMBER	ITEM CODE
FXC™ Installation Kit	FXC-ITK	111282

Tool Kit Components and Quantities are listed below.



## POWERED CRIMPER AND CRIMPER DIES

DESCRIPTION	ORDERING NUMBER	ITEM CODE	INCLUDED WITH FULL TOOL KIT
12 Ton Crimper With 2 Batteries and 1 Charger	FXC-PCB	111081	1 (with 111282)
Powered Crimper Die Holder Base - 1 Set	FXC-DH-2	111224	1 Pair
Crimper Die for A-B Ferrules - 1 Set	FXC-CD-AB	111056	Included with Splice Kits (Not in Tool Kit)
Crimper Die for C-D Ferrules - 1 Set	FXC-CD-CD	111057	
Crimper Die for E-F-G Ferrules - 1 Set	FXC-CD-EFG	111058	
Crimper Die for H-I-J Ferrules - 1 Set	FXC-CD-HIJ	111059	
2 Spare Crimper Batteries and 1 Charger	FXC-PCBK	111143	(Spare Only)
Spare Crimper Battery - Single	FXC-1BATT	111145	(Spare Only)



12 Ton Crimp Tool

**Stock Items** (non-shaded) carried in factory inventory.  
 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.  
**Non-Listed Items** are available. Request quote for price and delivery.




# Flexco® FXC™ Steel Cord Belt Fasteners


## BELT PREPARATION COMPONENTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	INCLUDED WITH FULL TOOL KIT
Straight Oscillating Blade- 20 Blades Total	FXC-SOB-20	111146	20 Total Blades
Round Oscillating Blade- 2 Blades Total	FXC-ROB	111149	2 Total Blades
Pointed Oscillating Blade- 10 Blades Total	FXC-POB	111186	10 Total Blades
Oscillating Blade Sharpener - Single	FXC-OBSH	111217	1 Sharpener
Deburr (Flap) Disc - 2 Total	FXC-CDW	111220	2 Deburr (Flap) Discs
Crimped Wire Wheel - 2 Total	FXC-CCW	111222	2 Crimped Wire Wheels
Cord Nipper - Single	FXC-CN	111223	1 Cord Nipper
Angle Grinder Adapter - Single	FXC-AGA	111225	1 Adapter


Straight Blade




Round Blade



Pointed Blade



Deburr Flap Disc



Cord Clean Wire Wheel



M14 to 5/8"-11 adaptor



## HAND TOOLS FOR FASTENER INSTALLATION

DESCRIPTION	ORDERING NUMBER	ITEM CODE	INCLUDED WITH FULL TOOL KIT
H100 Hex Driver - Single	H100	30446	3 Total Hex Drivers
Quick Change Chuck - Single	5552	30481	3 Total Chucks
Hand Crimper- Single	FXC-HC	111218	3 Total Hand Crimpers
Bolt Breakers - 1 Pair	110-112	30595	1 Pair
6 lb Hammer - Single	6FH	30375	1 Hammer
Setting Plate - Single	ST-28	50249	1 Setting Plate


H100 Nut Driver



Quick Change Chuck




Hand Crimper




Bolt Breakers



6 lb Hammer



Setting Plate



## FILLER RUBBER MATERIALS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	Available on request with Temporary Splice Kit (not in tool kit)
4lb Filler Rubber Kit	<i>FILLRUBBER-4</i>	<i>111227</i>	
4oz Filler Rubber Primer*	<i>FXC-FRP</i>	<i>112087</i>	
Filler Rubber Tape**	<i>FXC-FRT</i>	<i>111392</i>	


\*One can of primer required for temporary splices up to 60" (1500mm) wide belt. Over 60" (1500mm) wide belt requires two cans of primer.

\*\*One roll of tape required for temporary splices up to 60" (1500mm) wide belt. Over 60" (1500mm) wide belt requires two rolls of tape.

# Heavy-Duty Belt Maintenance Tools

## HAMMERS


ORDERING NUMBER	ITEM CODE	WT. LBS.
4FH	30435	5.3
6FH	30375	7.3



## FLEXCO® BELT GRIPS

GRIPS BELTS UP TO 5/8" (16 mm) SOLD BY THE PAIR

ORDERING NUMBER	ITEM CODE	WT. LBS.
22	30882	2.5




## FLEXCO® SILICONE LUBRICANT

ORDERING NUMBER	ITEM CODE	PKG. QTY.	WT. LBS.
SL5-1 (aerosol)	30932	1	1.4
SLP5-1 (pump)	30931	1	1.4



## FLEXCO® BELT IDENTIFICATION TOOL

ORDERING NUMBER	ITEM CODE	WT. LBS.
BT-1	31075	.06



## SILVER INK BELT MARKING PEN


Sold Individually

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
M-4	01350	0.1



## BELT NIPPER


ORDERING NUMBER	ITEM CODE	WT. LBS.
BN-1	50003	.8



## FLEXCO® BELT GROOVER


(7/16" WIDE GROOVE PATH)

ORDERING NUMBER	ITEM CODE	WT. LBS.
FBG1	31978	1.8
<b>EXTRA BLADES</b>		
HSP3	31980	0.1



# Heavy-Duty Belt Maintenance Tools

## 300 SERIES STRAIGHT BELT CUTTER



DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete	12"	300	300312	30900	14.2
	18"	450	300318	30901	15.6
	24"	600	300324	30902	17.4
	30"	750	300330	30903	19.1
	36"	900	300336	30904	20.0
	42"	1050	300342	30905	26.1
	48"	1200	300348	30906	27.9
	60"	1500	300360	30907	32.8
Cutter Base Only	30"	750	330	30937	10.8
	36"	900	336	30938	12.3
	42"	1050	342	30939	14.0
	48"	1200	348	30940	15.6
	60"	1500	360	30941	18.9
"E" Base Only			324E	30961	9.0
			330E	30962	10.8
			336E	30963	12.4
			348E	30964	15.8
			360E	30965	18.9

For Curved Belt Cutter, see page 92 of the Bolt Hinged Fastener Section.

## 300 SERIES BELT CUTTER – REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
300 Cutter Head Complete	300	30908	2.4
Adj. Screw Unit	30024	30911	0.03
Brass Adj. Screw	30026	30912	0.31
30023 Cutter Blade	30023	30909	0.2
30023L Cutter Blade	30023L	30913	0.2
B823 Cutter Blade	B823	30921	0.02
30027 Connecting Bar	30027	30910	4.5
Extra Nails (90/package)	8D	30437	1.0

**Stock Items** (non-shaded) carried in factory inventory.


**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

# Heavy-Duty Belt Maintenance Tools

## 840 SERIES BELT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter complete for belts up to 3/8" – 1" thick	36"	900	840836	32267	25.0
	48"	1200	840848	32268	31.0
	60"	1500	840860	32269	37.0
	72"	1800	840872	32270	42.0
	84"	2130	840884	32271	48.0




840 Series Belt Cutter


## 840 SERIES BELT CUTTER – REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Wrench Assembly	820/840WA	32272	2.0
Squaring Device	840SD	32274	2.0
Cutter Blade-1"	820/840-1CB	32273	0.5
Cutter Blade-1.25"	820/840-1XLCB	32294	0.5

## Aluminum Content-840 Series

ALUMINUM ALLOY TYPE	PERCENT	
	Mg Magnesium	Ti Titanium
6061	1.00%	0%

 **Stock Items** (non-shaded) carried in factory inventory.


 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

# Heavy-Duty Belt Maintenance Tools

## 900 SERIES BELT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter complete for belts up to 1.5" (38 mm)	24"	600	900924	04200	32.0
	36"	900	900936	04143	39.0
	48"	1200	900948	04144	45.0
	60"	1500	900960	04145	53.0
	72"	1800	900972	04146	61.0
	84"	2130	900984	04147	69.0



900 Series Belt Cutter

### Aluminum Content-900 Series

ALUMINUM ALLOY TYPE	PERCENT	
	Mg Magnesium	Ti Titanium
6005	0.6	0.1
6061	1.0	0.0
7075	2.5	0.0


### 900 SERIES BELT CUTTER – REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Replacement Blade Kit	900CBK	04149	0.2
Drive Handle Assembly	900	04140	2.0
Clamp Knob Screw Kit	900BCKIT	04155	0.8

# Heavy-Duty Belt Maintenance Tools

## 900 SERIES BELT CUTTER/SKIVER

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
24	600	HDCS-900-24	104112	58.5
36	900	HDCS-900-36	104113	71.1
48	1200	HDCS-900-48	104114	83.7
60	1500	HDCS-900-60	104115	96.6
72	1800	HDCS-900-72	104116	109.2
84	2100	HDCS-900-84	104117	121.1



### Aluminum Content


ALUMINUM ALLOY TYPE	PERCENT	
	Mg	Ti
	Magnesium	Titanium
5356	5.5	0.2
6005	0.6	0.1
6061	1.0	0.0
7075	2.5	0.0


### Specifications and Guidelines

<b>Belt Thickness</b> Up to 1 1/2" (38mm)
<b>Cutter Width</b> Belt width + 12 1/2" (318mm)
<b>Skive Depth</b> Up to 1/2" (12mm) per pass
<b>Skive Width</b> Up to 2 3/8" (60mm) (reachback up to 2 3/8" (60mm))

## 900 SERIES BELT CUTTER/SKIVER – REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
HDCS SKIVER BLADE	HDCS-SB	111516	0.05
HDCS SKIVER KNOB KIT	HDCS-SKK	111519	0.20
HDCS BELT STOP	HDCS-BS	102390	0.24
HDCS SKIVER DRILL ADAPTER KIT	HDCS-SDA	111520	0.03
Eye Bolt	EBC-EB	30007	0.9
TALL DRIVE HANDLE ASSEMBLY 900	900TDH	107452	1.12
HDCS CUTTER BLADE KIT	HDCS-CBK	111521	0.13
KNOB & POINT	900CKK	106186	.62

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.


**Non-Listed Items** are available. Request quote for price and delivery.

# Heavy-Duty Belt Maintenance Tools

## ELECTRIC BELT CUTTER

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Electric Cutter Complete	EBC1	30001	30.0
Electric Cutter Complete	EBC2	30002	40.0
Cordless Electric Cutter Complete	CEBC1	30018	30.0
Cordless Electric Cutter Complete	CEBC2	30019	40.0
Electric Cutter Complete 220V	EBC1-220	30011	30.0
Electric Cutter Complete 220V	EBC2-220	30012	40.0
Cordless Electric Cutter Complete 220V	CEBC1-220	30021	30.0
Cordless Electric Cutter Complete 220V	CEBC2-220	30022	40.0

Electric Belt Cutter with cord



## ELECTRIC BELT CUTTER – REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
EBC1 Blade	EBC1-B	30003	2.0
EBC2 Blade	EBC2-B	30004	2.8
EBC1 Drill Milwaukee	EBC1-DR	30005	7.5
EBC2 Drill Metabo	EBC2-DR	30006	12.1
Eye Bolt	EBC-EB	30007	0.9
Handle	EBC-H	30008	0.4
EBC1 Coupling	EBC1CLPG	30016	0.2
EBC2 Coupling	EBC2CLPG	30017	0.2
Bearing RPLC Kit	EBC/CEBC-BK	30024	1.1
CEBC1 Battery3A Makita for BHP454 & LXP03	CEBC1-BAT	30026	1.5
CEBC1/CEBC2 Charger Makita	CEBC1/CEBC2-CHGR	30027	2.0
CEBC1/CEBC2 Battery Metabo	CEBC1/CEBC2-BATMET	111390	1.6
CEBC1 Coupling	CEBC1CPLG	30031	0.2
CEBC2 Coupling	CEBC2CPLG	30032	0.2
EBC1 Retro Fit Rail Kit	EBC1-RK	30033	1.3
EBC2 Retro Fit Rail Kit	EBC2-RK	30034	1.6
CEBC2 Makita Drill XFD03M*	CEBC2-DR18V	30040	12.3
CEBC1 Makita Drill XPH03MB**	CEBC1-DRNS4A	37043	12.8
CEBC1/CEBC2 Battery4A	CEBC1/CEBC2-BAT4A	37076	1.5
CEBC1/CEBC2 Battery5A	CEBC1/CEBC2-BAT5A	37447	1.5

\* Can be used with CEBC1  
 \*\* Can be used with CEBC2

## ELECTRIC BELT CUTTER – TOOL REPAIR

DESCRIPTION	ITEM CODE
EBC1 – REFURBISH	30001RPR
EBC2 – REFURBISH	30002RPR
CEBC1 – REFURBISH	30018RPR
CEBC2 – REFURBISH	30019RPR

**NOTE:** PLEASE DO NOT SEND REPAIR TOOLS WITH BATTERIES. Due to the US Dept of Transportation rules, Flexco is unable to ship used batteries back to customers and they will be disposed. Contact Customer Experience to request a tool repair. Additional charges may apply depending on the extent of the repair. Flexco Customer Experience will advise prior to any work.

## Cutting Capacity-Electric Belt Cutter

BELT TYPE	EBC1/CEBC1		EBC2/CEBC2	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Rubber	Up to 1"	Up to 25 mm	Up to 2"	Up to 50 mm
PVC	Up to 360 PIW	Up to 630 kN/m	Up to 1140 PIW	Up to 2000 kN/m

# Heavy-Duty Belt Maintenance Tools

## FAR-PUL™ HD® BELT CLAMPS

Load Capacity up to 3 tons (2.7 metric tons) when used with two 1-1/2 ton (1.4 metric ton) come-a-longs.


DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Belt Clamp Complete includes:	Up to 30"	Up to 750	LSHD30	30393	93.0
	Up to 36"	Up to 900	LSHD36	30394	99.0
	Up to 42"	Up to 1050	LSHD42	30395	106.0
	Up to 48"	Up to 1200	LSHD48	30396	112.0
	Up to 54"	Up to 1350	LSHD54	30397	119.0
4 Belt Clamp Bars and 4 Belt Clamp Scissors	Up to 60"	Up to 1500	LSHD60	30398	127.0
	Up to 72"	Up to 1800	LSHD72	30399	139.0
	30" Belt Clamp Bar Set*	Up to 30"	Up to 750	LSHDB30-2	30418
36" Belt Clamp Bar Set*	Up to 36"	Up to 900	LSHDB36-2	30414	28.0
42" Belt Clamp Bar Set*	Up to 42"	Up to 1050	LSHDB42-2	30421	32.0
48" Belt Clamp Bar Set*	Up to 48"	Up to 1200	LSHDB48-2	30423	35.0
54" Belt Clamp Bar Set*	Up to 54"	Up to 1350	LSHDB54-2	30424	38.0
60" Belt Clamp Bar Set*	Up to 60"	Up to 1500	LSHDB60-2	30430	42.0
72" Belt Clamp Bar Set*	Up to 72"	Up to 1800	LSHDB72-2	30408	48.0

\*Includes 2 Bars Per Set

Bar length = belt width + 10 inches


## Aluminum Content-Far-Pul™ HD®


ALUMINUM ALLOY TYPE	PERCENT	
	Mg- Magnesium	Ti -Titanium
6061	1.00%	0%



## FAR-PUL™ HD® BELT CLAMPS – REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Belt Clamp Scissors - each	LSHDS	30392	10.5
Belt Locator Pin - includes washer & locking nut	LSHDLP	30400	0.15
Retaining Pin Kit	LSHD-RPK	30390	2.0
Clamp Bar Screw	LSHDCBS	30373	1.0
Clamp Bar Pivot Pin (Pair)- includes 2 roll pins	LSHDPP	30052	1.0

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.




# Heavy-Duty Belt Maintenance Tools

## TUG™ HD® BELT CLAMPS

Complete Set


DESCRIPTION	BELT WIDTH		6 TON			8 TON		
	in.	mm	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
A TUG™ HD® Belt Clamp set includes four aluminum clamp bars and four steel clamp ends.	Up to 36	Up to 900	TUG6-36-AL	31700	134.0	TUG8-36-AL	31706	178.0
	Up to 42	Up to 1050	TUG6-42-AL	31701	141.0	TUG8-42-AL	31707	189.0
	Up to 48	Up to 1200	TUG6-48-AL	31702	148.0	TUG8-48-AL	31708	200.0
	Up to 54	Up to 1400	TUG6-54-AL	31703	155.0	TUG8-54-AL	31709	211.0
	Up to 60	Up to 1600	TUG6-60-AL	31704	162.0	TUG8-60-AL	31710	222.0
	Up to 72	Up to 1800	TUG6-72-AL	31705	176.0	TUG8-72-AL	31711	244.0
	Up to 84	Up to 2200	N/A			TUG8-84-AL	31712	266.0
	Up to 96	Up to 2400	N/A			TUG8-96-AL	31713	288.0



## TUG™ HD® BELT CLAMPS

Pair of Clamps


DESCRIPTION	BELT WIDTH		6 TON			8 TON		
	in.	mm	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
A pair of TUG™ HD® Belt Clamp includes two aluminum clamp bars and two steel clamp ends.	Up to 36	Up to 900	TUG6P-36-AL	31714	67.0	TUG8P-36-AL	31720	89.0
	Up to 42	Up to 1050	TUG6P-42-AL	31715	71.0	TUG8P-42-AL	31721	95.0
	Up to 48	Up to 1200	TUG6P-48-AL	31716	74.0	TUG8P-48-AL	31722	100.0
	Up to 54	Up to 1400	TUG6P-54-AL	31717	78.0	TUG8P-54-AL	31723	106.0
	Up to 60	Up to 1600	TUG6P-60-AL	31718	81.0	TUG8P-60-AL	31724	111.0
	Up to 72	Up to 1800	TUG6P-72-AL	31719	88.0	TUG8P-72-AL	31725	122.0
	Up to 84	Up to 2200	N/A			TUG8P-84-AL	31726	133.0
	Up to 96	Up to 2400	N/A			TUG8P-96-AL	31727	144.0



## TUG™ HD® BELT CLAMPS

Pair of Replacement Bars


DESCRIPTION	BELT WIDTH		6 TON			8 TON		
	in.	mm	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
A pair of TUG™ HD® Belt Clamps replacement bars includes two aluminum clamp bars.	12	300	TUG6B-12-AL	31728	7.0	TUG8B-12-AL	31735	11.0
	Up to 36	Up to 900	TUG6B-36-AL	31729	21.0	TUG8B-36-AL	31736	33.0
	Up to 42	Up to 1050	TUG6B-42-AL	31730	25.0	TUG8B-42-AL	31737	39.0
	Up to 48	Up to 1200	TUG6B-48-AL	31731	28.0	TUG8B-48-AL	31738	44.0
	Up to 54	Up to 1400	TUG6B-54-AL	31732	32.0	TUG8B-54-AL	31739	50.0
	Up to 60	Up to 1600	TUG6B-60-AL	31733	35.0	TUG8B-60-AL	31740	55.0
	Up to 72	Up to 1800	TUG6B-72-AL	31734	42.0	TUG8B-72-AL	31741	66.0
	Up to 84	Up to 2200	N/A			TUG8B-84-AL	31742	77.0
	Up to 96	Up to 2400	N/A			TUG8B-96-AL	31743	88.0



## TUG™ HD® BELT CLAMPS

Replacement Clamp End

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
A TUG™ HD® Replacement Clamp End includes one steel clamp end.	TUG6E	31744	23.0
	TUG8E	31747	28.0



## TUG™ HD® BELT CLAMPS

Replacement Parts

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Tug Clamp Turn Handle	TUGH	31792	0.5
Tug 6 Clamp Screw	TUG6S	31793	3.0
Tug 8 Clamp Screw	TUG8S	31794	3.4
Tug 6 End Cap	TUG6C	31798	0.8
Tug 8 End Cap	TUG8C	31799	1.0

## Aluminum Content-TUG Clamps

ALUMINUM ALLOY TYPE	PERCENT	
	Mg Magnesium	Ti Titanium
6061	1.00%	0%

# Heavy-Duty Belt Maintenance Tools

## FLEXCO® FSK™ BELT SKIVER

Width of Skive 2½" (64 mm)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Skiver Complete with Metal Fence*	FSK2M	32068	21.8
Skiver XL Complete with Metal Fence*	FSK2MXL	32070	23.6
Power Skiver Complete*	FSK2MP	30367	22.0
Power Skiver XL Complete*	FSK2MXLP	102978	24.0
Sharpening Stone		31987	0.5

\*Comes with standard blade


## FSK™ BELT SKIVER – REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Skiver Hex Nut w/Pin	FSK-1N	31938	0.1
Skiver Handle w/Screws	FSK-1H	31939	3.1
Skiver Coverframe	FSK-2FR	31940	0.8
Skiver Arm Assembly	FSK-1RAA	31942	1.4
Skiver Spacer	FSK-1SP	31944	N/A
Skiver Upperdrive	FSK-1RUD	31945	0.04
Skiver Hold Blade	FSK-1HB	31947	0.02
Skiver Frame	FSK-1FRM	31949	3.8
Skiver Bushing 2 REQ	FSK-1BSH	31950	0.11
Skiver Pin Pivot Roll	FSK-1PPR	31951	0.31
Skiver Arm Frame 2 REQ	FSK-1AF	31955	0.52
Skiver Blade Stop w/Screw	FSK2-BS	31956	0.16
Sharpening Stone	N/A	31987	0.06
Skiver Ratcht Assembly	FSK-1R	31991	1.8
Skiver Chain	FSK-1C	31992	0.4
Skiver Sprocket	FSK-1S	31993	0.2
Skiver Spare Blade	FSK-1B	31996	0.3
Skiver Clamp Assembly	FSK-2CA	31997	0.75
Skiver Tip	FSK-1T	31998	0.05
Superior Skiver Blade	FSK-1BA	31999	0.3
Replacement Front Drive Roller Assembly	FSK2-FDRA	32052	0.6
Drive Roller Set	FSK2-DR	32055	0.34
Skiver Knob Blade	FSK2-KB	32058	0.18
Skiver Spacer	FSK2-SP	32060	N/A
Extra Hardware 5 Kits	FSK2-XP5	32071	N/A
Skiver Bridgeasy (for FSK1 only)	FSK-1BRA	31948	0.31
Skiver Fence Assembly (for FSK1 only)	FSK-1F	31994	1.08
Skiver Metal Fence Assembly (for FSK2M only)	FSK2-FM	32069	1.5
Battery 5.5AH (fro FSK2MP only)	FSK2-BAT5A	30368	2.2
Drill 18V Metabo (for FSK2MP only)	FSK2-DR18V	30403	2.8
Roller Guard Kit (for FSK2MP only)	FSK2-RGK	30404	4.0
Spare Blade (for FSK2XL only)	FSK2XL-1B	32002	N/A
Replacement Front Drive Roller Assembly (for FSK2XL only)	FSK2XL-FDRA	32048	N/A
Skiver Ratchet (for FSK2XL only)	FSK2XL-R	32061	N/A
Skiver Blade Protector (for FSK2XL only)	FSK2XL-BP	32062	N/A
Skiver Tip Spacer (for FSK2XL only)	FSK2XL-TP	32063	0.04
Skiver Cover Frame (for FSK2XL only)	FSK2XL-FR	32064	N/A


## FSK™ BELT SKIVER – SKIVE DEPTH

Belt Skiver	For Belt Thickness		Skive Depth	
	in.	mm	in.	mm
FSK2M/FSK2MP	1/4" - 1-1/4"	6.5 - 32	1/16" - 3/8"	1.5 - 9.5
FSK2MXL/FSK2MXLP	7/8" - 1-3/4"	22.5 - 44.5	1/16" - 3/8"	1.5 - 9.5

FSK2M Belt Skiver



FSK2MP Belt Skiver



## FSK™ BELT SKIVER – TOOL REPAIR

DESCRIPTION	ITEM CODE
FSK2M SKIVER – REFURBISH	32068RPR
FSK2MXL SKIVER – REFURBISH	32070RPR
FSK2MP POWER SKIVER – REFURBISH	30367RPR
FSK2MXLP POWER SKIVER – REFURBISH	102978RPR

**NOTE:** PLEASE DO NOT SEND REPAIR TOOLS WITH BATTERIES. Due to the US Dept of Transportation rules, Flexco is unable to ship used batteries back to customers and they will be disposed. Contact Customer Experience to request a tool repair. Additional charges may apply depending on the extent of the repair. Flexco Customer Experience will advise prior to any work.


# Heavy-Duty Belt Maintenance Tools

## FLEX-LIFTER™ CONVEYOR BELT LIFTER

Easy and safe way to lift tensioned belts so mechanical splicing or other maintenance work can be done.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Medium Flex-Lifter 36" - 60" (900 - 1500 mm) includes return bar	FL-M	76469	91.0
Large Flex-Lifter 48" - 72" (1200 - 1800 mm) includes return bar	FL-L	76470	128.0
XL Flex-Lifter 72" - 96" (1800 - 2400 mm) does not include return bar	FL-XL	76983	128.0
Flex-Lifter Cart	FLCK	77729	20.0


Lifts troughed or flat belts.  
Lead time: 1 working day



Flex-Lifter (M/L)

## FLEX-LIFTER™ – REPLACEMENT PARTS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
1a	Extension Leg - Medium	FLEL-M	76472	3.1
1b	Extension Leg - Large	FLEL-L	76473	3.7
1c	Extension Leg Kit - XL (includes 2 ext. legs)	FLELK-XL	76986	13.0
2	Extension Leg Pin (with lanyard)	FLELP	76474	0.1
3a	Trough Wing - Medium (with brace)	FLTW-M	76476	1.2
3b	Trough Wing - Large (with brace)	FLTW-L	76477	1.5
3c	Trough Wing - XL (with brace)	FLTW-XL	76985	4.2
4	Retainer Pin Pack (includes 4 pins)	FLRP	76478	1.0
5	Retainer Clip Pack (includes 4 clips)	FLCP	76479	0.1
6a	Return Lift Bar - Medium	FLRLB-M	76482	18.4
6b	Return Lift Bar - Large	FLRLB-L	76481	40.0
6c	V-Return Lift Bar - XL	FLVRL-XL	76984	63.0
7a	Shear Pin Kits - Medium/Large	FL-PKIT-ML	77250	0.3
7b	Shear Pin Kits - XL	FL-PKIT-XL	77251	0.5




Flex-Lifter (XL)

## Safe Lifting Capacity

Height		Max. Weight			
		Medium/Large		XL	
in.	mm	lbs.	kg.	lbs.	kg.
0-1	0-25	500	225	1100	500
1-2	25-50	1000	450	1800	815
2-3	50-75	1500	675	2500	1140
3-4	75-100	2000	900	3200	1450
4-5	100-125	2500	1150	3700	1680
5-6	125-150	3000	1350	4600	2090
6-7	150-175	3500	1600	5300	2400
>7	>175	4000	1800	6000	2725


## Aluminum Content Flex-Lifter

ALUMINUM ALLOY TYPE	PERCENT	
	Mg Magnesium	Ti Titanium
4043	0.05%	0.2%
5356	5.5%	0.2%
6005	0.6%	0.1%
6061	1.0%	0.0%
6063	0.7%	0.0%
7075	2.5%	0.0%



Flex-Lifter Cart

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available.  
Request quote for price and delivery.

# Belt Conveyor Products

## BELT POSITIONER™

### BELT POSITIONERS WITH RUBBER ROLLERS

SIZE	BELT WIDTH (Min-Max)		POSITIONER WIDTH (Min-Max)		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	in.	mm			
Small	18-24	450-600	24-34	600-850	RBP1R-S	90646	60.5
Medium	30-48	750-1200	34-56	850-1400	RBP1R-M	90647	73.5
Large	54-72	1350-1800	56-83	1400-2075	RBP1R-L	90648	94.0
Extra Large	72-96	1800-2400	72-120	1800-3000	RBP1R-XL	90649	182.0

Lead time: 1 working day

### BELT POSITIONERS WITH STEEL ROLLERS

SIZE	BELT WIDTH (Min-Max)		POSITIONER WIDTH (Min-Max)		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	in.	mm			
Small	18-24	450-600	24-34	600-850	RBP1S-S	74558	69.8
Medium	30-48	750-1200	34-56	850-1400	RBP1S-M	74559	84.6
Large	54-72	1350-1800	56-83	1400-2075	RBP1S-L	74560	109.5
Extra Large	72-96	1800-2400	72-120	1800-3000	RBP1S-XL	74561	199.6

Lead time: 1 working day

Use next larger size for belt widths between ranges.

**NOTE:** Idler Rollers on sizes S, M and L are 5" (125 mm) diameter and rated CEMA D. Idler Rollers on the XL size are 6" (150 mm) diameter and rated CEMA E.

### REPLACEMENT ROLLERS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
4a	Small Rubber Roller	RBPRR-S	90650	7.9
	Medium Rubber Roller	RBPRR-M	90651	11.0
	Large Rubber Roller	RBPRR-L	90652	15.5
	Extra Large Rubber Roller	RBPRR-XL	90653	27.8
4b	Small Steel Roller	RBPSR-S	74562	12.2
	Medium Steel Roller	RBPSR-M	74563	16.5
	Large Steel Roller	RBPSR-L	74564	23.2
	Extra Large Steel Roller	RBPSR-XL	74565	36.6
5	Roller Retainer Kit*	RBPRET	73163	0.5

Idler rollers on sizes S, M and L are 5" (125 mm) diameter and rated CEMA D.

Idler rollers on the XL size are 6" (150 mm) diameter and rated CEMA E.

\*Roller Retainer Kit not required for XL rollers (SDX style).

Lead time: 1 working day

## PTEZ™ BELT TRAINER

### PTEZ™ BELT TRAINER


BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
18	450	PTEZ-18	90265	120.0
24	600	PTEZ-24	90266	130.0
30	750	PTEZ-30	90267	140.0
36	900	PTEZ-36	90268	150.0
42	1050	PTEZ-42	90269	160.0
48	1200	PTEZ-48	90270	170.0

Lead time: 1 working day



### Product Notes:

- The Positioner should be centered between two standard return rollers. For general applications—standard belts up to 72" (1800 mm): position the unit no closer than 3' (.9 M) to a return roller and no farther than 6' (1.8 M).
- Works on the return side of the conveyor using simple angled rollers mounted in a fixed position to quickly and continuously funnel the belt into the correct path.
- A "quick fix" solution for belts that consistently wander to one side.
- Typically installed before the tail pulley to keep the belt centered at the critical loading point. Center loading is the key to solving many top side tracking problems.
- Idler rollers make smooth contact with the return belt's bottom cover, eliminating excessive wear and damage to the belt's edges.
- Has no pivoting mechanism to freeze up and cause the unit to stop working.
- Once installed, no further adjustment is required.



PTEZ™ Belt Trainer

### Product Notes:

- Simple adjustable mounting brackets ensure quick and accurate installation.
- Urethane roller cover ensures long-lasting performance.
- Works in multiple applications, yet economical. Single-direction and reversing belts. Wet or dry conditions. Belts with edge damage or wear. Belts mistracking to one or both sides.
- Easy ordering and installation. Enhanced to meet instant demands for training solutions, the PTEZ is available on a one-working-day lead time. The simple brackets and component construction also ensure a quick and easy installation.
- Uses tapered and patterned roller to activate the trainer movement. Pivot influences direction while tilt increases the tension on the mistracked side—the result is two forces quickly moving the belt back to center.
- Works with mechanically fastened or vulcanized belts.

# Belt Conveyor Products

## V-Plow

### V-PLOW\*

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Extra Small	18-24"	450-600	CBV-XS	73131	53.0
Small	30-36"	750-900	CBV-S	73132	65.0
Medium	42-48"	1050-1200	CBV-M	73133	74.0
Large	54-60"	1350-1500	CBV-L	73134	115.0
72"	72"	1800	CBV-72	74389	150.0
84"	84"	2100	CBV-84	74390	175.0
96"	96"	2400	CBV-96	74391	200.0

\*Use next larger size for belt widths between ranges.  
Lead time: 1 working day



### REPLACEMENT BLADE KITS\*

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Extra Small	18-24"	450-600	VBK-XS	73190	4.5
Small	30-36"	750-900	VBK-S	73191	6.0
Medium	42-48"	1050-1200	VBK-M	73192	7.5
Large	54-60"	1350-1500	VBK-L	73193	9.0
72"	72"	1800	VBK-72	74457	13.0
84"	84"	2100	VBK-84	74458	15.0
96"	96"	2400	VBK-96	74459	17.0

\*Kit includes blades and replacement blade bolts.  
Lead time: 1 working day



### OPTIONAL URETHANE BLADE KITS\*

Typically provides 3 to 5 times longer wear life. PU blades are blue in color.

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Extra Small	18-24"	450-600	VUBK-XS	75570	5.4
Small	30-36"	750-900	VUBK-S	75571	8.0
Medium	42-48"	1050-1200	VUBK-M	75572	10.5
Large	54-60"	1350-1500	VUBK-L	75573	13.0
72"	72"	1800	VUBK-72	75574	15.9
84"	84"	2100	VUBK-84	75575	18.5
96"	96"	2400	VUBK-96	75576	21.0

\*Kit includes blades and replacement blade bolts.  
Lead time: 1 working day

### Product Notes:

- Exclusive blade design - 20° slant on leading edge spirals debris off the belt.
- Self-adjusting blade - the blade floats on the belt and self-adjusts as it wears.
- Unique blade adjuster - turnbuckle-type adjuster allows the blade to be accurately positioned to the belt.
- Easy to install - comes fully assembled and can be placed right into position on the conveyor.

☐ Made To Order Items (shaded) allow 10 working days for production.

# Belt Conveyor Products

## Flex-Lok™ Skirt Clamps


### FLEX-LOK™ SKIRT CLAMP

One Skirt Clamp includes one 6' (1.8 M) clamp runner, 4 clamp plates, 4 clamp pins and one 6' (1.8 M) restraining bar. Skirt board and rubber not included.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Skirt Clamp	FLSC-I	71052	31.1
<b>REPLACEMENT PARTS</b>			
Clamp Runner - 6 ft. (1.8 M)	FL-RPI	71058	7.3
Clamp Plate	FL-PC-I	71057	2.1
Clamp Pin	FL-CP-I	71141	1.9
Restraining Bar - 6 ft. (1.8 M)	FL-RBI	71060	11.3

**NOTE:** Skirt Rubber Thickness Range: 5/16" to 1" (8 - 25 mm)

Lead time: 1 working day



STANDARD


### MINI FLEX-LOK™ SKIRT CLAMP

One Mini Skirt Clamp includes one 6' (1.8 M) clamp runner, 3 mini clamp plates, 3 clamp pins and one 6' (1.8 M) restraining bar. Skirt board and rubber not included.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Mini Skirt Clamp	FLSCM-I	71055	27.6
<b>REPLACEMENT PARTS</b>			
Clamp Runner - 6 ft. (1.8 M)	FL-RPI	71058	7.3
Clamp Plate	FLM-PC	71140	2.1
Clamp Pin	FL-CP-I	71141	1.9
Restraining Bar - 6 ft. (1.8 M)	FL-RBI	71060	11.3

**NOTE:** Skirt Rubber Thickness Range: 5/16" to 5/8" (8 - 16 mm)

Lead time: 1 working day



MINI


### STAINLESS STEEL\* FLEX-LOK™ SKIRT CLAMP

One SS Clamp includes one 6' (1.8 M) clamp runner, 4 clamp plates, 4 clamp pins and one 6' (1.8 M) restraining bar.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
SS Skirt Clamp	FLSC-ISS	75778	25.0
<b>REPLACEMENT PARTS</b>			
SS Clamp Plate	FL-PC-ISS	71168	1.9
Clamp Pin	FLCP-ISS	71164	1.9

\*316SS (all parts)

Lead time: 1 working day



MINI STANDARD

Two models are available to fit your conveyor requirements

### SERVICE MAINTENANCE

- Inspection - Periodically inspect the clearance between the skirt rubber and the belt. If this gap is more than 1/4" (6 mm) or if excessive fines are escaping, readjust the skirt rubber.
- Adjustment - Unlock the wedges on the clamp pins and slide the skirt rubber down to the belt. Relock the clamp pins.

### TROUBLESHOOTING

Problem: Skirt rubber slips out of skirt clamp.

Solution: 1. Check to insure wedges in clamp pins are locked.

2. Check skirt rubber position. Skirt rubber must not fold and lie on top of belt.



Anti-Vibration Clamp Pins (Standard)

**Made To Order Items** (shaded) allow 10 working days for production.

# Tool Repair Service

---

PLEASE DO NOT SEND REPAIR TOOLS WITH BATTERIES. Due to the US Dept of Transportation rules, Flexco is unable to ship used batteries back to customers and they will be disposed. Contact Customer Experience to request a tool repair. Additional charges may apply depending on the extent of the repair. Flexco Customer Experience will advise prior to any work.

Additional repairs beyond standard process will be communicated with the customer for approval of repair. This may add additional repair time.

## Flexco Tool Repair

DESCRIPTION	PART NUMBER
EBC1 – REFURBISH	30001RPR
EBC2 – REFURBISH	30002RPR
CEBC1 – REFURBISH	30018RPR
CEBC2 – REFURBISH	30019RPR
FSK2M SKIVER – REFURBISH	32068RPR
FSK2MXL SKIVER – REFURBISH	32070RPR
FSK2MP POWER SKIVER – REFURBISH	30367RPR
FSK2MXLP POWER SKIVER – REFURBISH	102978RPR
PNEUDRIVE1 – REFURBISH	41992RPR
RS-GOLD – REFURBISH	55541RPR
RS-GOLD-DA – REFURBISH	55590RPR

# Measurement Conversions

## Measurement Conversions

Inches	Fractions	Millimeters
.0156	1/64	0.40
.0313	1/32	0.79
.0469	3/64	1.19
.0625	1/16	1.59
.0781	5/64	1.98
.0938	3/32	2.38
.1094	7/64	2.78
.1250	1/8	3.18
.1406	9/64	3.57
.1563	5/32	3.97
.1719	11/64	4.37
.1875	3/16	4.76
.2031	13/64	5.16
.2188	7/32	5.56
.2344	15/64	5.95
.2500	1/4	6.35
.2656	17/64	6.75
.2813	9/32	7.14
.2969	19/64	7.54
.3125	5/16	7.94
.3281	21/64	8.33
.3438	11/32	8.73
.3594	23/64	9.13
.3750	3/8	9.53
.3906	25/64	9.92
.4063	13/32	10.32
.4219	27/64	10.72
.4375	7/16	11.11
.4531	29/64	11.51
.4688	15/32	11.91
.4844	31/64	12.30
.5000	1/2	12.70

Inches	Fractions	Millimeters
.5156	33/64	13.10
.5313	17/32	13.49
.5469	35/64	13.89
.5625	9/16	14.29
.5781	37/64	14.68
.5938	19/32	15.08
.6094	39/64	15.48
.6250	5/8	15.88
.6406	41/64	16.27
.6563	21/32	16.67
.6719	43/64	17.07
.6875	11/16	17.46
.7031	45/64	17.86
.7188	23/32	18.26
.7344	47/64	18.65
.7500	3/4	19.05
.7656	49/64	19.45
.7813	25/32	19.84
.7969	51/64	20.24
.8125	13/16	20.64
.8281	53/64	21.03
.8438	27/32	21.43
.8594	55/64	21.83
.8750	7/8	22.23
.8906	57/64	22.62
.9063	29/32	23.02
.9219	59/64	23.42
.9375	15/16	23.81
.9531	61/64	24.21
.9688	31/32	24.61
.9844	63/64	25.00
1.0000	1	25.40



# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
3	108	3-36	109	20419	112	300360	123
3	108	7-36	34	2-60	109	400430	92
16	111	1-42	109	3-60	109	400436	92
22	122	2-42	109	7-60	34	400442	92
100	93	3-42	109	2-72	109	400448	92
110	86	7-42	34	3-72	109	400460	92
110	93	1-12-45	109	30023	92	840836	124
110	110	1-16-45	109	30023	123	840848	124
110	111	1-18-45	109	30024	123	840860	124
112	110	1-24-45	109	30026	123	840872	124
112	111	1-30-45	109	30027	123	840884	124
113	110	2-18-45	109	30453	93	900924	51
113	111	2-20-45	109	30453	110	900924	125
300	123	2-24-45	109	2-1/2	108	900936	51
330	123	1-48	109	40988	116	900936	125
336	123	2-48	109	40990	116	900948	51
342	123	3-48	109	40991	116	900948	125
348	123	7-48	34	1-12	109	900960	51
360	123	1-54	109	1-14	109	900960	125
400	92	2-54	109	1-16	109	900972	51
430	92	3-54	109	1-18	109	900972	125
436	92	20377	112	1-20	109	900984	51
442	92	20378	112	1-24	109	900984	125
448	92	20379	112	1-26	109	00 Transmission	37
460	92	20380	92	1-28	109	00-12	34
512	92	20381	92	1-30	109	00-14	34
516	92	20381	112	2-12	109	00-16	34
518	92	20382	112	2-18	109	00-18	34
520	92	20387	92	2-20	109	00-20	34
524	92	20387	112	2-24	109	00-22	34
526	92	20388	112	3-24	109	00-24	34
530	92	20397	92	3-30	109	00-30	34
536	92	20397	112	7-12	34	00-36	34
542	92	20397	112	7-14	34	00-42	34
548	92	20398	92	7-16	34	00-48	34
554	92	20398	112	7-18	34	00-60	34
560	92	20398	112	7-20	34	00H12	36
572	92	20399	92	7-22	34	00H18	36
5552	86	20399	112	7-24	34	00H24	36
5552	93	20400	92	7-26	34	00H30	36
5552	110	20400	112	7-28	34	00H36	36
5552	111	20406	112	7-30	34	00H48	36
5552	111	20407	112	300312	123	00H6	36
5552	111	20409	112	300318	123	00H60	36
5552	121	20410	112	300324	123	00S	37
2-30	109	20411	112	300330	123	00S-12	35
7-32	34	20412	112	300336	123	00S-14	35
1-36	109	20413	112	300342	123	00S-16	35
2-36	109	20414	112	300348	123	00S-18	35

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
00S-20	35	1&7H24	36	140CE	108	15S-24	35
00S-24	35	1&7H30	36	140CMA	108	15S-28	35
00S-30	35	1&7H36	36	140CMAP	108	15S-30	35
00S-36	35	1&7H48	36	140CS	108	15S-36	35
00S-42	35	1&7H6	36	140E	108	15S-42	35
00S-48	35	1&7H60	36	140EE	108	15S-48	35
00S-60	35	1&7SH12	36	140EMA	108	15S-60	35
00SH24	36	1&7SH18	36	140EMAP	108	15SH18	36
00SH36	36	1&7SH24	36	140ES	108	15SH24	36
00SH48	36	1&7SH30	36	140EST	108	15SH30	36
00SH60	36	1&7SH36	36	140VP	108	15SH36	36
1-1/2-12	109	1&7SH48	36	140VPB	108	15SH48	36
1-1/2-12-45	109	1&7SH60	36	140VPBMA	108	15SH60	36
1-1/2-18	109	100T-1200	48	140VPMA	108	187-RET-50	41
1-1/2-18-45	109	100T-300	48	15 Transmission	37	187MA	42
1-1/2-20	109	100T-600	48	15-12	34	190-12	109
1-1/2-20-45	109	100T-900	48	15-14	34	190-12-45	109
1-1/2-24	109	102978RPR	130	15-16	34	190-14	109
1-1/2-24-45	109	110-112	110	15-18	34	190-16	109
1-1/2-30	109	110-112	121	15-20	34	190-18	109
1-1/2-30-45	109	114MM-BLADES-3PK	60	15-22	34	190-18-45	109
1-1/2-36	109	125-RET-50	41	15-24	34	190-20	109
1-1/2-36-45	109	125MA	42	15-26	34	190-20-45	109
1-1/2-42	109	12LACER	27	15-28	34	190-24	109
1-1/2-42-45	109	12LACER-CHAIN	27	15-30	34	190-24-45	109
1-1/2-48	109	140-12	109	15-32	34	190-26	109
1-1/2-48-45	109	140-12-45	109	15-36	34	190-26-45	109
1-1/2-54	109	140-14	109	15-42	34	190-28	109
1-1/2-54-45	109	140-14-45	109	15-48	34	190-30	109
1-1/2-60	109	140-16	109	15-60	34	190-30-45	109
1-1/2-60-45	109	140-16-45	109	15&20CLIP	36	190-36	109
1-1/2-72	109	140-18	109	150T-1200	48	190-36-45	109
1-1/2-72-45	109	140-18-45	109	150T-300	48	190-42	109
1-1/2C	108	140-20	109	150T-600	48	190-42-45	109
1-1/2CMA	108	140-20-45	109	150T-900	48	190-48	109
1-1/2CMAP	108	140-24	109	15E	37	190-48-45	109
1-1/2CS	108	140-24-45	109	15H12	36	190-60	109
1-1/2E	108	140-26	109	15H18	36	190-60-45	109
1-1/2EE	108	140-28	109	15H24	36	190C	108
1-1/2EMA	108	140-30	109	15H30	36	190CE	108
1-1/2EMAP	108	140-30-45	109	15H36	36	190CMA	108
1-1/2ES	108	140-36	109	15H48	36	190CMAP	108
1-1/2EST	108	140-36-45	109	15H60	36	190CS	108
1-36-45	109	140-42	109	15RH12	37	190E	108
1-42-45	109	140-42-45	109	15S	37	190EE	108
1-48-45	109	140-48	109	15S-12	35	190EMA	108
1-60-45	109	140-48-45	109	15S-14	35	190EMAP	108
1&7CLIP	36	140-60	109	15S-16	35	190ES	108
1&7H12	36	140-60-45	109	15S-18	35	190EST	108
1&7H18	36	140C	108	15S-20	35		

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
190VP	108	1S-14	35	2-1/2-72	109	20H12	36
190VPB	108	1S-16	35	2-1/2L	108	20H18	36
190VPBMA	108	1S-18	35	2-1/4-20	109	20H24	36
190VPMA	108	1S-20	35	2-1/4-24	109	20H30	36
1A Transmission	37	1S-24	35	2-1/4-30	109	20H36	36
1A-12	34	1S-30	35	2-1/4-36	109	20H48	36
1A-14	34	1S-36	35	2-1/4-42	109	20H60	36
1A-16	34	1S-42	35	2-1/4-48	109	20RH12	37
1A-18	34	1S-48	35	2-1/4-54	109	20S	37
1A-20	34	1S-54	35	2-1/4-60	109	20S-12	35
1A-22	34	1S-60	35	2-1/4-72	109	20S-14	35
1A-24	34	1S12	12	2-1/4C	108	20S-16	35
1A-30	34	1S12NYS	12	2-1/4C	111	20S-18	35
1A-36	34	1S6	12	2-1/4CMA	108	20S-20	35
1A-42	34	1S6NYS	12	2-1/4E	108	20S-24	35
1A-48	34	1SPG12	11	2-1/4E	108	20S-30	35
1A-60	34	1SPG12NY	11	2-1/4E	111	20S-36	35
1AS	37	1SPG6	11	2-1/4EE	108	20S-48	35
1C	108	1SPG6NY	11	2-1/4EE	111	20S-60	35
1CMA	108	1SPHT12	11	2-1/4EMA	108	20SH24	36
1E	108	1SPHT6	11	2-1/4EMAP	108	20SH30	36
1G12	11	1SPS12	12	2-1/4ERCT	108	20SH36	36
1G12NY	11	1SPS12NYS	12	2-1/4ES	108	20SH48	36
1G6	11	1SPS6	12	2-1/4ES	111	20SRH12	37
1G6NY	11	1SPS6NYS	12	2-1/4EST	108	25-12	34
1HT12	11	1SPSS12	12	2-30-45	109	25-14	34
1HT6	11	1SPSS6	12	2-36-45	109	25-16	34
1LLG12	11	1SS12	12	2-42-45	109	25-18	34
1LLG12NY	11	1SS6	12	2-48-45	109	25-20	34
1LLG6	11	1VL-7	26	2-54-45	109	25-22	34
1LLG6NY	11	1XSPG12	11	2-60-45	109	25-24	34
1LLHT12	11	1XSPG12NY	11	2-72-45	109	25-26	34
1LLHT6	11	1XSPG6	11	20 Transmission	37	25-28	34
1LLS12	12	1XSPG6NY	11	20-12	34	25-30	34
1LLS6	12	1XSPHT12	11	20-14	34	25-36	34
1LLS6NYS	12	1XSPHT6	11	20-16	34	25-42	34
1LLSPG12	11	1XSPS12	12	20-18	34	25-48	34
1LLSPG6	11	1XSPS12NYS	12	20-20	34	25-54	34
1LLSPHT12	11	1XSPS6	12	20-22	34	25-60	34
1LLSPS12	12	1XSPS6NYS	12	20-24	34	25&27CLIP	36
1LLSPSS12	12	1XSPSS12	12	20-28	34	25&27H12	36
1LLSS12	12	1XSPSS6	12	20-30	34	25&27H18	36
1LLSS6	12	2-1/2-20	109	20-32	34	25&27H24	36
1LLXSPG12	11	2-1/2-24	109	20-36	34	25&27H30	36
1LLXSPG6	11	2-1/2-30	109	20-42	34	25&27H36	36
1LLXSPHT12	11	2-1/2-36	109	20-48	34	25&27H48	36
1LLXSPS12	12	2-1/2-42	109	20-54	34	25&27H60	36
1LLXSPSS12	12	2-1/2-48	109	20-60	34	25&27SH12	36
1LW95	26	2-1/2-54	109	200MM-BLADES-3PK	60	25&27SH18	36
1S-12	35	2-1/2-60	109	20E	37	25&27SH24	36

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
25&27SH30	36	25LPG6NY	14	25SRH12	37	27S-36	35
25&27SH36	36	25LPSS12	14	25SS1-1/2NP	15	27S-42	35
25&27SH48	36	25LPSS12NYS	14	25SS1-1/2NYS	15	27S-48	35
25&27SH60	36	25LPSS6	14	25SS1-1/4NYS	15	27S-60	35
25D Transmission	37	25LPSS6NYS	14	25SS1-7/8NYS	15	2B	9
25DS	37	25S-12	35	25SS12	14	2BH	110
25E	37	25S-14	35	25SS12NYS	14	2BH	111
25G1-1/2NY	15	25S-16	35	25SS1NYS	15	2BH	111
25G1-1/4NY	15	25S-18	35	25SS2-1/2NP	15	2BH	111
25G1-3/4NY	15	25S-20	35	25SS2-1/2NYS	15	2C	108
25G1-7/8NP	15	25S-24	35	25SS2-1/4NYS	15	2CMA	108
25G1-7/8NY	15	25S-30	35	25SS2-3/4NYS	15	2CMAP	108
25G1/2NP	15	25S-36	35	25SS2NYS	15	2CS	108
25G1/2NY	15	25S-42	35	25SS3-1/2NYS	15	2E	108
25G11/32NY	15	25S-48	35	25SS3/4NYS	15	2EE	108
25G12	14	25S-60	35	25SS3NP	15	2EMA	108
25G12NY	14	25SP-G-035W-P	31	25SS3NYS	15	2EMAP	108
25G1NY	15	25SP-G-035W-TPU1	31	25SS4NYS	15	2ES	108
25G2-1/2NY	15	25SP-G-040W-P	31	25SS5/8NYS	15	2EST	108
25G2-1/4NY	15	25SP-G-040W-TPU1	31	25SS6	14	2G	8
25G2-3/4NY	15	25SP-G-048W-P	31	25SS6NYS	14	2GNY	8
25G2NP	15	25SP-G-048W-TPU1	31	25VL-7	26	2HT	8
25G2NY	15	25SP-G-050W-P	31	25XLW	26	2S	9
25G3-1/2NY	15	25SP-G-050W-TPU1	31	27-12	34	2SNYS	9
25G3-1/4NY	15	25SP-G-057W-P	31	27-14	34	2SPB	9
25G3/4NP	15	25SP-G-057W-TPU1	31	27-16	34	2SPG	8
25G3/4NY	15	25SP-G-063W-P	31	27-18	34	2SPGNY	8
25G3NP	15	25SP-G-063W-TPU1	31	27-20	34	2SPHT	8
25G3NY	15	25SP-G-075W-P	31	27-22	34	2SPS	9
25G4-1/2NY	15	25SP-G-075W-TPU1	31	27-24	34	2SPSNYS	9
25G4NP	15	25SP-G-090W-P	31	27-26	34	2SPSS	9
25G4NY	15	25SP-G-090W-TPU1	31	27-28	34	2SS	9
25G5/8NY	15	25SP-G-100W-P	31	27-30	34	2VP	108
25G6	14	25SP-G-115W-P	31	27-32	34	2VPB	108
25G6NY	14	25SP-G-115W-TPU1	31	27-36	34	2W	112
25G7/16NY	15	25SP-SS-035W-P	31	27-42	34	2WE	112
25G7/8NP	15	25SP-SS-040W-P	31	27-48	34	2WL	112
25G7/8NY	15	25SP-SS-040W-TPU1/19+20/100	31	27-60	34	2WS	112
25LEVER	26	25SP-SS-048W-P	31	27E	37	2WT	112
25LLG12	14	25SP-SS-048W-TPU1/24+25/100	31	27K Transmission	37	3-1G	8
25LLG12NY	14	25SP-SS-050W-P	31	27KS	37	3-1GNY	8
25LLG6	14	25SP-SS-050W-TPU1/26+27/100	31	27RH12	37	3-1HT	8
25LLG6NY	14	25SP-SS-057W-P	31	27S-12	35	3-1S	9
25LLSS12	14	25SP-SS-063W-P	31	27S-14	35	3-1SS	9
25LLSS6	14	25SP-SS-075W-P	31	27S-16	35	3-4-1/2G	8
25LLSS6NYS	14	25SP-SS-090W-P	31	27S-18	35	3-4-1/2G(26)W-8	10
25LPG12	14	25SP-SS-100W-P	31	27S-20	35	3-4-1/2G(42)W-4	10
25LPG12NY	14	25SP-SS-115W-P	31	27S-24	35	3-4-1/2G(67)-10POP	10
25LPG6	14	25SP-SS-115W-TPU1/61+62 H/50	31	27S-30	35	3-4-1/2GNY	8

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
30001RPR	127	35S-14	35	375XJ12NC	89	3M	9
30002RPR	127	35S-16	35	375XJ14NC	89	3S	9
30018RPR	127	35S-18	35	375XJ16NC	89	3SNYS	9
30019RPR	127	35S-20	35	375XJ18NC	89	3SS	9
30023L	92	35S-24	35	375XJ18NCS	89	4-1/2-3HT	8
30023L	123	35S-30	35	375XJ20NC	89	4-1/2-3RHXTX	8
30367RPR	130	35S-36	35	375XJ24NC	89	4-1/2-3RHXTX(45)W-4	10
30LPSS	13	35S-42	35	375XJ24NCS	89	4-1/2-4RHXTX(42)W-4	10
30LSS	13	35S-48	35	375XJ24SC	89	4-1/2-SW	9
30PSS	13	35S-60	35	375XJ26NC	89	4-1/2G	8
30SS	13	35SH12	36	375XJ30NC	89	4-1/2GW	8
310-RET-50	93	35SH24	36	375XJ30NCS	89	4-1/2HT	8
310-RET-50	100	35SH36	36	375XJ36NC	89	4-1/2M	9
32068RPR	130	35SH48	36	375XJ36NCS	89	4-1/2RHXTX	8
32070RPR	130	360E	123	375XJ36SC	89	4-1/2RHXTX(26)W-8	10
324E	123	36H	13	375XJ42NC	89	4-1/2RHXTX(41)W-4	10
330E	123	36LEVER	26	375XJ42NCS	89	4-1/2RHXTX(45)W-4	10
336E	123	36LLH	13	375XJ48NC	89	4-1/2S	9
348E	123	36LLPSS	13	375XJ48NCS	89	4-1/2SS	9
35-12	34	36LLSPH	13	375XJ48SC	89	4-2G	8
35-14	34	36LLSPSS	13	375XJ60NC	89	4-2GNY	8
35-16	34	36LLSS	13	375XJ72NC	89	4-2HT	8
35-18	34	36SPH	13	375XS-2	90	4-2S	9
35-20	34	36SPSS	13	375XS-2-5SETS	90	4-2SNYS	9
35-24	34	36SS	13	375XS-3	90	41992RPR	106
35-30	34	36VL-7	26	375XS-3STS	90	45-12	34
35-36	34	375X-12	92	375XSJ18NCS	89	45-14	34
35-42	34	375X-14	92	375XSJ24NCS	89	45-16	34
35-48	34	375X-16	92	375XSJ24SSC	89	45-18	34
35-60	34	375X-18	92	375XSJ30NCS	89	45-20	34
35CLIP	36	375X-2	90	375XSJ30SSC	89	45-24	34
35E	37	375X-2-5SETS	90	375XSJ36NCS	89	45-30	34
35H12	36	375X-20	92	375XSJ36SSC	89	45-36	34
35H18	36	375X-24	92	375XSJ42NCS	89	45-42	34
35H24	36	375X-26	92	375XSJ42SSC	89	45-48	34
35H30	36	375X-3	90	375XSJ48NCS	89	45-60	34
35H36	36	375X-3-5SETS	90	375XSJ48SSC	89	45CLIP	36
35H48	36	375X-30	92	375XSJ60NCS	89	45H12	36
35H60	36	375X-36	92	375XSJ60SSC	89	45H24	36
35N Transmission	37	375X-42	92	375XSJ72SSC	89	45H36	36
35NS	37	375X-48	92	3B	9	45H48	36
35RD-BR10GB-4	106	375X-54	92	3G	8	45H60	36
35RD-BR10GB-4	116	375X-60	92	3GNY	8	45RH12	37
35RD-BR6GB-4	106	375X-72	92	3HT	8	45S-12	35
35RD-BR6GB-4	116	375XEJ18NB	89	3HT-WIDE	8	45S-18	35
35RD-GB5-4	106	375XEJ24NB	89	3L	108	45S-20	35
35RD-GB8-4	106	375XEJ30NB	89	3L	108	45S-24	35
35RH12	37	375XEJ36NB	89	3L	111	45S-30	35
35S-12	35	375XEJ42NB	89	3L-RRK	111	45S-36	35

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
45S-42	35	550J30NCS	90	55S-30	35	7S-60	35
45SH36	36	550J30SC	90	55S-36	35	7S-TRANS	37
45SH48	36	550J30SSC	90	55S-48	35	7SS	9
45U Transmission	37	550J36NAC	90	55W	37	7SW	9
45US Transmission	37	550J36NC	90	55WS	37	820/840-1CB	124
4APSS	13	550J36NCS	90	5APSS	13	820/840-1XLCB	124
4B	9	550J36SC	90	5G	8	820/840WA	51
4FH	103	550J36SSC	90	5GW	8	820/840WA	124
4FH	116	550J42NAC	90	5HT	8	840-36CL	51
4FH	122	550J42NC	90	5S	9	840-48CL	51
4G	8	550J42NCS	90	5SS	9	840-60CL	51
4GNY	8	550J42SC	90	5SW	9	840-72CL	51
4HT	8	550J42SSC	90	62-RET-50	41	840SD	51
4IN-LAUNDRY-TAPE CLAMP	52	550J48NAC	90	65-12	34	840SD	124
4M	9	550J48NC	90	65-18	34	845-CBK	51
4S	9	550J48NCS	90	65-24	34	845836LD	51
4SNYS	9	550J48SC	90	65-30	34	845848LD	51
4SS	9	550J48SSC	90	65-36	34	845860LD	51
5-3G	8	550J54NAC	90	65-48	34	845872LD	51
5-3HT	8	550J54NC	90	65-60	34	8D	109
5-3S	9	550J60NC	90	65X	37	8D	123
55-12	34	550J72NC	90	6APPSS	13	900BCKIT	125
55-18	34	550MA-1	90	6APSS	13	900CBK	51
55-20	34	550MAJ18SSC	90	6FH	103	900CBK	125
55-24	34	550MAJ24SSC	90	6FH	121	900TDH	126
55-30	34	550MAJ30SSC	90	6FH	122	A10	86
55-36	34	550MAJ36SSC	90	6G	8	A100P	48
55-42	34	550MAJ42SSC	90	6GW	8	A10S	86
55-48	34	550MAJ48SSC	90	6HT	8	A150P	48
55&65H24	36	550S-1	90	6IN-LAUNDRY-TAPE CLAMP	32	A312	50
55&65H36	36	550S-1STS	90	6IN-LAUNDRY-TAPE CLAMP	52	A31255	50
55&65H48	36	550SJ18NCS	90	6S	9	A31274	50
55&65H60	36	550SJ18SSC	90	6SS	9	AC-18	91
55&65RH12	37	550SJ24NCS	90	6SW	9	AC-18	100
55&65SH24	36	550SJ24SSC	90	7 Transmission	37	AC-18-1	91
550-1	90	550SJ30NCS	90	7G	8	AC-18-1	100
550-1-5SETS	90	550SJ30SSC	90	7GW	8	AC-24	91
550-3	90	550SJ36NCS	90	7S	9	AC-24	100
550-3STS	90	550SJ36SSC	90	7S-12	35	AC-24-1	91
550J18NC	90	550SJ42NCS	90	7S-14	35	AC-24-1	100
550J20NC	90	550SJ42SSC	90	7S-16	35	AC-26	91
550J24NAC	90	550SJ48NCS	90	7S-18	35	AC-26	100
550J24NC	90	550SJ48SSC	90	7S-20	35	AC-26-1	91
550J24NCS	90	550SJ60NCS	90	7S-24	35	AC-26-1	100
550J24SC	90	550SJ60SSC	90	7S-28	35	AC-30	91
550J24SSC	90	550SJ72NCS	90	7S-30	35	AC-30	100
550J26NC	90	550SJ72SSC	90	7S-36	35	AC-30-1	91
550J30NAC	90	55S-18	35	7S-42	35	AC-30-1	100
550J30NC	90	55S-24	35	7S-48	35	AC-36	91

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
AC-36	100	ACS-42	100	AERO-1525	54	AERO-STD-CW-G3-KIT	54
AC-36-1	91	ACS-42-1	91	AERO-1835	54	AH37530	93
AC-36-1	100	ACS-42-1	100	AERO-2135	54	AH37536	93
AC-42	91	ACS-48	91	AERO-325	54	AH37542	93
AC-42	100	ACS-48	100	AERO-325	55	AH37548	93
AC-42-1	91	ACS-48-1	91	AERO-325 END BELT CLAMP	54	AH530	93
AC-42-1	100	ACS-48-1	100	AERO-325-100MM-ARP	55	AH536	93
AC-48	91	ACS-54	91	AERO-325-33MM-SDI-X4	55	AH542	93
AC-48	100	ACS-54	100	AERO-325-45MM-PWRTRANS	55	AH548	93
AC-48-1	91	ACS-54-1	91	AERO-325-77MM-VGUIDE	55	AHP120-WNP-HAND	32
AC-48-1	100	ACS-54-1	100	AERO-325-77MM-VNOTCHED	55	AMIGO-1000-SPLICEPRESS	58
AC-54-1	91	ACS-60	91	AERO-325-77MM-VNOTCHED-INO-TMP	56	AMIGO-1000-08592	58
AC-54-1	100	ACS-60	100	AERO-325-CFTG-18SG-40	55	AMIGO-1000-08593	58
AC-60-1	91	ACS-60-1	91	AERO-325-CFTG-40FS-30-TMPLT	55	AMIGO-1000-08594	58
AC-60-1	100	ACS-60-1	100	AERO-325-CFTG-60SGNF-70-TMPLT	56	AMIGO-1000-08595	58
AC-72-1	91	ACS-72	100	AERO-325-CFTG60-SG30	55	AMIGO-1000-08596	58
AC-72-1	100	ACS-72-1	100	AERO-325-END-BLT-CLMPS	55	AMIGO-1000-08597	58
AC6-24	101	ACS6-36/900	102	AERO-625	54	AMIGO-1000-08603	58
AC6-24-1	101	ACS6-36/900-1	102	AERO-925	54	AMIGO-1000-08710	58
AC6-30	101	ACS6-40	102	AERO-G3-CBL-110V1PH	54	AMIGO-1000-08739	58
AC6-30-1	101	ACS6-40-1	102	AERO-G3-CBL-110V1PH	55	AMIGO-1000-08741	58
AC6-36	101	ACS6-42	102	AERO-G3-CBL-110V1PH-15	54	AMIGO-1000-08776	58
AC6-36-1	101	ACS6-42-1	102	AERO-G3-CBL-110V1PH-20	54	AMIGO-1000-08788	58
AC6-38	101	ACS6-46	102	AERO-G3-CBL-230V1PH	54	AMIGO-1000-08847	58
AC6-38-1	101	ACS6-46-1	102	AERO-G3-CBL-230V1PH-30	54	AMIGO-1000-08849	58
AC6-40	101	ACS6-48	102	AERO-G3-CBL-230V3PH	54	AMIGO-1000-08855	58
AC6-40-1	101	ACS6-48-1	102	AERO-G3-CBL-230V3PH-20	54	AMIGO-1000-08856	58
AC6-42	101	ACS6-52	102	AERO-G3-CBL-400V460	54	AMIGO-1000-BLADES-5	57
AC6-42-1	101	ACS6-52-1	102	AERO-G3-CBL-460V3PH	54	AMIGO-1000-BLADES-5	58
AC6-44	101	ACS6-54	102	AERO-G3-UMBILICAL	54	AMIGO-1000-CABLE-1X115-IEC520	57
AC6-44-1	101	ACS6-54-1	102	AERO-S30.5-1225	54	AMIGO-1000-CABLE-1X230-IECL620	57
AC6-48	101	ACS6-60	102	AERO-S30.5-1525	54	AMIGO-1000-CBLE-115-IEC520	58
AC6-48-1	101	ACS6-60-1	102	AERO-S30.5-1835	54	AMIGO-1000-CBLE-230-AS3112	58
AC6-54	101	ACS6-72	102	AERO-S30.5-2135	54	AMIGO-1000-CBLE-230-BS1363	58
AC6-54-1	101	ACS6-72-1	102	AERO-S30.5-325	54	AMIGO-1000-CBLE-230-CEE77	58
AC6-60	101	ACS6-84	102	AERO-S30.5-625	54	AMIGO-1000-CBLE-230-CH2-16P	58
AC6-60-1	101	ACS6-84-1	102	AERO-S30.5-925	54	AMIGO-1000-CBLE-230-IECBR3	58
AC6-72	101	ACV-24	101	AERO-S10.5-230-25M	54	AMIGO-1000-CBLE-230-IECL620	58
AC6-72-1	101	ACV-24-1	101	AERO-S13-1225	54	AMIGO-1000-RETURN-SIDE-KIT	58
AC6-84	101	ACV-30	101	AERO-S13-1525	54	AMIGO-1000-TMPLT-105846	58
ACS-30	91	ACV-30-1	101	AERO-S13-1835	54	AMIGO-1000-TMPLT-105873	58
ACS-30	100	ACV-36	101	AERO-S13-2135	54	AMIGO-1000-TMPLT-109228	58
ACS-30-1	91	ACV-36-1	101	AERO-S13-625	54	AMIGO-625-RETURN-SIDE-KIT	57
ACS-30-1	100	ACV-42	101	AERO-S13-925	54	AMIGO-625-SPLICEPRESS	57
ACS-36	91	ACV-42-1	101	AERO-S13-325	54	AMIGO-625-TMPLT-08592	57
ACS-36	100	ACV-48	101	AERO-SPLICE-TAPE	54	AMIGO-625-TMPLT-08593	57
ACS-36-1	91	ACV-48-1	101	AERO-STD-CW-G3	54	AMIGO-625-TMPLT-08594	57
ACS-36-1	100	Adapter Spring Clip	29			AMIGO-625-TMPLT-08595	57
ACS-42	91	AERO-1225	54			AMIGO-625-TMPLT-08596	57

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
AMIGO-625-TMPLT-08597	57	ARK150-WNP-115V1PH-60HZ	32	ASLB90D/30	48	BLOCK-6	51
AMIGO-625-TMPLT-08710	57	ARLPJ6.8/173-8STS FASTENERS	44	ASLBLUE50/3	48	BN-1	41
AMIGO-625-TMPLT-08776	57	ARLPJ7/175-8STS FASTENERS	44	ASLBLUE60/3	48	BN-1	52
AMIGO-625-TMPLT-08788	57	ARSH10/250	45	ASLBLUE90/3	48	BN-1	122
AMIGO-625-TMPLT-105844	57	ARSH14/350	45	ASLHP60C	48	BOLT POSITIONING FGS	68
AMIGO-625-TMPLT-105873	57	ARSH4/100	45	ASLHP80	48	BR-10-SE	114
AMIGO-625-TMPLT-109228	57	ARSH6/150	45	ASLHP90C	48	BR-10E-SE	114
AMIGO-626 TMPLT-08847	57	ARSH7/175	45	AV100	50	BR-10MA-SE	114
AMIGO-FRICTIONTAPE-33X25	57	ARSS1-10/250	45	AV20	50	BR-10S-SE	114
AMIGO-FRICTIONTAPE-33X25	58	ARSS1-14/350	45	AV250	50	BR-14	114
AMIGO-RS-GUARD-ADAPTER-KIT	58	ARSS1-4/100	45	AVGBNE	87	BR-14MA	114
AMIGO-RS-GUARD-ADAPTER-KIT*	57	ARSS1-6/150	45	AVGBNE-500	87	BR-530	117
AMU4000-115V1PH-60HZ	28	ARSS1-7/175	45	AVGBNEB	87	BR-536	117
AMU6000-115V1PH-60HZ	28	ART-14	44	AVGBNEB-500	87	BR-542	117
AMU6000-400V3PH-50/60HZ	28	ART-7	44	AVGWNE-500	87	BR-548	117
APC-1	19	ART14-5	45	AVGWNEB	87	BR-560	117
APC-1	41	ART7-5	45	AVGWNEB-500	87	BR10-BR14	114
APC-1	52	ART7-7	45	B10	86	BR101	114
APF100B-100	47	ARTK-14	44	B10S	86	BR103	114
APF100B-50	47	ARTK-7	44	B1B	93	BR141	114
APF100B-500	47	ASL160/25	48	B1B	110	BR151	116
APF100BLUE-100	47	ASL160/3	48	B2B	110	BR300	116
APF100BLUE-50	47	ASL190/10	48	B3B	110	BR359	116
APF100BLUE-500	47	ASL190/3	48	B437	50	BR500D	116
APF100W-100	47	ASL50/3	48	B43740	50	BR6	114
APF100W-50	47	ASL50/30	48	B43750	50	BR6-SE-24	114
APF100W-500	47	ASL60/10	48	B43755	50	BR6-SE-30	114
APF150B-100	47	ASL60/3	48	B43760	50	BR6-SE-36	114
APF150B-50	47	ASL60/30	48	B43774	50	BR6-SE-42	114
APF150B-500	47	ASL60D/10	48	B43774M	50	BR6E-SE-24	114
APF150BLUE-100	47	ASL60D/3	48	B823	123	BR6E-SE-30	114
APF150BLUE-50	47	ASL60D/30	48	BB	50	BR6E-SE-36	114
APF150BLUE-500	47	ASL60H/3	48	BB4	50	BR6E-SE-42	114
APF150W-100	47	ASL80H/3	48	BB455	50	BR6MA-SE	114
APF150W-50	47	ASL90/10	48	BBL-10	26	BR6S-SE-24	114
APF150W-500	47	ASL90/3	48	BBL-7	26	BR6S-SE-30	114
AR1H	45	ASL90/30	48	BENCH-MOUNT-KIT-BALER-SKIVER	45	BR6S-SE-36	114
AR1P	44	ASL90D/10	48	BEP-8U-KIT	83	BR6S-SE-42	114
AR1P	45	ASL90D/3	48	BEP-HW	83	Brass Bushing	28
AR3-15	45	ASL90D/30	48	BEP-INSTALL	83	BRP100-42	117
ARJ10/250	44	ASLB50/10	48	BEP-LP	83	BRP100-48	117
ARJ14/350	44	ASLB50/3	48	BINDER-GAL	52	BRP100-60	117
ARJ4/100	44	ASLB50/30	48	BINDER-QT	52	BRP100-72	117
ARJ6.8/173	44	ASLB60/3	48	BLADE-10	51	BRP10AL-30AB	118
ARJ6/150	44	ASLB60/30	48	BLADE-14	51	BRP10AL-36AB	118
ARJ6/150SSI	44	ASLB90/3	48	BLADE-25-6	51	BRP10AL-42AB	118
ARJ7/175	44	ASLB90/30	48	BLADE-KIT-5-BALER-SKIVER	45	BRP10AL-48AB	118
ARK-W/FOOT-PUMP	29	ASLB90D/10	48	BLOCK-10	51	BRP10AL-60AB	118
ARK150-115V1PH-60HZ	29	ASLB90D/3	48	BLOCK-14	51	BRP10AL-72AB	118



# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
BRP10AL-84AB	118	C10S	86	CBR6E-S-W	115	CSRL8D-W	99
BRP10AL-96AB	118	C150	42	CBR6E-W	115	CSRL8E	99
BRP2	117	C1C	110	CBV-72	133	CSRL8E-S	99
BRP21	117	C2C	110	CBV-84	133	CSRL8E-S-W	99
BRP22-30	117	C3C	110	CBV-96	133	CSRL8E-W	99
BRP22-36	117	C531	50	CBV-L	133	CSRL8F	99
BRP22-42	117	C53150	50	CBV-M	133	CSRL8F-S	99
BRP22-48	117	C53155	50	CBV-S	133	CSRL8F-S-W	99
BRP22-60	117	C53174	50	CBV-XS	133	CSRL8F-W	99
BRP26	117	C62520	50	CEBC1	127	CSRL8G	99
BRP3	117	C62523	50	CEBC1-220	127	CSRL8G-S	99
BRP31	117	C62540	50	CEBC1-BAT	127	CSRL8G-S-W	99
BRP59-30	117	C62560	50	CEBC1-DRNS4A	127	CSRL8G-W	99
BRP59-36	117	CABLE STRIPPER	19	CEBC1/CEBC2-BAT4A	127	CSRL8H	99
BRP59-42	117	CARDING	52	CEBC1/CEBC2-BAT5A	127	CSRL8H-S	99
BRP59-48	117	CBR6A	115	CEBC1/CEBC2-BATMET	127	CSRL8H-S-W	99
BRP59-60	117	CBR6A-E	115	CEBC1/CEBC2-CHGR	127	CSRL8H-W	99
BRP6-10AL30CB	118	CBR6A-E-W	115	CEBC1CPLG	127	CSRL8I	99
BRP6-10AL36CB	118	CBR6A-S	115	CEBC2	127	CSRL8I-S	99
BRP6-10AL42CB	118	CBR6A-S-W	115	CEBC2-220	127	CSRL8I-S-W	99
BRP6-10AL48CB	118	CBR6A-W	115	CEBC2-DR18V	127	CSRL8I-W	99
BRP6-10AL60CB	118	CBR6A-W	115	CEBC2CPLG	127	CSRL8J	99
BRP6-10AL72CB	118	CBR6AA	115	CLAMP KNOB COMB ASSY	47	CSRL8J-S	99
BRP6-10AL84CB	118	CBR6AA-E	115	CLAMP-BAR-77MMBLT	60	CSRL8J-S-W	99
BRP6-10AL96CB	118	CBR6AA-E-W	115	CLAMP-BAR-CFTG-60SGNF-70	60	CSRL8J-W	99
BRP6AL-30AB	118	CBR6AA-S	115	CLAMP-BAR-CFTG-SG	60	CSRL8K	99
BRP6AL-36AB	118	CBR6AA-S-W	115	CLIPPER SCISSORS	52	CSRL8K-S	99
BRP6AL-42AB	118	CBR6AA-W	115	CLIPPER-HOOKGAUGE	52	CSRL8K-S-W	99
BRP6AL-48AB	118	CBR6B	115	CLIPS(550)	90	CSRL8K-W	99
BRP6AL-60AB	118	CBR6B-E	115	Cover-12	27	CSRL8L-S-W	99
BRP6AL-72AB	118	CBR6B-E-W	115	Cover-25	27	CSRLA	99
BRP6AL-84AB	118	CBR6B-E-W	115	Cover-38	27	CSRLA	115
BRP6AL-96AB	118	CBR6B-S	115	CP1.4-035-100/BX	31	CSRLA-S	99
BRPS	105	CBR6B-S-W	115	CP1.4-040-100/BX	31	CSRLA-S	115
BRPS	117	CBR6B-W	115	CP1.4-048-100/BX	31	CSRLA-S-W	99
BRR-1014	116	CBR6C	115	CP1.4-050-100/BX	31	CSRLA-S-W	115
BRR-11	116	CBR6C-S	115	CP1.4-057-100/BX	31	CSRLA-W	99
BRR-DP	116	CBR6C-S-W	115	CP1.4-063-100/BX	31	CSRLA-W	115
BT-1	110	CBR6C-W	115	CP1.4-075-100/BX	31	CSRLB	99
BT-1	122	CBR6C/D	115	CP1.4-090-100/BX	31	CSRLB	115
BV100	50	CBR6C/D-S	115	CP1.4-100-50/BX	31	CSRLB-S	99
BV20	50	CBR6C/D-S-W	115	CP1.4-115-50/BX	31	CSRLB-S	115
BV250	50	CBR6C/D-W	115	CSRL8C/D	99	CSRLB-S-W	99
BVGBNE-500	87	CBR6D	115	CSRL8C/D-S	99	CSRLB-S-W	115
BVGBNEB	87	CBR6D-S	115	CSRL8C/D-S-W	99	CSRLB-W	99
BVGBNEB-500	87	CBR6D-S-W	115	CSRL8C/D-W	99	CSRLB-W	115
BVGWNE-500	87	CBR6D-W	115	CSRL8D	99	CSRLC	99
BVGWNEB-500	87	CBR6E	115	CSRL8D-S	99	CSRLC	115
C10	86	CBR6E-S	115	CSRL8D-S-W	99	CSRLC-S	99

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
CSRLC-S	115	CV250	50	EBC2-RK	127	FG-SQSB-46/1168	68
CSRLC-S-W	99	CVGBNE-300	87	EBC2CLPG	127	FG-SQSB-52/1320	68
CSRLC-S-W	115	CVGBNEB-300	87	EC1-1/4	85	FG-SQSB-58/1473	68
CSRLC-W	99	CVGWNE-300	87	EC1-1/4-C	85	FG-SQSB-64/1625	68
CSRLC-W	115	CVGWNEB-300	87	EC1-1/4-T	85	FGB-BL2-12/305	64
CSRLC/D	99	CW1024	86	EC2	85	FGB-BL2-12/305 RPL BLADE BLUE	72
CSRLC/D	115	CW25/100	86	EC2-C	85	FGB-BL2-18/457 RPL BLADE BLUE	72
CSRLC/D-S	99	CWS1024	86	EC2-T	85	FGB-BL2-24/610 RPL BLADE BLUE	72
CSRLC/D-S	115	D750	50	EC3	85	FGB-BL2-30/762 RPL BLADE BLUE	72
CSRLC/D-S-W	99	D75050	50	EC3-C	85	FGB-BL2-36/914 RPL BLADE BLUE	72
CSRLC/D-S-W	115	D75060	50	EC3-T	85	FGB-BL2-42/1067 RPL BLADE BLUE	72
CSRLC/D-W	99	D75074	50	EC4	85	FGB-BL2-48/1219 RPL BLADE BLUE	72
CSRLC/D-W	115	DL065	20	EC4-C	85	FGB-BL2-54/1372 RPL BLADE BLUE	72
CSRLD	99	DL065-C	18	EC4-T	85	FGB-BL2-60/1524 RPL BLADE BLUE	72
CSRLD	115	DL065X25FT-W/5FT	19	EC4F	85	FGB-BL2-66/1676 RPL BLADE BLUE	72
CSRLD-S	99	DL079	20	EC4FT	85	FGB-BL2-72/1828 RPL BLADE BLUE	72
CSRLD-S	115	DL093	20	EC6	85	FGB-BL2-78/1981 RPL BLADE BLUE	72
CSRLD-S-W	99	DL093-C	18	EC6-C	85	FGB-BL2-84/2134 RPL BLADE BLUE	72
CSRLD-S-W	115	DL093X10FT-W/10FT	19	EC6F	85	FGB-BL3-12/305	68
CSRLD-W	99	DL093X25FT-W/5FT	19	ECF	85	FGB-BL3-18/457	64
CSRLD-W	115	DL109	20	ECFS	85	FGB-BL3-18/457	68
CSRLE	99	DL109-C	18	ECFT	85	FGB-BL3-24/610	64
CSRLE	115	DL125	20	EH-12	27	FGB-BL3-24/610	68
CSRLE-S	99	DL125-C	18	EH-12-100V-50HZ	27	FGB-BL3-30/762	64
CSRLE-S	115	DOOR BATTERY BOX ASSY	51	EH-12-100V-60HZ	27	FGB-BL3-30/762	68
CSRLE-S-W	99	DR-SW	106	EH-25	27	FGB-BL3-36/914	64
CSRLE-S-W	115	Drive Handle Assembly	125	EH-25-100V-50HZ	27	FGB-BL3-36/914	68
CSRLE-W	99	DSS065	20	EH-25-100V-60HZ	27	FGB-BL3-42/1067	64
CSRLE-W	115	DSS065-C	18	EH-25-230V3PH-50/60HZ	27	FGB-BL3-42/1067	68
CSRLF	99	DSS093	20	EH-38	27	FGB-BL3-48/1219	64
CSRLF	115	DSS093-123	20	EH-38-100V-50HZ	27	FGB-BL3-48/1219	68
CSRLF-S	99	DSS093-246	20	EH-38-100V-60HZ	27	FGB-BL3-54/1372	64
CSRLF-S	115	DSS093-C	18	EH-38-230V3PH-50/60HZ	27	FGB-BL3-60/1524	64
CSRLF-S-W	99	DSS109	20	EPRDSS-DR	106	FGB-MD2-12/305 RPL BLD MTL DT	72
CSRLF-S-W	115	DSS109-C	18	EPRDSSK-1	106	FGB-MD2-18/457 RPL BLD MTL DT	72
CSRLF-W	99	EBC-EB	126	EPRDVS-DR	106	FGB-MD2-24/610 RPL BLD MTL DT	72
CSRLF-W	115	EBC-EB	127	Face Strip Knobs	23	FGB-MD2-30/762 RPL BLD MTL DT	72
CSRLG	99	EBC-H	127	Face Strip Knobs	25	FGB-MD2-36/914 RPL BLD MTL DT	72
CSRLG-S	99	EBC/CEBC-BK	127	FBG1	104	FGB-MD2-42/1067 RPL BLD MTL DT	72
CSRLG-S-W	99	EBC1	127	FBG1	110	FGB-MD2-48/1219 RPL BLD MTL DT	72
CSRLG-S-W	115	EBC1-220	127	FBG1	116	FGB-MD2-54/1372 RPL BLD MTL DT	72
CSRLG-W	99	EBC1-B	127	FBG1	122	FGB-MD2-60/1524 RPL BLD MTL DT	72
CSRLG-W	115	EBC1-DR	127	FG LEVER KIT	68	FGB-MD2-66/1676 RPL BLD MTL DT	72
CSSP1.4X30M	22	EBC1-RK	127	FG LEVER KIT	73	FGB-MD2-72/1828 RPL BLD MTL DT	72
CSSP2.5X30M	22	EBC1CLPG	127	FG-C-GAUGE	68	FGB-MD2-78/1981 RPL BLD MTL DT	72
CUTTER-14	51	EBC2	127	FG-C-GAUGE C	64	FGB-MD2-84/2134 RPL BLD MTL DT	72
CUTTER-25-6	51	EBC2-220	127	FG-SQSB-28/711	68	FGB-MD3-12/305	64
CUTTER-UNIBAR	52	EBC2-B	127	FG-SQSB-34/863	68	FGB-MD3-12/305	68
CV100	50	EBC2-DR	127	FG-SQSB-40/1016	68	FGB-MD3-18/457	64

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
FGB-MD3-18/457	68	FGB-W2-18/457 RPL BLADE WHT	72	FGP-MD3-36	63	FGPES-A-MDDDD3-48/1219	67
FGB-MD3-24/6	64	FGB-W2-24/610 RPL BLADE WHT	72	FGP-MD3-42	63	FGPES-A-W3-12/305	67
FGB-MD3-24/610	68	FGB-W2-30/762 RPL BLADE WHT	72	FGP-MD3-48	63	FGPES-A-W3-18/457	67
FGB-MD3-30/762	64	FGB-W2-36/914 RPL BLADE WHT	72	FGP-MD3-54	63	FGPES-A-W3-24/610	67
FGB-MD3-30/762	68	FGB-W2-42/1067 RPL BLADE WHT	72	FGP-MD3-60	63	FGPES-A-W3-30/762	67
FGB-MD3-36/914	64	FGB-W2-48/1219 RPL BLADE WHT	72	FGP-MDDD3-12	63	FGPES-A-W3-36/914	67
FGB-MD3-36/914	68	FGB-W2-54/1372 RPL BLADE WHT	72	FGP-MDDD3-18	63	FGPES-A-W3-42/1067	67
FGB-MD3-42/1067	64	FGB-W2-60/1524 RPL BLADE WHT	72	FGP-MDDD3-24	63	FGPES-A-W3-48/1219	67
FGB-MD3-42/1067	68	FGB-W2-66/1676 RPL BLADE WHT	72	FGP-MDDD3-30	63	FGPES-B-BL3-12/305	67
FGB-MD3-48/1219	64	FGB-W2-72/1828 RPL BLADE WHT	72	FGP-MDDD3-36	63	FGPES-B-BL3-18/457	67
FGB-MD3-48/1219	68	FGB-W2-78/1981 RPL BLADE WHT	72	FGP-MDDD3-42	63	FGPES-B-BL3-24/610	67
FGB-MD3-54/1372	64	FGB-W2-84/2134 RPL BLADE WHT	72	FGP-MDDD3-48	63	FGPES-B-BL3-30/762	67
FGB-MD3-60/1524	64	FGB-W3-12/305	64	FGP-MDDD3-54	63	FGPES-B-BL3-36/914	67
FGB-MDDD3-12/305	64	FGB-W3-12/305	68	FGP-MDDD3-60	63	FGPES-B-BL3-42/1067	67
FGB-MDDD3-12/305	68	FGB-W3-18/457	64	FGP-MOUNT-BASE-BEARING	63	FGPES-B-BL3-48/1219	67
FGB-MDDD3-12/305	72	FGB-W3-18/457	68	FGP-MOUNT-FLANGE-BEARING	63	FGPES-B-MD3-12/305	67
FGB-MDDD3-18/457	64	FGB-W3-24/610	64	FGP-MOUNT-FRAME	63	FGPES-B-MD3-18/457	67
FGB-MDDD3-18/457	68	FGB-W3-24/610	68	FGP-MOUNT-TWO-PIECE	63	FGPES-B-MD3-24/610	67
FGB-MDDD3-18/457	72	FGB-W3-30/762	64	FGP-SECONDARY-ADAPTER-BRKT	63	FGPES-B-MD3-30/762	67
FGB-MDDD3-24/610	64	FGB-W3-30/762	68	FGP-W3-12	63	FGPES-B-MD3-36/914	67
FGB-MDDD3-24/610	68	FGB-W3-36/914	64	FGP-W3-18	63	FGPES-B-MD3-42/1067	67
FGB-MDDD3-24/610	72	FGB-W3-36/914	68	FGP-W3-24	63	FGPES-B-MD3-48/1219	67
FGB-MDDD3-30/762	64	FGB-W3-42/1067	64	FGP-W3-30	63	FGPES-B-MDDDD3-12/305	67
FGB-MDDD3-30/762	68	FGB-W3-42/1067	68	FGP-W3-36	63	FGPES-B-MDDDD3-18/457	67
FGB-MDDD3-30/762	72	FGB-W3-48/1219	64	FGP-W3-42	63	FGPES-B-MDDDD3-24/610	67
FGB-MDDD3-36/914	64	FGB-W3-48/1219	68	FGP-W3-48	63	FGPES-B-MDDDD3-30/762	67
FGB-MDDD3-36/914	68	FGB-W3-54/1372	64	FGP-W3-54	63	FGPES-B-MDDDD3-36/914	67
FGB-MDDD3-36/914	72	FGB-W3-60/1524	64	FGP-W3-60	63	FGPES-B-MDDDD3-42/1067	67
FGB-MDDD3-42/1067	64	FGENDPLT	64	FGPESG	64	FGPES-B-MDDDD3-48/1219	67
FGB-MDDD3-42/1067	68	FGHEXNUT	64	FGPES-A-BL3-12/305	67	FGPES-B-W3-12/305	67
FGB-MDDD3-42/1067	72	FGHRDWRKIT	64	FGPES-A-BL3-18/457	67	FGPES-B-W3-18/457	67
FGB-MDDD3-48/1219	64	FGO-RGKIT-1	64	FGPES-A-BL3-24/610	67	FGPES-B-W3-24/610	67
FGB-MDDD3-48/1219	68	FGO-RGKIT-32	64	FGPES-A-BL3-30/762	67	FGPES-B-W3-30/762	67
FGB-MDDD3-48/1219	72	FGO-RSM/1 RPL	64	FGPES-A-BL3-36/914	67	FGPES-B-W3-36/914	67
FGB-MDDD3-54/1372	64	FGP-24/610 RPL POLE	64	FGPES-A-BL3-42/1067	67	FGPES-B-W3-42/1067	67
FGB-MDDD3-60/1524	64	FGP-30/762 RPL POLE	64	FGPES-A-BL3-48/1219	67	FGPES-B-W3-48/1219	67
FGB-MDDDD3S-54/1372 RPL BLD	72	FGP-BL3-12	63	FGPES-A-MD3-12/305	67	FGPIN	64
MDDD		FGP-BL3-18	63	FGPES-A-MD3-18/457	67	FGPS-BSG-RNG	68
FGB-MDDDD3S-60/1524 RPL BLD	72	FGP-BL3-24	63	FGPES-A-MD3-24/610	67	FGPS-BSG-SQ	68
MDDD		FGP-BL3-30	63	FGPES-A-MD3-30/762	67	FGPSHWKIT RPL HARDWARE KIT	68
FGB-MDDDD3S-66/1676 RPL BLD	72	FGP-BL3-36	63	FGPES-A-MD3-36/914	67	FGPW-36/914 RPL POLE	64
MDDD		FGP-BL3-42	63	FGPES-A-MD3-42/1067	67	FGPW-42/1067 RPL POLE	64
FGB-MDDDD3S-72/1828 RPL BLD	72	FGP-BL3-48	63	FGPES-A-MD3-48/1219	67	FGPW-48/1219 RPL POLE	64
MDDD		FGP-BL3-54	63	FGPES-A-MDDDD3-12/305	67	FGPW-54/1372 RPL POLE	64
FGB-MDDDD3S-78/1981 RPL BLD	72	FGP-BL3-60	63	FGPES-A-MDDDD3-18/457	67	FGPW-60/1524 RPL POLE	64
MDDD		FGP-MD3-12	63	FGPES-A-MDDDD3-24/610	67	FGPW-66/1676 RPL POLE	64
FGB-MDDDD3S-84/2134 RPL BLD	72	FGP-MD3-18	63	FGPES-A-MDDDD3-30/762	67	FGPW-72/1829 RPL POLE	64
MDDD		FGP-MD3-24	63	FGPES-A-MDDDD3-36/914	67	FGS-A-BL2-12/305	71
FGB-W2-12/305 RPL BLADE WHT	72	FGP-MD3-30	63	FGPES-A-MDDDD3-42/1067	67	FGS-A-BL2-18/457	71

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
FGS-A-BL2-24/610	71	FGS-AB-W2-84/2134	71	FGS-MP MOUNTING PLATE	68	FILLRUBBER-4	121
FGS-A-BL2-30/762	71	FGS-B-18/457 REPL BAR	73	FGS-MP MOUNTING PLATE	73	FL-CP-I	134
FGS-A-BL2-36/914	71	FGS-B-24/610 REPL BAR	73	FGS-PB POSITIONING BOLT	73	FL-CP-I	134
FGS-A-BL2-42/1067	71	FGS-B-30/762 REPL BAR	73	FGS-S-102/2591 REPL SHAFT	73	FL-CP-ISS	134
FGS-A-BL2-48/1219	71	FGS-B-36/914 REPL BAR	73	FGS-S-108/2743 REPL SHAFT	73	FL-L	131
FGS-A-MD2-12/305	71	FGS-B-42/1067 REPL BAR	73	FGS-S-30/762 REPL SHAFT	73	FL-M	131
FGS-A-MD2-18/457	71	FGS-B-48/1219 REPL BAR	73	FGS-S-36/914 REPL SHAFT	73	FL-PC-I	134
FGS-A-MD2-24/610	71	FGS-B-54/1372 REPL BAR	73	FGS-S-42/1067 REPL SHAFT	73	FL-PC-ISS	134
FGS-A-MD2-30/762	71	FGS-B-60/1524 REPL BAR	73	FGS-S-48/1219 REPL SHAFT	73	FL-PKIT-ML	131
FGS-A-MD2-36/914	71	FGS-B-66/1676 REPL BAR	73	FGS-S-54/1372 REPL SHAFT	73	FL-PKIT-XL	131
FGS-A-MD2-42/1067	71	FGS-B-72/1829 REPL BAR	73	FGS-S-60/1524 REPL SHAFT	73	FL-RBI	134
FGS-A-MD2-48/1219	71	FGS-B-78/1981 REPL BAR	73	FGS-S-66/1676 REPL SHAFT	73	FL-RBI	134
FGS-A-MDDD3-12/305	71	FGS-B-84/2134 REPL BAR	73	FGS-S-78/1981 REPL SHAFT	73	FL-RPI	134
FGS-A-MDDD3-18/457	71	FGS-B-90/2286 REPL BAR	73	FGS-S-84/2134 REPL SHAFT	73	FL-RPI	134
FGS-A-MDDD3-24/610	71	FGS-B-BL2-12/305	71	FGS-S-90/2286 REPL SHAFT	73	FL-XL	131
FGS-A-MDDD3-30/762	71	FGS-B-BL2-18/457	71	FGS-S-96/2438 REPL SHAFT	73	FL1-1/2BNE	87
FGS-A-MDDD3-36/914	71	FGS-B-BL2-24/610	71	FGS-SB SNAP BUSHING	73	FL11C	110
FGS-A-MDDD3-42/1067	71	FGS-B-BL2-30/762	71	FGS-TA TORQUE ARM	73	FL1BNE	87
FGS-A-MDDD3-48/1219	71	FGS-B-BL2-36/914	71	FGSHWKIT REPL HARDWARE KIT	73	FL7C	93
FGS-A-W2-12/305	71	FGS-B-BL2-42/1067	71	FGSTNDOFFKIT-1	64	FL7C	110
FGS-A-W2-18/457	71	FGS-B-BL2-48/1219	71	FGSTNDOFFKIT-8	64	FLCK	131
FGS-A-W2-24/610	71	FGS-B-MD2-12/305	71	FGTBSG	64	FLCP	131
FGS-A-W2-30/762	71	FGS-B-MD2-18/457	71	FGTC-TWA TENSIONER	68	FLEL-L	131
FGS-A-W2-36/914	71	FGS-B-MD2-24/610	71	WELDMENT A		FLEL-M	131
FGS-A-W2-42/1067	71	FGS-B-MD2-30/762	71	FGTC-TWA TENSIONER	73	FLELK-XL	131
FGS-A-W2-48/1219	71	FGS-B-MD2-36/914	71	WELDMENT A		FLELP	131
FGS-AB-BL2-54/1372	71	FGS-B-MD2-42/1067	71	FGTC-TWB TENSIONER	68	FLM-PC	134
FGS-AB-BL2-60/1524	71	FGS-B-MD2-48/1219	71	WELDMENT B		FLRLB-L	131
FGS-AB-BL2-66/1676	71	FGS-B-MDDD3-12/305	71	FGTC-TWB TENSIONER	73	FLRLB-M	131
FGS-AB-BL2-72/1829	71	FGS-B-MDDD3-18/457	71	WELDMENT B		FLRP	131
FGS-AB-BL2-78/1981	71	FGS-B-MDDD3-24/610	71	FGTHSG	64	FLSC-I	134
FGS-AB-BL2-84/2134	71	FGS-B-MDDD3-30/762	71	FGTHUB	64	FLSC-ISS	134
FGS-AB-MD2-54/1372	71	FGS-B-MDDD3-36/914	71	FGTS-20/500	64	FLSCM-I	134
FGS-AB-MD2-60/1524	71	FGS-B-MDDD3-42/1067	71	FGTS-36/900	64	FLTW-L	131
FGS-AB-MD2-66/1676	71	FGS-B-MDDD3-48/1219	71	FGTS-60/1500	64	FLTW-M	131
FGS-AB-MD2-72/1829	71	FGS-B-W2-12/305	71	FGTS-XL	64	FLTW-XL	131
FGS-AB-MD2-78/1981	71	FGS-B-W2-18/457	71	FHGP18	89	FLVRL-XL	131
FGS-AB-MD2-84/2134	71	FGS-B-W2-24/610	71	FHGP24	89	FPD-RK	106
FGS-AB-MDDD3-54/1372	71	FGS-B-W2-30/762	71	FHGP24-1	89	FRT-1	110
FGS-AB-MDDD3-60/1524	71	FGS-B-W2-36/914	71	FHGP30	89	FSGOLD1-24	23
FGS-AB-MDDD3-66/1676	71	FGS-B-W2-42/1067	71	FHGP30-1	89	FSGOLD1-36	23
FGS-AB-MDDD3-72/1829	71	FGS-B-W2-48/1219	71	FHGP36	89	FSGOLD1-48	23
FGS-AB-MDDD3-78/1981	71	FGS-BLADE-GAUGE	73	FHGP36-1	89	FSGOLD1-60	23
FGS-AB-MDDD3-84/2134	71	FGS-FGPES-EU-MP MOUNTING PLATE	68	FHGP42	89	FSGOLD2-24	23
FGS-AB-W2-54/1372	71	FGS-FGPES-EU-MP MOUNTING PLATE	73	FHGP42-1	89	FSGOLD2-36	23
FGS-AB-W2-60/1524	71	FGS-FGPES-PM BLANK MNTG PLT	68	FHGP48	89	FSGOLD2-48	23
FGS-AB-W2-66/1676	71	FGS-FGPES-PM BLANK MNTG PLT	73	FHGP48-1	89	FSGOLD2-60	23
FGS-AB-W2-72/1829	71			FHGP60	89	FSGOLD36-24	23
FGS-AB-W2-78/1981	71			FHGP60-1	89	FSGOLD36-36	23

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
FSGOLD36-48	23	FSK2XL-BP	130	FXC-CCW	121	GAUGE KEY STP MASTER SET	76
FSGOLD36-60	23	FSK2XL-FDRA	130	FXC-CD-AB	120	GAUGE KIT STP 1.5IN-3IN	76
FSGOLD4-1/2-24	23	FSK2XL-FR	130	FXC-CD-CD	120	GAUGE KIT STP 4IN-10IN	76
FSGOLD4-1/2-36	23	FSK2XL-R	130	FXC-CD-EFG	120	GAUGE KIT STP BRIDGE	76
FSGOLD4-1/2-48	23	FSK2XL-TP	130	FXC-CD-HIJ	120	GC-1	52
FSGOLD4-1/2-60	23	FSMAN1-24	24	FXC-CDW	121	GCB-50	52
FSGOLDG-1201	23	FSMAN1-36	24	FXC-CN	121	GFSA00-14	25
FSGOLDG-1501	23	FSMAN1-48	24	FXC-DH-2	120	GFSA00-24	24
FSGOLDG-601	23	FSMAN1-60	24	FXC-FRP	121	GFSA00-36	24
FSGOLDG-901	23	FSMAN1-72	24	FXC-FRT	121	GFSA00-48	24
FSGOLDGXL-1201	23	FSMAN1-MICRO	25	FXC-HC	121	GFSAI&7-14	25
FSGOLDGXL-1501	23	FSMAN2-24	24	FXC-ITK	120	GFSAGP00-36	24
FSGOLDGXL-601	23	FSMAN2-36	24	FXC-OBSH	121	GFSAGP1&7-24	24
FSGOLDGXL-901	23	FSMAN2-48	24	FXC-PCB	120	GFSAGP1&7-36	24
FSK-1AF	130	FSMAN2-60	24	FXC-PCBK	120	GFSAGP1&7-48	24
FSK-1B	130	FSMAN2-72	24	FXC-POB	121	GFSAGP1&7-60	24
FSK-1BA	130	FSMAN2-MICRO	25	FXC-ROB	121	GFSAM1&7-24	24
FSK-1BRA	130	FSMAN30-24	24	FXC-SOB-20	121	GFSAM1&7-36	24
FSK-1BSH	130	FSMAN30-36	24	G005-SS-1200W-8/BX	22	GFSAM1&7-48	24
FSK-1C	130	FSMAN30-48	24	G005-SS-1500W-8/BX	22	GFSAM1&7-60	24
FSK-1F	130	FSMAN30-60	24	G005-SS-300W-12/BX	22	Gold Class Plus Tool Repair	41
FSK-1FRM	130	FSMAN30-72	24	G005-SS-600W-8/BX	22	Gold Class Power Driver Tool Repair	41
FSK-1H	130	FSMAN30-MICRO	25	G005-SS-900W-8/BX	22	Guide Blk Kit > 50,000	23
FSK-1HB	130	FSMAN36-24	24	G005A-SS-1200W-8/BX	22	Guide Blk Kit > 50,000	25
FSK-1N	130	FSMAN36-36	24	G005A-SS-1500W-8/BX	22	Guide Blk Kit 3,500 – 50,000	23
FSK-1PPR	130	FSMAN36-48	24	G005A-SS-300W-12/BX	22	Guide Blk Kit 3,500 – 50,000	25
FSK-1R	130	FSMAN36-60	24	G005A-SS-600W-8/BX	22	H100	93
FSK-1RAA	130	FSMAN36-72	24	G005A-SS-900W-8/BX	22	H100	121
FSK-1RUD	130	FSMAN36-MICRO	25	G006-SS-1200W-8/BX	22	HB1	93
FSK-1S	130	FSMAN4-1/2-24	24	G006-SS-1500W-8/BX	22	HB1	110
FSK-1SP	130	FSMAN4-1/2-36	24	G006-SS-300W-12/BX	22	HB1	111
FSK-1T	130	FSMAN4-1/2-48	24	G006-SS-600W-8/BX	22	HB2	110
FSK-2CA	130	FSMAN4-1/2-60	24	G006-SS-900W-8/BX	22	HB2	111
FSK-2FR	130	FSMAN4-1/2-72	24	G006A-SS-1200W-8/BX	22	HB3	110
FSK2-BAT5A	130	FSMAN4-1/2-MICRO	25	G006A-SS-1500W-8/BX	22	HB3	111
FSK2-BS	130	FSMANG-1201	24	G006A-SS-300W-12/BX	22	HD1	85
FSK2-DR	130	FSMANG-1501	24	G006A-SS-600W-8/BX	22	HD1-1/4-F	85
FSK2-DR18V	130	FSMANG-1801	24	G006A-SS-900W-8/BX	22	HD1-1/4-F	86
FSK2-FDRA	130	FSMANG-351-MICRO	25	G008-SS-1200W-12/BOX	22	HD1-F	85
FSK2-FM	130	FSMANG-601	24	G008-SS-1500W-12/BOX	22	HD1-F	86
FSK2-KB	130	FSMANG-901	24	G008-SS-300W-12/BOX	22	HD1-FS	85
FSK2-RGK	130	FSMANGXL-1201	24	G008-SS-600W-12/BOX	22	HD1-FS	86
FSK2-SP	130	FSMANGXL-1501	24	G008-SS-900W-12/BOX	22	HD1S	85
FSK2-XP5	130	FSMANGXL-1801	24	G1/2-F	86	HD2	85
FSK2M	130	FSMANGXL-351-MICRO	25	G1/2-FS	86	HDCS-900-24	126
FSK2MP	130	FSMANGXL-601	24	G3/4-F	86	HDCS-900-36	126
FSK2MXL	130	FSMANGXL-901	24	G3/4-FS	86	HDCS-900-48	126
FSK2MXLP	130	FXC-1BATT	120	G5/8-F	86	HDCS-900-60	126
FSK2XL-1B	130	FXC-AGA	121	G5/8-FS	86	HDCS-900-72	126

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
HDCS-900-84	126	HP3	110	L2-W	85	LPMAN1/36-MICRO	25
HDCS-BS	126	HP3	111	L2-WS	85	LPMAN1/36-MICRO	25
HDCS-CBK	126	HPRET1	101	L3-B	85	LPMANREG-24	24
HDCS-SB	126	HPRET2	101	L3-BS	85	LPMANREG-24	24
HDCS-SDA	126	HR1-12	27	L3-W	85	LPMANREG-36	24
HDCS-SKK	126	HR1-12	27	L3-WS	85	LPMANREG-36	24
HITCHGD-V1-CEN-SEG 10PC	79	HR1-25	27	L3/4-F	85	LPMANREG-48	24
HITCHGD-V1-CEN-SEG 3IN	79	HR1-38	27	L3/4-FS	85	LPMANREG-48	24
HITCHGD-V1-CEN-SEG-10PC	79	HR1LW95	26	L5/8-B	85	LPMANREG-60	24
HITCHGD-V1-CEN-SEG-3IN	79	HR25-12	27	L5/8-BS	85	LPMANREG-60	24
HITCHGD-V1-KIT-36IN	79	HR25-12	27	L5/8-F	85	LPMANREG-72	24
HITCHGD-V1-KIT-42IN	79	HR25-25	27	L5/8-FS	85	LPMANREG-72	24
HITCHGD-V1-KIT-48IN	79	HR25-38	27	L5/8-W	85	LPMANREG-MICRO	25
HITCHGD-V1-KIT-60IN	79	HR25LW95	26	L5/8-WS	85	LPMANREG-MICRO	25
HITCHGD-V1-KIT-72IN	79	HR2LW95	26	LACING	52	LSHD-RPK	128
HITCHGD-V1-LT-END-SEG	79	HR36-12	27	LASER BELT SQUARE	51	LSHD30	128
HITCHGD-V1-LT-END-SEG	79	HR36-12	27	LG1-1/2	86	LSHD36	128
HITCHGD-V1-LT-SEG-5PC	79	HR36-25	27	LG1-1/2-C	86	LSHD42	128
HITCHGD-V1-LT-SEG-5PC	79	HR36-38	27	LG2	86	LSHD48	128
HITCHGD-V1-MOUNT-KIT	79	HR36LW95	26	LG2-C	86	LSHD54	128
HITCHGD-V1-MOUNT-PL	79	HRREG-12	27	LG3/4-F	86	LSHD60	128
HITCHGD-V1-RT-END-SEG	79	HRREG-12	27	LG3/4-FS	86	LSHD72	128
HITCHGD-V1-RT-SEG	79	HRREG-25	27	Linear Bearing	28	LSHDB30-2	128
HITCHGD-V1-RT-SEG-5PC	79	HRREG-38	27	LP1/36-12	27	LSHDB36-2	128
HITCHGD-V1-RT-SEG-5PC	79	HSP3	104	LP1/36-12	27	LSHDB42-2	128
HITCHGD-V1-SUP-BAR-38IN	79	HSP3	110	LP1/36-25	27	LSHDB48-2	128
HITCHGD-V1-SUP-BAR-38IN	79	HSP3	116	LP1/36-38	27	LSHDB54-2	128
HITCHGD-V1-SUP-BAR-44IN	79	HSP3	122	LP2-12	27	LSHDB60-2	128
HITCHGD-V1-SUP-BAR-44IN	79	HW1	110	LP2-12	27	LSHDB72-2	128
HITCHGD-V1-SUP-BAR-50IN	79	HW1	111	LP2-25	27	LSHDCBS	128
HITCHGD-V1-SUP-BAR-50IN	79	HW1 POWER WRENCH	93	LP2-38	27	LSHDLP	128
HITCHGD-V1-SUP-BAR-62IN	79	HW2	110	LPGOLD1/36-24	23	LSHDPP	128
HITCHGD-V1-SUP-BAR-62IN	79	HW2	111	LPGOLD1/36-36	23	LSHDS	128
HITCHGD-V1-SUP-BAR-74IN	79	HW3	110	LPGOLD1/36-48	23	LW95	26
HITCHGD-V1-SUP-BAR-74IN	79	HW3	111	LPGOLD1/36-60	23	M-4	52
HITCHGD-V3-KIT-36IN	79	KNOB 8 POINT	126	LPGOLDREG-24	23	M-4	122
HITCHGD-V3-KIT-42IN	79	L1-1/2-B	85	LPGOLDREG-36	23	MARGB-14	45
HITCHGD-V3-KIT-48IN	79	L1-1/2-BS	85	LPGOLDREG-48	23	MARGB-7	45
HITCHGD-V3-KIT-60IN	79	L1-1/2-W	85	LPGOLDREG-60	23	MART-14	44
HITCHGD-V3-KIT-72IN	79	L1-1/2-WS	85	LPMAN1/36-24	24	MART-7	44
HITCHGD-V3-MOUNT-KIT	79	L1-B	85	LPMAN1/36-24	24	MART-GBFW	45
HITCHGD-V3-MOUNT-PL	79	L1-BS	85	LPMAN1/36-36	24	MART-GBK	45
HP1	86	L1-F	85	LPMAN1/36-36	24	MART-GBPWS	45
HP1	93	L1-W	85	LPMAN1/36-48	24	MARTK-14	44
HP1	110	L1-WS	85	LPMAN1/36-48	24	MARTK-7	44
HP1	111	L1/2-F	85	LPMAN1/36-60	24	MBRT10-30-AL	116
HP2	110	L1/2-FS	85	LPMAN1/36-60	24	MBRT10-42-AL	116
HP2	111	L2-B	85	LPMAN1/36-72	24	MBRT10-48-AL	116
HP3	86	L2-BS	85	LPMAN1/36-72	24	MBRT10-60-AL	116

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
MBRT10-72-AL	116	MSRT9-60-AL	103	NAC6-24	102	NC-20-1	100
MBRT10-84-AL	116	MSRT9-72	103	NAC6-24-1	102	NC-24	91
MBRT10-96-AL	116	MSRT9-72-AL	103	NAC6-30	102	NC-24	100
MBRT1036-AL	116	MSRT9-84	103	NAC6-30-1	102	NC-24-1	91
MBRT6-30-AL	116	MSRT9-84-AL	103	NAC6-36	102	NC-24-1	100
MBRT6-36-AL	116	MW043	20	NAC6-36-1	102	NC-26	91
MBRT6-42-AL	116	MW054	20	NAC6-38	102	NC-26	100
MBRT6-48-AL	116	MW072	20	NAC6-38-1	102	NC-30	91
MBRT6-60-AL	116	MW090	20	NAC6-40	102	NC-30	100
MBRT6-72-AL	116	MW090-100	20	NAC6-40-1	102	NC-30-1	91
MBRT6-84-AL	116	N054	20	NAC6-42	102	NC-30-1	100
MBRT6-96-AL	116	N093	20	NAC6-42-1	102	NC-36	91
MBRTA-30	116	NAC-18	91	NAC6-44	102	NC-36	100
MBRTA-36	116	NAC-18	100	NAC6-44-1	102	NC-36-1	91
MBRTA-42	116	NAC-18-1	91	NAC6-46	102	NC-36-1	100
MBRTA-48	116	NAC-18-1	100	NAC6-46-1	102	NC-42	91
MBRTA-60	116	NAC-24	91	NAC6-48	102	NC-42	100
MBRTA-72	116	NAC-24	100	NAC6-48-1	102	NC-42-1	91
MBRTA-84	116	NAC-24-1	91	NAC6-54	102	NC-42-1	100
MBRTA-96	116	NAC-24-1	100	NAC6-54-1	102	NC-48	91
MDT-1	47	NAC-26	91	NAC6-60	102	NC-48	100
MICROLACER	25	NAC-26	100	NAC6-60-1	102	NC-48-1	91
MSRT-30	103	NAC-26-1	91	NAC6-72	102	NC-48-1	100
MSRT-30-AL	103	NAC-26-1	100	NAC6-72-1	102	NC-54	91
MSRT-36	103	NAC-30	91	NAC6-84	102	NC-54	100
MSRT-36-AL	103	NAC-30	100	NAC6-84-1	102	NC-54-1	91
MSRT-42	103	NAC-30-1	91	NACS6-48	102	NC-54-1	100
MSRT-42-AL	103	NAC-30-1	100	NACS6-54	102	NC-60	91
MSRT-48	103	NAC-36	91	NACS6-60	102	NC-60	100
MSRT-48-AL	103	NAC-36	100	NB-18-1	91	NC-60-1	91
MSRT-60	103	NAC-36-1	91	NB-24-1	91	NC-60-1	100
MSRT-60-AL	103	NAC-36-1	100	NB-30-1	91	NC-72	91
MSRT-72	103	NAC-42	91	NB-36-1	91	NC-72	100
MSRT-72-AL	103	NAC-42	100	NB-42-1	91	NC-72-1	91
MSRT-84	103	NAC-42-1	91	NC-12	91	NC-72-1	100
MSRT-84-AL	103	NAC-42-1	100	NC-12-1	91	NC-C	91
MSRT-96-AL	103	NAC-48	91	NC-12-1	100	NC-C	100
MSRT8-48	103	NAC-48	100	NC-14	91	NC1-C	40
MSRT8-48-AL	103	NAC-48-1	91	NC-14-1	91	NC1-X	40
MSRT8-60	103	NAC-48-1	100	NC-14-1	100	NC187-C	40
MSRT8-60-AL	103	NAC-54	91	NC-16	91	NC187-X	40
MSRT8-72	103	NAC-54-1	91	NC-16-1	91	NC62-C	40
MSRT8-72-AL	103	NAC-54-1	100	NC-16-1	100	NC62-X	40
MSRT8-84	103	NAC-60	91	NC-18	91	NCS-12	91
MSRT8-84-AL	103	NAC-60-1	91	NC-18	100	NCS-16	91
MSRT8-96-AL	103	NAC-60-1	100	NC-18-1	91	NCS-18	91
MSRT9-48	103	NAC-72	91	NC-18-1	100	NCS-20	91
MSRT9-48-AL	103	NAC-72-1	91	NC-20	91	NCS-24	91
MSRT9-60	103	NAC-72-1	100	NC-20-1	91	NCS-24	100

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
NCS-24-1	91	NCS187-X	40	NY065-2-1/2-100	19	NYS065-C	18
NCS-24-1	100	NCS62-C	40	NY065-2-1/4-100	19	NYS079	20
NCS-30	91	NCS62-X	40	NY065-2-100	19	NYS079-C	18
NCS-30	100	NCS962-48-1	102	NY065-2-3/4-100	19	NYS093	20
NCS-30-1	91	NCS962-54-1	102	NY065-3-1/2-50	19	NYS093-12	19
NCS-30-1	100	NCS962-60-1	102	NY065-3-1/4-50	19	NYS093-C	18
NCS-36	91	NCS962-72-1	102	NY065-3-100	19	NYS109	20
NCS-36	100	NCS962-84-1	102	NY065-3/4-100	19	NYS109-12	19
NCS-36-1	91	NCS975-48-1	102	NY065-4-1/2-50	19	NYS109-C	18
NCS-36-1	100	NCS975-54-1	102	NY065-4-50	19	NYS125	20
NCS-42	91	NCS975-60-1	102	NY065-6-24	19	NYS125-12	19
NCS-42	100	NCS975-72-1	102	NY065-7/8-100	19	NYS125-C	18
NCS-42-1	91	NCS975-84-1	102	NY065-C	18	NYS156	20
NCS-42-1	100	NL250-C	47	NY079	20	NYS156-12	19
NCS-48	91	NL250-X	47	NY079-C	18	NYS156-C	18
NCS-48	100	NL350-C	47	NY093	20	ORANGE TUBING	93
NCS-48-1	91	NL350-X	47	NY093-100	20	OVGBNEB-500	87
NCS-48-1	100	NP053	20	NY093-12	19	OVGWNE-500	87
NCS-54	91	NP053-C	18	NY093-123	20	OVGWNEB-500	87
NCS-54	100	NP065	20	NY093-246	20	P1/2-F	86
NCS-54-1	91	NP065-12	19	NY093-C	18	P120CLPR25SPP	32
NCS-54-1	100	NP065-C	18	NY109	20	P150CLPR25SPP115V	32
NCS-60	91	NP079	20	NY109-12	19	P150CLPR25SPP230V	32
NCS-60	100	NP079-C	18	NY109-C	18	P1P	86
NCS-60-1	91	NP093	20	NY125	20	P1P	93
NCS-60-1	100	NP093-12	19	NY125-12	19	P1P	110
NCS-72	91	NP093-C	18	NY125-C	18	P2C1	29
NCS-72-1	91	NP109	20	NY156	20	P2C1	29
NCS-72-1	100	NP109-12	19	NY156-12	19	P2C1	29
NCS-C	100	NP109-C	18	NY156-C	18	P2C1	29
NCS065	20	NP125	20	NYLON-PUNCH-PAD-114MM	60	P2C2	29
NCS065-C	18	NP125-12	19	NYLON-PUNCH-PAD-200MM	60	P2C2	29
NCS065X10FT-W/10FT	19	NP125-C	18	NYLON-PUNCH-PAD-200MM-30	60	P2C2	29
NCS065X25FT-W/5FT	19	NP156	20	NYS053	20	P2C2	29
NCS093	20	NP156-12	19	NYS053-C	18	P2C25/36	29
NCS093-C	18	NP156-C	18	NYS065	20	P2C25/36	29
NCS093X10FT-W/10FT	19	NS054	20	NYS065-1-1/2-100	19	P2C25/36	29
NCS093X15FT-W/2FT	19	NS093	20	NYS065-1-1/4-100	19	P2CLPR1	29
NCS093X25FT-W/10FT	19	NUT DRIVER	116	NYS065-1-100	19	P2CLPR25	29
NCS093X25FT-W/5FT	19	Nut Driver Roller Lacer Gold Class	23	NYS065-1-7/8-100	19	P2CLPR36	29
NCS093X50FT-W/4FT	19	NY053	20	NYS065-12	19	P2P	110
NCS093X5FT-W/5FT	19	NY053-C	18	NYS065-2-1/2-100	19	P3/4-F	86
NCS1-C	40	NY065	20	NYS065-2-1/4-100	19	P3P	86
NCS1-X	40	NY065-1-1/2-100	19	NYS065-2-100	19	P3P	110
NCS125	20	NY065-1-1/4-100	19	NYS065-3-1/4-50	19	P4C1	29
NCS125-C	18	NY065-1-100	19	NYS065-3-100	19	P4C1	29
NCS156	20	NY065-1-3/4-100	19	NYS065-4-50	19	P4C1	29
NCS156-C	18	NY065-1-7/8-100	19	NYS065-5/8-100	19	P4C1	29
NCS187-C	40	NY065-12	19	NYS065-6-24	19	P4C2	29



# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
P4C2	29	P6CLPR1M-24	28	PLY130-400V+NV3PH50HZ	59	PUN-B-80×20×113BIAS-600	60
P4C2	29	P6CLPR1M-36	28	PLY130-460V3PH60HZ-L16-20	59	PUN-B-80×20×113BIAS-900	60
P4C2	29	P6CLPR1M-48	28	PLY130-460V3PH60HZ-L16-30	59	PUN-M-300	60
P4C25/36	29	P6CLPR1M-60	28	PLY130-BLADE	59	PUN-M-600	60
P4C25/36	29	P6CLPR25M-24	28	PLY130-CART	59	PUN-M-900	60
P4C25/36	29	P6CLPR25M-36	28	PLY130-GAS-SPRING	59	PUN-M-NDX-114MM	60
P4CLPR1	29	P6CLPR25M-48	28	PLY130-GAS-SPRING-400N	59	PUN-M-NDX-114MM-ARP-SDI	60
P4CLPR25	29	P6CLPR25M-60	28	PLY130-SNGL-STEP CUT-BLADE	59	PUN-M-NDX-200MM	60
P4CLPR36	29	P6CLPR2M-24	28	PLY130-SNGL-STEP CUT-KIT	59	PUN-M-NYLONPAD-KIT	60
P6C1	28	P6CLPR2M-36	28	PLY130-STEP CUT	59	QDBINDER-QUART	52
P6C1	28	P6CLPR2M-48	28	PLY130-STEP CUT-BLADES	59	R-10	26
P6C1	28	P6CLPR2M-60	28	PLY130-STEP CUT-GUIDE	59	R-4	26
P6C1	28	P6CLPR36M-24	28	PLY130-STEP CUT-GUIDE-EXT	59	R-7	26
P6C1	28	P6CLPR36M-36	28	PLY130-STEP CUT-RETROFIT	59	R2-12/300	95
P6C1	28	P6CLPR36M-48	28	PLY130-STEP CUT-TWRENCH	59	R2-18/450	95
P6C1	28	P6CLPR36M-60	28	PNEUDRIVE1	106	R2-24/600	95
P6C1	28	P6CLPRGM-1201	28	POLY035X15FT-W/3	48	R2-30/750	95
P6C1	28	P6CLPRGM-1501	28	POLY047X15FT-W/3	48	R2-36/900	95
P6C1	28	P6CLPRGM-601	28	PRL4	48	R2-42/1050	95
P6C1	28	P6CLPRGM-901	28	PRO-120TC-115V-60HZ	32	R2-48/1200	95
P6C1	28	PB1	41	PRO-120TC-230V1PH-50/60HZ	32	R2-54/1350	95
P6C1	28	PCA7-300	47	PSRD-AH	106	R2-60/1500	95
P6C1	28	PCA7-600	47	PSRD-RF	106	R2MA	95
P6C1	28	PDBUMP	106	PSRD-RS	106	R2S-12/300	95
P6C1	28	PDCYL	106	PTAH	106	R2S-18/450	95
P6C2	28	PDHANDLE	106	PTEZ-18	132	R2S-24/600	95
P6C2	28	PDHK	106	PTEZ-24	132	R2S-30/750	95
P6C2	28	PDNP	106	PTEZ-30	132	R2S-36/900	95
P6C2	28	PDNPS	106	PTEZ-36	132	R2S-42/1050	95
P6C2	28	PDNSS	106	PTEZ-42	132	R2S-48/1200	95
P6C2	28	PDORING	106	PTEZ-48	132	R2S-54/1350	95
P6C2	28	PDPR	106	PTL1	26	R2S-60/1500	95
P6C2	28	PDTVA	106	PTL25	26	R2T	95
P6C2	28	PG2	86	PTL30	26	R2T-AI	95
P6C2	28	PG3	86	PTRD-DR	106	R5-1/2-SE-18/450	96
P6C2	28	PLY-BL-BLADE-&-JIG-KIT	59	PTRD-RC	106	R5-1/2-SE-24/600	96
P6C2	28	PLY130-115V1PH60HZ	59	PTRDK	106	R5-1/2-SE-30/750	96
P6C25/36	28	PLY130-230V+N1PH50HZ	59	PUN-B-50×18×31BIAS-600	60	R5-1/2-SE-36/900	96
P6C25/36	28	PLY130-230V1PH50HZ-13	59	PUN-B-50×18×31BIAS-900	60	R5-1/2-SE-42/1050	96
P6C25/36	28	PLY130-230V1PH50HZ-16	59	PUN-B-50×20-300	60	R5-1/2-SE-48/1200	96
P6C25/36	28	PLY130-230V1PH60HZ	59	PUN-B-50×20-600	60	R5-1/2-SE-54/1350	96
P6C25/36	28	PLY130-230V1PH60HZ-15	59	PUN-B-50×20-900	60	R5-1/2-SE-60/1500	96
P6C25/36	28	PLY130-230V1PH60HZ-30	59	PUN-B-50X18X31BIAS-300	60	R5-1/2-SE-72/1800	96
P6C25/36	28	PLY130-230V1PH60HZ-6-15	59	PUN-B-70×15-300	60	R5-1/2MA-SE	96
P6C25/36	28	PLY130-230V1PH60HZ-6-20	59	PUN-B-70×15-600	60	R5-R5-1/2-RAR6LP-BR10	98
P6C25/36	28	PLY130-230V1PH60HZ-6-30	59	PUN-B-70×15-900	60	R5-SE-18/450	96
P6C25/36	28	PLY130-230V3PH60HZ-18-20	59	PUN-B-80×20-300	60	R5-SE-24/600	96
P6C25/36	28	PLY130-230V3PH60HZ-L15-20	59	PUN-B-80×20-600	60	R5-SE-26/650	96
P6C25/36	28	PLY130-230V3PH60HZ-L15-30	59	PUN-B-80×20-900	60	R5-SE-30/750	96

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
R5-SE-36/900	96	RAR5-SE-60/1500	96	RL-48	24	RS125J60NC	39
R5-SE-42/1050	96	RAR5-SE-72/1800	96	RL-60	24	RS125J60SP	39
R5-SE-48/1200	96	RAR6-SE-42/1050	97	RL-72	24	RS125J72NC	39
R5-SE-54/1350	96	RAR6-SE-46/1150	97	RL-G24	23	RS125J72SP	39
R5-SE-60/1500	96	RAR6-SE-48/1200	97	RL-G24	23	RS125MJ24/600MS	39
R5-SE-72/1800	96	RAR6-SE-54/1350	97	RL-G24	23	RS125SJ10NCS	39
R5MA-SE	96	RAR6-SE-60/1500	97	RL-G36	23	RS125SJ12/300NCS	39
R5S	95	RAR6-SE-72/1800	97	RL-G36	23	RS125SJ12/300SS	39
R5S	104	RAR6-SE-84/2130	97	RL-G36	23	RS125SJ14NCS	39
R5S-SE-18/450	96	RAR6LP-SE-42/1050	97	RL-G48	23	RS125SJ14SS	39
R5S-SE-24/600	96	RAR6LP-SE-46/1150	97	RL-G48	23	RS125SJ16/400NCS	39
R5S-SE-30/750	96	RAR6LP-SE-48/1200	97	RL-G48	23	RS125SJ16/400SS	39
R5S-SE-36/900	96	RAR6LP-SE-54/1350	97	RL-G60	23	RS125SJ18/450NCS	39
R5S-SE-42/1050	96	RAR6LP-SE-60/1500	97	RL-G60	23	RS125SJ18/450SS	39
R5S-SE-48/1200	96	RAR6LP-SE-72/1800	97	RL-G60	23	RS125SJ20/500NCS	39
R5S-SE-60/1500	96	RAR6LP-SE-84/2130	97	Rlr-Lacer-Gold-Hndl-Covr-Kit	23	RS125SJ20/500SS	39
R5S-SE-72/1800	96	RAR8-SE-48/1200	97	ROLLER-SLIDER	54	RS125SJ24/600NCS	39
R6-SE-24/600	97	RAR8-SE-54/1350	97	RP1C	111	RS125SJ24/600SS	39
R6-SE-30/750	97	RAR8-SE-60/1500	97	RP1C	111	RS125SJ30/750NCS	39
R6-SE-36/900	97	RAR8-SE-72/1800	97	RP1C-RRK	111	RS125SJ30/750SS	39
R6-SE-42/1050	97	RAR8-SE-84/2130	97	RP1E	111	RS125SJ36/900NCS	39
R6-SE-46/1150	97	RB-1	41	RP1ES	111	RS125SJ36/900SS	39
R6-SE-48/1200	97	RB-1	45	RP2C	111	RS125SJ42NCS	39
R6-SE-54/1350	97	RB-1	52	RP2C	111	RS125SJ42SS	39
R6-SE-60/1500	97	RB-1	86	RP2C-RRK	111	RS125SJ48NCS	39
R6-SE-72/1800	97	RBP1R-L	132	RP2E	111	RS125SJ48SS	39
R6-SE-84/2130	97	RBP1R-M	132	RP2ES	111	RS125SJ60NCS	39
R9	98	RBP1R-S	132	RS-GOLD-DA	41	RS125SJ60SS	39
R9S-SE-48/1200	97	RBP1R-XL	132	RS-GOLD-DRIVER	41	RS125SJ72NCS	39
R9S-SE-54/1350	97	RBP1S-L	132	RS125J10NC	39	RS125SJ72SS	39
R9S-SE-60/1500	97	RBP1S-M	132	RS125J12/300NC	39	RS187J12/300NC	39
R9S-SE-72/1800	97	RBP1S-S	132	RS125J14NC	39	RS187J16/400NC	39
R9S-SE-84-2130	97	RBP1S-XL	132	RS125J16/400NC	39	RS187J18/450NC	39
RAR5-1/2-SE-24/600	96	RBPRET	132	RS125J16/400SP	39	RS187J18/450SP	39
RAR5-1/2-SE-30/750	96	RBPRR-L	132	RS125J18/450NC	39	RS187J20/500NC	39
RAR5-1/2-SE-36/900	96	RBPRR-M	132	RS125J18/450SP	39	RS187J20/500SP	39
RAR5-1/2-SE-42/1050	96	RBPRR-S	132	RS125J20/500NC	39	RS187J24/600NC	39
RAR5-1/2-SE-46/1150	96	RBPRR-XL	132	RS125J20/500SP	39	RS187J24/600SP	39
RAR5-1/2-SE-48/1200	96	RBPSR-L	132	RS125J24/600NC	39	RS187J30/750NC	39
RAR5-1/2-SE-54/1350	96	RBPSR-M	132	RS125J24/600SP	39	RS187J30/750SP	39
RAR5-1/2-SE-60/1500	96	RBPSR-S	132	RS125J30/750NC	39	RS187J36/900NC	39
RAR5-1/2-SE-72/1800	96	RBPSR-XL	132	RS125J30/750SP	39	RS187J36/900SP	39
RAR5-SE-24/600	96	RCTP-1.9R3P-12-100	81	RS125J36/900NC	39	RS187J42NC	39
RAR5-SE-26/650	96	RCTP-1.9R3P-12-3000	81	RS125J36/900SP	39	RS187J42SP	39
RAR5-SE-30/750	96	RCTP-LEG-NOTCHER-TP-CUTTER	81	RS125J42NC	39	RS187J48NC	39
RAR5-SE-36/900	96	Return Springs	29	RS125J42SP	39	RS187J48SP	39
RAR5-SE-42/1050	96	RL Carrying Strap	23	RS125J48NC	39	RS187J4NC	39
RAR5-SE-48/1200	96	RL-24	24	RS125J48SP	39	RS187J60NC	39
RAR5-SE-54/1350	96	RL-36	24	RS125J4NC	39	RS187J60SP	39

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
RS187J72NC	39	RS62SJ18/450SS	39	SC-30-1	91	SC932-42-1	101
RS187J72SP	39	RS62SJ20/500SS	39	SC-30-1	100	SC932-44	101
RS187SJ12/300NCS	39	RS62SJ24/600NCS	39	SC-36	91	SC932-44-1	101
RS187SJ12/300SS	39	RS62SJ24/600SS	39	SC-36	100	SC932-46	101
RS187SJ16/400NCS	39	RS62SJ30/750NCS	39	SC-36-1	91	SC932-46-1	101
RS187SJ16/400SS	39	RS62SJ30/750SS	39	SC-36-1	100	SC932-48	101
RS187SJ18/450NCS	39	RS62SJ36/900NCS	39	SC-42	91	SC932-48-1	101
RS187SJ18/450SS	39	RS62SJ36/900SS	39	SC-42	100	SC932-54	101
RS187SJ20/500NCS	39	RS62SJ42SS	39	SC-42-1	91	SC932-54-1	101
RS187SJ20/500SS	39	RS62SJ48NCS	39	SC-42-1	100	SC932-60	101
RS187SJ24/600NCS	39	RS62SJ48SS	39	SC-48	91	SC932-60-1	101
RS187SJ24/600SS	39	RS62SJ60NCS	39	SC-48	100	SC932-72-1	101
RS187SJ30/750NCS	39	RS62SJ60SS	39	SC-48-1	91	Sharpening Stone	130
RS187SJ30/750SS	39	RS62SJ72NCS	39	SC-48-1	100	SHIM-KIT-5-BALER-SKIVER	45
RS187SJ36/900NCS	39	RSAS-1	40	SC-54	100	SKIVER-BALERBELT-7IN	45
RS187SJ36/900SS	39	RSC187	41	SC-54-1	100	SKIVER-BALERBELT-7IN	51
RS187SJ42NCS	39	RSC187-12	41	SC-60	100	SL5-1	103
RS187SJ42SS	39	RSC187-18	41	SC-60-1	100	SL5-1	110
RS187SJ48NCS	39	RSC187-24	41	SC-72-1	100	SL5-1	116
RS187SJ48SS	39	RSC187-30	41	SC6-36	101	SL5-1	122
RS187SJ60NCS	39	RSC187-36	41	SC6-38	101	SLP5-1	103
RS187SJ60SS	39	RSC187-4	41	SC6-38-1	101	SLP5-1	110
RS187SJ72NCS	39	RSC187-48	41	SC6-40	101	SLP5-1	116
RS187SJ72SS	39	RSC187-6	41	SC6-40-1	101	SLP5-1	122
RS62J12/300NC	39	RSTK4-12	40	SC6-42	101	SM054	20
RS62J12/300SP	39	RSTK4-6	40	SC6-42-1	101	SM093	20
RS62J16/400NC	39	RT-5/8	110	SC6-44-1	101	SMART-LOCK	52
RS62J18/450NC	39	RTBS	41	SC6-46	101	SMART-LOCK-KIT	52
RS62J18/450SP	39	RTBS	52	SC6-46-1	101	SMARTCLAMP	51
RS62J20/500NC	39	RTBS Rough Top Skiver	57	SC6-48	101	SMS040	20
RS62J20/500SP	39	RTBS Rough Top Skiver	58	SC6-48-1	101	SMS054	20
RS62J24/600NC	39	RTG-2	110	SC6-54	101	SMS093	20
RS62J24/600SP	39	S100B	47	SC6-54-1	101	SMSC065	20
RS62J30/750NC	39	S125	42	SC6-60	101	SMSC093	20
RS62J30/750SP	39	S150B	47	SC6-60-1	101	SP1-16/400	40
RS62J36/900NC	39	S187	42	SC6-72	101	SP1-18/450	40
RS62J36/900SP	39	S1S	93	SC6-72-1	101	SP1-20	40
RS62J42NC	39	S1S	110	SC6-84	101	SP1-24/600	40
RS62J42SP	39	S2S	110	SC6-84-1	101	SP1-30/750	40
RS62J48NC	39	S3S	110	SC932-18-1	101	SP1-36/900	40
RS62J48SP	39	SAATR	106	SC932-24-1	101	SP1-42	40
RS62J60NC	39	SC-18	100	SC932-30	101	SP1-48	40
RS62J60SP	39	SC-24	91	SC932-30-1	101	SP1-60	40
RS62J72NC	39	SC-24	100	SC932-36	101	SP1-72	40
RS62J72SP	39	SC-24-1	91	SC932-36-1	101	SP2-18/450	40
RS62MJ24/600MS	39	SC-24-1	100	SC932-38	101	SP2-20	40
RS62SJ12/300NCS	39	SC-26	91	SC932-40	101	SP2-24/600	40
RS62SJ12/300SS	39	SC-30	91	SC932-40-1	101	SP2-30/750	40
RS62SJ18/450NCS	39	SC-30	100	SC932-42	101	SP2-36/900	40

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
SP2-42	40	SR5-1	104	SRAA-E-W	95	SRD-2M	115
SP2-48	40	SR5-7	95	SRAA-S	95	SRD-S	98
SP2-60	40	SR5-7	104	SRAA-S	115	SRD-S	115
SP2-72	40	SR700	103	SRAA-S-2M	95	SRD-S-2M	98
SP62-12/300	40	SR747	105	SRAA-S-2M	115	SRD-S-2M	115
SP62-16/400	40	SR747-AL	105	SRAA-S-W-2M	95	SRE	98
SP62-18/450	40	SR757	105	SRAA-W-2M	95	SRE	115
SP62-20	40	SR759	103	SRB	95	SRE-2M	98
SP62-24/600	40	SR759	116	SRB	98	SRE-2M	115
SP62-30/750	40	SR759-2	103	SRB	115	SRE-S	98
SP62-36/900	40	SR800	103	SRB-100	95	SRE-S	115
SP62-42	40	SR859-8	103	SRB-100	98	SRE-S-2M	98
SP62-48	40	SR9-30-AL	105	SRB-100	115	SRE-S-2M	115
SP62-54	40	SR9-36-AL	105	SRB-2M	95	SRF	98
SP62-60	40	SR9-42-AL	105	SRB-2M	98	SRF	115
SP62-72	40	SR9-48-AL	105	SRB-2M	115	SRF-2M	98
SR-50	95	SR9-60-AL	105	SRB-E	95	SRF-2M	115
SR-50	104	SR9-72-AL	105	SRB-E-W	95	SRF-S	98
SR-50	116	SR9-84-AL	105	SRB-S	95	SRF-S	115
SR-CB	103	SR9-96-AL	105	SRB-S	98	SRF-S-2M	98
SR-CBNS	105	SR900	103	SRB-S	115	SRF-S-2M	115
SR-CCBKK	105	SR91-AL	105	SRB-S-2M	95	SRG	98
SR2-30	105	SR947	105	SRB-S-2M	98	SRG	115
SR2-30-AL	105	SRA	95	SRB-S-2M	115	SRG-2M	98
SR2-36	105	SRA	98	SRB-S-W-2M	95	SRG-2M	115
SR2-36-AL	105	SRA	115	SRB-W-2M	95	SRG-S	98
SR2-42	105	SRA-100	95	SRC	98	SRG-S	115
SR2-42-AL	105	SRA-100	98	SRC	115	SRG-S-2M	98
SR2-48	105	SRA-100	115	SRC-100	98	SRG-S-2M	115
SR2-48-AL	105	SRA-2M	95	SRC-100	115	SRH	98
SR2-60	105	SRA-2M	98	SRC-2M	98	SRH	115
SR2-60-AL	105	SRA-2M	115	SRC-2M	115	SRH-2M	98
SR2-72	105	SRA-E	95	SRC-E	95	SRH-2M	115
SR2-72-AL	105	SRA-E-W	95	SRC-E-W	95	SRH-S	98
SR2-84	105	SRA-S	95	SRC-S	98	SRH-S	115
SR2-84-AL	105	SRA-S	98	SRC-S	115	SRH-S-2M	98
SR2-96-AL	105	SRA-S	115	SRC-S-2M	98	SRH-S-2M	115
SR22SAAL	105	SRA-S-2M	95	SRC-S-2M	115	SRI	98
SR22SAE	105	SRA-S-2M	98	SRC/D	98	SRI	115
SR22SAM	105	SRA-S-2M	115	SRC/D	115	SRI-2M	98
SR23	105	SRA-S-W-2M	95	SRC/D-2M	98	SRI-2M	115
SR24	105	SRA-W-2M	95	SRC/D-2M	115	SRI-S	98
SR24-AL	105	SRAA	95	SRC/D-S	98	SRI-S	115
SR25	105	SRAA	115	SRC/D-S	115	SRI-S-2M	98
SR25-AL	105	SRAA-100	95	SRC/D-S-2M	98	SRI-S-2M	115
SR26	95	SRAA-100	115	SRC/D-S-2M	115	SRJ	98
SR27SAAL	105	SRAA-2M	95	SRD	98	SRJ	115
SR27SAE	105	SRAA-2M	115	SRD	115	SRJ-S	98
SR27SAM	105	SRAA-E	95	SRD-2M	98	SRJ-S	115

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
SRJ-S-2M	98	SS62-60	40	SSC932-60-1	101	TGB-1.5-3.0-IN-GAP-MTNG-KIT	77
SRJ-S-2M	115	SS62-72	40	SSC932-72-1	101	TGB-1.5-3.0-VERT-SUPPT-BRKT-KT	77
SRK	98	SSC-18	100	ST-28	41	TGB-1.5/38-.75/75-24/610	76
SRK	115	SSC-24	91	ST-28	110	TGB-1.5/38-.75/75-36/914	76
SRK-S	98	SSC-24	100	ST-28	121	TGB-1.5/38-.75/75-42/1067	76
SRK-S	115	SSC-24-1	91	ST3-13	42	TGB-1.5/38-.75/75-48/1219	76
SRK-S-2M	98	SSC-24-1	100	ST3-14	42	TGB-1.5/38-.75/75-60/1524	76
SRK-S-2M	115	SSC-30	91	ST3-15-6	42	TGB-1.75/44-1/75-24/610	76
SRL-S	98	SSC-30	100	ST3-3	42	TGB-1.75/44-1/75-36/914	76
SRL-S	115	SSC-30-1	91	ST3-9	42	TGB-1.75/44-1/75-42/1067	76
SRL-S-2M	98	SSC-30-1	100	ST4-16	42	TGB-1.75/44-1/75-48/1219	76
SRL-S-2M	115	SSC-36	91	ST4-21	42	TGB-1.75/44-1/75-60/1524	76
SRPS-AL	105	SSC-36	100	ST4-21H	42	TGB-10/254-5/5-24/610	75
SRTA-30	104	SSC-36-1	91	ST4-5	42	TGB-10/254-5/5-36/914	75
SRTA-36	104	SSC-36-1	100	ST4-8	42	TGB-10/254-5/5-42/1067	75
SRTA-42	104	SSC-42	91	ST4-8H	42	TGB-10/254-5/5-48/1219	75
SRTA-48	104	SSC-42	100	ST5-16	42	TGB-10/254-5/5-60/1524	75
SRTA-60	104	SSC-42-1	91	ST5-3	42	TGB-2.25/57-1.5/75-24/610	76
SRTA-72	104	SSC-42-1	100	ST5-3	45	TGB-2.25/57-1.5/75-36/914	76
SRTA-84	104	SSC-48	91	ST5-5	41	TGB-2.25/57-1.5/75-42/1067	76
SS1-16/400	40	SSC-48	100	ST5-5	42	TGB-2.25/57-1.5/75-48/1219	76
SS1-18/450	40	SSC-48-1	91	ST6-9	41	TGB-2.25/57-1.5/75-60/1524	76
SS1-20	40	SSC-48-1	100	ST7-5	41	TGB-2.5/64-1.5/1-24/610	76
SS1-24/600	40	SSC-54	100	ST8-C	41	TGB-2.5/64-1.5/1-36/914	76
SS1-30/750	40	SSC-54-1	100	STP-WIDE-FLANGE-BRACKET	77	TGB-2.5/64-1.5/1-42/1067	76
SS1-36/900	40	SSC-60	100	T-1-1/2BNIB	87	TGB-2.5/64-1.5/1-48/1219	76
SS1-42	40	SSC-60-1	100	T-1-1/2WNIB	87	TGB-2.5/64-1.5/1-60/1524	76
SS1-48	40	SSC-72-1	100	T-1BNIB	87	TGB-2/51-1/1-24/610	76
SS1-60	40	SSC932-18-1	101	T-1WNIB	87	TGB-2/51-1/1-36/914	76
SS1-72	40	SSC932-24-1	101	T-2BNIB	87	TGB-2/51-1/1-42/1067	76
SS2-18/450	40	SSC932-30	101	T-2WNIB	87	TGB-2/51-1/1-48/1219	76
SS2-20	40	SSC932-30-1	101	T-3BNIB	87	TGB-2/51-1/1-60/1524	76
SS2-24/600	40	SSC932-36	101	T2W	112	TGB-3/76-1.5/1.5-24/610	76
SS2-30/750	40	SSC932-36-1	101	T2WS72	112	TGB-3/76-1.5/1.5-36/914	76
SS2-36/900	40	SSC932-38	101	TARGET	51	TGB-3/76-1.5/1.5-42/1067	76
SS2-42	40	SSC932-38-1	101	TG-BAR-24/610 RPL BAR	77	TGB-3/76-1.5/1.5-48/1219	76
SS2-48	40	SSC932-40	101	TG-BAR-36/914 RPL BAR	77	TGB-3/76-1.5/1.5-60/1524	76
SS2-60	40	SSC932-40-1	101	TG-BAR-42/1067 RPL BAR	77	TGB-3/76-2/B-24/610	75
SS2-72	40	SSC932-42	101	TG-BAR-48/1219 RPL BAR	77	TGB-3/76-2/B-36/914	75
SS62-12/300	40	SSC932-42-1	101	TG-BAR-60/1524 RPL BAR	77	TGB-3/76-2/B-42/1067	75
SS62-16/400	40	SSC932-44	101	TG-MTG-BRKT RPL MNTG	77	TGB-3/76-2/B-48/1219	75
SS62-18/450	40	SSC932-44-1	101	BRACKET		TGB-3/76-2/B-60/1524	75
SS62-20	40	SSC932-46	101	TG-MTG-BRKT-DUALSLOT	77	TGB-4/102-2/2-24/610	75
SS62-24/600	40	SSC932-46-1	101	TG-MTG-BRKT-LONGDROP	77	TGB-4/102-2/2-36/914	75
SS62-30/750	40	SSC932-48	101	TG-MTG-BRKT-LOWPRO	77	TGB-4/102-2/2-42/1067	75
SS62-36/900	40	SSC932-48-1	101	TG-MTG-KIT-ADJUSTABLE-ARC	77	TGB-4/102-2/2-48/1219	75
SS62-42	40	SSC932-54	101	TG-MTG-KIT-ILD	77	TGB-4/102-2/2-60/1524	75
SS62-48	40	SSC932-54-1	101	TG-SBAR-60/1524	76	TGB-4/102-3/B-24/610	75
SS62-54	40	SSC932-60	101	TGB-1.5-3.0-ANGLE-BRKT-KT	77	TGB-4/102-3/B-36/914	75

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
TGB-4/102-3/B-42/1067	75	TGB-9/229-4/5-36/914	75	TUG6E	129	U3-1C6	16
TGB-4/102-3/B-48/1219	75	TGB-9/229-4/5-42/1067	75	TUG6P-36-AL	129	U3-1RHTS12	16
TGB-4/102-3/B-60/1524	75	TGB-9/229-4/5-48/1219	75	TUG6P-42-AL	129	U3-1RHTS24	16
TGB-5/127-2/3-24/610	75	TGB-9/229-4/5-60/1524	75	TUG6P-48-AL	129	U3-1S12	16
TGB-5/127-2/3-36/914	75	TGB-BRIDGE SEG-CENTER	77	TUG6P-54-AL	129	U3-1S24	16
TGB-5/127-2/3-42/1067	75	TGB-BRIDGE SEG-END	77	TUG6P-60-AL	129	U3-1S6	16
TGB-5/127-2/3-48/1219	75	TGB-EXT-ALUM-BAR-24/610	77	TUG6P-72-AL	129	U3-2C12	16
TGB-5/127-2/3-60/1524	75	TGB-EXT-ALUM-BAR-36/914	77	TUG6S	129	U3-2C24	16
TGB-5/127-4/B-24/610	75	TGB-EXT-ALUM-BAR-42/1067	77	TUG8-36-AL	129	U3-2C6	16
TGB-5/127-4/B-36/914	75	TGB-EXT-ALUM-BAR-48/1219	77	TUG8-42-AL	129	U3-2RHTS12	16
TGB-5/127-4/B-42/1067	75	TGB-EXT-ALUM-BAR-60/1524	77	TUG8-48-AL	129	U3-2RHTS24	16
TGB-5/127-4/B-48/1219	75	TGB-MTG-BRKT-BACKPLATE	77	TUG8-54-AL	129	U3-2S12	16
TGB-5/127-4/B-60/1524	75	TGB-MTG-BRKT-TOP SLOT	77	TUG8-60-AL	129	U3-2S24	16
TGB-6/152-2/4-24/610	75	TGB-MTG-KIT-NGWIDEFLNG	77	TUG8-72-AL	129	U3-2S6	16
TGB-6/152-2/4-36/914	75	TGB-MTG-KIT-SOLIDMOUNTREG	77	TUG8-84-AL	129	U3-RHTS12	16
TGB-6/152-2/4-42/1067	75	TGB-MTG-KIT-XLNGSSLOT	77	TUG8-96-AL	129	U3-RHTS24	16
TGB-6/152-2/4-48/1219	75	TGB-SEG-CENTER-.75/19MM	77	TUG8B-36-AL	129	U3C12	16
TGB-6/152-2/4-60/1524	75	TGB-SEG-CENTER-1.5/38MM	77	TUG8B-36-AL	129	U3C12NIP	17
TGB-6/152-3/3-24/610	75	TGB-SEG-CENTER-1/25MM	77	TUG8B-42-AL	129	U3C24	16
TGB-6/152-3/3-36/914	75	TGB-SEG-CENTER-2 2 IN CTR SEG	77	TUG8B-48-AL	129	U3C6	16
TGB-6/152-3/3-42/1067	75	TGB-SEG-CENTER-2.5PC 5 PCS	77	TUG8B-54-AL	129	U3S12	16
TGB-6/152-3/3-48/1219	75	TGB-SEG-CENTER-3 3 IN CTR SEG	77	TUG8B-60-AL	129	U3S24	16
TGB-6/152-3/3-60/1524	75	TGB-SEG-CENTER-3.5PC 5 PCS	77	TUG8B-72-AL	129	U3S6	16
TGB-6/152-5/B-24/610	75	TGB-SEG-CENTER-4 4 IN CTR SEG	77	TUG8B-84-AL	129	U3SS12	17
TGB-6/152-5/B-36/914	75	TGB-SEG-CENTER-4.5PC 5 PCS	77	TUG8B-96-AL	129	U3SS24	17
TGB-6/152-5/B-42/1067	75	TGB-SEG-CENTER-5 5 IN CTR SEG	77	TUG8C	129	U4C12	16
TGB-6/152-5/B-48/1219	75	TGB-SEG-CENTER-5.5PC 5 PCS	77	TUG8E	129	U4C12NIP	17
TGB-6/152-5/B-60/1524	75	TGB-SEG-END-2 2 INCH END SEG	77	TUG8P-36-AL	129	U4C24	16
TGB-7/178-2/5-24/610	75	TGB-SEG-END-3 3 INCH END SEG	77	TUG8P-42-AL	129	U4S12	16
TGB-7/178-2/5-36/914	75	TGB-SEG-END-4 4 INCH END SEG	77	TUG8P-48-AL	129	U4S24	16
TGB-7/178-2/5-42/1067	75	TGB-SEG-END-5 5 INCH END SEG	77	TUG8P-54-AL	129	U4SS12	17
TGB-7/178-2/5-48/1219	75	TOOL BOX 36	104	TUG8P-60-AL	129	U4SS24	17
TGB-7/178-2/5-60/1524	75	TOOL BOX 48	104	TUG8P-72-AL	129	U5C12	16
TGB-7/178-3/4-24/610	75	TOOL BOX 60	104	TUG8P-84-AL	129	U5C12NIP	17
TGB-7/178-3/4-36/914	75	TOOL BOX STK	40	TUG8P-96-AL	129	U5C24	16
TGB-7/178-3/4-42/1067	75	TUG6-36-AL	129	TUG8S	129	U5S12	16
TGB-7/178-3/4-48/1219	75	TUG6-42-AL	129	TUGH	129	U5S24	16
TGB-7/178-3/4-60/1524	75	TUG6-48-AL	129	U2C12	16	U5SS12	17
TGB-8/203-3/5-24/610	75	TUG6-54-AL	129	U2C12NIP	17	U6C12	16
TGB-8/203-3/5-36/914	75	TUG6-60-AL	129	U2C24	16	U6C12NIP	17
TGB-8/203-3/5-42/1067	75	TUG6-72-AL	129	U2S12	16	U6S12	16
TGB-8/203-3/5-48/1219	75	TUG6B-12-AL	129	U2S24	16	U6S24	16
TGB-8/203-3/5-60/1524	75	TUG6B-36-AL	129	U2SPC12	16	U6SS12	17
TGB-8/203-4/4-24/610	75	TUG6B-42-AL	129	U2SPS12	16	U7S12	16
TGB-8/203-4/4-36/914	75	TUG6B-48-AL	129	U2SPS24	16	UA2SS12	17
TGB-8/203-4/4-42/1067	75	TUG6B-54-AL	129	U2SS12	17	UA3SS12	17
TGB-8/203-4/4-48/1219	75	TUG6B-60-AL	129	U2SS24	17	UCM36LLSPSS12	17
TGB-8/203-4/4-60/1524	75	TUG6B-72-AL	129	U3-1C12	16	UCM36LLSPSS24	17
TGB-9/229-4/5-24/610	75	TUG6C	129	U3-1C24	16	UCM36LLSS12	17

# Book Index By Ordering Number

Order Number	Page	Order Number	Page
UCM36LLSS24	17	XPSS-40	101
UCM36LPSS12	17		
UCM36LPSS24	17		
UCM36SLSPSS12	17		
UCM36SLSPSS24	17		
UCM36SLXSPSS12	17		
UCM36SLXSPSS24	17		
UCM36SPSS12	17		
UCM36SPSS24	17		
UCM36SS12	17		
UCM36SS24	17		
UCM36XSPSS12	17		
UCM36XSPSS24	17		
Urethane Strip	23		
Urethane Strip	25		
UX1LLS12	16		
UX1LLS24	16		
UX1LLSPS12	16		
UX1LLSPS24	16		
UX1LLSPSS12	17		
UX1LLSPSS24	17		
UX1LLSS12	17		
UX1LLSS24	17		
UX1S12	16		
UX1S24	16		
UX1S6	16		
UX1SPS12	16		
UX1SPS24	16		
UX1SPS6	16		
UX1SPSS12	17		
UX1SPSS24	17		
UX1SPSS6	17		
UX1SS12	17		
UX1SS24	17		
UX1SS6	17		
VBK-72	133		
VBK-84	133		
VBK-96	133		
VBK-L	133		
VBK-M	133		
VBK-S	133		
VBK-XS	133		
VUBK-72	133		
VUBK-84	133		
VUBK-96	133		
VUBK-L	133		
VUBK-M	133		
VUBK-S	133		
VUBK-XS	133		

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
01125	16	01338	16	01831	10	01993	14	02150	11	02243	11	02380	13	02629	20	02751	18
01126	16	01340	17	01833	15	02006	14	02154	8	02267	11	02381	13	02630	20	02755	20
01137	16	01342	17	01837	15	02008	14	02155	8	02268	11	02382	13	02631	20	02756	18
01138	16	01350	52	01839	15	02010	14	02157	9	02269	11	02383	13	02632	19	02761	20
01143	16	01350	122	01841	15	02012	14	02158	9	02272	12	02384	13	02633	19	02762	18
01144	16	01351	16	01845	15	02072	11	02159	9	02274	12	02385	13	02634	19	02766	20
01178	16	01352	16	01846	10	02073	11	02161	8	02275	12	02386	13	02635	19	02767	18
01179	16	01353	17	01847	10	02075	11	02164	9	02278	11	02397	9	02636	19	02769	20
01183	16	01354	17	01848	10	02076	11	02168	8	02283	11	02429	8	02637	19	02770	20
01184	16	01355	16	01849	10	02079	12	02169	8	02284	11	02432	8	02638	19	02771	20
01188	17	01356	16	01853	10	02080	12	02170	9	02285	11	02574	19	02639	19	02772	20
01189	17	01357	17	01854	10	02081	12	02171	9	02287	12	02576	19	02640	19	02773	20
01193	17	01358	17	01859	15	02082	12	02172	9	02288	12	02577	19	02641	19	02775	20
01194	17	01359	16	01861	15	02083	12	02173	8	02289	12	02578	19	02642	19	02777	20
01230	16	01360	16	01862	15	02084	12	02175	9	02294	9	02579	19	02643	19	02779	20
01231	16	01361	16	01864	15	02089	11	02182	8	02295	8	02580	19	02644	19	02781	20
01250	16	01362	16	01867	15	02090	11	02183	8	02300	8	02581	19	02645	20	02783	20
01251	16	01363	16	01871	15	02100	11	02185	9	02301	8	02582	19	02646	20	02784	20
01254	16	01364	16	01879	15	02101	11	02186	9	02303	9	02583	19	02648	20	02787	20
01255	16	01385	17	01884	15	02102	11	02187	9	02304	9	02584	19	02649	18	02788	20
01258	17	01732	15	01887	15	02103	11	02189	8	02305	9	02585	19	02650	19	02789	20
01279	16	01739	15	01891	15	02104	12	02191	9	02307	8	02586	19	02651	20	02790	20
01283	16	01744	15	01898	15	02105	12	02193	9	02310	9	02587	19	02652	18	02791	20
01292	17	01746	14	01911	15	02106	12	02195	9	02316	8	02588	19	02656	19	02826	18
01293	17	01748	14	01917	15	02110	12	02196	8	02323	8	02589	19	02657	20	02830	18
01294	16	01752	14	01920	15	02111	12	02197	8	02326	9	02590	19	02658	18	02832	19
01301	16	01754	14	01924	15	02113	11	02198	8	02327	9	02591	19	02662	19	02833	19
01305	16	01764	14	01926	15	02114	11	02206	8	02328	9	02592	19	02663	20	02834	18
01308	17	01766	14	01933	15	02118	11	02209	10	02330	8	02594	20	02664	18	02847	19
01309	17	01771	15	01936	15	02119	11	02210	8	02339	8	02595	20	02668	19	02853	20
01312	17	01772	14	01939	15	02120	11	02216	8	02341	9	02597	20	02669	20	02854	18
01313	17	01774	14	01941	15	02126	12	02217	8	02342	8	02598	18	02670	18	02859	19
01314	17	01786	15	01946	15	02128	12	02219	9	02348	8	02600	19	02725	20	02860	20
01315	17	01793	15	01949	15	02130	12	02220	9	02351	9	02606	20	02726	18	02861	18
01317	17	01798	15	01952	15	02133	11	02221	9	02352	9	02607	18	02727	20	02863	18
01318	17	01805	15	01954	15	02139	11	02223	8	02353	9	02611	19	02731	20	02864	18
01319	17	01810	14	01958	15	02140	11	02225	9	02355	8	02613	20	02732	18	02865	19
01320	17	01811	14	01963	15	02141	11	02227	9	02363	8	02614	18	02736	20	02866	20
01321	17	01813	14	01970	15	02143	12	02232	8	02365	8	02619	19	02737	18	02867	18
01322	17	01814	14	01975	15	02144	12	02233	8	02367	9	02621	20	02738	20	02868	20
01323	17	01817	14	01977	15	02145	12	02234	9	02368	9	02622	18	02742	20	02869	20
01324	17	01818	14	01985	14	02146	12	02239	12	02370	9	02625	19	02743	18	02870	20
01325	17	01821	14	01987	14	02147	12	02240	12	02378	13	02627	20	02744	20	02871	20
01336	16	01828	15	01990	14	02149	11	02242	11	02379	13	02628	18	02750	20	02872	18



# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
02873	18	03236	26	03591	29	03745	29	04007	23	04045	23	04231	27	04361	24	04462	23
03008	51	03238	26	03649	29	03772	51	04008	23	04046	23	04232	27	04362	24	04463	23
03009	51	03239	41	03650	29	03773	51	04008	23	04047	23	04233	27	04363	23	04464	23
03010	51	03239	52	03651	29	03774	51	04009	23	04048	23	04243	27	04364	23	04467	48
03014	26	03239	57	03671	52	03775	51	04009	23	04049	23	04244	27	04365	23	04953	32
03018	26	03239	58	03672	52	03814	26	04010	23	04051	23	04245	27	04366	23	04972	24
03019	26	03241	19	03704	52	03817	23	04010	23	04055	24	04259	27	04373	22	04973	79
03020	26	03244	52	03707	29	03817	25	04011	23	04063	25	04260	27	04374	32	04974	79
03037	27	03274	23	03708	28	03822	27	04011	23	04064	24	04261	48	04376	32	04974	79
03038	27	03274	25	03709	28	03822	27	04012	23	04065	24	04262	48	04377	32	04988	79
03039	27	03368	25	03710	28	03823	27	04012	23	04066	24	04269	79	04378	32	04989	45
03051	27	03370	24	03711	28	03824	27	04013	23	04067	24	04269	79	04385	31	04989	51
03054	27	03371	24	03712	28	03827	26	04013	23	04068	23	04281	48	04386	31	04990	45
03074	26	03372	24	03713	29	03892	48	04014	25	04073	51	04305	51	04387	31	04991	45
03075	26	03375	24	03714	28	03897	23	04015	24	04084	24	04306	51	04388	31	04994	45
03076	26	03433	23	03715	29	03897	25	04016	24	04085	24	04307	51	04389	31	05019	19
03081	26	03433	25	03716	28	03913	48	04017	24	04086	24	04308	79	04390	31	05020	19
03085	26	03434	26	03717	29	03985	23	04018	24	04087	24	04309	79	04391	31	05021	19
03119	26	03435	26	03718	29	03986	23	04019	25	04088	24	04309	79	04392	31	05022	19
03128	52	03441	52	03719	28	03987	23	04020	24	04088	24	04310	79	04393	31	05023	19
03129	52	03442	52	03720	28	03988	23	04021	24	04089	24	04310	79	04394	31	05024	19
03132	52	03445	52	03721	28	03996	25	04022	24	04089	24	04311	79	04410	28	05025	19
03140	29	03450	51	03722	28	03996	25	04023	24	04093	20	04311	79	04411	28	05193	19
03143	27	03451	51	03723	28	03997	24	04024	25	04094	20	04312	79	04412	28	05194	19
03148	27	03452	27	03724	29	03997	24	04025	24	04101	51	04312	79	04413	28	05195	19
03150	27	03453	27	03725	29	03998	24	04026	24	04102	51	04316	20	04415	32	05196	19
03154	27	03519	27	03726	28	03998	24	04027	24	04140	125	04319	79	04416	48	05200	48
03155	27	03524	28	03727	28	03999	24	04028	24	04143	51	04320	79	04417	48	05201	48
03156	27	03525	29	03728	28	03999	24	04029	25	04143	125	04321	79	04418	48	05338	16
03162	27	03526	28	03729	28	04000	24	04030	24	04144	51	04322	79	04436	22	05339	16
03163	27	03527	28	03731	28	04000	24	04031	24	04144	125	04339	79	04442	79	05340	16
03167	27	03528	28	03732	28	04001	25	04032	24	04145	51	04339	79	04443	79	05341	16
03168	27	03529	28	03733	28	04001	25	04033	24	04145	125	04340	79	04444	79	05342	16
03168	27	03531	28	03734	28	04002	24	04034	23	04146	51	04341	79	04445	79	05343	16
03169	27	03532	28	03735	28	04002	24	04035	23	04146	125	04341	79	04446	79	05362	8
03169	27	03533	28	03736	28	04003	24	04036	23	04147	51	04342	79	04447	79	05414	16
03170	27	03534	28	03737	28	04003	24	04037	23	04147	125	04342	79	04453	24	05463	48
03170	27	03535	28	03738	29	04004	24	04038	23	04149	51	04343	79	04455	25	05492	22
03211	27	03536	28	03739	29	04004	24	04039	23	04149	125	04343	79	04456	24	05493	22
03211	27	03537	28	03740	28	04005	24	04040	23	04155	125	04344	79	04457	24	05494	22
03222	27	03538	28	03741	28	04005	24	04041	23	04176	48	04344	79	04458	24	05495	22
03222	27	03539	28	03742	28	04006	23	04042	23	04200	51	04358	25	04459	24	05496	22
03225	27	03550	28	03743	28	04006	23	04043	23	04200	125	04359	24	04460	24	05497	22
03230	51	03551	28	03744	29	04007	23	04044	23	04223	26	04360	24	04461	23	05498	22

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
05499	22	05807	31	08585	57	08847	58	09600	55	10031	36	10105	34	10166	34	10242	34
05500	22	05808	31	08585	58	08849	58	09601	55	10033	36	10110	34	10167	34	10244	34
05501	22	05809	31	08586	57	08855	58	09604	55	10034	36	10111	34	10168	34	10482	34
05502	22	05810	31	08586	58	08856	58	09605	55	10035	36	10112	34	10169	34	10483	34
05503	22	05811	31	08587	57	09000	54	09609	60	10037	36	10113	34	10170	34	10484	34
05504	22	05812	31	08587	58	09001	54	09660	55	10038	36	10114	34	10171	34	10485	34
05505	22	05813	31	08588	58	09002	54	09663	60	10050	34	10115	34	10172	34	10486	34
05506	22	05814	31	08592	58	09003	54	09664	54	10051	34	10116	34	10173	34	10487	34
05507	22	05815	31	08593	58	09004	54	09665	60	10052	34	10117	34	10174	34	10488	34
05508	22	05816	31	08594	58	09005	54	09666	60	10053	34	10118	34	10175	34	10489	34
05509	22	05817	31	08595	58	09006	54	09667	60	10054	34	10119	34	10176	34	10491	35
05510	22	05857	52	08596	58	09006	55	09668	60	10055	34	10120	34	10177	34	10492	35
05511	22	05858	32	08597	58	09007	54	09701	60	10056	34	10121	34	10179	34	10493	35
05512	31	05858	52	08603	58	09010	54	09707	55	10059	34	10122	34	10180	34	10494	35
05513	31	08014	59	08604	57	09011	54	09720	60	10061	34	10124	34	10181	34	10495	35
05514	31	08016	60	08604	58	09014	54	09725	60	10062	34	10130	34	10182	34	10496	35
05515	31	08017	60	08707	58	09015	54	09726	57	10063	34	10131	34	10183	34	10512	37
05516	31	08018	60	08708	58	09020	54	09730	57	10065	34	10132	34	10185	34	10513	37
05517	31	08019	60	08710	58	09352	54	09731	57	10070	34	10133	34	10188	34	10514	37
05518	31	08020	60	08718	58	09353	54	09732	57	10071	34	10134	34	10190	34	10515	37
05519	31	08021	60	08727	58	09354	54	09733	57	10072	34	10135	34	10191	34	10516	37
05520	31	08022	60	08739	58	09355	54	09734	57	10073	34	10137	34	10192	34	10517	37
05521	31	08023	60	08741	58	09356	54	09735	57	10074	34	10138	34	10194	34	10519	37
05522	31	08024	60	08768	59	09357	54	09736	57	10075	34	10139	34	10196	34	10521	37
05523	31	08025	60	08776	58	09358	54	09737	57	10076	34	10140	34	10197	34	10522	37
05524	31	08026	60	08778	59	09359	54	09738	57	10079	34	10141	34	10198	34	10523	37
05525	31	08027	60	08788	58	09360	54	09739	57	10081	34	10142	34	10199	34	10528	35
05526	31	08100	59	08791	59	09361	54	10000	37	10082	34	10143	34	10201	34	10529	35
05527	31	08279	60	08800	59	09362	54	10001	37	10083	34	10144	34	10204	34	10530	35
05528	31	08439	60	08801	59	09363	54	10002	37	10085	34	10150	34	10206	34	10531	35
05529	31	08440	60	08802	59	09364	54	10003	37	10090	34	10151	34	10207	34	10532	35
05530	31	08467	59	08803	59	09365	54	10004	37	10091	34	10152	34	10208	34	10534	35
05531	31	08468	54	08804	59	09366	54	10005	37	10092	34	10153	34	10210	34	10537	35
05544	22	08490	59	08805	59	09367	54	10008	37	10093	34	10154	34	10214	34	10539	35
05545	22	08497	59	08806	59	09372	54	10011	37	10094	34	10155	34	10215	34	10540	35
05546	22	08498	59	08807	59	09458	54	10012	37	10095	34	10156	34	10217	34	10541	35
05547	22	08498	59	08808	59	09459	54	10013	37	10096	34	10157	34	10220	34	10543	35
05548	22	08499	59	08809	59	09552	54	10014	37	10097	34	10158	34	10222	34	10545	35
05772	32	08500	59	08810	59	09552	55	10020	37	10098	34	10160	34	10223	34	10546	35
05773	28	08501	59	08811	59	09585	54	10021	37	10099	34	10161	34	10224	34	10547	35
05774	28	08526	60	08812	59	09586	54	10022	37	10100	34	10162	34	10232	34	10548	35
05775	28	08539	60	08832	59	09593	55	10023	37	10101	34	10163	34	10235	34	10549	35
05805	31	08540	60	08833	59	09594	55	10024	37	10102	34	10164	34	10238	34	10551	35
05806	31	08545	58	08834	59	09600	54	10030	36	10103	34	10165	34	10240	34	10554	35

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
10556	35	10622	35	11101	36	11857	36	14992	45	18181	13	18905	13	19478	48	20040	108
10557	35	10623	35	11103	36	11859	36	14993	45	18182	13	18906	13	19479	48	20040	111
10558	35	10625	35	11105	36	11861	36	14994	45	18183	13	18907	13	19480	48	20041	111
10559	35	10627	35	11107	36	11878	36	14995	44	18227	8	19037	24	19481	48	20042	111
10560	35	10628	35	11126	36	11881	36	15000	44	18228	8	19100	29	19483	48	20044	108
10562	35	10629	35	11129	36	11884	36	15001	44	18230	24	19194	29	19484	48	20045	108
10563	35	10630	35	11132	36	11886	36	15002	44	18231	24	19200	28	19485	48	20047	108
10564	35	10632	35	11134	36	11888	36	15003	44	18243	25	19300	28	19486	48	20048	108
10565	35	10635	35	11136	36	11890	36	15004	44	18244	24	19339	29	19489	48	20049	108
10566	35	10637	35	11138	36	11906	36	15005	44	18245	24	19340	29	19490	48	20052	108
10568	35	10638	35	11142	36	11909	36	15006	44	18248	25	19341	29	19491	48	20053	108
10570	35	10639	35	11145	36	11911	36	15007	45	18250	24	19342	29	19494	48	20053	111
10571	35	10641	35	11148	36	11913	36	15008	45	18272	24	19343	29	19701	24	20056	108
10573	35	10643	35	11150	36	11925	36	15009	45	18273	24	19349	29	19702	24	20057	108
10574	35	10644	35	11152	36	11928	36	15010	45	18370	16	19350	29	19703	24	20058	108
10575	35	10645	35	11154	36	11931	36	15011	45	18374	16	19351	29	19704	24	20059	108
10577	35	10646	35	11157	36	11934	36	15012	45	18400	16	19358	28	20000	108	20060	108
10579	35	10648	35	11160	36	11936	36	15013	45	18404	16	19361	28	20001	108	20061	108
10580	35	10651	35	11163	36	11938	36	15014	45	18427	17	19362	28	20002	108	20080	108
10581	35	10653	35	11165	36	11940	36	15015	44	18429	17	19364	28	20004	108	20081	108
10582	35	10654	35	11167	36	11950	36	15017	45	18430	17	19365	28	20005	108	20082	108
10584	35	10655	35	11169	36	11956	36	15025	44	18431	17	19366	28	20006	108	20083	108
10586	35	10657	35	11187	36	11961	36	15026	44	18453	16	19368	28	20006	111	20090	108
10587	35	10661	35	11190	36	11963	36	15027	44	18454	16	19370	28	20007	108	20091	108
10589	35	10662	35	11193	36	11982	36	15027	45	18455	16	19371	28	20008	108	20094	108
10590	35	10664	35	11195	36	11984	36	15028	45	18477	16	19373	28	20010	111	20095	108
10591	35	10667	35	11197	36	11998	36	15029	45	18478	16	19375	28	20011	111	20096	108
10593	35	10669	35	11199	36	12375	37	15030	45	18479	16	19376	28	20012	108	20096	111
10595	35	10670	35	11205	36	12376	37	15031	45	18507	17	19378	28	20013	108	20102	108
10596	35	10677	35	11210	36	12378	37	15032	44	18508	17	19380	29	20014	108	20103	108
10597	35	10680	35	11212	36	12379	37	15033	44	18509	17	19395	29	20016	108	20118	108
10598	35	10683	35	11214	36	12380	37	15035	45	18540	17	19460	48	20017	108	20119	108
10600	35	10685	35	11220	36	12381	37	15036	45	18541	17	19461	48	20018	108	20122	108
10603	35	10687	35	11225	36	12388	37	15093	44	18542	17	19462	48	20018	111	20123	108
10605	35	11075	36	11227	36	12389	37	15101	44	18543	17	19463	48	20022	111	20124	108
10607	35	11078	36	11229	36	13250	36	18015	26	18544	17	19466	48	20022	111	20191	108
10609	35	11081	36	11831	36	13252	36	18016	26	18700	18	19467	48	20023	111	20197	112
10611	35	11084	36	11836	36	13253	36	18017	26	18701	18	19468	48	20023	111	20200	112
10612	35	11086	36	11838	36	13254	36	18036	29	18720	18	19470	48	20028	108	20201	112
10613	35	11088	36	11840	36	13256	36	18043	29	18721	18	19473	48	20029	108	20202	112
10614	35	11090	36	11846	36	14979	44	18052	29	18850	16	19474	48	20034	108	20203	112
10616	35	11092	36	11849	36	14983	44	18100	52	18851	16	19475	48	20035	108	20204	112
10619	35	11095	36	11852	36	14990	45	18101	52	18854	16	19476	48	20038	108	20205	112
10621	35	11098	36	11855	36	14991	45	18180	13	18904	13	19477	48	20039	108	20206	111

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
20327	108	20411	112	30395	128	30463	86	30488	109	30561	109	30645	109	30731	109	30877	110
20330	108	20412	112	30396	128	30463	93	30489	109	30562	109	30646	109	30732	109	30882	122
20331	108	20413	112	30397	128	30463	110	30490	109	30564	109	30647	109	30733	109	30888	93
20334	108	20414	112	30398	128	30463	111	30491	109	30567	109	30650	109	30734	109	30888	110
20335	108	20419	112	30399	128	30464	110	30492	109	30568	109	30651	109	30799	92	30889	110
20336	108	30001	127	30400	128	30464	111	30493	109	30569	109	30652	109	30800	92	30890	110
20340	108	30002	127	30403	130	30465	86	30494	109	30572	109	30653	109	30801	92	30894	93
20341	108	30003	127	30404	130	30465	110	30496	109	30573	109	30655	109	30802	92	30900	123
20344	108	30004	127	30408	128	30465	111	30499	110	30574	109	30658	109	30803	92	30901	123
20345	108	30005	127	30414	128	30468	93	30500	109	30575	109	30661	109	30804	92	30902	123
20346	108	30006	127	30418	128	30468	110	30501	109	30576	109	30662	109	30805	92	30903	123
20364	108	30007	126	30421	128	30469	110	30502	109	30577	109	30663	109	30806	92	30904	123
20365	108	30007	127	30423	128	30470	110	30503	109	30578	109	30664	109	30807	92	30905	123
20366	108	30008	127	30424	128	30471	93	30504	109	30584	109	30666	109	30808	92	30906	123
20367	108	30011	127	30430	128	30471	110	30505	109	30585	109	30667	109	30809	92	30907	123
20368	108	30012	127	30435	103	30471	111	30506	109	30588	109	30668	109	30810	92	30908	123
20370	108	30016	127	30435	116	30472	110	30507	109	30589	109	30669	109	30811	92	30909	92
20371	108	30017	127	30435	122	30472	111	30508	109	30590	109	30671	109	30813	92	30909	123
20372	108	30018	127	30437	109	30473	110	30509	109	30591	109	30673	109	30814	92	30910	123
20373	108	30019	127	30437	123	30473	111	30510	109	30592	109	30675	109	30815	92	30911	123
20377	112	30021	127	30438	110	30474	86	30511	109	30593	109	30676	109	30816	92	30912	123
20378	112	30022	127	30439	110	30474	93	30513	109	30594	109	30678	109	30817	92	30913	92
20379	112	30024	127	30442	93	30474	110	30516	109	30595	110	30681	109	30818	92	30913	123
20380	92	30026	127	30442	110	30474	111	30517	109	30595	121	30682	109	30819	92	30914	92
20381	92	30027	127	30443	110	30475	110	30518	109	30600	109	30683	109	30820	92	30915	92
20381	112	30031	127	30444	110	30475	111	30519	109	30601	109	30684	109	30821	92	30916	92
20382	112	30032	127	30445	93	30479	110	30520	109	30604	109	30686	109	30822	92	30917	92
20387	92	30033	127	30446	93	30479	111	30521	109	30605	109	30704	109	30823	92	30918	92
20387	112	30034	127	30446	121	30480	110	30522	109	30606	109	30707	109	30824	92	30919	92
20388	112	30040	127	30447	93	30480	111	30523	109	30607	109	30708	109	30825	92	30921	123
20397	92	30052	128	30447	110	30480	111	30524	109	30608	109	30709	109	30826	92	30931	103
20397	112	30053	111	30447	111	30480	111	30525	109	30609	109	30712	109	30836	93	30931	110
20397	112	30054	111	30448	110	30481	86	30526	109	30610	109	30713	109	30837	93	30931	116
20398	92	30070	111	30448	111	30481	93	30527	109	30616	109	30714	109	30838	93	30931	122
20398	112	30367	130	30449	110	30481	110	30529	109	30619	109	30715	109	30839	93	30932	103
20398	112	30368	130	30449	111	30481	111	30548	109	30620	109	30716	109	30840	93	30932	110
20399	92	30373	128	30453	93	30481	111	30551	109	30621	109	30717	109	30841	93	30932	116
20399	112	30375	103	30453	110	30481	111	30552	109	30622	109	30718	109	30842	93	30932	122
20400	92	30375	121	30460	86	30481	121	30553	109	30623	109	30723	109	30843	93	30937	123
20400	112	30375	122	30460	93	30483	109	30556	109	30624	109	30724	109	30867	41	30938	123
20406	112	30390	128	30460	110	30484	109	30557	109	30625	109	30725	109	30867	45	30939	123
20407	112	30392	128	30461	110	30485	109	30558	109	30642	109	30728	109	30867	52	30940	123
20409	112	30393	128	30462	86	30486	109	30559	109	30643	109	30729	109	30867	86	30941	123
20410	112	30394	128	30462	110	30487	109	30560	109	30644	109	30730	109	30875	110	30950	92

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
30951	92	31733	129	31996	130	37444	101	38049	91	38137	100	38204	100	38373	101	39303	102
30952	92	31734	129	31997	130	37445	101	38049	100	38138	91	38205	100	38374	101	39304	102
30953	92	31735	129	31998	130	37446	101	38075	91	38138	100	38211	100	38375	101	39305	102
30954	92	31736	129	31999	130	37447	127	38077	91	38143	101	38222	100	38376	101	39306	102
30961	123	31737	129	32002	130	38000	91	38079	91	38144	102	38240	100	38377	101	39307	102
30962	123	31738	129	32048	130	38000	100	38080	91	38145	102	38300	101	38378	101	39308	102
30963	123	31739	129	32052	130	38001	91	38081	91	38146	102	38301	101	38380	101	39309	102
30964	123	31740	129	32055	130	38001	100	38108	91	38147	102	38302	101	38381	101	39574	90
30965	123	31741	129	32058	130	38002	91	38108	100	38148	102	38303	101	38387	101	39577	90
31075	110	31742	129	32060	130	38002	100	38109	91	38149	102	38305	101	38390	101	39580	90
31075	122	31743	129	32061	130	38003	91	38109	100	38150	102	38312	101	38401	101	39583	90
31700	129	31744	129	32062	130	38003	100	38110	91	38151	102	38317	101	38403	101	39586	90
31701	129	31747	129	32063	130	38004	91	38110	100	38154	102	38320	101	38404	101	39589	90
31702	129	31792	129	32064	130	38004	100	38111	91	38161	101	38321	101	38405	101	39603	89
31703	129	31793	129	32068	130	38005	91	38111	100	38162	101	38322	101	38406	101	39605	89
31704	129	31794	129	32069	130	38005	100	38112	91	38164	101	38323	101	38409	101	39607	89
31705	129	31798	129	32070	130	38007	91	38112	100	38165	101	38325	101	38410	101	39610	89
31706	129	31799	129	32071	130	38007	100	38113	91	38166	101	38335	101	38411	101	39613	89
31707	129	31938	130	32267	124	38008	91	38113	100	38167	101	38336	101	38412	101	39615	89
31708	129	31939	130	32268	124	38008	100	38114	91	38168	101	38337	101	38417	101	39617	89
31709	129	31940	130	32269	124	38009	91	38114	100	38169	101	38338	101	38418	101	39624	89
31710	129	31942	130	32270	124	38009	100	38115	91	38170	101	38339	101	38419	101	39625	89
31711	129	31944	130	32271	124	38010	91	38115	100	38171	101	38340	101	38420	101	39626	89
31712	129	31945	130	32272	51	38010	100	38116	91	38180	91	38341	101	38425	101	39627	89
31713	129	31947	130	32272	124	38011	91	38116	100	38180	100	38342	101	38426	101	39628	89
31714	129	31948	130	32273	124	38011	100	38117	91	38182	91	38343	101	38427	101	39629	89
31715	129	31949	130	32274	51	38012	91	38117	100	38182	100	38344	101	38428	101	39674	90
31716	129	31950	130	32274	124	38012	100	38129	91	38183	91	38345	101	38429	101	39675	90
31717	129	31951	130	32275	51	38013	91	38129	100	38183	100	38348	101	39250	102	39740	91
31718	129	31955	130	32276	51	38013	100	38130	91	38184	91	38349	101	39251	102	39740	100
31719	129	31956	130	32277	51	38041	91	38130	100	38184	100	38350	101	39255	102	39802	100
31720	129	31978	104	32278	51	38041	100	38131	91	38185	91	38351	101	39274	102	39808	100
31721	129	31978	110	32279	51	38043	91	38131	100	38185	100	38352	101	39275	102	39811	100
31722	129	31978	116	32294	124	38043	100	38132	91	38188	100	38355	101	39276	102	39812	100
31723	129	31978	122	37043	127	38044	91	38132	100	38195	100	38362	101	39277	102	39817	100
31724	129	31980	104	37076	127	38044	100	38133	91	38199	91	38363	101	39278	102	39842	90
31725	129	31980	110	37179	101	38045	91	38133	100	38199	100	38364	101	39279	102	39855	90
31726	129	31980	116	37437	101	38045	100	38134	91	38201	91	38365	101	39280	102	39901	89
31727	129	31980	122	37438	101	38046	91	38134	100	38201	100	38366	101	39281	102	39904	90
31728	129	31987	130	37439	101	38046	100	38135	91	38202	91	38368	101	39282	102	39907	89
31729	129	31991	130	37440	101	38047	91	38135	100	38202	100	38369	101	39283	102	39917	90
31730	129	31992	130	37441	101	38047	100	38136	91	38203	91	38370	101	39300	102	39919	90
31731	129	31993	130	37442	101	38048	91	38136	100	38203	100	38371	101	39301	102	39929	90
31732	129	31994	130	37443	101	38048	100	38137	91	38204	91	38372	101	39302	102	39935	90

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
39938	90	40050	90	40153	91	40182	100	40329	98	40517	104	40542	98	40639	91	40751	114
39939	90	40051	90	40153	100	40183	91	40348	95	40519	98	40542	115	40640	91	40752	114
39953	90	40052	90	40154	91	40198	101	40348	104	40519	115	40543	95	40654	102	40753	114
39958	90	40053	90	40155	91	40199	101	40381	114	40520	98	40543	98	40657	102	40755	114
39959	90	40054	90	40155	100	40201	100	40389	97	40520	115	40543	115	40658	114	40756	114
39978	89	40058	90	40156	91	40202	91	40390	97	40522	98	40544	98	40659	102	40760	116
39980	89	40059	90	40156	100	40202	100	40391	97	40522	115	40544	115	40661	102	40762	95
39982	89	40060	90	40157	91	40203	91	40392	97	40523	98	40545	98	40663	102	40762	115
39984	89	40061	90	40157	100	40204	91	40393	97	40523	115	40545	115	40665	102	40769	114
39986	89	40062	90	40158	91	40204	100	40399	97	40527	95	40546	98	40667	102	40771	103
39995	89	40063	90	40158	100	40205	91	40408	97	40527	98	40546	115	40669	102	40773	103
39997	89	40066	90	40159	91	40205	100	40409	97	40527	115	40547	98	40670	102	40775	103
40000	89	40068	90	40159	100	40206	91	40415	97	40528	95	40547	115	40671	102	40776	103
40001	89	40069	90	40160	91	40206	100	40416	97	40528	98	40548	98	40679	102	40782	103
40002	89	40070	90	40160	100	40207	91	40424	95	40528	115	40548	115	40680	102	40783	103
40003	89	40071	90	40161	91	40207	100	40424	115	40529	98	40550	95	40681	102	40784	103
40004	89	40073	90	40161	100	40209	100	40455	95	40529	115	40551	95	40682	114	40785	103
40005	89	40074	90	40162	91	40210	91	40468	95	40530	98	40552	95	40683	114	40786	114
40006	89	40075	90	40162	100	40210	100	40468	115	40530	115	40553	95	40684	114	40787	114
40007	89	40076	90	40163	91	40211	91	40469	95	40531	98	40554	95	40685	91	40788	114
40008	89	40077	90	40163	100	40211	100	40479	95	40531	115	40555	95	40685	100	40789	114
40009	89	40080	115	40164	90	40212	91	40482	105	40532	98	40563	115	40686	91	40790	114
40010	89	40086	90	40165	90	40212	100	40483	105	40532	115	40564	115	40686	100	40791	114
40012	89	40087	90	40166	90	40213	91	40484	105	40533	98	40565	115	40687	91	40793	116
40013	89	40088	90	40167	90	40213	100	40485	105	40533	115	40566	115	40687	100	40794	116
40014	89	40089	90	40168	90	40214	91	40487	105	40534	98	40567	115	40688	91	40796	116
40015	89	40094	115	40169	90	40214	100	40488	105	40534	115	40568	115	40688	100	40800	117
40016	89	40095	115	40170	91	40225	89	40489	105	40535	98	40569	95	40689	91	40801	117
40017	89	40096	115	40172	91	40226	89	40502	105	40535	115	40570	95	40689	100	40802	117
40020	89	40097	115	40173	91	40227	89	40503	105	40536	98	40629	91	40691	91	40803	117
40023	89	40100	90	40174	91	40228	89	40504	105	40536	115	40629	100	40691	100	40804	117
40025	89	40101	90	40175	91	40229	89	40506	98	40537	98	40631	91	40692	91	40828	97
40031	115	40102	90	40175	100	40242	90	40506	115	40537	115	40631	100	40692	100	40829	97
40035	89	40103	90	40177	91	40243	90	40507	98	40538	98	40632	91	40707	101	40830	97
40036	89	40108	90	40177	100	40244	90	40507	115	40538	115	40632	100	40709	101	40831	97
40037	89	40109	90	40178	91	40245	90	40508	95	40539	95	40633	91	40710	101	40832	97
40038	89	40110	90	40178	100	40246	90	40508	115	40539	98	40633	100	40712	101	40833	97
40039	89	40134	90	40179	91	40247	90	40509	95	40539	115	40634	91	40713	101	40834	97
40040	89	40135	93	40179	100	40315	95	40509	115	40540	95	40634	100	40714	101	40857	99
40043	89	40135	100	40180	91	40316	95	40510	95	40540	98	40636	91	40716	101	40857	115
40046	90	40138	90	40180	100	40317	95	40510	104	40540	115	40636	100	40718	101	40858	99
40047	90	40150	91	40181	91	40318	95	40510	116	40541	98	40637	91	40720	101	40858	115
40048	90	40151	91	40181	100	40319	95	40511	104	40541	115	40637	100	40721	101	40859	99
40049	90	40152	91	40182	91	40320	95	40517	95	40542	95	40638	91	40750	114	40859	115

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
40860	99	40942	102	40990	116	41115	103	41199	115	41298	96	41450	96	41738	97	41861	99
40860	115	40943	102	40991	104	41116	103	41200	95	41314	96	41509	96	41739	97	41862	99
40861	99	40955	99	40991	116	41117	103	41200	98	41315	96	41510	96	41740	97	41879	99
40861	115	40955	115	40994	103	41118	103	41200	115	41316	96	41511	96	41741	97	41880	99
40862	99	40956	99	40995	103	41119	103	41201	95	41319	96	41512	96	41776	114	41881	99
40862	115	40956	115	40996	103	41123	116	41201	98	41326	96	41513	96	41777	106	41882	99
40863	99	40957	99	40997	103	41124	116	41201	115	41327	96	41514	96	41781	98	41883	99
40863	115	40957	115	41008	116	41126	116	41202	98	41328	96	41515	96	41781	115	41884	99
40864	99	40958	99	41016	116	41138	116	41202	115	41329	96	41516	96	41785	115	41885	99
40882	116	40958	115	41020	117	41139	116	41203	98	41341	96	41525	96	41786	115	41886	99
40891	99	40959	99	41021	117	41148	116	41203	115	41342	96	41542	97	41788	115	41887	99
40891	115	40959	115	41022	117	41149	116	41204	98	41351	96	41543	97	41792	115	41888	99
40892	99	40960	117	41023	117	41152	116	41204	115	41354	91	41544	97	41793	115	41889	99
40892	115	40961	99	41024	117	41153	116	41205	98	41354	100	41545	97	41794	115	41890	99
40893	99	40961	115	41031	103	41168	116	41205	115	41355	91	41546	97	41795	115	41891	99
40893	115	40962	117	41032	103	41179	116	41206	98	41355	100	41547	97	41796	115	41892	99
40895	99	40963	117	41033	103	41181	98	41206	115	41356	91	41548	97	41797	115	41893	99
40895	115	40964	117	41034	103	41181	115	41207	98	41356	100	41581	96	41798	115	41894	99
40897	99	40965	117	41035	103	41183	98	41207	115	41357	91	41584	96	41799	115	41895	99
40897	115	40966	117	41041	103	41183	115	41208	98	41357	100	41613	95	41800	115	41896	99
40898	99	40969	99	41042	103	41185	98	41208	115	41358	91	41614	95	41812	103	41906	118
40898	115	40969	115	41043	103	41185	115	41213	104	41358	100	41615	95	41813	103	41907	118
40899	99	40970	117	41044	103	41187	116	41214	104	41359	91	41616	95	41814	103	41908	118
40899	115	40971	99	41045	103	41190	95	41215	104	41359	100	41617	95	41815	103	41909	118
40901	99	40971	115	41046	103	41190	98	41216	104	41363	100	41618	95	41829	114	41910	118
40901	115	40975	117	41047	103	41190	115	41218	104	41380	91	41619	95	41834	106	41911	118
40907	117	40978	99	41048	103	41191	95	41219	104	41380	100	41623	95	41835	106	41912	118
40908	105	40978	115	41050	103	41191	98	41220	104	41381	91	41624	95	41836	106	41913	118
40908	117	40979	99	41054	103	41191	115	41276	96	41381	100	41628	95	41845	99	41915	118
40915	117	40979	115	41055	103	41192	98	41277	96	41382	91	41629	95	41846	99	41916	118
40916	117	40980	99	41055	116	41192	115	41278	96	41382	100	41630	95	41847	99	41917	118
40918	117	40980	115	41056	105	41193	98	41279	96	41383	91	41631	95	41848	99	41918	118
40919	117	40981	99	41057	105	41193	115	41283	96	41383	100	41632	95	41849	99	41919	118
40920	116	40981	115	41058	103	41194	98	41284	96	41384	91	41633	95	41850	99	41920	118
40921	116	40982	99	41067	96	41194	115	41285	96	41384	100	41634	95	41851	99	41921	118
40922	116	40982	115	41068	103	41195	98	41286	96	41385	91	41642	95	41852	99	41922	118
40923	116	40983	99	41069	105	41195	115	41287	96	41385	100	41643	95	41853	99	41924	118
40924	116	40983	115	41078	106	41196	98	41288	96	41388	100	41709	95	41854	99	41925	118
40925	116	40984	99	41089	116	41196	115	41289	96	41391	96	41712	97	41855	99	41926	118
40927	116	40984	115	41097	116	41197	98	41290	96	41392	96	41713	97	41856	99	41927	118
40928	116	40985	99	41098	116	41197	115	41291	96	41393	96	41714	97	41857	99	41928	118
40930	117	40988	104	41099	116	41198	98	41292	96	41394	96	41715	97	41858	99	41929	118
40940	102	40988	116	41107	116	41198	115	41294	96	41395	96	41716	97	41859	99	41930	118
40941	102	40990	104	41110	105	41199	98	41296	96	41409	96	41737	97	41860	99	41931	118

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
41935	99	43024	105	50174	40	50439	40	54123	40	54502	39	54551	39	54617	39	56015	63
41960	105	43027	105	50175	40	50440	40	54148	40	54503	39	54552	39	54618	39	56016	63
41961	105	43029	105	50176	40	50441	40	54149	40	54504	39	54553	39	54619	39	56017	63
41962	105	43030	105	50178	40	50443	40	54150	40	54505	39	54554	39	54620	39	56018	63
41963	105	43031	105	50179	40	50444	40	54151	40	54506	39	54555	39	54621	39	56019	63
41987	106	43032	105	50180	40	50445	40	54152	40	54507	39	54556	39	54622	39	56020	63
41992	106	43033	105	50181	40	50446	40	54153	40	54508	39	54557	39	54624	39	56021	63
41998	106	43034	105	50183	40	50448	40	54154	40	54509	39	54558	39	54625	39	56022	63
41999	106	43035	105	50188	42	50477	40	54155	40	54510	39	54559	39	54626	41	56023	63
42000	106	43036	105	50200	42	50661	40	54156	40	54513	39	54560	39	54627	41	56024	63
42016	106	43037	105	50201	41	50662	40	54157	40	54514	39	54566	39	54628	41	56025	63
42036	106	43038	105	50226	42	50665	40	54158	40	54515	39	54568	39	54629	41	56026	63
42037	106	43039	105	50227	42	50666	40	54164	40	54516	39	54573	39	54631	41	56027	63
42038	106	43040	105	50231	42	50669	40	54426	39	54517	39	54580	39	54632	41	56028	63
42039	106	43041	105	50238	42	50670	40	54429	39	54518	39	54586	39	54633	40	56029	63
42040	106	43042	105	50239	42	50673	40	54456	39	54519	39	54587	39	54634	40	56030	63
42041	106	43043	105	50240	42	50674	40	54460	39	54520	39	54588	39	54635	40	56031	63
42042	106	43044	105	50243	42	53234	102	54473	39	54521	39	54589	39	54636	41	56032	63
42043	106	43045	105	50244	42	53235	102	54476	39	54522	39	54590	39	54713	41	56033	63
42044	106	43061	105	50248	42	53236	102	54477	39	54523	39	54591	39	54714	41	56034	63
42065	115	43062	105	50249	41	53237	102	54478	39	54524	39	54592	39	54715	39	56035	63
42066	115	43063	106	50249	110	53238	102	54479	39	54525	39	54593	39	54765	39	56100	75
42067	115	43063	116	50249	121	53255	102	54480	39	54528	39	54594	39	54769	39	56101	75
42068	115	43064	106	50270	42	53256	102	54481	39	54529	39	54595	39	55024	39	56102	75
42069	115	43064	116	50272	42	53257	102	54482	39	54530	39	54596	39	55059	39	56103	75
42070	115	50003	41	50413	40	53258	102	54483	39	54531	39	54597	39	55541	41	56104	75
42071	115	50003	52	50414	40	53259	102	54484	39	54532	39	54598	39	55554	41	56105	75
42072	115	50003	122	50415	40	54002	40	54485	39	54533	39	54599	39	55590	41	56106	75
42073	115	50004	19	50416	40	54003	40	54486	39	54534	39	54601	39	55592	41	56107	75
42074	115	50004	41	50418	40	54005	40	54487	39	54535	39	54602	39	56000	63	56108	75
42075	115	50004	52	50419	40	54006	40	54488	39	54536	39	54603	39	56001	63	56109	75
42076	115	50009	40	50420	40	54010	42	54489	39	54537	39	54604	39	56002	63	56110	75
42082	106	50015	42	50421	40	54030	41	54490	39	54538	39	54605	39	56003	63	56111	75
42083	106	50015	45	50423	40	54111	40	54491	39	54539	39	54606	39	56004	63	56112	75
42085	105	50016	41	50426	40	54112	40	54492	39	54540	39	54607	39	56005	63	56113	75
42152	114	50016	42	50427	40	54113	40	54493	39	54541	39	54608	39	56006	63	56114	75
42153	114	50025	42	50428	40	54114	40	54494	39	54542	39	54609	39	56007	63	56115	75
42154	114	50053	41	50429	40	54115	40	54495	39	54543	39	54610	39	56008	63	56116	75
42155	114	50075	41	50430	40	54116	40	54496	39	54544	39	54611	39	56009	63	56117	75
42521	106	50077	41	50431	40	54117	40	54497	39	54545	39	54612	39	56010	63	56118	75
42522	106	50144	42	50432	40	54118	40	54498	39	54546	39	54613	39	56011	63	56119	75
43008	106	50146	42	50433	40	54119	40	54499	39	54547	39	54614	39	56012	63	56120	75
43022	105	50165	40	50435	40	54120	40	54500	39	54549	39	54615	39	56013	63	56121	75
43023	105	50173	40	50437	40	54121	40	54501	39	54550	39	54616	39	56014	63	56122	75



# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
56123	75	56223	75	56511	64	56548	64	56585	63	56739	63	57152	72	70015	50	71168	134
56128	75	56224	75	56519	64	56549	64	56586	63	56743	73	57173	72	70020	50	73131	133
56129	75	56225	75	56520	64	56549	68	56587	63	56744	76	57174	72	70023	50	73132	133
56130	75	56227	76	56521	64	56549	72	56588	63	56746	77	57175	72	70028	50	73133	133
56131	75	56228	76	56522	64	56550	64	56600	77	56747	77	57176	72	70030	50	73134	133
56132	75	56229	76	56523	64	56550	68	56601	77	56748	23	57177	72	70034	50	73163	132
56133	75	56230	76	56524	64	56550	72	56602	77	57100	72	57178	72	70045	50	73190	133
56134	75	56231	76	56525	64	56551	64	56603	77	57101	72	57180	73	70046	50	73191	133
56135	75	56232	76	56526	64	56551	68	56604	77	57102	72	57181	73	70047	50	73192	133
56140	75	56233	76	56527	64	56551	72	56606	77	57103	72	57182	73	70050	50	73193	133
56141	75	56234	76	56528	64	56552	64	56607	77	57104	72	57183	73	70051	50	74389	133
56142	75	56235	76	56529	64	56552	68	56608	77	57105	72	57184	73	70056	50	74390	133
56143	75	56236	76	56530	64	56552	72	56609	77	57106	72	57185	73	70057	50	74391	133
56148	75	56237	76	56531	64	56553	64	56611	77	57107	72	57186	73	70058	50	74457	133
56149	75	56238	76	56531	68	56553	68	56612	77	57108	72	57187	73	70060	50	74458	133
56150	75	56239	76	56532	64	56553	72	56613	77	57109	72	57188	73	70061	50	74459	133
56151	75	56240	76	56532	68	56554	64	56614	77	57110	72	57189	73	70064	50	74558	132
56181	75	56241	76	56533	64	56554	68	56618	77	57111	72	57190	73	70065	50	74559	132
56182	75	56242	76	56533	68	56554	72	56619	77	57112	72	57191	73	70066	50	74560	132
56183	75	56243	76	56534	64	56555	64	56620	77	57120	72	57192	73	70067	50	74561	132
56184	75	56244	76	56534	68	56555	68	56621	77	57121	72	57200	73	70110	50	74562	132
56185	75	56245	76	56535	64	56555	72	56622	77	57122	72	57201	73	70111	50	74563	132
56186	75	56246	76	56535	68	56556	64	56628	77	57123	72	57202	73	70112	50	74564	132
56187	75	56247	76	56536	64	56557	64	56629	77	57124	72	57203	73	70113	50	74565	132
56188	75	56248	76	56536	68	56558	64	56636	77	57125	72	57204	73	70114	50	75570	133
56189	75	56249	76	56537	64	56558	68	56637	77	57126	72	57205	73	70170	50	75571	133
56190	75	56250	76	56537	68	56559	64	56638	77	57127	72	57206	73	70171	50	75572	133
56206	75	56251	76	56538	64	56559	68	56639	77	57128	72	57207	73	70172	50	75573	133
56207	75	56252	76	56539	64	56560	64	56640	77	57129	72	57208	73	70174	50	75574	133
56208	75	56253	76	56540	64	56560	68	56641	77	57130	72	57209	73	70175	50	75575	133
56209	75	56254	76	56540	68	56561	64	56642	77	57131	72	57210	73	70176	50	75576	133
56210	75	56255	76	56541	64	56561	68	56643	77	57132	72	57211	73	70178	50	75778	134
56211	75	56256	76	56541	68	56562	64	56644	77	57140	72	57212	73	70179	50	76469	131
56212	75	56500	64	56542	64	56562	68	56645	77	57141	72	57250	68	71052	134	76470	131
56213	75	56501	64	56542	68	56563	64	56646	77	57142	72	57250	73	71055	134	76472	131
56214	75	56502	64	56543	64	56563	68	56667	76	57143	72	57251	68	71057	134	76473	131
56215	75	56503	64	56543	68	56564	64	56668	76	57144	72	57251	73	71058	134	76474	131
56216	75	56504	64	56544	64	56564	68	56669	76	57145	72	57252	68	71058	134	76476	131
56217	75	56505	64	56544	68	56565	64	56707	76	57146	72	57252	73	71060	134	76477	131
56218	75	56506	64	56545	64	56566	64	56732	77	57147	72	57255	73	71060	134	76478	131
56219	75	56507	64	56545	68	56567	64	56733	77	57148	72	57256	73	71140	134	76479	131
56220	75	56508	64	56546	64	56568	64	56734	77	57149	72	57257	73	71141	134	76481	131
56221	75	56509	64	56546	68	56568	68	56735	77	57150	72	57258	68	71141	134	76482	131
56222	75	56510	64	56547	64	56577	64	56737	77	57151	72	57258	73	71164	134	76983	131

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
76984	131	80204	47	99514	85	99577	85	103331	68	106318	71	106362	71	106426	67	109511	83
76985	131	90265	132	99515	85	99578	85	103332	68	106319	71	106363	71	106427	67	109637	56
76986	131	90266	132	99516	85	99579	85	103333	68	106320	71	106364	71	106428	67	111055	60
77250	131	90267	132	99517	85	99580	85	103334	68	106321	71	106365	71	106429	67	111056	120
77251	131	90268	132	99518	85	99581	85	103335	68	106322	71	106366	71	106430	67	111057	120
77729	131	90269	132	99519	85	99582	85	103336	68	106323	71	106367	71	106431	67	111058	120
80011	47	90270	132	99520	85	99583	85	103687	68	106324	71	106368	71	106432	67	111059	120
80012	47	90646	132	99521	85	99586	85	104112	126	106325	71	106369	71	106433	67	111081	120
80013	47	90647	132	99522	85	99589	85	104113	126	106326	71	106370	71	106434	67	111143	120
80014	47	90648	132	99523	85	99590	85	104114	126	106327	71	106371	71	106435	67	111145	120
80015	47	90649	132	99525	85	99591	85	104115	126	106328	71	106372	71	106436	67	111146	121
80016	47	90650	132	99529	85	99592	85	104116	126	106329	71	106373	71	106437	67	111149	121
80017	47	90651	132	99529	86	99593	85	104117	126	106330	71	106374	71	106438	67	111186	121
80018	47	90652	132	99531	85	99594	85	104674	68	106331	71	106375	71	106439	67	111217	121
80019	47	90653	132	99535	85	99597	85	104674	73	106332	71	106376	71	106440	67	111218	121
80020	47	99280	87	99535	86	99598	85	105509	106	106333	71	106377	71	106441	67	111220	121
80021	47	99281	87	99536	85	99599	85	105844	57	106334	71	106378	71	106442	67	111222	121
80022	47	99282	87	99536	86	99600	85	105846	58	106335	71	106379	71	106443	67	111223	121
80023	47	99283	87	99537	86	99601	85	105871	57	106336	71	106400	67	106444	67	111224	120
80024	47	99287	87	99538	86	99626	86	105873	58	106337	71	106401	67	106445	67	111225	121
80025	47	99288	87	99539	86	99627	86	105953	77	106338	71	106402	67	106446	67	111227	121
80026	47	99289	87	99541	86	99648	85	106186	126	106339	71	106403	67	106447	67	111282	120
80027	47	99290	87	99542	86	99690	86	106279	68	106340	71	106404	67	106448	67	111390	127
80028	47	99295	87	99543	86	99832	87	106279	73	106341	71	106405	67	106449	67	111392	121
80038	48	99296	87	99544	86	99844	87	106280	68	106342	71	106406	67	106450	67	111516	126
80039	48	99297	87	99546	86	99855	87	106280	73	106343	71	106407	67	106451	67	111519	126
80040	48	99301	87	99547	86	99860	87	106300	71	106344	71	106408	67	106452	67	111520	126
80041	48	99302	87	99548	86	99861	87	106301	71	106345	71	106409	67	106453	67	111521	126
80042	48	99303	87	99551	86	99967	87	106302	71	106346	71	106410	67	106454	67	112087	121
80043	48	99304	87	99552	86	99968	87	106303	71	106347	71	106411	67	106455	67	314002	81
80044	48	99500	85	99553	86	99969	87	106304	71	106348	71	106412	67	106957	77	314011	81
80045	48	99501	85	99554	86	99983	87	106305	71	106349	71	106413	67	107321	57	314112	81
80075	47	99502	85	99555	86	99984	87	106306	71	106350	71	106414	67	107321	58	102978RPR	130
80076	47	99503	85	99556	86	99985	87	106307	71	106351	71	106415	67	107322	58	30001RPR	127
80078	48	99504	85	99560	86	99987	87	106308	71	106352	71	106416	67	107323	57	30002RPR	127
80079	48	99505	85	99563	86	99996	87	106309	71	106353	71	106417	67	107452	126	30018RPR	127
80090	48	99506	85	99565	85	101780	55	106310	71	106354	71	106418	67	108037	98	30019RPR	127
80099	47	99507	85	99566	86	101808	77	106311	71	106355	71	106419	67	108324	83	30367RPR	130
80100	47	99508	85	99569	86	102390	126	106312	71	106356	71	106420	67	108331	83	32068RPR	130
80110	47	99509	85	99570	85	102841	60	106313	71	106357	71	106421	67	108821	77	32070RPR	130
80150	47	99510	85	99571	85	102978	130	106314	71	106358	71	106422	67	109171	56	41992RPR	106
80201	47	99511	85	99572	86	103328	68	106315	71	106359	71	106423	67	109226	57	55541RPR	41
80202	47	99512	85	99573	86	103329	68	106316	71	106360	71	106424	67	109228	58	55590RPR	41
80203	47	99513	85	99576	85	103330	68	106317	71	106361	71	106425	67	109455	83		





---

*Partners in Productivity*

2525 Wisconsin Avenue, Downers Grove, Illinois 60515

**Phone: 1-630-971-0150 Fax: 1-630-971-1180**

**Customer Experience: 1-800-541-8028**

**[www.flexco.com](http://www.flexco.com)**