Product Handbook

MLT MS SERIES Belt Fasteners

January 2024



2525 Wisconsin Avenue, Downers Grove, Illinois 60515

Phone: 1-630-971-0150 Fax: 1-630-971-1180 Customer Experience: 1-800-541-8028

www.flexco.com

Patents: www.flexco.com/patents

INFORMATION

OFFICE AND FACTORY Flexco Flexco

ADDRESSES: 2525 Wisconsin Avenue 1854 Northridge Dr. NW
Downers Grove, IL 60515-4200 Walker, MI 49544

I.S.A. U.S.A.

REMITTANCE ADDRESS: Flexco

135 South LaSalle - Dept. 4803 Chicago, IL 60674-4803

U.S.A.

TOLL-FREE SERVICE: Customer Experience: 1-800-541-8028

MAIN OFFICE TELEPHONE FOR USE

OUTSIDE THE CONTINENTAL USA: (630) 971-0150 **FAX**: (630) 971-1180

UPC MANUFACTURERS CODE: 697598

TERMS AND CONDITIONS

PAYMENT TERMS: In U.S. Dollars. Net 30 Days.

F.O.B. POINT: Our plant: Downers Grove, Illinois or Walker, Michigan.

SHIPPING CHARGES: Shipping charges will be prepaid in the continental U.S.A. and Canada for any of our products on a single shipment

from Downers Grove, IL or Walker, MI having a net invoice value of U.S. \$2,500 Non-BCP/\$5,000 BCP/\$5,000 MLT. Shipping will be based on the least expensive truck rate or common parcel service - not to exceed 10% of the net invoice value. Any shipping charges in excess of 10% will be added to the invoice total. Shipping charges will be made on the same basis to Seattle, Washington covering shipments to Alaska and to West Coast Ports on shipments to Hawaii. No additional charges such as single shipment, warehouse or brokerage fees, surcharge or demurrage will be included. Shipping charges will be prepaid on back orders provided the initial order was

shipping prepaid eligible.

DROP SHIPMENTS: Flexco cannot support export shipments unauthorized by Flexco.

MINIMUM ORDER: \$50. Any order placed must have a net invoice value of \$50 or more, with the exception of UPS Next Day Air

orders, which are not subject to any minimum value. Second Day Air orders are subject to the \$50 minimum order

requirement.

RETURN GOODS: All Return Goods are subject to a minimum 20% restocking charge. Return goods must be return shipped to the

original shipping location. Failure to follow RMA shipping instructions will result in additional charges. Returned product will not be accepted without a **Return Material Authorization (RMA)**. Returned product must be of current design, in full box quantities, in resalable condition, and purchased from Flexco within the last 3 years. Please

refer to the date code located on each label to determine if the goods are less than 3 years old.

SPECIAL ORDER PRODUCT: Special Order Products are not returnable. Special order products include made-to-order products, cut-to-order

MLT splices, non-stock products, any gray-shade items, or items not listed in the price book.

Although the information in this Price Book is presented in good faith and believed to be correct at the time of

printing, Flexco makes no representation or warranties as to the completeness or accuracy of the information. Flexco has no liability for any errors or omissions in the materials. Flexco reserves the right to change, delete, or

otherwise modify the information which is represented without any prior notice.

ASK FOR INFORMATION ON E-SERVICES ORDERING CAPABILITIES AND OTHER BENEFITS

Call 1-800-541-8028 Mon-Fri from 6am - 7pm CST or email us at info@flexco.com

Visit our Web site at: www.flexco.com



Customer Experience: 1.800.541.8028

DISCLAIMER:


MS Series Fasteners

All fasteners are available only in complete kits. Kits include lace, pins, screws, and drive bit for one splice.

MS	25						
IAI 2	ZJ		M25 GALVAN	IZED KIT*	M25 STAINLESS KIT*		
BELT	WIDTH	SCREWS INCLUDED	ORDERING	ITEM	ORDERING	ITEM	
in.	mm	30NLVV3 INGLUDED	NUMBER	CODE	NUMBER	CODE	
18	450	80 - 4X10 and 4X12	MS25-18-K	110332	MS25-18-SS-K	110333	
24	600	104 - 4X10 and 4X12	MS25-24-K	110334	MS25-24-SS-K	110335	
30	750	128 - 4X10 and 4X12	MS25-30-K	110336	MS25-30-SS-K	110337	
36	900	154 - 4X10 and 4X12	MS25-36-K	110338	MS25-36-SS-K	110339	
42	1050	180 - 4X10 and 4X12	MS25-42-K	110340	MS25-42-SS-K	110341	
48	1200	206 - 4X10 and 4X12	MS25-48-K	110342	MS25-48-SS-K	110343	
60	1500	256 - 4X10 and 4X12	MS25-60-K	110344	MS25-60-SS-K	110345	
72	1800	308 - 4X10 and 4X12	MS25-72-K	110346†	MS25-72-SS-K	110347 †	

^{*}Kit prices include lace, 1 connecting pin, 1 PZ2 bit, and screws.

MS25 fasteners use 4mm connecting pins. Galvanized and stainless steel connecting pins are nylon coated



^{*}Kit prices include lace, 1 connecting pin, 1 PZ2 bit, and screws.

MS35 fasteners use 5mm connecting pins. Galvanized and stainless steel connecting pins are nylon coated.

<i>1</i> -						
45		M45 GALVAN	IZED KIT*	M45 STAINLESS KIT*		
VIDTH	SCDEMS INCLUDED	ORDERING ITEM CODE		ORDERING	ITEM	
mm	SCHEVVS INCLUDED			NUMBER	CODE	
450	32 - 5X12 and 5X14	MS45-18-K	110366	MS45-18-SS-K	110367 †	
600	44 - 5X12 and 5X14	MS45-24-K	110368	MS45-24-SS-K	110369	
750	56 - 5X12 and 5X14	MS45-30-K	110370	MS45-30-SS-K	110371	
900	68 - 5X12 and 5X14	MS45-36-K	110372	MS45-36-SS-K	110373	
1050	80 - 5X12 and 5X14	MS45-42-K	110374	MS45-42-SS-K	110375	
1200	92 - 5X12 and 5X14	MS45-48-K	110376	MS45-48-SS-K	110377	
1500	116 - 5X12 and 5X14	MS45-60-K	110378	MS45-60-SS-K	110379	
1800	140 - 5X12 and 5X14	MS45-72-K	110380	MS45-72-SS-K	110381	
3000	240 - 5X12 and 5X14	MS45-120-K	110382	MS45-120-SS-K	110383	
	WIDTH 450 600 750 900 1050 1200 1500 1800	WIDTH mm SCREWS INCLUDED 450 32 - 5X12 and 5X14 600 44 - 5X12 and 5X14 750 56 - 5X12 and 5X14 900 68 - 5X12 and 5X14 1050 80 - 5X12 and 5X14 1200 92 - 5X12 and 5X14 1500 116 - 5X12 and 5X14 1800 140 - 5X12 and 5X14	VIDTH SCREWS INCLUDED NUMBER NU	VIDTH SCREWS INCLUDED ORDERING NUMBER NUMBER	WIDTH mm SCREWS INCLUDED ORDERING NUMBER ITEM CODE NUMBER ORDERING NUMBER 450 32 - 5X12 and 5X14 MS45-18-K 110366 MS45-18-SS-K 600 44 - 5X12 and 5X14 MS45-24-K 110368 MS45-24-SS-K 750 56 - 5X12 and 5X14 MS45-30-K 110370 MS45-30-SS-K 900 68 - 5X12 and 5X14 MS45-36-K 110372 MS45-36-SS-K 1050 80 - 5X12 and 5X14 MS45-42-K 110374 MS45-42-SS-K 1200 92 - 5X12 and 5X14 MS45-48-K 110376 MS45-88-SS-K 1500 116 - 5X12 and 5X14 MS45-60-K 110378 MS45-60-SS-K 1800 140 - 5X12 and 5X14 MS45-72-K 110380 MS45-72-SS-K	

^{*}Kit prices include lace, 1 connecting pin, 1 PZ2 bit, and screws.

MS45 fasteners use 7mm connecting pins. Galvanized and stainless steel connecting pins are nylon coated.

NAC	CE						
MS	ככ	M55 GALVANIZED KIT					
BELT WIDTH		SCREWS INCLUDED	ORDERING	ITEM CODE			
in.	mm	JULIEVS INCLUDED	NUMBER I				
18	450	60 - 5X14 and 5X16	MS55-18-K	110384†			
24	600	78 - 5X14 and 5X16	MS55-24-K	110385			
30	750	102 - 5X14 and 5X16	MS55-30-K	110386			
36	900	126 - 5X14 and 5X16	MS55-36-K	110387			
42	1050	144 - 5X14 and 5X16	MS55-42-K	110388			
48	1200	168 - 5X14 and 5X16	MS55-48-K	110389			
60	1500	210 - 5X14 and 5X16	MS55-60-K	110390			
72	1800	252 - 5X14 and 5X16	MS55-72-K	110391			

^{*}Kit prices include lace, 1 connecting pin, 1 PZ2 bit, and screws.

MS55 fasteners use 8mm connecting pins. Galvanized and stainless steel connecting pins are nylon coated.

МС	MS65								
IVIO	UJ		M65 GALVANIZED KIT*						
BELT WIDTH		SCREWS INCLUDED	ORDERING	ITEM CODE					
in.	mm	3CHEVV3 INCLUDED	NUMBER	ITENI CODE					
18	450	80 - 5X18 and 5X20	MS65-18-K	110392 †					
24	600	88 - 5X18 and 5X20	MS65-24-K	110393					
30 750		112 - 5X18 and 5X20	MS65-30-K	110394					
36	900	168 - 5X18 and 5X20	MS65-36-K	110395					
42	1050	192 - 5X18 and 5X20	MS65-42-K	110396					
48	1200	224 - 5X18 and 5X20	MS65-48-K	110397					
60 1500		280 - 5X18 and 5X20	MS65-60-K	110398					
72	1800	336 - 5X18 and 5X20	MS65-72-K	110399					

^{*}Kit prices include lace, 1 connecting pin, 1 PZ2 bit, and screws.



[†] Limited inventory on hand. Available until inventory depleted.

^{**}Minimum of 15 kits must be ordered for 120".

[†] Limited inventory on hand. Available until inventory depleted.

^{**}Minimum of 15 kits must be ordered for 120".

[†] Limited inventory on hand. Available until inventory depleted.

[†] Limited inventory on hand. Available until inventory depleted.

[†] Limited inventory on hand. Available until inventory depleted.

MS65 fasteners use 10mm connecting pins.

Galvanized connecting pins are nylon coated.

MS Series Fasteners

Additional screws are available upon request. Contact Customer Service for information and ordering.

HINGE PINS

DESCRIPTION	DIAMETER	ORDERING NUMBER	ITEM CODE
MS25 Galvanized Hinge Pin	4mm	MS25-NCP-1	110322
MS35 Galvanized Hinge Pin	5mm	MS35-NCP-1	110324
MS45 Galvanized Hinge Pin	7mm	MS45-NCP-1	110326
MS55 Galvanized Hinge Pin	8mm	MS55-NCP-1	110328
MS65 Galvanized Hinge Pin	10mm	MS65-NCP-1	110331
MS25 Stainless Hinge Pin	4mm	MS25-NCSSP-1	110323
MS35 Stainless Hinge Pin	5mm	MS35-NCSSP-1	110325
MS45 Stainless Hinge Pin	7mm	MS45-NCSSP-1	110327
MS55 Stainless Hinge Pin	8mm	MS55-NCSSP-1	110329

Spare pins are sold in 1-foot increments

ADDITIONAL SCREWS

DESCRIPTION	SCREW SIZE	ITEM CODE
	4x7	109840
Calaratian d Carrant Arrant Diamantan	4x8	109841
Galvanized Screw, 4mm Diameter for MS25	4x9	109842
101 101323	4x10	109836
	4x12	109838
Stainless Screw, 4mm Diameter for	4x10	109837
MS25	4x12	109839
	5x10	109843
	5x12	109847
Galvanized Screw, 5mm Diameter for	5x14	109851
MS35-65	5x16	109855
	5x18	109859
	5x20	109863
	5x10	109845
	5x12	109849
Stainless* Screw, 5mm Diameter for	5x14	109853
MS35-65	5x16	109857
	5x18	109861
	5x20	109865



DRIVE BITS

DESCRIPTION	FOR MS SERIES:	ORDERING Number	ITEM CODE	
PZ2 Bit	ALL	PZ2B	110274	



FASTENER SELECTION INFORMATION

FASTENER	R PIW		M PULLEY METER		L BELT (NESS		TING PIN IETER	FASTENER	CONNECTING PIN	SCREW
TYPE		in.	mm	in.	mm	in.	mm	MATERIAL	MATERIAL	MATERIAL
MS25	350	3	75	1/8 - 5/16	3.5 - 7.5	5/32	4	ANY ON COVERED ON		
MS35	360	3.5	90	3/16 - 3-8	4.5 - 10	3/16	5	GALVANIZED OR STAINLESS STEEL	NYLON COVERED GAL- VANIZED OR NYLON	GALVANIZED OR STAINLESS
MS45	400	5	130	3/8 - 7/16	6 - 11	1/4	7	COVERED STAINLESS STEEL	STEEL	
MS55	600	10	250	3/8 - 5/8	9 - 15	5/16	8	GALVANIZED	SILL	
MS65	800	18	450	9/16 - 3/4	10 - 18	25/64	10	GALVANIZED	NYLON COVERED GALVANIZED	GALVANIZED

2525 Wisconsin Avenue • Downers Grove, IL 60515-4200 U.S.A. Tel: (630) 971-0150 • Fax: (630) 971-1180 • E-mail: info@flexco.com



^{*316} Stainless Steel